



# Technical Lighting 2024

Catalogue **2024**

**Home / Business / Garden / Workshop**

[www.eko-light.com](http://www.eko-light.com) [www.b2b.eko-light.com](http://www.b2b.eko-light.com) +48 666 503 333 [biuro@eko-light.com](mailto:biuro@eko-light.com)





Kim jesteśmy?  
Who We are?



MILAGRO

*Mad.Sit*



## O FIRMIE

Marka E-Light jest obecnie liderem na rynku oświetlenia technicznego. Taką pozycję udało się zbudować dzięki 10-letniej, ciężkiej pracy. Jej rezultatem są produkty wyróżniające się ponadprzeciętną jakością oraz funkcjonalnością.

Oferta produktowa marki jest bardzo szeroka, aby sprostać potrzebom inwestorów. Jej częścią jest oświetlenie techniczne, różnego rodzaju źródła światła, paski LED i akcesoria, dekoracje świetlne, a także artykuły wentylacyjne.

## ABOUT COMPANY

E-Light brand is the leader on technical lighting market. We managed to reach this position thanks to ten years of hard work and dedication. Now we are able to offer you wide range of good quality functional products which meet the needs of various kinds of customers.

Our assortment is not only technical lighting such as louvre fittings, LED floodlights or LED panels but also different kinds of LED bulbs and tubes, LED strips and accessories, decoration lights or even ventilation products.

[www.eko-light.com](http://www.eko-light.com)  
[biuro@eko-light.com](mailto:biuro@eko-light.com)  
+48 666 503 333





### Milagro - 2023

**/PL/** Standardowa kolekcja marki MILAGRO, lampy LED, lampy tradycyjne na rok 2023.

**/EN/** MILAGRO standard collection, LED lamps, traditional lamps for 2023.



### Milagro - 2022

**/PL/** Nowości z kolekcji oświetlenia dekoracyjnego wydane w roku 2022.

**/EN/** New products from the collection of decorative lighting released in 2022.



ROTONDA ML7943



## NAŚWIETLACZE FLOODLIGHTS

**EKN597**

No. Art.

**10W  
LED**

Power

**800  
lm**Luminous  
flux**3000K**

Colour

**IP65**Internal  
Protection (IP)**EKN665**

No. Art.

**20W  
LED**

Power

**1600  
lm**Luminous  
flux**3000K**

Colour

**IP65**Internal  
Protection (IP)**MLN700**

No. Art.

**10W  
LED**

Power

**800  
lm**Luminous  
flux**4000K**

Colour

**IP65**Internal  
Protection (IP)**MLN724**

No. Art.

**20W  
LED**

Power

**1600  
lm**Luminous  
flux**4000K**

Colour

**IP65**Internal  
Protection (IP)**EKN6691**

No. Art.

**150W  
LED**

Power

**12000  
lm**Luminous  
flux**3000K**

Colour

**IP65**Internal  
Protection (IP)**EKN6714**

No. Art.

**200W  
LED**

Power

**16000  
lm**Luminous  
flux**3000K**

Colour

**IP65**Internal  
Protection (IP)

## NAŚWIETLACZE +PIR FLOODLIGHTS +PIR

**EKN658**

No. Art.

**10W  
LED**

Power

**800  
lm**Luminous  
flux**3000K**

Colour

**IP65**Internal  
Protection (IP)Twilight  
SensorMotion  
SensorANGLE: 120°  
TIME: 2-300 sec  
LUX: 2-50ANGLE: 120°  
TIME: 2-300 sec  
RANGE: 1-12m**EKN641**

No. Art.

**20W  
LED**

Power

**1600  
lm**Luminous  
flux**3000K**

Colour

**IP65**Internal  
Protection (IP)Twilight  
SensorMotion  
SensorANGLE: 120°  
TIME: 2-300 sec  
LUX: 2-50ANGLE: 120°  
TIME: 2-300 sec  
RANGE: 1-12m

## NAŚWIETLACZE MLECZNE FLOODLIGHTS MILKY

**EKN9013**

No. Art.

**10W  
LED**

Power

**950  
lm**Luminous  
flux**5000K**

Colour

**IP65**Internal  
Protection (IP)**EKN9015**

No. Art.

**30W  
LED**

Power

**3000  
lm**Luminous  
flux**5000K**

Colour

**IP65**Internal  
Protection (IP)**EKN9014**

No. Art.

**20W  
LED**

Power

**2000  
lm**Luminous  
flux**5000K**

Colour

**IP65**Internal  
Protection (IP)**EKN9016**

No. Art.

**50W  
LED**

Power

**5000  
lm**Luminous  
flux**5000K**

Colour

**IP65**Internal  
Protection (IP)

# NAŚWIETLACZE MLECZNE +PIR

## FLOODLIGHTS MILKY +PIR



<b>EKN9017</b> No. Art.	▶ <b>10W LED</b> Power	<b>950 lm</b> Luminous flux	<b>5000K</b> Colour	<b>IP65</b> Internal Protection (IP)	 Twilight Sensor	 Motion Sensor	 ADJUSTABLE: LUX: 5-2000lux	 ADJUSTABLE: TIME: 10sec-10min RANGE: 1-8m
<b>EKN9018</b> No. Art.	▶ <b>20W LED</b> Power	<b>2000 lm</b> Luminous flux	<b>5000K</b> Colour	<b>IP65</b> Internal Protection (IP)	 Twilight Sensor	 Motion Sensor	 ADJUSTABLE: LUX: 5-2000lux	 ADJUSTABLE: TIME: 10sec-10min RANGE: 1-8m
<b>EKN9019</b> No. Art.	▶ <b>30W LED</b> Power	<b>3000 lm</b> Luminous flux	<b>5000K</b> Colour	<b>IP65</b> Internal Protection (IP)	 Twilight Sensor	 Motion Sensor	 ADJUSTABLE: LUX: 5-2000lux	 ADJUSTABLE: TIME: 10sec-10min RANGE: 1-8m
<b>EKN9020</b> No. Art.	▶ <b>50W LED</b> Power	<b>5000 lm</b> Luminous flux	<b>5000K</b> Colour	<b>IP65</b> Internal Protection (IP)	 Twilight Sensor	 Motion Sensor	 ADJUSTABLE: LUX: 5-2000lux	 ADJUSTABLE: TIME: 10sec-10min RANGE: 1-8m

# PASKI LED - ZESTAWY

## LED STRIP KITS

### SPECIFICATION TO 0.5m



<b>EKZ5780</b> No. Art.	▶ <b>60</b> LED	<b>IP20</b> Internal Protection (IP)	<b>3m Total</b> Length	<b>3000K</b> Colour	<b>2,4W</b> Power	<b>240 lm</b> Luminous flux
----------------------------	--------------------	---	---------------------------	------------------------	----------------------	--------------------------------

<b>EKZ5797</b> No. Art.	▶ <b>60</b> LED	<b>IP20</b> Internal Protection (IP)	<b>3m Total</b> Length	<b>6000K</b> Colour	<b>10W</b> Power	<b>1000 lm</b> Luminous flux
----------------------------	--------------------	---	---------------------------	------------------------	---------------------	---------------------------------

### SPECIFICATION TO 0.5m



<b>EKZ0003</b> No. Art.	▶ <b>60</b> LED	<b>IP65</b> Internal Protection (IP)	<b>3m Total</b> Length	<b>3000K</b> Colour	<b>2,4W</b> Power	<b>240 lm</b> Luminous flux
----------------------------	--------------------	---	---------------------------	------------------------	----------------------	--------------------------------

### SPECIFICATION TO 0.5m

<b>EKZ0010</b> No. Art.	▶ <b>60</b> LED	<b>IP65</b> Internal Protection (IP)	<b>3m Total</b> Length	<b>6000K</b> Colour	<b>2,6W</b> Power	<b>240 lm</b> Luminous flux
----------------------------	--------------------	---	---------------------------	------------------------	----------------------	--------------------------------



<b>EKZ2857</b> No. Art.	▶ <b>IP65</b> Internal Protection (IP)	<b>3m</b> Length	 Colour	<b>18W</b> Power
----------------------------	---	---------------------	------------	---------------------

<b>EKZ2291</b> No. Art.	▶ <b>IP65</b> Internal Protection (IP)	<b>5m</b> Length	 Colour	<b>24W</b> Power
----------------------------	---	---------------------	------------	---------------------

<b>EKZ0637</b> No. Art.	▶ <b>2,4W</b> Power	<b>180lm</b> Luminous flux	<b>1m</b> Length	<b>4000K</b> Colour	<b>DC 3,7V LITHIUM</b> Battery	 Motion Sensor
----------------------------	------------------------	-------------------------------	---------------------	------------------------	-----------------------------------	-------------------

<b>EKZ0620</b> No. Art.	▶ <b>2,4W</b> Power	<b>180lm</b> Luminous flux	<b>1m</b> Length	<b>4000K</b> Colour	<b>DC 6V 4xAAA</b> Battery	 Motion Sensor	<b>IP65</b> IP
----------------------------	------------------------	-------------------------------	---------------------	------------------------	-------------------------------	-------------------	-------------------

### SPECIFICATION TO 0.5m

<b>EKZ0668</b> No. Art.	▶ <b>2,6W</b> Power	<b>240lm</b> Luminous flux	<b>3m</b> Total Length	<b>4000K</b> Colour	<b>1,5A</b> Adapter	 Touch Sensor
----------------------------	------------------------	-------------------------------	---------------------------	------------------------	------------------------	------------------

<b>EKZ0644</b> No. Art.	▶ <b>2,4W</b> Power	<b>180lm</b> Luminous flux	<b>1m</b> Length	<b>4000K</b> Colour	<b>DC 6V 4xAAA</b> Battery	 Hand Wave Sensor
----------------------------	------------------------	-------------------------------	---------------------	------------------------	-------------------------------	----------------------

### SPECIFICATION TO 0.5m

<b>EKZ0651</b> No. Art.	▶ <b>2,6W</b> Power	<b>240lm</b> Luminous flux	<b>3m</b> Length	<b>4000K</b> Colour	<b>1,5A</b> Adapter	 Hand Wave Sensor
----------------------------	------------------------	-------------------------------	---------------------	------------------------	------------------------	----------------------





## MODUŁY LED LED MODULES

	<b>EKM7219</b> ✓		<b>EKM7220</b> ✓		<b>EKM7895</b> ✓			
	No. Art.		No. Art.		No. Art.			
	<b>1.5W</b> Power		<b>130lm</b> Luminous flux		<b>1.5W</b> Power	<b>130lm</b> Luminous flux	<b>1.5W</b> Power	<b>130lm</b> Luminous flux
	<b>3000K</b> Colour		<b>IP65</b> Internal Protection (IP)		<b>4000K</b> Colour	<b>IP65</b> Internal Protection (IP)	<b>6000K</b> Colour	<b>IP65</b> Internal Protection (IP)

## PASKI LED COB LED COB STRIPS



**SPECIFICATION TO 0.5m**

<b>EKZ629</b> ▶	<b>4.4W LED</b> Power	<b>440 lm</b> Luminous flux	<b>3000K</b> Colour	<b>IP20</b> Internal Protection (IP)	<b>5m</b> Roll Size	<b>COB *160<sub>pcs</sub></b> LED Type
-----------------	--------------------------	--------------------------------	------------------------	---	------------------------	---

**SPECIFICATION TO 0.5m**

<b>EKZ630</b> ▶	<b>4.4W LED</b> Power	<b>440 lm</b> Luminous flux	<b>4000K</b> Colour	<b>IP20</b> Internal Protection (IP)	<b>5m</b> Roll Size	<b>COB *160<sub>pcs</sub></b> LED Type
-----------------	--------------------------	--------------------------------	------------------------	---	------------------------	---

**SPECIFICATION TO 0.5m**

<b>EKZ631</b> ▶	<b>4.4W LED</b> Power	<b>440 lm</b> Luminous flux	<b>6000K</b> Colour	<b>IP20</b> Internal Protection (IP)	<b>5m</b> Roll Size	<b>COB *160<sub>pcs</sub></b> LED Type
-----------------	--------------------------	--------------------------------	------------------------	---	------------------------	---

**SPECIFICATION TO 0.5m**

<b>EKPL632</b> ▶	<b>4W LED</b> Power	<b>400 lm</b> Luminous flux	<b>3000K</b> Colour	<b>IP20</b> Internal Protection (IP)	<b>30m</b> Roll Size	<b>COB *160<sub>pcs</sub></b> LED Type
------------------	------------------------	--------------------------------	------------------------	---	-------------------------	---

**SPECIFICATION TO 0.5m**

<b>EKPL633</b> ▶	<b>4W LED</b> Power	<b>400 lm</b> Luminous flux	<b>4000K</b> Colour	<b>IP20</b> Internal Protection (IP)	<b>30m</b> Roll Size	<b>COB *160<sub>pcs</sub></b> LED Type
------------------	------------------------	--------------------------------	------------------------	---	-------------------------	---

**SPECIFICATION TO 0.5m**

<b>EKPL067</b> ▶	<b>4W LED</b> Power	<b>400 lm</b> Luminous flux	<b>6500K</b> Colour	<b>IP20</b> Internal Protection (IP)	<b>30m</b> Roll Size	<b>COB *160<sub>pcs</sub></b> LED Type
------------------	------------------------	--------------------------------	------------------------	---	-------------------------	---

**SPECIFICATION TO 0.5m**

	<b>EKPL8306</b> ▶	<b>5W LED</b> Power	<b>162 LED</b> Leds	<b>5m</b> Length	<b>IP 20</b> Internal Protection (IP)	<b>3000K</b> Colour
No. Art.		<b>2835</b> SMD	<b>12V~</b> Voltage	<b>550 lm</b> Luminous flux	<b>COB</b> Type	

**SPECIFICATION TO 0.5m**

	<b>EKPL8308</b> ▶	<b>5W LED</b> Power	<b>162 LED</b> Leds	<b>5m</b> Length	<b>IP 20</b> Internal Protection (IP)	<b>6500K</b> Colour
No. Art.		<b>2835</b> SMD	<b>12V~</b> Voltage	<b>600 lm</b> Luminous flux	<b>COB</b> Type	

**SPECIFICATION TO 0.5m**

	<b>EKPL8307</b> ▶	<b>5W LED</b> Power	<b>162 LED</b> Leds	<b>5m</b> Length	<b>IP 20</b> Internal Protection (IP)	<b>4000K</b> Colour
No. Art.		<b>2835</b> SMD	<b>12V~</b> Voltage	<b>580 lm</b> Luminous flux	<b>COB</b> Type	

# PASKI LED LED STRIP

	<b>EKPL1819</b> No. Art.	24W LED Power	300 LED Leds	5m Length	IP65 Protection (IP)	3000K Colour	SMD 2835 SMD	12V~ Voltage		<b>EKPL1808</b> No. Art.	24W LED Power	300 LED Leds	5m Length	IP20 Protection (IP)	3000K Colour	SMD 2835 SMD	12V~ Voltage
	<b>EKPL1820</b> No. Art.	24W LED Power	300 LED Leds	5m Length	IP65 Protection (IP)	6000K Colour	SMD 2835 SMD	12V~ Voltage		<b>EKPL6207</b> No. Art.	24W LED Power	300 LED Leds	5m Length	IP20 Protection (IP)	4000K Colour	SMD 2835 SMD	12V~ Voltage
	<b>EKPL1825</b> No. Art.	48W LED Power	600 LED Leds	5m Length	IP65 Protection (IP)	3000K Colour	SMD 2835 SMD	12V~ Voltage		<b>EKPL1809</b> No. Art.	24W LED Power	300 LED Leds	5m Length	IP20 Protection (IP)	6000K Colour	SMD 2835 SMD	12V~ Voltage
	<b>EKPL1826</b> No. Art.	48W LED Power	600 LED Leds	5m Length	IP65 Protection (IP)	6000K Colour	SMD 2835 SMD	12V~ Voltage		<b>EKPL1823</b> No. Art.	48W LED Power	600 LED Leds	5m Length	IP20 Protection (IP)	3000K Colour	SMD 2835 SMD	12V~ Voltage
	<b>EKPL1821</b> No. Art.	72W LED Power	300 LED Leds	5m Length	IP65 Protection (IP)	3000K Colour	SMD 5050 SMD	12V~ Voltage		<b>EKPL6205</b> No. Art.	48W LED Power	600 LED Leds	5m Length	IP20 Protection (IP)	4000K Colour	SMD 2835 SMD	12V~ Voltage
	<b>EKPL1822</b> No. Art.	72W LED Power	300 LED Leds	5m Length	IP65 Protection (IP)	6000K Colour	SMD 5050 SMD	12V~ Voltage		<b>EKPL1824</b> No. Art.	48W LED Power	600 LED Leds	5m Length	IP20 Protection (IP)	6000K Colour	SMD 2835 SMD	12V~ Voltage
										<b>EKPL1817</b> No. Art.	72W LED Power	300 LED Leds	5m Length	IP20 Protection (IP)	3000K Colour	SMD 5050 SMD	12V~ Voltage
										<b>EKPL6204</b> No. Art.	72W LED Power	300 LED Leds	5m Length	IP20 Protection (IP)	4000K Colour	SMD 5050 SMD	12V~ Voltage
										<b>EKPL1818</b> No. Art.	72W LED Power	300 LED Leds	5m Length	IP20 Protection (IP)	6000K Colour	SMD 5050 SMD	12V~ Voltage

# PASKI LED 50m LED STRIP 50m

SPECIFICATION TO 0,5m

<b>EKPL625</b> No. Art.	2,5W LED Power/m	60 LED Leds/m	50m Length	IP 20 Internal Protection (IP)	3000K Colour	2835 SMD	12V~ Voltage	250lm Luminous flux
----------------------------	---------------------	------------------	---------------	-----------------------------------	-----------------	-------------	-----------------	------------------------

SPECIFICATION TO 0,5m

<b>EKPL626</b> No. Art.	2,5W LED Power/m	60 LED Leds/m	50m Length	IP 20 Internal Protection (IP)	4000K Colour	2835 SMD	12V~ Voltage	250lm Luminous flux
----------------------------	---------------------	------------------	---------------	-----------------------------------	-----------------	-------------	-----------------	------------------------

SPECIFICATION TO 0,5m

<b>EKPL627</b> No. Art.	2,5W LED Power/m	60 LED Leds/m	50m Length	IP 20 Internal Protection (IP)	6500K Colour	2835 SMD	12V~ Voltage	250lm Luminous flux
----------------------------	---------------------	------------------	---------------	-----------------------------------	-----------------	-------------	-----------------	------------------------

SPECIFICATION TO 0,5m

<b>EKPL808</b> No. Art.	5,5W LED Power	60 LED Leds	50m Length	IP 20 Internal Protection (IP)	3000K Colour	2835 SMD	12V~ Voltage	550lm Luminous flux
----------------------------	-------------------	----------------	---------------	-----------------------------------	-----------------	-------------	-----------------	------------------------

SPECIFICATION TO 0,5m

<b>EKPL628</b> No. Art.	5,5W LED Power/m	120 LED Leds/m	50m Length	IP 20 Internal Protection (IP)	4000K Colour	2835 SMD	12V~ Voltage	550lm Luminous flux
----------------------------	---------------------	-------------------	---------------	-----------------------------------	-----------------	-------------	-----------------	------------------------

SPECIFICATION TO 0,5m

<b>EKPL427</b> No. Art.	5,5W LED Power	60 LED Leds	50m Length	IP 20 Internal Protection (IP)	6500K Colour	2835 SMD	12V~ Voltage	550lm Luminous flux
----------------------------	-------------------	----------------	---------------	-----------------------------------	-----------------	-------------	-----------------	------------------------

# PASKI LED 100m LED STRIP 100m

SPECIFICATION TO 0,5m

<b>EKPL623</b> No. Art.	2,5W LED Power/m	60 LED Leds/m	100m Length	IP 20 Internal Protection (IP)	3000K Colour	2835 SMD	12V~ Voltage	250lm Luminous flux
----------------------------	---------------------	------------------	----------------	-----------------------------------	-----------------	-------------	-----------------	------------------------

SPECIFICATION TO 0,5m

<b>EKPL641</b> No. Art.	2,5W LED Power	60 LED Leds	100m Length	IP 20 Internal Protection (IP)	4000K Colour	2835 SMD	12V~ Voltage	250lm Luminous flux
----------------------------	-------------------	----------------	----------------	-----------------------------------	-----------------	-------------	-----------------	------------------------

SPECIFICATION TO 0,5m

<b>EKPL624</b> No. Art.	2,5W LED Power/m	60 LED Leds/m	100m Length	IP 20 Internal Protection (IP)	6000K Colour	2835 SMD	12V~ Voltage	250lm Luminous flux
----------------------------	---------------------	------------------	----------------	-----------------------------------	-----------------	-------------	-----------------	------------------------

SPECIFICATION TO 1m

<b>EKPL521</b> No. Art.	9,6W LED Power/m	120 LED Leds/m	100m Length	IP 20 Internal Protection (IP)	3000K Colour	2835 SMD	12V~ Voltage	1000lm Luminous flux
----------------------------	---------------------	-------------------	----------------	-----------------------------------	-----------------	-------------	-----------------	-------------------------

SPECIFICATION TO 0,5m

<b>EKPL622</b> No. Art.	5,5W LED Power/m	120 LED Leds/m	100m Length	IP 20 Internal Protection (IP)	4000K Colour	2835 SMD	12V~ Voltage	550lm Luminous flux
----------------------------	---------------------	-------------------	----------------	-----------------------------------	-----------------	-------------	-----------------	------------------------

SPECIFICATION TO 0,5m

<b>EKPL426</b> No. Art.	5,5W LED Power	120 LED Leds	100m Length	IP 20 Internal Protection (IP)	6500K Colour	2835 SMD	12V~ Voltage	550lm Luminous flux
----------------------------	-------------------	-----------------	----------------	-----------------------------------	-----------------	-------------	-----------------	------------------------







# PASKI LED PREMIUM PREMIUM LED STRIP



## SPECIFICATION TO 0.5m

<b>ML4749</b>	▶	2,5W Power	30 LED	5m Length	IP 20 Internal Protection (IP)	3000K Colour	2835 SMD	12V~ Voltage	250 lm Luminous flux
No. Art.									
<b>ML4748</b>	▶	2,5W Power	30 LED	5m Length	IP 20 Internal Protection (IP)	4000K Colour	2835 SMD	12V~ Voltage	250 lm Luminous flux
No. Art.									
<b>ML4747</b>	▶	2,5W Power	30 LED	5m Length	IP 20 Internal Protection (IP)	6000K Colour	2835 SMD	12V~ Voltage	250 lm Luminous flux
No. Art.									

## SPECIFICATION TO 0.5m

<b>ML4752</b>	▶	2,5W Power	30 LED	5m Length	IP 65 Internal Protection (IP)	3000K Colour	2835 SMD	12V~ Voltage	250 lm Luminous flux
No. Art.									
<b>ML4751</b>	▶	2,5W Power	30 LED	5m Length	IP 65 Internal Protection (IP)	4000K Colour	2835 SMD	12V~ Voltage	250 lm Luminous flux
No. Art.									
<b>ML4750</b>	▶	2,5W Power	30 LED	5m Length	IP 65 Internal Protection (IP)	6000K Colour	2835 SMD	12V~ Voltage	250 lm Luminous flux
No. Art.									

## SPECIFICATION TO 0.5m

<b>ML4755</b>	▶	5,5W Power	60 LED	5m Length	IP 20 Internal Protection (IP)	3000K Colour	2835 SMD	12V~ Voltage	550 lm Luminous flux
No. Art.									
<b>ML4754</b>	▶	5,5W Power	60 LED	5m Length	IP 20 Internal Protection (IP)	4000K Colour	2835 SMD	12V~ Voltage	550 lm Luminous flux
No. Art.									
<b>ML4753</b>	▶	5,5W Power	60 LED	5m Length	IP 20 Internal Protection (IP)	6000K Colour	2835 SMD	12V~ Voltage	550 lm Luminous flux
No. Art.									

## SPECIFICATION TO 0.5m

<b>ML4758</b>	▶	5,5W Power	60 LED	5m Length	IP 65 Internal Protection (IP)	3000K Colour	2835 SMD	12V~ Voltage	550 lm Luminous flux
No. Art.									
<b>ML4757</b>	▶	5,5W Power	60 LED	5m Length	IP 65 Internal Protection (IP)	4000K Colour	2835 SMD	12V~ Voltage	550 lm Luminous flux
No. Art.									
<b>ML4756</b>	▶	5,5W Power	60 LED	5m Length	IP 65 Internal Protection (IP)	6000K Colour	2835 SMD	12V~ Voltage	550 lm Luminous flux
No. Art.									

## SPECIFICATION TO 1m


















<b>ML4759</b>	▶	36W LED	30 LED	5m Length	IP 20 Internal Protection (IP)	RGB Colour	5050 SMD	12V~ Voltage	250 lm Luminous flux
No. Art.									



# AKCESORIA / PASKI LED



































## ACCESORIES / LED STRIP



	<b>EKPZ686</b>	▶	<b>8mm</b>																	
	No. Art.		Size																	
	<b>EKPZ693</b>	▶	<b>10mm</b>																	
	No. Art.		Size																	
	<b>EKPZ709</b>	▶	<b>10mm</b>	<b>RGB</b>																
	No. Art.		Size	Type																
	<b>EKPZ716</b>	▶	<b>8mm</b>	<b>CABLE x 1</b>																
	No. Art.		Size	Addition																
	<b>EKPZ679</b>	▶	<b>10mm</b>	<b>CABLE x 1</b>																
	No. Art.		Size	Addition																
	<b>EKPZ723</b>	▶	<b>10mm</b>	<b>CABLE x 1</b>	<b>RGB</b>															
	No. Art.		Size	Addition	Type															
	<b>EKPZ754</b>	▶	<b>10mm</b>	<b>CABLE x 2</b>	<b>RGB</b>															
	No. Art.		Size	Addition	Type															
	<b>EKPZ005</b>	▶	<b>8mm</b>	<b>L</b>																
	No. Art.		Size	Model																
	<b>EKPZ012</b>	▶	<b>10mm</b>	<b>L</b>																
	No. Art.		Size	Model																
	<b>EKPZ029</b>	▶	<b>10mm</b>	<b>L</b>	<b>RGB</b>															
	No. Art.		Size	Model	Type															
	<b>EKPZ036</b>	▶	<b>8mm</b>	<b>T</b>																
	No. Art.		Size	Model																
	<b>EKPZ043</b>	▶	<b>10mm</b>	<b>T</b>																
	No. Art.		Size	Model																
	<b>EKPZ050</b>	▶	<b>10mm</b>	<b>T</b>	<b>RGB</b>															
	No. Art.		Size	Model	Type															
	<b>EKPZ6114</b>	▶	<b>8mm</b>	<b>+</b>																
	No. Art.		Size	Model																
	<b>EKPZ067</b>	▶	<b>10mm</b>	<b>+</b>																
	No. Art.		Size	Model																
	<b>EKST1802</b>	▶	<b>144W Max</b>	<b>RGB</b>	<b>433 MHz</b>															
	No. Art.		Power	Controller	Radio Remote															
	<b>EKST1801</b>	▶	<b>72W Max</b>	<b>RGB</b>	<b>IR</b>															
	No. Art.		Power	Controller	Remote Controller															




# ZASILACZE

## POWER SUPPLIES

	<b>EKZA5321</b>	▶	<b>6W</b>	<b>IP20</b>	<b>51*27*22mm</b>															
	No. Art.		Power	Internal Protection (IP)	Size															
	<b>EKZA5746</b>	▶	<b>15W</b>	<b>IP44</b>	<b>98*38*25mm</b>															
	No. Art.		Power	Internal Protection (IP)	Size															
	<b>EKZA5559</b>	▶	<b>15W</b>	<b>IP20</b>	<b>100*40*25mm</b>															
	No. Art.		Power	Internal Protection (IP)	Size															
	<b>EKZA50235</b>	▶	<b>15W</b>	<b>IP65</b>	<b>85*25*72mm</b>															
	No. Art.		Power	Internal Protection (IP)	Size															
	<b>EKZA59701</b>	▶	<b>25W</b>	<b>IP20</b>	<b>85*59*33mm</b>															
	No. Art.		Power	Internal Protection (IP)	Size															
	<b>EKZA59702</b>	▶	<b>30W</b>	<b>IP67</b>	<b>202*34*23mm</b>															
	No. Art.		Power	Internal Protection (IP)	Size															
	<b>EKZA58350</b>	▶	<b>24W</b>	<b>IP20</b>	<b>192*18*18mm</b>															
	No. Art.		Power	Internal Protection (IP)	Size															
	<b>EKZA58351</b>	▶	<b>36W</b>	<b>IP20</b>	<b>285*18*18mm</b>															
	No. Art.		Power	Internal Protection (IP)	Size															
	<b>EKZA58352</b>	▶	<b>60W</b>	<b>IP20</b>	<b>285*18*18mm</b>															
	No. Art.		Power	Internal Protection (IP)	Size															
	<b>EKZA5027</b>	▶	<b>48W</b>	<b>IP44</b>	<b>155*55*32mm</b>															
	No. Art.		Power	Internal Protection (IP)	Size															
	<b>EKZA59700</b>	▶	<b>48W</b>	<b>IP20</b>	<b>155*55*32mm</b>															
	No. Art.		Power	Internal Protection (IP)	Size															
	<b>EKZA5532</b>	▶	<b>60W</b>	<b>IP44</b>	<b>155*55*32mm</b>															
	No. Art.		Power	Internal Protection (IP)	Size															
	<b>EKZA5560</b>	▶	<b>60W</b>	<b>IP20</b>	<b>155*55*32mm</b>															
	No. Art.		Power	Internal Protection (IP)	Size															
	<b>EKZA59698</b>	▶	<b>60W</b>	<b>IP67</b>	<b>158*52*32mm</b>															
	No. Art.		Power	Internal Protection (IP)	Size															
	<b>EKZA5366</b>	▶	<b>100W</b>	<b>IP20</b>	<b>192*50*39mm</b>															
	No. Art.		Power	Internal Protection (IP)	Size															
	<b>EKZA59300</b>	▶	<b>150W</b>	<b>IP20</b>	<b>209*62*45mm</b>															
	No. Art.		Power	Internal Protection (IP)	Size															
	<b>EKZA5525</b>	▶	<b>250W</b>	<b>IP20</b>	<b>227*72*45mm</b>															
	No. Art.		Power	Internal Protection (IP)	Size															



# PROFILE LED LED PROFILES



EKPR9320	▶ 1m	White	C	Caps Shade Hook
	Length	Colour	Type	Addition

EKPR6511	▶ 1m	Silver	C	Caps Shade Hook
	Length	Colour	Type	Addition

EKPR6350	▶ 1m	Black	C	Caps Shade Hook
	Length	Colour	Type	Addition

EKPR0101	▶ 2m	Silver	C	Caps Shade Hook
	Length	Colour	Type	Addition

EKPR1058	▶ 1m	White	D	Caps Shade Hook
	Length	Colour	Type	Addition

EKPR6474	▶ 1m	Silver	D	Caps Shade Hook
	Length	Colour	Type	Addition

EKPR6398	▶ 1m	Black	D	Caps Shade Hook
	Length	Colour	Type	Addition

EKPR0088	▶ 2m	Silver	D	Caps Shade Hook
	Length	Colour	Type	Addition

EKPR8774	▶ 1m	White	G	Caps Shade Hook
	Length	Colour	Type	Addition

EKPR6559	▶ 1m	Silver	G	Caps Shade Hook
	Length	Colour	Type	Addition

EKPR6367	▶ 1m	Black	G	Caps Shade Hook
	Length	Colour	Type	Addition

EKPR0125	▶ 2m	Silver	G	Caps Shade Hook
	Length	Colour	Type	Addition

EKPR1041	▶ 1m	White	Z	Caps Shade Hook
	Length	Colour	Type	Addition

EKPR6481	▶ 1m	Silver	Z	Caps Shade Hook
	Length	Colour	Type	Addition

EKPR6381	▶ 1m	Black	Z	Caps Shade Hook
	Length	Colour	Type	Addition

EKPR0095	▶ 2m	Silver	Z	Caps Shade Hook
	Length	Colour	Type	Addition

EKPR8767	▶ 1m	White	Y	Caps Shade Hook
	Length	Colour	Type	Addition

EKPR6542	▶ 1m	Silver	Y	Caps Shade Hook
	Length	Colour	Type	Addition

EKPR6336	▶ 1m	Black	Y	Caps Shade Hook
	Length	Colour	Type	Addition

EKPR0118	▶ 2m	Silver	Y	Caps Shade Hook
	Length	Colour	Type	Addition

# PANELE LED LED PANELS



EKP9127

60/60  
cm

Size

40W  
LED

Power

4300  
lm

Luminous  
flux

4000K

Colour



EKP2721

4pcs

Pcs

Mounting  
clips

Metal

EKP9128, EKP9129,  
EKP0242, EKP0243

Mounting brackets compatible  
with models



EKP9128

EDGE LIT

60/60  
cm

Size

40W  
LED

Power

3650  
lm

Luminous  
flux

4000K

Colour



EKP6196

EDGE LIT

60/60  
cm

Size



Surface  
Mounting



PLA  
STIC  
Material



EKP9129

EDGE LIT

60/60  
cm

Size

48W  
LED

Power

5760  
lm

Luminous  
flux

4000K

Colour



EKP9131

EDGE LIT

60/60  
cm

Size



Surface  
Mounting



ALU  
MINUM  
Material



EKP0242

BACKLIT

60/60  
cm

Size

40W  
LED

Power

4800  
lm

Luminous  
flux

4000K

Colour



EKP0244

BACKLIT

60/60  
cm


Size



Surface  
Mounting



ALU  
MINUM  
Material



EKP0243

BACKLIT

120/  
30cm

Size

40W  
LED

Power

4800  
lm

Luminous  
flux

4000K

Colour



EKP0245

BACKLIT

120/  
30cm

Size



Surface  
Mounting








ALU  
MINUM  
Material





# OŚWIETLENIE TECHNICZNE - BATTEN LED

## TECHNICAL LIGHTING - BATTEN LED

	<b>EK9837</b> No. Art.	<b>9W</b> Power	<b>300/ 75/ 25mm</b> Size	<b>850 lm</b> Luminous flux	<b>IP20</b> Internal Protection (IP)
		<b>4000K</b> Colour (Kelvin)	<b>185-277V -50/60Hz</b> Voltage		
	<b>EK9838</b> No. Art.	<b>18W</b> Power	<b>600/ 75/ 25mm</b> Size	<b>1850 lm</b> Luminous flux	<b>IP20</b> Internal Protection (IP)
		<b>4000K</b> Colour (Kelvin)	<b>185-277V -50/60Hz</b> Voltage		
	<b>EK9839</b> No. Art.	<b>27W</b> Power	<b>900/ 75/ 25mm</b> Size	<b>2850 lm</b> Luminous flux	<b>IP20</b> Internal Protection (IP)
		<b>4000K</b> Colour (Kelvin)	<b>185-277V -50/60Hz</b> Voltage		
	<b>EK9840</b> No. Art.	<b>36W</b> Power	<b>1200/ 75/ 25mm</b> Size	<b>3850 lm</b> Luminous flux	<b>IP20</b> Internal Protection (IP)
		<b>4000K</b> Colour (Kelvin)	<b>185-277V -50/60Hz</b> Voltage		
	<b>EK9841</b> No. Art.	<b>45W</b> Power	<b>1500/ 75/ 25mm</b> Size	<b>4850 lm</b> Luminous flux	<b>IP20</b> Internal Protection (IP)
		<b>4000K</b> Colour (Kelvin)	<b>185-277V -50/60Hz</b> Voltage		



EK9838



# OŚWIETLENIE TECHNICZNE

## TECHNICAL LIGHTING



**EKR3119** ▶ **4x 60cm** **595/ 595 mm** **One Side** **IP20** **Surface**  
 No. Art. Power Size Powered Internal Mounting  
 Protection (IP)



**EKR3126** ▶ **4x 60cm** **595/ 595 mm** **One Side** **IP20** **Recessed**  
 No. Art. Power Size Powered Internal Mounting  
 Protection (IP)



**EKR3133** ▶ **2x 120cm** **1225/ 300/ 65 mm** **One Side** **IP20** **Surface**  
 No. Art. Power Size Powered Internal Mounting  
 Protection (IP)



**EKH9834** ▶ **2x 60cm** **660/ 96/ 60 mm** **One Side** **IP65**  
 No. Art. Power Size Powered Internal  
 Protection (IP)



**EKH9835** ▶ **2x 120cm** **1270/ 96/ 60 mm** **One Side** **IP65** **+2xT8 18W 4000K** **✓**  
 No. Art. Power Size Powered Internal T8 LED Tubes Mirror  
 Protection (IP) included (EK8243)



**EKH9833** ▶ **2x 120cm** **1270/ 96/ 60 mm** **One Side** **IP65**  
 No. Art. Power Size Powered Internal  
 Protection (IP)



**EKH1718** ▶ **2x 120cm** **1270/ 110/ 60 mm** **One Side** **IP65** **✓**  
 No. Art. Power Size Powered Internal Mirror  
 Protection (IP)



**EKH1564** ▶ **1x 60cm** **660/ 50/ 66 mm** **One Side** **IP65**  
 No. Art. Power Size Powered Internal  
 Protection (IP)



**EKH1557** ▶ **1x 120cm** **1265/ 70/ 60 mm** **One Side** **IP65**  
 No. Art. Power Size Powered Internal  
 Protection (IP)








## T8 LED TUBE 60cm

<b>EK8239</b> No. Art.	▶ <b>9W</b> Power	<b>850 lm</b> Luminous flux	<b>3000K</b> Colour	<b>60cm</b> Length	<b>ONE SIDE</b> Connection	<b>IP20</b> Internal Protection (IP)
<b>EK8240</b> No. Art.	▶ <b>9W</b> Power	<b>850 lm</b> Luminous flux	<b>4000K</b> Colour	<b>60cm</b> Length	<b>ONE SIDE</b> Connection	<b>IP20</b> Internal Protection (IP)
<b>EK8241</b> No. Art.	▶ <b>9W</b> Power	<b>850 lm</b> Luminous flux	<b>6500K</b> Colour	<b>60cm</b> Length	<b>ONE SIDE</b> Connection	<b>IP20</b> Internal Protection (IP)




## T8 LED TUBE 120cm

<b>EK8242</b> No. Art.	▶ <b>18W</b> Power	<b>1850 lm</b> Luminous flux	<b>3000K</b> Colour	<b>120cm</b> Length	<b>ONE SIDE</b> Connection	<b>IP20</b> Internal Protection (IP)
<b>EK8243</b> No. Art.	▶ <b>18W</b> Power	<b>1850 lm</b> Luminous flux	<b>4000K</b> Colour	<b>120cm</b> Length	<b>ONE SIDE</b> Connection	<b>IP20</b> Internal Protection (IP)
<b>EK8244</b> No. Art.	▶ <b>18W</b> Power	<b>1850 lm</b> Luminous flux	<b>6500K</b> Colour	<b>120cm</b> Length	<b>ONE SIDE</b> Connection	<b>IP20</b> Internal Protection (IP)



## T8 LED TUBE 150cm

<b>EK8245</b> No. Art.	▶ <b>20W</b> Power	<b>2100 lm</b> Luminous flux	<b>4000K</b> Colour	<b>150cm</b> Length	<b>ONE SIDE</b> Connection	<b>IP20</b> Internal Protection (IP)
<b>EK8246</b> No. Art.	▶ <b>20W</b> Power	<b>2100 lm</b> Luminous flux	<b>6500K</b> Colour	<b>150cm</b> Length	<b>ONE SIDE</b> Connection	<b>IP20</b> Internal Protection (IP)



EK8243

# TUBY LED PREMIUM

## PREMIUM LED TUBE

**GWARANCJA**  
GUARANTEE



5 Years  
Guarantee


### T8 PREMIUM TUBE 60cm

<b>EK8545</b> No. Art.	<b>6.5W</b> Power	<b>900 lm</b> Luminous flux	<b>3000K</b> Colour	<b>60cm</b> Length	<b>IP20</b> Internal Protection (IP)	<b>5 years</b> Guarantee
<b>EK8546</b> No. Art.	<b>6.5W</b> Power	<b>1100 lm</b> Luminous flux	<b>4000K</b> Colour	<b>60cm</b> Length	<b>IP20</b> Internal Protection (IP)	<b>5 years</b> Guarantee
<b>EK8547</b> No. Art.	<b>6.5W</b> Power	<b>1100 lm</b> Luminous flux	<b>6500K</b> Colour	<b>60cm</b> Length	<b>IP20</b> Internal Protection (IP)	<b>5 years</b> Guarantee




### T8 PREMIUM TUBE 120cm

<b>EK8548</b> No. Art.	<b>15.5W</b> Power	<b>2200 lm</b> Luminous flux	<b>3000K</b> Colour	<b>120cm</b> Length	<b>IP20</b> Internal Protection (IP)	<b>5 years</b> Guarantee
<b>EK8549</b> No. Art.	<b>15.5W</b> Power	<b>2500 lm</b> Luminous flux	<b>4000K</b> Colour	<b>120cm</b> Length	<b>IP20</b> Internal Protection (IP)	<b>5 years</b> Guarantee
<b>EK8550</b> No. Art.	<b>15.5W</b> Power	<b>2500 lm</b> Luminous flux	<b>6500K</b> Colour	<b>120cm</b> Length	<b>IP20</b> Internal Protection (IP)	<b>5 years</b> Guarantee



### T8 PREMIUM TUBE 150cm

<b>EK8551</b> No. Art.	<b>23W</b> Power	<b>3700 lm</b> Luminous flux	<b>4000K</b> Colour	<b>150cm</b> Length	<b>IP20</b> Internal Protection (IP)	<b>5 years</b> Guarantee
<b>EK8552</b> No. Art.	<b>23W</b> Power	<b>3700 lm</b> Luminous flux	<b>6500K</b> Colour	<b>150cm</b> Length	<b>IP20</b> Internal Protection (IP)	<b>5 years</b> Guarantee



3000K (WARM WHITE)

4000K (NEUTRAL WHITE)

6500K (COOL WHITE)



# ŻARÓWKI LED LED BULBS

## P45 E14

<b>EKZA0210</b> No. Art.	<b>5W LED</b> Power	<b>400 lm</b> Luminous flux	<b>3000K</b> Colour	
<b>EKZA0216</b> No. Art.	<b>5W LED</b> Power	<b>400 lm</b> Luminous flux	<b>4000K</b> Colour	
<b>EKZA0211</b> No. Art.	<b>5W LED</b> Power	<b>400 lm</b> Luminous flux	<b>6000K</b> Colour	

## G45 E14

<b>EKZA5827</b> No. Art.	<b>7W LED</b> Power	<b>560 lm</b> Luminous flux	<b>3000K</b> Colour	
<b>EKZA9135</b> No. Art.	<b>7W LED</b> Power	<b>600 lm</b> Luminous flux	<b>4000K</b> Colour	
<b>EKZA5834</b> No. Art.	<b>7W LED</b> Power	<b>560 lm</b> Luminous flux	<b>6000K</b> Colour	

## A60 E27 SENSOR BULBS

<b>EKZA8000</b> No. Art.	<b>9W LED</b> Power	<b>820 lm</b> Luminous flux	<b>3000K</b> Colour	<b>25% 50% 100%</b> Dimming modes		
<b>EKZA8001</b> No. Art.	<b>9W LED</b> Power	<b>820 lm</b> Luminous flux	<b>4000K</b> Colour	<b>25% 50% 100%</b> Dimming modes		
<b>EK8046</b> No. Art.	<b>9W LED</b> Power	<b>820 lm</b> Luminous flux	<b>2700K</b> Colour	 Motion detector	 Twilight detector	
<b>EK8047</b> No. Art.	<b>6W LED</b> Power	<b>510 lm</b> Luminous flux	<b>3000K</b> Colour	 Motion detector	 Twilight detector	
<b>EK8048</b> No. Art.	<b>9W LED</b> Power	<b>820 lm</b> Luminous flux	<b>3000K</b> Colour	 Twilight detector		

## A65 E27

<b>EKZA8265</b> No. Art.	<b>15W LED</b> Power	<b>1500 lm</b> Luminous flux	<b>3000K</b> Colour	
<b>EKZA8266</b> No. Art.	<b>15W LED</b> Power	<b>1500 lm</b> Luminous flux	<b>4000K</b> Colour	
<b>EKZA0209</b> No. Art.	<b>15W LED</b> Power	<b>1500 lm</b> Luminous flux	<b>6000K</b> Colour	

## G45 E27

<b>EKZA164</b> No. Art.	<b>5W LED</b> Power	<b>400 lm</b> Luminous flux	<b>3000K</b> Colour	
<b>EKZA9132</b> No. Art.	<b>5W LED</b> Power	<b>400 lm</b> Luminous flux	<b>4000K</b> Colour	
<b>EKZA171</b> No. Art.	<b>5W LED</b> Power	<b>400 lm</b> Luminous flux	<b>6000K</b> Colour	
<b>EKZA1465</b> No. Art.	<b>7W LED</b> Power	<b>600 lm</b> Luminous flux	<b>3000K</b> Colour	
<b>EKZA9134</b> No. Art.	<b>7W LED</b> Power	<b>600 lm</b> Luminous flux	<b>4500K</b> Colour	
<b>EKZA5858</b> No. Art.	<b>7W LED</b> Power	<b>560 lm</b> Luminous flux	<b>6000K</b> Colour	

## A60 E27

<b>EKZA7793</b> No. Art.	<b>9W LED</b> Power	<b>820 lm</b> Luminous flux	<b>3000K</b> Colour	
<b>EKZA7794</b> No. Art.	<b>9W LED</b> Power	<b>820 lm</b> Luminous flux	<b>4000K</b> Colour	
<b>EKZA7795</b> No. Art.	<b>9W LED</b> Power	<b>820 lm</b> Luminous flux	<b>6000K</b> Colour	
<b>EKZA7796</b> No. Art.	<b>11W LED</b> Power	<b>1055 lm</b> Luminous flux	<b>3000K</b> Colour	
<b>EKZA7797</b> No. Art.	<b>11W LED</b> Power	<b>1055 lm</b> Luminous flux	<b>4000K</b> Colour	
<b>EKZA7798</b> No. Art.	<b>11W LED</b> Power	<b>1055 lm</b> Luminous flux	<b>6500K</b> Colour	
<b>EKZA7799</b> No. Art.	<b>12W LED</b> Power	<b>1200 lm</b> Luminous flux	<b>3000K</b> Colour	
<b>EKZA7800</b> No. Art.	<b>12W LED</b> Power	<b>1200 lm</b> Luminous flux	<b>4000K</b> Colour	





### C37 E27



<b>EKZA0084</b> No. Art.	<b>7W LED</b> Power	<b>600 lm</b> Luminous flux	<b>3000K</b> Colour
<b>EKZA0213</b> No. Art.	<b>7W LED</b> Power	<b>600 lm</b> Luminous flux	<b>4000K</b> Colour
<b>EKZA0214</b> No. Art.	<b>7W LED</b> Power	<b>600 lm</b> Luminous flux	<b>6000K</b> Colour

### C37 E14



<b>EKZA8004</b> No. Art.	<b>7W LED</b> Power	<b>600 lm</b> Luminous flux	<b>3000K</b> Colour
<b>EKZA8005</b> No. Art.	<b>7W LED</b> Power	<b>600 lm</b> Luminous flux	<b>4500K</b> Colour
<b>EKZA8006</b> No. Art.	<b>7W LED</b> Power	<b>600 lm</b> Luminous flux	<b>6000K</b> Colour

### GU10



<b>EKZA427</b> No. Art.	<b>1,5W LED</b> Power	<b>120 lm</b> Luminous flux	<b>3000K</b> Colour
<b>EKZA9170</b> No. Art.	<b>1,5W LED</b> Power	<b>120 lm</b> Luminous flux	<b>4000K</b> Colour
<b>EKZA9187</b> No. Art.	<b>5W LED</b> Power	<b>400 lm</b> Luminous flux	<b>4000K</b> Colour
<b>EKZA1676</b> No. Art.	<b>5W LED</b> Power	<b>400 lm</b> Luminous flux	<b>3000K</b> Colour
<b>EKZA8718</b> No. Art.	<b>6,5W LED</b> Power	<b>560 lm</b> Luminous flux	<b>3000K</b> Colour
<b>EKZA8003</b> No. Art.	<b>6,5W LED</b> Power	<b>560 lm</b> Luminous flux	<b>4000K</b> Colour
<b>EKZA7803</b> No. Art.	<b>6,5W LED</b> Power	<b>560 lm</b> Luminous flux	<b>6000K</b> Colour
<b>EKZA251</b> No. Art.	<b>6W LED</b> Power	<b>510 lm</b> Luminous flux	<b>3000K</b> Colour
<b>EKZA268</b> No. Art.	<b>6W LED</b> Power	<b>510 lm</b> Luminous flux	<b>4000K</b> Colour

### G9



<b>EKZA1326</b> No. Art.	<b>3W LED</b> Power	<b>300 lm</b> Luminous flux	<b>3000K</b> Colour
<b>EKZA1333</b> No. Art.	<b>3W LED</b> Power	<b>300 lm</b> Luminous flux	<b>4000K</b> Colour

### G9



<b>EKZA130</b> No. Art.	<b>3,5W LED</b> Power	<b>320 lm</b> Luminous flux	<b>3000K</b> Colour
<b>EKZA312</b> No. Art.	<b>3,5W LED</b> Power	<b>320 lm</b> Luminous flux	<b>4000K</b> Colour
<b>EKZA1329</b> No. Art.	<b>3,5W LED</b> Power	<b>320 lm</b> Luminous flux	<b>6500K</b> Colour

### G9



<b>EKZA336</b> No. Art.	<b>7W LED</b> Power	<b>700 lm</b> Luminous flux	<b>3000K</b> Colour
<b>EKZA343</b> No. Art.	<b>7W LED</b> Power	<b>700 lm</b> Luminous flux	<b>4000K</b> Colour

### FRIDGE BULB E14



<b>EKZA8264</b> No. Art.	<b>1,5W LED</b> Power	<b>130 lm</b> Luminous flux	<b>3000K</b> Colour
<b>EKZA9599</b> No. Art.	<b>3W LED</b> Power	<b>300 lm</b> Luminous flux	<b>3000K</b> Colour

### MINI GU10



<b>EKZA9597</b> No. Art.	<b>3W LED</b> Power	<b>110 lm</b> Luminous flux	<b>3000K</b> Colour
<b>EKZA9598</b> No. Art.	<b>3W LED</b> Power	<b>110 lm</b> Luminous flux	<b>4000K</b> Colour

### E27 HOLDER



<b>EK0246</b> No. Art.	<b>50W LED</b> Power	<b>4500 lm</b> Luminous flux	<b>4000K</b> Colour
	<b>1x E27</b> Holder	<b>120-360°</b> Beam	<b>300*300*95mm</b> Size



### GU10 AR111

<b>AR8034</b> No. Art.	▶ <b>6W LED</b> Power	<b>450 lm</b> Luminous flux	<b>3000K</b> Colour		<b>AR8036</b> No. Art.	▶ <b>6W LED</b> Power	<b>450 lm</b> Luminous flux	<b>4000K</b> Colour	
<b>AR8035</b> No. Art.	▶ <b>6W LED</b> Power	<b>450 lm</b> Luminous flux	<b>3000K</b> Colour		<b>AR8037</b> No. Art.	▶ <b>6W LED</b> Power	<b>450 lm</b> Luminous flux	<b>4000K</b> Colour	
<b>AR8038</b> No. Art.	▶ <b>10W LED</b> Power	<b>870 lm</b> Luminous flux	<b>3000K</b> Colour		<b>AR8042</b> No. Art.	▶ <b>12W LED</b> Power	<b>1000 lm</b> Luminous flux	<b>3000K</b> Colour	
<b>AR8039</b> No. Art.	▶ <b>10W LED</b> Power	<b>870 lm</b> Luminous flux	<b>4000K</b> Colour		<b>AR8043</b> No. Art.	▶ <b>12W LED</b> Power	<b>1000 lm</b> Luminous flux	<b>4000K</b> Colour	
<b>AR8040</b> No. Art.	▶ <b>10W LED</b> Power	<b>870 lm</b> Luminous flux	<b>3000K</b> Colour		<b>AR8044</b> No. Art.	▶ <b>12W LED</b> Power	<b>1000 lm</b> Luminous flux	<b>3000K</b> Colour	
<b>AR8041</b> No. Art.	▶ <b>10W LED</b> Power	<b>870 lm</b> Luminous flux	<b>4000K</b> Colour		<b>AR8045</b> No. Art.	▶ <b>12W LED</b> Power	<b>1000 lm</b> Luminous flux	<b>4000K</b> Colour	

### GU10 AR111 + MIRROR + DIMMABLE

	<b>AR8618</b> No. Art.	▶ <b>10.5W LED</b> Power	<b>750 lm</b> Total Luminous flux	<b>3000K</b> Colour		<b>AR8619</b> No. Art.	▶ <b>10.5W LED</b> Power	<b>750 lm</b> Total Luminous flux	<b>4000K</b> Colour	
--	---------------------------	-----------------------------	--------------------------------------	------------------------	--	---------------------------	-----------------------------	--------------------------------------	------------------------	--

### GU10 AR111 + MIRROR

	<b>AR8616</b> No. Art.	▶ <b>10.5W LED</b> Power	<b>750 lm</b> Luminous flux	<b>3000K</b> Colour		<b>AR8614</b> No. Art.	▶ <b>10.5W LED</b> Power	<b>750 lm</b> Total Luminous flux	<b>3000K</b> Colour
	<b>AR8617</b> No. Art.	▶ <b>10.5W LED</b> Power	<b>750 lm</b> Total Luminous flux	<b>4000K</b> Colour		<b>AR8615</b> No. Art.	▶ <b>10.5W LED</b> Power	<b>750 lm</b> Luminous flux	<b>4000K</b> Colour

### GX53

	<b>EKZA1395</b> No. Art.	▶ <b>6W LED</b> Power	<b>490 lm</b> Luminous flux	<b>3000K</b> Colour		<b>EKZA1418</b> No. Art.	▶ <b>11W LED</b> Power	<b>1000 lm</b> Luminous flux	<b>3000K</b> Colour
	<b>EKZA1401</b> No. Art.	▶ <b>6W LED</b> Power	<b>490 lm</b> Luminous flux	<b>4000K</b> Colour		<b>EKZA1425</b> No. Art.	▶ <b>11W LED</b> Power	<b>1000 lm</b> Luminous flux	<b>4000K</b> Colour





**PASKI LED  
LED STRIPS**  
3 Years



**ŻARÓWKI  
BULBS**  
5 Years



**EK8049** ▶  
No. Art.

**10W LED**  
Power

**RGB**  
Colour

**Remote Controller**

**10m**  
RC Range



**EKSM6659** ▶  
No. Art.

**8W LED**  
Power

**900lm**  
Luminous flux

**2700K ± 6500K**  
Colour

**RGB**  
Mode

**YES**  
Dimmable (5-100%)

**tuya**  
App Operated by

**Wi-Fi**

**Voice Control**

**Timing**

**Scene Setting**

**Share Control**



**EKSM6666** ▶  
No. Art.

**11W LED**  
Power

**1200lm**  
Luminous flux

**2700K ± 6500K**  
Colour

**RGB**  
Mode

**YES**  
Dimmable (5-100%)

**tuya**  
App Operated by

**Wi-Fi**

**Voice Control**

**Timing**

**Scene Setting**

**Share Control**



**EKSM6673** ▶  
No. Art.

**5W LED**  
Power

**350lm (2700K)**  
Luminous flux

**2700K ± 6500K**  
Colour

**RGB**  
Mode

**YES**  
Dimmable (5-100%)

**tuya**  
App Operated by

**Wi-Fi**

**Voice Control**

**Timing**

**Scene Setting**

**Share Control**

**SMART WiFi SOCKET**

**EKSM7473** ▶  
No. Art.

**250V~50Hz**  
Voltage

**2.412GHz / 2.472GHz**  
Wireless Frequency

**IEEE 802.11 b/g/n**  
Wireless Standard

**tuya**  
App Operated by

**Wi-Fi Connection**

**Timer & Countdown**

**EKSM7689** ▶  
No. Art.

**7.5W LED**  
Power

**650 lm**  
Luminous flux

**2700K ± 6500K**  
Colour

**YES**  
Dimmable (5-100%)

**tuya**  
App Operated by

**12V~DC**  
Voltage

**3 meters**  
Roll

**IP65**  
Internal Protection (IP)

**Wi-Fi**

**Voice Control**

**Timing**

**Scene Setting**

**Share Control**

**LED no Cutable**

**EKSM7690** ▶  
No. Art.

**12.5W LED**  
Power

**1250 lm**  
Luminous flux

**2700K ± 6500K**  
Colour

**YES**  
Dimmable (5-100%)

**tuya**  
App Operated by

**12V~DC**  
Voltage

**5 meters**  
Roll

**IP65**  
Internal Protection (IP)

**Wi-Fi**

**Voice Control**

**Timing**

**Scene Setting**

**Share Control**

**LED no Cutable**



EKSM7689 + EKSM6659







# ŻARÓWKI FILAMENTOWE LED

## LED FILAMENT BULBS

**C37**

**EKZF003**

No. Art.

**E27**

Holder  
Luminous flux

**4W LED**

Power  
Colour

**230V~50Hz**

Voltage  
mA

**470 lm**

**2700K**

**35**



**C37**

**EKZF103**

No. Art.

**E27**

Holder  
Luminous flux

**4W LED**

Power  
Colour

**230V~50Hz**

Voltage  
mA

**470 lm**

**4000K**

**35**



**C37**

**EKZF990**

No. Art.

**E14**

Holder  
Luminous flux

**4W LED**

Power  
Colour

**230V~50Hz**

Voltage  
mA

**470 lm**

**2700K**

**35**



**C37**

**EKZF0964**

No. Art.

**E14**

Holder  
Luminous flux

**4W LED**

Power  
Colour

**230V~50Hz**

Voltage  
mA

**470 lm**

**4000K**

**35**



**C37**

**EKZF9137**

No. Art.

**E27**

Holder  
Luminous flux

**5W LED**

Power  
Colour

**230V~50Hz**

Voltage  
mA

**600 lm**

**2700K**

**52**



**C37**

**EKZF8613**

No. Art.

**E27**

Holder  
Luminous flux

**5W LED**

Power  
Colour

**230V~50Hz**

Voltage  
mA

**600 lm**

**4000K**

**52**



**G45**

**EKZF1074**

No. Art.

**E27**

Holder  
Luminous flux

**2W LED**

Power  
Colour

**230V~50Hz**

Voltage  
mA

**250 lm**

**2700K**

**17**



**G45**

**EKZF8964**

No. Art.

**E27**

Holder  
Luminous flux

**4W LED**

Power  
Colour

**230V~50Hz**

Voltage  
mA

**470 lm**

**2700K**

**35**



**G45**

**EKZF8009**

No. Art.

**E27**

Holder  
Luminous flux

**4W LED**

Power  
Colour

**230V~50Hz**

Voltage  
mA

**470 lm**

**4000K**

**35**



**G45**

**EKZF9136**

No. Art.

**E27**

Holder  
Luminous flux

**5W LED**

Power  
Colour

**230V~50Hz**

Voltage  
mA

**600 lm**

**2700K**

**52**



**G45**

**EKZF8963**

No. Art.

**E27**

Holder  
Luminous flux

**5W LED**

Power  
Colour

**230V~50Hz**

Voltage  
mA

**600 lm**

**4000K**

**52**



**G45**

**EKZF022**

No. Art.

**E14**

Holder  
Luminous flux

**4W LED**

Power  
Colour

**230V~50Hz**

Voltage  
mA

**470 lm**

**2700K**

**35**



**G45**

**EKZF380**

No. Art.

**E14**

Holder  
Luminous flux

**4W LED**

Power  
Colour

**230V~50Hz**

Voltage  
mA

**470 lm**

**4000K**

**35**



**A60**

**EKZF7808**

No. Art.

**E27**

Holder  
Luminous flux

**5W LED**

Power  
Colour

**230V~50Hz**

Voltage  
mA

**600 lm**

**2700K**

**55**



**A60**

**EKZF940**

No. Art.

**E27**

Holder  
Luminous flux

**5W LED**

Power  
Colour

**230V~50Hz**

Voltage  
mA

**600 lm**

**4000K**

**55**



**A60**

**EKZF8012**

No. Art.

**E27**

Holder  
Luminous flux

**8W LED**

Power  
Colour

**230V~50Hz**

Voltage  
mA

**1055 lm**

**2700K**

**86**



# ŻARÓWKI FILAMENTOWE LED


## LED FILAMENT BULBS



**A60**

**EKZF8013** ▶  
No. Art.


<b>E27</b> Holder	<b>8W LED</b> Power	<b>230V~50Hz</b> Voltage
<b>1055 lm</b> Luminous flux	<b>4000K</b> Colour	<b>86</b> mA



**A60**

**EKZF8015** ▶  
No. Art.


<b>E27</b> Holder	<b>9W LED</b> Power	<b>230V~50Hz</b> Voltage
<b>1200 lm</b> Luminous flux	<b>4000K</b> Colour	<b>104</b> mA



**A60**

**EKZF8014** ▶  
No. Art.


<b>E27</b> Holder	<b>9W LED</b> Power	<b>230V~50Hz</b> Voltage
<b>1200 lm</b> Luminous flux	<b>2700K</b> Colour	<b>104</b> mA



**G120**

**EKZF969** ▶  
No. Art.


<b>E27</b> Holder	<b>7W LED</b> Power	<b>230V~50Hz</b> Voltage
<b>806 lm</b> Luminous flux	<b>2700K</b> Colour	<b>65</b> mA



**G120**

**EKZF971** ▶  
No. Art.

<b>E27</b> Holder	<b>7W LED</b> Power	<b>230V~50Hz</b> Voltage
<b>806 lm</b> Luminous flux	<b>4000K</b> Colour	<b>65</b> mA




# ŻARÓWKI DEKORACYJNE LED + E27

## LED DECORATIVE BULBS + E27

**G80**

**EKZF7807** ▶  
No. Art.


<b>4W LED</b> Power	<b>400 lm</b> Luminous flux	<b>2700K</b> Colour
------------------------	--------------------------------	------------------------



**G80**

**EKZF8007** ▶  
No. Art.


<b>6W LED</b> Power	<b>700 lm</b> Luminous flux	<b>2700K</b> Colour
------------------------	--------------------------------	------------------------



**ST64**

**EKZA3621** ▶  
No. Art.


<b>4W LED</b> Power	<b>400 lm</b> Luminous flux	<b>2700K</b> Colour
------------------------	--------------------------------	------------------------



**DIAMOND**

**EKZA3560** ▶  
No. Art.


<b>4W LED</b> Power	<b>360 lm</b> Luminous flux	<b>2700K</b> Colour
------------------------	--------------------------------	------------------------



**T30**

**EKZF8018** ▶  
No. Art.


<b>4W LED</b> Power	<b>400 lm</b> Luminous flux	<b>2700K</b> Colour
------------------------	--------------------------------	------------------------



**G125**

**EKZA3614** ▶  
No. Art.

<b>4W LED</b> Power	<b>320 lm</b> Luminous flux	<b>2700K</b> Colour
------------------------	--------------------------------	------------------------



**T45**

**EKZA3638** ▶  
No. Art.


<b>4W LED</b> Power	<b>360 lm</b> Luminous flux	<b>2700K</b> Colour
------------------------	--------------------------------	------------------------



**G45**

**ML7806** ▶  
No. Art.


<b>4W LED</b> Power	<b>400 lm</b> Luminous flux	<b>2700K</b> Colour
------------------------	--------------------------------	------------------------



**G120**

**EKZF8016** ▶  
No. Art.


<b>6W LED</b> Power	<b>700 lm</b> Luminous flux	<b>2700K</b> Colour
------------------------	--------------------------------	------------------------



**ST64**

**EKZF8017** ▶  
No. Art.


<b>6W LED</b> Power	<b>700 lm</b> Luminous flux	<b>2700K</b> Colour
------------------------	--------------------------------	------------------------



**SMALL DIAMOND**

**EKZA074** ▶  
No. Art.

<b>4W LED</b> Power	<b>320 lm</b> Luminous flux	<b>2700K</b> Colour
------------------------	--------------------------------	------------------------





## KRYSTAŁOWE ŻARÓWKI CRYSTAL BULBS



**C37**

**EKZA7697**

No. Art.

**E14**

Holder

**4W  
LED**

Power

**220-230V-  
50/60Hz**

Voltage

**500  
lm**

Luminous  
flux

**4000K**

Colour

**25**

mA



**G45**

**EKZA2035**

No. Art.

**E27**

Holder

**4,3W  
LED**

Power

**170-250V-  
50/60Hz**

Voltage

**380  
lm**

Luminous  
flux

**4000K**

Colour

**18**

mA



**G45**

**EKZA7698**

No. Art.

**E14**

Holder

**3W  
LED**

Power

**220-230V-  
50/60Hz**

Voltage

**330  
lm**

Luminous  
flux

**4000K**

Colour

**20**

mA

## ŻARÓWKI DEKORACYJNE LED LED DECORATIVE BULBS

**G45 E27  
SILVER  
MIRROR**

**EKZF8010**

No. Art.

**4W  
LED**

Power

**400  
lm**

Luminous  
flux

**2700K**

Colour

**G45 E27  
GOLDEN  
MIRROR**

**EKZF8011**

No. Art.

**4W  
LED**

Power

**430  
lm**

Luminous  
flux

**2700K**

Colour

**G80 E27  
SILVER  
MIRROR**

**EKZF7809**

No. Art.

**5W  
LED**

Power

**550  
lm**

Luminous  
flux

**2700K**

Colour

**G80 E27  
GOLDEN  
MIRROR**

**EKZF7810**

No. Art.

**5W  
LED**

Power

**550  
lm**

Luminous  
flux

**2700K**

Colour

**G125 E27  
SILVER  
MIRROR**

**EKZF7811**

No. Art.

**7W  
LED**

Power

**806  
lm**

Luminous  
flux

**2700K**

Colour

**G125 E27  
GOLDEN  
MIRROR**

**EKZF7812**

No. Art.

**7W  
LED**

Power

**806  
lm**

Luminous  
flux

**2700K**

Colour



**G45 E14  
SILVER  
MIRROR**

**ML1373**

No. Art.

**4W  
LED**

Power

**320  
lm**

Luminous  
flux

**2700K**

Colour

**G45 E14  
GOLDEN  
MIRROR**

**ML1366**

No. Art.

**4W  
LED**

Power

**320  
lm**

Luminous  
flux

**2700K**

Colour

# OCZKA SUFITOWE DOWNLIGHT SET



**EKZ4102**  
No. Art.

<b>GU10</b> Holder	<b>3x5W</b> Power	<b>IP20</b> IP
<b>3x400 lm</b> Luminous flux	<b>3000K</b> Colour	<b>GOLD</b> Steel




**EKZ2556**  
No. Art.

<b>GU10</b> Holder	<b>1x5W</b> Power	<b>IP20</b> IP
<b>400 lm</b> Luminous flux	<b>3000K</b> Colour	<b>WHITE</b> Steel



**EKZ2697**  
No. Art.

<b>GU10</b> Holder	<b>3x5W</b> Power	<b>IP20</b> IP
<b>3x400 lm</b> Luminous flux	<b>3000K</b> Colour	<b>SATINE</b> Steel



**EKZ2563**  
No. Art.

<b>GU10</b> Holder	<b>1x5W</b> Power	<b>IP20</b> IP
<b>400 lm</b> Luminous flux	<b>3000K</b> Colour	<b>GOLD</b> Steel



**EKZ2570**  
No. Art.

<b>GU10</b> Holder	<b>1x5W</b> Power	<b>IP20</b> IP
<b>400 lm</b> Luminous flux	<b>3000K</b> Colour	<b>SATINE</b> Steel



**EKOS271**  
No. Art.

<b>IP20</b> IP	<b>BLACK</b> Glass	<b>MAX 50W</b> Power	<b>9/9/2 cm</b> Size	<b>Ø 65mm</b> Cut Out
-------------------	-----------------------	-------------------------	-------------------------	--------------------------



**EKOS205**  
No. Art.

<b>IP20</b> IP	<b>BLACK</b> Glass	<b>MAX 50W</b> Power	<b>Ø9/2 cm</b> Size	<b>Ø 65mm</b> Cut Out
-------------------	-----------------------	-------------------------	------------------------	--------------------------



**EKOS270**  
No. Art.

<b>IP20</b> IP	<b>SILVER</b> Glass	<b>MAX 50W</b> Power	<b>9/9/2 cm</b> Size	<b>Ø 65mm</b> Cut Out
-------------------	------------------------	-------------------------	-------------------------	--------------------------



**EKOS204**  
No. Art.

<b>IP20</b> IP	<b>BLACK</b> Glass	<b>MAX 50W</b> Power	<b>Ø9/2 cm</b> Size	<b>Ø 65mm</b> Cut Out
-------------------	-----------------------	-------------------------	------------------------	--------------------------



**EKOS208**  
No. Art.

<b>IP20</b> IP	<b>FROST</b> Glass	<b>MAX 50W</b> Power	<b>9/9/2 cm</b> Size	<b>Ø 65mm</b> Cut Out
-------------------	-----------------------	-------------------------	-------------------------	--------------------------



**EKOS206**  
No. Art.

<b>IP20</b> IP	<b>FROST</b> Glass	<b>MAX 50W</b> Power	<b>Ø9/2 cm</b> Size	<b>Ø 65mm</b> Cut Out
-------------------	-----------------------	-------------------------	------------------------	--------------------------





# OCZKA SUFITOWE DOWNLIGHT SET



**EKZ336**  
No. Art.

<b>IP20</b>	<b>WHITE</b>	<b>Not Icluded</b>
IP	Aluminum	Bulb
<b>Ø83*23 mm</b>	<b>Ø 70mm</b>	
Size	Cut Out	



**EKZ305**  
No. Art.

<b>IP44</b>	<b>WHITE</b>	<b>Not Icluded</b>	<b>Ø85*27 mm</b>	<b>Ø 60-70mm</b>
IP	Aluminum	Bulb	Size	Cut Out



**EKZ343**  
No. Art.

<b>IP20</b>	<b>BLACK</b>	<b>Not Icluded</b>
IP	Aluminum	Bulb
<b>Ø83*23 mm</b>	<b>Ø 70mm</b>	
Size	Cut Out	



**EKZ299**  
No. Art.

<b>IP44</b>	<b>BLACK</b>	<b>Not Icluded</b>	<b>Ø85*27 mm</b>	<b>Ø 60-70mm</b>
IP	Aluminum	Bulb	Size	Cut Out



**EKZ312**  
No. Art.

<b>IP20</b>	<b>WHITE</b>	<b>Not Icluded</b>
IP	Aluminum	Bulb
<b>83*83*23 mm</b>	<b>Ø 70mm</b>	
Size	Cut Out	



**EKZ282**  
No. Art.

<b>IP44</b>	<b>WHITE</b>	<b>Not Icluded</b>	<b>85*85*27 mm</b>	<b>Ø 60-70mm</b>
IP	Aluminum	Bulb	Size	Cut Out



**EKZ275**  
No. Art.

<b>IP44</b>	<b>BLACK</b>	<b>Not Icluded</b>	<b>85*85*27 mm</b>	<b>Ø 60-70mm</b>
IP	Aluminum	Bulb	Size	Cut Out



**EKZ329**  
No. Art.

<b>IP20</b>	<b>BLACK</b>	<b>Not Icluded</b>
IP	Aluminum	Bulb
<b>83*83*23 mm</b>	<b>Ø 70mm</b>	
Size	Cut Out	



**MLO57239**  
No. Art.

<b>IP20</b>	<b>WHITE</b>	<b>Not Icluded</b>	<b>Ø92*43 mm</b>	<b>Ø 75mm</b>
IP	Aluminum	Bulb	Size	Cut Out



**MLO57240**  
No. Art.

<b>IP20</b>	<b>BLACK</b>	<b>Not Icluded</b>	<b>Ø92*43 mm</b>	<b>Ø 75mm</b>
IP	Aluminum	Bulb	Size	Cut Out



**MLO57241**  
No. Art.

<b>IP20</b>	<b>WHITE</b>	<b>Not Icluded</b>	<b>90*90*43 mm</b>	<b>Ø 75mm</b>
IP	Aluminum	Bulb	Size	Cut Out



**ML0015**  
No. Art.

<b>IP20</b>	<b>WHITE</b>	<b>Not Icluded</b>
IP	Aluminum	Bulb
<b>97*97*30 mm</b>	<b>Ø 80mm</b>	
Size	Cut Out	



**MLO57242**  
No. Art.

<b>IP20</b>	<b>BLACK</b>	<b>Not Icluded</b>	<b>90*90*43 mm</b>	<b>Ø 75mm</b>
IP	Aluminum	Bulb	Size	Cut Out



**ML0022**  
No. Art.

<b>IP20</b>	<b>BLACK</b>	<b>Not Icluded</b>
IP	Aluminum	Bulb
<b>97*97*30 mm</b>	<b>Ø 80mm</b>	
Size	Cut Out	



**ML0053**  
No. Art.

<b>IP20</b>	<b>WHITE</b>	<b>Not Icluded</b>	<b>97*97*45 mm</b>	<b>Ø 80mm</b>
IP	Aluminum	Bulb	Size	Cut Out



**ML0039**  
No. Art.

<b>IP20</b>	<b>WHITE</b>	<b>Not Icluded</b>
IP	Aluminum	Bulb
<b>97*97*23 mm</b>	<b>Ø 80mm</b>	
Size	Cut Out	



**ML0060**  
No. Art.

<b>IP20</b>	<b>BLACK</b>	<b>Not Icluded</b>	<b>97*97*45 mm</b>	<b>Ø 80mm</b>
IP	Aluminum	Bulb	Size	Cut Out



**ML0046**  
No. Art.

<b>IP20</b>	<b>BLACK</b>	<b>Not Icluded</b>
IP	Aluminum	Bulb
<b>83*83*23 mm</b>	<b>Ø 70mm</b>	
Size	Cut Out	



**ML0077**  
No. Art.

<b>IP20</b>	<b>WHITE</b>	<b>Not Icluded</b>	<b>97*97*45 mm</b>	<b>Ø 80mm</b>
IP	Aluminum	Bulb	Size	Cut Out



**ML0084**  
No. Art.

<b>IP20</b>	<b>BLACK</b>	<b>Not Icluded</b>	<b>97*97*45 mm</b>	<b>Ø 80mm</b>
IP	Aluminum	Bulb	Size	Cut Out



# OPRAWY SUFITOWE BIMA

## BIMA CEILING LUMINAIRES



<b>ML7011</b>	▶	<b>1xGU10 MAX 25W</b>	<b>Black</b>	<b>Not Icluded</b>	<b>Ø79* 110 mm</b>
No. Art.		Power	Aluminum	Bulb	Size



<b>ML7013</b>	▶	<b>1xGU10 MAX 25W</b>	<b>Black</b>	<b>Not Icluded</b>	<b>80*80* 110 mm</b>
No. Art.		Power	Aluminum	Bulb	Size



<b>ML7010</b>	▶	<b>1xGU10 MAX 25W</b>	<b>White</b>	<b>Not Icluded</b>	<b>Ø79* 110 mm</b>
No. Art.		Power	Aluminum	Bulb	Size



<b>ML7012</b>	▶	<b>1xGU10 MAX 25W</b>	<b>White</b>	<b>Not Icluded</b>	<b>80*80* 110 mm</b>
No. Art.		Power	Aluminum	Bulb	Size



<b>ML7687</b>	▶	<b>1xGU10 MAX 25W</b>	<b>Black</b>	<b>Not Icluded</b>	<b>Ø80* 100 mm</b>
No. Art.		Power	Aluminum	Bulb	Size



<b>ML7685</b>	▶	<b>1xGU10 MAX 25W</b>	<b>Black</b>	<b>Not Icluded</b>	<b>80*80* 100 mm</b>
No. Art.		Power	Aluminum + Acrylic	Bulb	Size



<b>ML7686</b>	▶	<b>1xGU10 MAX 25W</b>	<b>White</b>	<b>Not Icluded</b>	<b>Ø80* 100 mm</b>
No. Art.		Power	Aluminum	Bulb	Size



<b>ML7684</b>	▶	<b>1xGU10 MAX 25W</b>	<b>White</b>	<b>Not Icluded</b>	<b>80*80* 100 mm</b>
No. Art.		Power	Aluminum + Acrylic	Bulb	Size



BIMA RING SQUARE WH ML7684



BIMA ARTE ROUND BL ML7684





# LAMPKI ZASILANE 230~V

## POWER LIGHTS 230 ~ V



**EKL2338**  
No. Art.

<b>60cm</b> Length	<b>9W</b> Power	<b>IP20</b> IP
<b>610 lm</b> Luminous flux	<b>4000K</b> Colour	<b>120°</b> Beam angle

# LAMPKI NA BATERIE

## BATTERY LIGHTS



**EKB6615**  
No. Art.

<b>12,5cm</b> Length	<b>0,5W</b> Power	<b>IP20</b> IP	 Motion sensor
<b>40 lm</b> Luminous flux	<b>4000K</b> Colour	<b>3xAAA</b> Battery (not included)	<b>SIDE LIGHT</b> 2nd light



**EKB6592**  
No. Art.

<b>30cm</b> Length	<b>0,3W</b> Power	<b>IP20</b> IP	 Motion sensor
<b>30 lm</b> Luminous flux	<b>4000K</b> Colour	<b>3xAAA</b> Battery (not included)	



**EKB6622**  
No. Art.

<b>14cm</b> Length	<b>0,5W</b> Power	<b>IP20</b> IP	 Motion sensor
<b>35 lm</b> Luminous flux	<b>4000K</b> Colour	<b>3xAAA</b> Battery (not included)	 Surface Mounting



**EKB6639**  
No. Art.

<b>20cm</b> Length	<b>0,5W</b> Power	<b>IP20</b> IP	 Hanger
<b>35 lm</b> Luminous flux	<b>4000K</b> Colour	<b>3xAAA</b> Battery (not included)	 Motion sensor



**EKB6646**  
No. Art.

<b>8cm</b> Length	<b>0,5W</b> Power	<b>IP20</b> IP	 Motion sensor
<b>35 lm</b> Luminous flux	<b>4000K</b> Colour	<b>3xAAA</b> Battery (not included)	 Hanger



**EKB6653**  
No. Art.

<b>28cm</b> Length	<b>1,5W</b> Power	<b>IP20</b> IP	 Motion sensor
<b>85 lm</b> Luminous flux	<b>4000K</b> Colour	<b>3xAAA</b> Battery (not included)	



**EKB6660**  
No. Art.

<b>5cm</b> Length	<b>0,2W</b> Power	<b>IP20</b> IP	 Motion sensor
<b>20 lm</b> Luminous flux	<b>4000K</b> Colour	<b>CR2450</b> Battery (included)	



**EKB6608**  
No. Art.

<b>9cm</b> Length	<b>0,5W</b> Power	<b>IP20</b> IP	 Motion sensor
<b>25 lm</b> Luminous flux	<b>4000K</b> Colour	<b>3xAAA</b> Battery (not included)	

# OPRAWY SCHODOWE LED 230~V

## DECORATIVE LED STAIRCASES 230~V



### PEPEPERS

EKS0903 EKS0438 EKS0941	▶	0,6W	3000K 4000K 6500K	13lm 14lm 15lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)



### QUADRO

EKS0927 EKS0414 EKS0965	▶	0,6W	3000K 4000K 6500K	13lm 14lm 15lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)



### EVO

EKS0910 EKS0568 EKS0476	▶	0,6W	3000K 4000K 6500K	13lm 14lm 15lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)




### OTI

EKS1061 EKS6141 EKS1085	▶	0,6W	3000K 4000K 6500K	13lm 14lm 15lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)



### EXON

EKS2396 EKS3829	▶	0,6W	3000K 6500K	13lm 15lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)



### LUMI

EKS2341 EKS6158 EKS2358	▶	0,6W	3000K 4000K 6500K	13lm 14lm 15lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)



### BERG

EKS4390 EKS0407 EKS4406	▶	0,6W	3000K 4000K 6500K	13lm 14lm 15lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)




### CAPRI

EKS4413 EKS0421 EKS4420	▶	0,6W	3000K 4000K 6500K	13lm 14lm 15lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)



### DECO

EKS4437 EKS0384 EKS4444	▶	0,6W	3000K 4000K 6500K	13lm 14lm 15lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)



### EVRA

EKS4352 EKS0391 EKS4369	▶	0,6W	3000K 4000K 6500K	13lm 14lm 15lm	IP20
No. Art.		Power	Voltage	Colour	Luminous flux



### OTI MAX

EKS4338 EKS4345	▶	0,6W	3000K 6500K	13lm 15lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)



### POLAR

EKS4376 EKS3100	▶	0,6W	3000K 4000K	13lm 14lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)



### VOX

EKS3836 EKS6165 EKS3843	▶	0,6W	3000K 4000K 6500K	13lm 14lm 15lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)



### FERRO

EKS1121 EKS1138	▶	0,6W	3000K 4000K	13lm 14lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)



### DON'T SMOKE

EKS2806	▶	0,6W	6500K	15lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)




### MEN

EKS2813	▶	0,6W	6500K	15lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)



### WOMEN

EKS2820	▶	0,6W	6500K	15lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)



### EVO BLACK

EKS5681 EKS711	▶	0,6W	3000K 4000K	13lm 14lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)



### OTI BLACK

EKS5667 EKS5698	▶	0,6W	3000K 4000K	13lm 14lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)




### LUMI BLACK

EKS56674 EKS704	▶	0,6W	3000K 4000K	13lm 14lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)



### EVRA BLACK

EKS6904 EKS6905	▶	0,6W	3000K 4000K	13lm 14lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)



### QUADRO BLACK

EKS6906 EKS6907	▶	0,6W	3000K 4000K	13lm 14lm	IP20
No. Art.		Power	Colour	Luminous flux	(IP)



# OPRAWY SCHODOWE LED + PIR 12V

## LED DECORATIVE STAIRCASES + PIR 12V

<b>0,6W</b>	<b>12V~ DC</b>	3000K 4000K 6500K	13lm 14lm 15lm	<b>IP20</b>	<b>110</b>		Range: 5 meters Operating time: 60 sec	<b>PEPERS PIR</b> EKS0989 EKS1473 EKS1023
Power	Voltage	Colour	Luminous flux	(IP)	Angle		Motion Sensor	No. Art.



<b>0,6W</b>	<b>12V~ DC</b>	3000K 4000K 6500K	13lm 14lm 15lm	<b>IP20</b>	<b>110</b>		Range: 5 meters Operating time: 60 sec	<b>QUADRO PIR</b> EKS1009 EKS1497 EKS1047
Power	Voltage	Colour	Luminous flux	(IP)	Angle		Motion Sensor	No. Art.



<b>0,6W</b>	<b>12V~ DC</b>	3000K 4000K 6500K	13lm 14lm 15lm	<b>IP20</b>	<b>110</b>		Range: 5 meters Operating time: 60 sec	<b>EVO PIR</b> EKS0996 EKS1480 EKS1030
Power	Voltage	Colour	Luminous flux	(IP)	Angle		Motion Sensor	No. Art.



<b>0,6W</b>	<b>12V~ DC</b>	3000K 4000K 6500K	13lm 14lm 15lm	<b>IP20</b>	<b>110</b>		Range: 5 meters Operating time: 60 sec	<b>OTI PIR</b> EKS1078 EKS1503 EKS1092
Power	Voltage	Colour	Luminous flux	(IP)	Angle		Motion Sensor	No. Art.



<b>0,6W</b>	<b>12V~ DC</b>	3000K 4000K 6500K	13lm 14lm 15lm	<b>IP20</b>	<b>110</b>		Range: 5 meters Operating time: 60 sec	<b>LUMI PIR</b> EKS3041 EKS1527 EKS3058
Power	Voltage	Colour	Luminous flux	(IP)	Angle		Motion Sensor	No. Art.



<b>0,6W</b>	<b>12V~ DC</b>	4000K	14lm	<b>IP20</b>	<b>110</b>		Range: 5 meters Operating time: 60 sec	<b>VOX PIR</b> EKS1510
Power	Voltage	Colour	Luminous flux	(IP)	Angle		Motion Sensor	No. Art.



<b>0,6W</b>	<b>12V~ DC</b>	3000K 4000K	13lm 14lm	<b>IP20</b>	<b>110</b>		Range: 5 meters Operating time: 60 sec	<b>EVRA BLACK PIR</b> EKS6902 EKS6903
Power	Voltage	Colour	Luminous flux	(IP)	Angle		Motion Sensor	No. Art.



<b>0,6W</b>	<b>12V~ DC</b>	3000K 4000K	13lm 14lm	<b>IP20</b>	<b>110</b>		Range: 5 meters Operating time: 60 sec	<b>EVO BLACK PIR</b> EKS6898 EKS6899
Power	Voltage	Colour	Luminous flux	(IP)	Angle		Motion Sensor	No. Art.



<b>0,6W</b>	<b>12V~ DC</b>	3000K 4000K	13lm 14lm	<b>IP20</b>	<b>110</b>		Range: 5 meters Operating time: 60 sec	<b>LUMI BLACK PIR</b> EKS6896 EKS6897
Power	Voltage	Colour	Luminous flux	(IP)	Angle		Motion Sensor	No. Art.



<b>0,6W</b>	<b>12V~ DC</b>	3000K 4000K	13lm 14lm	<b>IP20</b>	<b>110</b>		Range: 5 meters Operating time: 60 sec	<b>OTI BLACK PIR</b> EKS6900 EKS6901
Power	Voltage	Colour	Luminous flux	(IP)	Angle		Motion Sensor	No. Art.



# NEONY LED i AKCESORIA

## LED NEONS & ACCESORIES

### LED 50m

EKF4505	▶	COOL WHITE Colour	EKF4475	▶	YELLOW Colour
EKF4512	▶	WARM WHITE Colour	EKF4482	▶	GREEN Colour
EKF4468	▶	RED Colour	EKF4499	▶	BLUE Colour

2835 SMD LED Chip	120/m LEDs pcs	7W Power	200lm Luminous Flux
IP65 Protection Class	1m Cutttable	8/16mm Size	50 meters Length



EKF4529	▶	RGB Colour	5050 SMD LED Chip	60/m LEDs pcs	8W/m Power	IP65 Protection Class	1m Cutttable	13/26mm Size	50 meters Length
---------	---	---------------	----------------------	------------------	---------------	--------------------------	-----------------	-----------------	---------------------

### LED 5m Zestaw / Set

EKF1268	▶	COOL WHITE Colour	EKF1237	▶	RED Colour
EKF1275	▶	WARM WHITE Colour	EKF1244	▶	GREEN Colour
EKF1251	▶	BLUE Colour			

2835 SMD LED Chip	120/m LEDs pcs	7W/m Power	200lm /m Luminous Flux
IP67 Protection Class	1m Cutttable	8/16mm Size	5 meters Length



EKF1282	▶	RGB Colour	5050 SMD LED Chip	60/m LEDs pcs	8W/m Power
---------	---	---------------	----------------------	------------------	---------------

IP67 Protection Class	1m Cutttable	13/26mm Size	5 meters Length
--------------------------	-----------------	-----------------	--------------------



### Akcesoria / Accessories

EKF4581	▶	Middle Connector for Neon RGB
EKF4598	▶	Neon LED
EKF4604	▶	Power Cable with Controller Neon RGB
EKF1139	▶	RGB Controller with Remote



EKF4543	▶	Plug for Neon LED
EKF4550	▶	Plug for Neon RGB
EKF4567	▶	Middle Connector for Neon LED
EKF4536	▶	Power Cable for Neon LED
EKF3483	▶	Neon LED RGB





# SZYNOPRZEWODY 1-OBWODOWE

## TRACK LIGHT 1-CIRCUIT



<b>ML3916</b>	▶	~230V/ 50Hz	1.5m	35°20° 1500mm	Black Metal
No. Art.		Voltage	Length	Size	Colour/ Material



<b>ML3917</b>	▶	~230V/ 50Hz	1.5m	35°20° 1500mm	White Metal
No. Art.		Voltage	Length	Size	Colour/ Material



<b>ML7369</b>	▶	1xGU10 MAX 25W	Not Included	Yes	Black Metal
No. Art.		Power	Light Source	Adjustable	Colour Material



<b>ML7368</b>	▶	1xGU10 MAX 25W	Not Included	Yes	White Metal
No. Art.		Power	Light Source	Adjustable	Colour Material



<b>ML3909</b>	▶	7W LED	4000K	700lm	Included
No. Art.		Power	Colour Temp.	Luminous Flux	Light Source



<b>ML3911</b>	▶	7W LED	4000K	700lm	Included
No. Art.		Power	Colour Temp.	Luminous Flux	Light Source



<b>ML7669</b>	▶	1xGU10 MAX 25W	Not Included	Black Metal
No. Art.		Power	Light Source	Colour Material



<b>ML7668</b>	▶	1xGU10 MAX 25W	Not Included	White Metal
No. Art.		Power	Light Source	Colour Material



<b>ML6510</b>	▶	3W LED	4000K	240lm	Black Metal
No. Art.		Power	Colour Temp.	Luminous flux	Colour Material



<b>ML6511</b>	▶	3W LED	4000K	240lm	White Metal
No. Art.		Power	Colour Temp.	Luminous flux	Colour Material



<b>ML5702</b>	▶	1xAR111 GU10	Not Included
No. Art.		Power	Light Source



<b>ML5701</b>	▶	1xAR111 GU10	Not Included
No. Art.		Power	Light Source



<b>ML5711</b>	▶	1xGU10 MAX 25W	Not Included
No. Art.		Power	Light Source



<b>ML5712</b>	▶	1xGU10 MAX 25W	Not Included
No. Art.		Power	Light Source



<b>ML7677</b>	▶	1xGU10 MAX 25W	Not Included	Black Metal
No. Art.		Power	Light Source	Colour Material



<b>ML7676</b>	▶	1xGU10 MAX 25W	Not Included	White Metal
No. Art.		Power	Light Source	Colour Material



<b>ML6506</b>	▶	3W LED	4000K	240lm	Black Metal
No. Art.		Power	Colour Temp.	Luminous flux	Colour Material



<b>ML6507</b>	▶	3W LED	4000K	240lm	White Metal
No. Art.		Power	Colour Temp.	Luminous flux	Colour Material



<b>ML6508</b>	▶	3W LED	4000K	240lm	Black Metal
No. Art.		Power	Colour Temp.	Luminous flux	Colour Material

<b>ML6509</b>	▶	3W LED	4000K	240lm	White Metal
No. Art.		Power	Colour Temp.	Luminous flux	Colour Material

## SZYNOPRZEWODY 1-OBWODOWE TRACK LIGHT 1-CIRCUIT



<b>ML7681</b>	▶	1xGU10 MAX 25W	Not Included	Black Metal
No. Art.		Power	Light Source	Colour Material
<b>ML7680</b>	▶	1xGU10 MAX 25W	Not Included	White Metal
No. Art.		Power	Light Source	Colour Material



<b>ML7673</b>	▶	1xGU10 MAX 25W	Not Included	Black Metal
No. Art.		Power	Light Source	Colour Material
<b>ML7672</b>	▶	1xGU10 MAX 25W	Not Included	White Metal
No. Art.		Power	Light Source	Colour Material

## AKCESORIA 1-OBWODOWE ACCESSORIES FOR 1-CIRCUIT



<b>ML3923</b>	▶	-	~230V/ 50Hz
No. Art.		Type	Voltage



<b>ML3919</b>	▶	L	~230V/ 50Hz
No. Art.		Type	Voltage



<b>ML3921</b>	▶	T	~230V/ 50Hz
No. Art.		Type	Voltage



<b>ML3922</b>	▶	-	~230V/ 50Hz
No. Art.		Type	Voltage



<b>ML3918</b>	▶	L	~230V/ 50Hz
No. Art.		Type	Voltage



<b>ML3920</b>	▶	T	~230V/ 50Hz
No. Art.		Type	Voltage



<b>ML7102</b>	▶	~	~230V/ 50Hz	Yes
No. Art.		Type	Voltage	Flexible



<b>ML7101</b>	▶	~	~230V/ 50Hz	Yes
No. Art.		Type	Voltage	Flexible

## SZYNOPRZEWODY 3-OBWODOWE TRACK LIGHT 3-CIRCUIT



<b>ML7080</b>	▶	~230V/ 50Hz	1.5m	32*32* 1500mm	Black Aluminum
No. Art.		Voltage	Length	Size	Colour Material



<b>ML7079</b>	▶	~230V/ 50Hz	1.5m	32*32* 1500mm	White Aluminum
No. Art.		Voltage	Length	Size	Colour Material



<b>ML7057</b>	▶	1xAR111 GU10	Not Included	Ø120* 190mm	Black Aluminum
No. Art.		Power	Light Source	Size	Colour Material



<b>ML7056</b>	▶	1xAR111 GU10	Not Included	Ø120* 190mm	White Aluminum
No. Art.		Power	Light Source	Size	Colour Material



<b>ML7059</b>	▶	1xGU10 MAX 25W	Not Included	Ø60*90 210mm	Black Aluminum
No. Art.		Power	Light Source	Size	Colour Material



<b>ML7058</b>	▶	1xGU10 MAX 25W	Not Included	Ø60*90 210mm	White Aluminum
No. Art.		Power	Light Source	Size	Colour Material





## SZYNOPRZEWODY 3-OBWODOWE TRACK LIGHT 3-CIRCUIT



<b>ML7679</b>	▶	1xGU10 MAX 25W	Not Included	90°90° 205mm	Black Aluminum + Plastic
No. Art.		Power	Light Source	Size	Colour Material



<b>ML7671</b>	▶	1xGU10 MAX 25W	Not Included	90°90° 205mm	Black Aluminum + Plastic + Acrylic
No. Art.		Power	Light Source	Size	Colour Material



<b>ML7678</b>	▶	1xGU10 MAX 25W	Not Included	90°90° 205mm	White Aluminum + Plastic
No. Art.		Power	Light Source	Size	Colour Material



<b>ML7670</b>	▶	1xGU10 MAX 25W	Not Included	90°90° 205mm	White Aluminum + Plastic + Acrylic
No. Art.		Power	Light Source	Size	Colour Material



<b>ML7683</b>	▶	1xGU10 MAX 25W	Not Included	90°90° 1350mm	Black Aluminum + Plastic
No. Art.		Power	Light Source	Size	Colour Material



<b>ML7675</b>	▶	1xGU10 MAX 25W	Not Included	90°90° 1350mm	Black Aluminum + Plastic + Acrylic
No. Art.		Power	Light Source	Size	Colour Material

<b>ML7682</b>	▶	1xGU10 MAX 25W	Not Included	90°90° 1350mm	White Aluminum + Plastic
No. Art.		Power	Light Source	Size	Colour Material

<b>ML7674</b>	▶	1xGU10 MAX 25W	Not Included	90°90° 1350mm	White Aluminum + Plastic + Acrylic
No. Art.		Power	Light Source	Size	Colour Material

## AKCESORIA 3-OBWODOWE ACCESSORIES FOR 3-CIRCUIT



<b>ML7082</b>	▶	Power Guide	-230V/ 50Hz
No. Art.		Type	Voltage



<b>ML7084</b>	▶	-	-230V/ 50Hz
No. Art.		Type	Voltage



<b>ML7088</b>	▶	LU	-230V/ 50Hz
No. Art.		Type	Voltage



<b>ML7081</b>	▶	Power Guide	-230V/ 50Hz
No. Art.		Type	Voltage



<b>ML7083</b>	▶	-	-230V/ 50Hz
No. Art.		Type	Voltage



<b>ML7087</b>	▶	LU	-230V/ 50Hz
No. Art.		Type	Voltage



<b>ML7086</b>	▶	LD	-230V/ 50Hz
No. Art.		Type	Voltage



<b>ML7094</b>	▶	T UL	-230V/ 50Hz
No. Art.		Type	Voltage



<b>ML7090</b>	▶	T DL	-230V/ 50Hz
No. Art.		Type	Voltage



<b>ML7085</b>	▶	LD	-230V/ 50Hz
No. Art.		Type	Voltage



<b>ML7093</b>	▶	T UL	-230V/ 50Hz
No. Art.		Type	Voltage



<b>ML7089</b>	▶	T DL	-230V/ 50Hz
No. Art.		Type	Voltage



<b>ML7096</b>	▶	T UR	-230V/ 50Hz
No. Art.		Type	Voltage



<b>ML7092</b>	▶	T DR	-230V/ 50Hz
No. Art.		Type	Voltage



<b>ML7098</b>	▶	+	-230V/ 50Hz
No. Art.		Type	Voltage



<b>ML7095</b>	▶	T UR	-230V/ 50Hz
No. Art.		Type	Voltage



<b>ML7091</b>	▶	T DR	-230V/ 50Hz
No. Art.		Type	Voltage



<b>ML7097</b>	▶	+	-230V/ 50Hz
No. Art.		Type	Voltage



<b>ML7100</b>	▶		-230V/ 50Hz	Yes
No. Art.		Type	Voltage	Flexible



<b>ML7099</b>	▶		-230V/ 50Hz	Yes
No. Art.		Type	Voltage	Flexible

# SZYNOPRZEWODY MAGNETYCZNE + AKCESORIA

## MAGNETIC TRACK LIGHT + ACCESSORIES



**ML6630** ▶  
No. Art.

**1.5m**  
Length

**26\*50\*1500mm**  
Size

**Black Aluminum**  
Colour Material

**Surface**  
Mounting



**ML6736** ▶  
No. Art.

**L**  
Type

**DOWN CONNECTOR**  
Use for ML6630

**Black Aluminum**  
Colour Material



**ML6631** ▶  
No. Art.

**1.5m**  
Length

**76\*50\*1500mm**  
Size

**Black Aluminum**  
Colour Material

**Recessed**  
Mounting



**ML6735** ▶  
No. Art.

**L**  
Type

**SIDE CONNECTOR**  
Use for ML6630

**Black Aluminum**  
Colour Material



**ML8680** ▶  
No. Art.

**18W LED**  
Power

**1600 lm**  
Luminous Flux

**4000K**  
Colour Temp.

**292\*25\*22mm**  
Size

**Black Aluminum**  
Colour Material



**ML6633** ▶  
No. Art.

**L**  
Type

**DOWN CONNECTOR**  
Use for ML6631

**Black Aluminum**  
Colour Material



**ML6625** ▶  
No. Art.

**14W LED**  
Power

**1250 lm**  
Luminous Flux

**4000K**  
Colour Temp.

**292\*25\*22mm**  
Size

**Black Aluminum**  
Colour Material



**ML6632** ▶  
No. Art.

**L**  
Type

**SIDE CONNECTOR**  
Use for ML6631

**Black Aluminum**  
Colour Material



**ML6626** ▶  
No. Art.

**24W LED**  
Power

**2100 lm**  
Luminous Flux

**4000K**  
Colour Temp.

**292\*292\*25\*22 mm**  
Size

**Black Aluminum**  
Colour Material



**ML6634** ▶  
No. Art.

**-**  
Type

**MAGNETIC CONNECTOR**  
Connector

**Black Aluminum**  
Colour Material



**ML8681** ▶  
No. Art.

**10W LED**  
Power

**1000 lm**  
Luminous Flux

**4000K**  
Colour Temp.

**50\*50\*136 mm**  
Size

**Black Aluminum**  
Colour Material



**ML6635** ▶  
No. Art.

**-**  
Type

**MAGNETIC WITH CABLE**  
Connector

**Black Aluminum**  
Colour Material



**ML6628** ▶  
No. Art.

**10W LED**  
Power

**900 lm**  
Luminous Flux

**4000K**  
Colour Temp.

**235\*23\*88mm**  
Size

**Black Aluminum**  
Colour Material



**ML6636** ▶  
No. Art.

**-**  
Type

**MAGNETIC WITH CABLE**  
2x Connector

**Black Aluminum**  
Colour Material



**ML6629** ▶  
No. Art.

**7W LED**  
Power

**700 lm**  
Luminous Flux

**4000K**  
Colour Temp.

**35\*35\*200mm**  
Size

**Black Aluminum**  
Colour Material



**ML6737** ▶  
No. Art.

**-**  
Type

**FOR THE GUIDE**  
Connector

**Black Aluminum**  
Colour Material



**EKZA56637** ▶  
No. Art.

**100W**  
Power

**IP20**  
Internal Protection (IP)

**214\*22\*44mm**  
Size



**EKZA57103** ▶  
No. Art.

**150W**  
Power

**IP20**  
Internal Protection (IP)

**234\*22\*44mm**  
Size



**EKZA56638** ▶  
No. Art.

**200W**  
Power

**IP20**  
Internal Protection (IP)

**304\*22\*44mm**  
Size



## ZESTAWY TRACK LIGHT TRACK LIGHT SETS

MICA BLACK SET



<b>ML8277</b>	▶	3xGU10 MAX 25W	~230V/ 50Hz	90°*210° 1500mm	1x Rail + 3x Fixture	Black Aluminum	Not Included
No. Art.		Power	Voltage	Size	Set	Colour	Light Source

MICA WHITE SET



<b>ML8276</b>	▶	3xGU10 MAX 25W	~230V/ 50Hz	90°*210° 1500mm	1x Rail + 3x Fixture	White Aluminum	Not Included
No. Art.		Power	Voltage	Size	Set	Colour	Light Source

LUGAR BLACK SET



<b>ML7912</b>	▶	3x AR111	~230V/ 50Hz	90°*210° 1500mm	1x Rail + 3x Fixture	White Aluminum	Not Included
No. Art.		Power	Voltage	Size	Set	Colour	Light Source

LUGAR WHITE SET



<b>ML7449</b>	▶	3x AR111	~230V/ 50Hz	90°*210° 1500mm	1x Rail + 3x Fixture	White Aluminum	Not Included
No. Art.		Power	Voltage	Size	Set	Colour	Light Source

PIPE BLACK SET



<b>ML8719</b>	▶	3xGU10 MAX 25W	~230V/ 50Hz	90°*210° 1500mm	1x Rail + 3x Fixture	Black Aluminum	Not Included
No. Art.		Power	Voltage	Size	Set	Colour	Light Source

PIPE WHITE SET



<b>ML8720</b>	▶	3xGU10 MAX 25W	~230V/ 50Hz	90°*210° 1500mm	1x Rail + 3x Fixture	White Aluminum	Not Included
No. Art.		Power	Voltage	Size	Set	Colour	Light Source

PIPE RING BLACK SET



<b>ML8721</b>	▶	3xGU10 MAX 25W	~230V/ 50Hz	90°*210° 1500mm	1x Rail + 3x Fixture	Black Aluminum	Not Included
No. Art.		Power	Voltage	Size	Set	Colour	Light Source

PIPE RING WHITE SET




<b>ML8722</b>	▶	3xGU10 MAX 25W	~230V/ 50Hz	90°*210° 1500mm	1x Rail + 3x Fixture	White Aluminum	Not Included
No. Art.		Power	Voltage	Size	Set	Colour	Light Source

# PLAFONY LED IP44

## CEILING LED FIXTURES IP44



	<b>ML6402</b> No. Art.	<b>18W LED</b> Power	<b>1260 lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>Ø280*40mm</b> Size	<b>Black Metal + Acrylic</b> Colour Material	
	<b>ML6401</b> No. Art.	<b>18W LED</b> Power	<b>1260 lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>Ø280*40mm</b> Size	<b>White Metal + Acrylic</b> Colour Material	
	<b>ML6404</b> No. Art.	<b>28W LED</b> Power	<b>1960 lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>Ø360*40mm</b> Size	<b>Black Metal + Acrylic</b> Colour Material	
	<b>ML6403</b> No. Art.	<b>28W LED</b> Power	<b>1960 lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>Ø360*40mm</b> Size	<b>White Metal + Acrylic</b> Colour Material	
	<b>ML6065</b> No. Art.	<b>10W LED</b> Power	<b>960 lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>Ø260*60mm</b> Size	<b>White Metal + Acrylic</b> Colour Material	
	<b>ML6066</b> No. Art.	<b>19W LED</b> Power	<b>1985 lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>Ø390*60mm</b> Size	<b>White Metal + Acrylic</b> Colour Material	
	<b>ML6067</b> No. Art.	<b>13W LED</b> Power	<b>1375 lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>280*280*60mm</b> Size	<b>White Metal + Acrylic</b> Colour Material	
	<b>ML6068</b> No. Art.	<b>19W LED</b> Power	<b>1850 lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>330*330*60mm</b> Size	<b>White Metal + Acrylic</b> Colour Material	
	<b>EK5362</b> No. Art.	<b>11W LED</b> Power	<b>990 lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>260*260*60mm</b> Size	<b>White Metal + Acrylic</b> Colour Material	
	<b>EK5363</b> No. Art.	<b>17W LED</b> Power	<b>1530 lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>330*330*60mm</b> Size	<b>White Metal + Acrylic</b> Colour Material	
	<b>EK5364</b> No. Art.	<b>27W LED</b> Power	<b>2430 lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>430*430*60mm</b> Size	<b>White Metal + Acrylic</b> Colour Material	
	<b>ML9088</b> No. Art.	<b>18W LED</b> Power	<b>2300 lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>300*300*55mm</b> Size	<b>Black PP+PS</b> Colour Material	<b>IP40</b> Protection Class
	<b>ML9089</b> No. Art.	<b>24W LED</b> Power	<b>2430 lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>375*375*60mm</b> Size	<b>Black PP+PS</b> Colour Material	<b>IP40</b> Protection Class



**ML6403**



**EKP9911**  
No. Art.

**2xE27 /60W**  
Power



PIR

**300\*300 /90mm**  
Size

**08**  
IK



## PLAFONY LED IP44 CEILING LED FIXTURES IP44



EK7792

<b>ML4266</b> No. Art.	▶ <b>10W LED</b> Power	<b>900 lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>Ø260* 60mm</b> Size	<b>White Metal + Acrylic</b> Colour Material	
<b>ML4267</b> No. Art.	▶ <b>16W LED</b> Power	<b>1440 lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>Ø330* 60mm</b> Size	<b>White Metal + Acrylic</b> Colour Material	
<b>ML4268</b> No. Art.	▶ <b>20W LED</b> Power	<b>1800 lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>Ø390* 40mm</b> Size	<b>White Metal + Acrylic</b> Colour Material	
<b>ML7789</b> No. Art.	▶ <b>15W LED</b> Power	<b>**** lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>Ø330* 60mm</b> Size	<b>Black Metal + Acrylic</b> Colour Material	
<b>ML7790</b> No. Art.	▶ <b>15W LED</b> Power	<b>**** lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>Ø330* 60mm</b> Size	<b>Gold Metal + Acrylic</b> Colour Material	
<b>EK7791</b> No. Art.	▶ <b>17W LED</b> Power	<b>1530 lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>330*330 60mm</b> Size	<b>Black Metal + Acrylic</b> Colour Material	
<b>EK7792</b> No. Art.	▶ <b>17W LED</b> Power	<b>1530 lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>330*330 60mm</b> Size	<b>Gold Metal + Acrylic</b> Colour Material	

## PLAFONY LED + PIR CEILING LED FIXTURES + PIR

<b>ML7970</b> No. Art.	▶ <b>15W LED</b> Power	<b>**** lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>Ø330* 60mm</b> Size	<b>Black Metal + Acrylic</b> Colour Material	<b>PIR</b>	
<b>ML7971</b> No. Art.	▶ <b>17W LED</b> Power	<b>1530 lm</b> Luminous Flux	<b>4000K</b> Colour Temp.	<b>330*330 60mm</b> Size	<b>Black Metal + Acrylic</b> Colour Material	<b>PIR</b>	



# LAMPY OGRODOWE

## GARDEN LAMPS



	<p>EKO3506 ○ EKO3544 ●</p>	<p><b>1xE27</b> Socket</p> <p><b>NOT INCLUDED</b> Bulb</p> <p>ACRYL+ ALUMINIUM Material</p> <p>910/370/250mm Size</p>		<p>EKO3490 ○ EKO3537 ●</p>	<p><b>1xE27</b> Socket</p> <p><b>NOT INCLUDED</b> Bulb</p> <p>ACRYL+ ALUMINIUM Material</p> <p>215/170/220mm Size</p>
	<p>EKO3520 ○ EKO3568 ●</p>	<p><b>1xE27</b> Socket</p> <p><b>NOT INCLUDED</b> Bulb</p> <p>ACRYL+ ALUMINIUM Material</p> <p>910/370/600mm Size</p>		<p>EKO3513 ○ EKO3551 ●</p>	



EKO3568 + EKO3544





# LAMPY OGRODOWE

## GARDEN LAMPS

**CIRCULO**  
EKO6641

1xE27  
Socket

NOT INCLUDED  
Bulb

ACRYL+ ALUMINIUM  
Material

200/230/  
200mm  
Size

**IP44**  
Internal Protection (IP)



**OVALIS**  
EKO8302

1xGU10  
Socket

NOT INCLUDED  
Bulb

ACRYL+ ALUMINIUM  
Material

81/92/  
68mm  
Size

**IP44**  
Internal Protection (IP)



**CIRCULO**  
EKO6642

1xE27  
Socket

NOT INCLUDED  
Bulb

ACRYL+ ALUMINIUM  
Material

200/200/  
500-900  
mm  
Size

**IP44**  
Internal Protection (IP)



**BOKA**  
EKO8326

1xGU10  
Socket

NOT INCLUDED  
Bulb

ACRYL+ ALUMINIUM  
Material

81/92/  
68mm  
Size

**IP44**  
Internal Protection (IP)



**CIRCULO**  
EKO6643

1xE27  
Socket

NOT INCLUDED  
Bulb

ACRYL+ ALUMINIUM  
Material

200/200/  
320mm  
Size

**IP44**  
Internal Protection (IP)



**OVALIS**  
EKO8319

2xGU10  
Socket

NOT INCLUDED  
Bulb

ACRYL+ ALUMINIUM  
Material

81/150/  
68mm  
Size

**IP44**  
Internal Protection (IP)



**BOKA**  
EKO8333

2xGU10  
Socket

NOT INCLUDED  
Bulb

ACRYL+ ALUMINIUM  
Material

81/150/  
68mm  
Size

**IP44**  
Internal Protection (IP)



**VILO**  
EKO8357

1xGU10  
Socket

NOT INCLUDED  
Bulb

ACRYL+ ALUMINIUM  
Material

98/263/  
330mm  
Size

**IP65**  
Internal Protection (IP)



**KETTO**  
EKO8340

2xGU10  
Socket

NOT INCLUDED  
Bulb

ACRYL+ ALUMINIUM  
Material

254/450/  
120mm  
Size

**IP65**  
Internal Protection (IP)



**ALLEY**  
EKO9909

50W  
LED

4500  
lm  
Luminous Flux

230V~  
50Hz AC  
Voltage

4000K  
(NW)  
Kelvin

IP65  
IP

411/152/  
77mm  
Size



**ALLEY**  
EKO9910

100W  
LED

9300  
lm  
Luminous Flux

230V~  
50Hz AC  
Voltage

4000K  
(NW)  
Kelvin

IP65  
IP

483/186/  
84mm  
Size





EKO3568 + EKO3544



EKO1601

NOT INCLUDED	10x E27	1,5mm <sup>2</sup>
Bulbs	Sockets	Wire Info
<b>44</b>		<b>10m</b>
IP	Hook	Length

EKO1618

NOT INCLUDED	15x E27	1,5mm <sup>2</sup>
Bulbs	Sockets	Wire Info
<b>44</b>		<b>15m</b>
IP	Hook	Length

NOT INCLUDED	5x E27	
Bulb	Sockets	
<b>44</b>		
IP	Hook	
1,5mm <sup>2</sup>	<b>5m</b>	
Wire Info	Length	

EKO1625

NOT INCLUDED	20x E27	1,5mm <sup>2</sup>
Bulbs	Sockets	Wire Info
<b>44</b>		<b>20m</b>
IP	Hook	Length



EKO1571

NOT INCLUDED	5x E27	1,5mm <sup>2</sup>
Bulbs	Sockets	Wire Info
<b>44</b>		<b>5m</b>
IP	Additional Socket	Length

EKO1595

NOT INCLUDED	10x E27	1,5mm <sup>2</sup>
Bulbs	Sockets	Wire Info
<b>44</b>		<b>10m</b>
IP	Additional Socket	Length

NOT INCLUDED	20x E27	1,5mm <sup>2</sup>
Bulbs	Sockets	Wire Info
<b>44</b>		<b>20m</b>
IP	Additional Socket	Length

EKO1892

NOT INCLUDED	15x E27	1,5mm <sup>2</sup>
Bulbs	Sockets	Wire Info
<b>44</b>		<b>15m</b>
IP	Additional Socket	Length



EKO9138

Not included	<b>44</b>	
Bulb	IP	
~230V 50/60Hz	<b>1.0mm<sup>2</sup></b>	
Voltage	Wire Info	
<b>15m</b>		
Length		



**EKO6918** ▶

Not included  
**44**  
Bulb IP

~230V  
50/60Hz  
Voltage Wire Info  
**1.0mm<sup>2</sup>**

**10m**  
Length



**EKO6932** ▶

Not included  
**44**  
Bulb IP

~230V  
50/60Hz  
Voltage Wire Info  
**1.0mm<sup>2</sup>**

**15m**  
Length



**EKO6925** ▶

**2700K**  
Kelvin Bulb

**10x**  
ST45 E27

**44**  
IP Voltage  
~230V  
50/60Hz  
**1.0mm<sup>2</sup>**  
Wire Info

**10m**  
Length




**EKO9889** ▶

Not included  
**44**  
Bulb IP

~230V  
50/60Hz  
Voltage Wire Info  
**1.0mm<sup>2</sup>**


**15m**  
Length




**EKO0528** ▶

~230V  
50/60Hz  
Voltage

**EKO6918**  
**EKO6925**  
**EKO6932**  
Hook  
for Garland




**EKO3834** ▶

**2m**  
Length

~230V  
50/60Hz  
Voltage


**EKO6202**  
**EKO6219**  
**EKO6226**  
Power cable /  
extension cord



**EKO9896** ▶

~230V  
50/60Hz  
Voltage

**EKO9889**  
Hook  
for Garland





**EKO7558** ▶

**2m**  
Length

~230V  
50/60Hz  
Voltage

**EKO6202**  
**EKO6219**  
**EKO6226**  
Power cable /  
extension cord



**Polecane żarówki (E27)**  
Recommend bulbs (E27)



**EKZF1050** ▶

No. Art.

**1W**  
LED  
Power

**70**  
lm  
Luminous  
flux

**2700K**  
Colour



**EKZF1074** ▶

No. Art.

**2W**  
LED  
Power

**250**  
lm  
Luminous  
flux

**2700K**  
Colour



**EKZF1067** ▶

No. Art.

**1,5W**  
LED  
Power

**100**  
lm  
Luminous  
flux

**2700K**  
Colour



**EKZF7807** ▶

No. Art.

**4W**  
LED  
Power

**400**  
lm  
Luminous  
flux

**2700K**  
Colour



**EKZF8123** ▶

No. Art.

**0,5W**  
LED  
Power

**40**  
lm  
Luminous  
flux

**2700K**  
Colour



**EKZA3621** ▶

No. Art.

**4W**  
LED  
Power

**400**  
lm  
Luminous  
flux

**2700K**  
Colour



**EKZF8262** ▶

No. Art.

**1W**  
LED  
Power

**70**  
lm  
Luminous  
flux

**2700K**  
Colour



**EKZF8263** ▶

No. Art.

**1W**  
LED  
Power

**50**  
lm  
Luminous  
flux

**2700K**  
Colour



**EKZF9139** ▶

No. Art.

**1W**  
LED  
Power

**59**  
lm  
Luminous  
flux

**2700K**  
Colour

# LAMPY SOLARNE

## SOLAR LAMPS



EKO9082

<b>5W LED</b>	<b>500lm</b>	<b>Li-on</b> 3000 mAh 3.7V	<b>2.3Wp</b> Mono-crystalline silicon
Power	Luminous Flux	Battery	Solar Panel
<b>4000k</b>			
Kelvin	Solar Loading	IP	PIR
<b>30pcs</b>		<b>232/ 146/ 34mm</b>	
SMD 2835	Beam Angle	Size	Charging Time



EKO9083

<b>10W LED</b>	<b>1150 lm</b>	<b>Li-on</b> 3000 mAh 7.4V	<b>6Wp</b> Mono-crystalline silicon
Power	Luminous Flux	Battery	Solar Panel
<b>4000k</b>			
Kelvin	Solar Loading	IP	PIR
<b>64pcs</b>		<b>314/ 211/ 37mm</b>	
SMD 2835	Beam Angle	Size	Charging Time



EKO8817

<b>1,5W=22,4W</b>	<b>220lm</b>	<b>Li-on</b> 1200 mAh 3.7V	<b>0,7Wp</b> Poly-crystalline silicon
Power	Luminous Flux	Battery	Solar Panel
<b>4000k</b>			
Kelvin	Solar Loading	IP	PIR
<b>FRONT: 12 pcs BACK: 2pcs</b>		<b>φ144/ 96/ 79mm</b>	
SMD 2835	Beam Angle	Size	Charging Time



EKO8824

<b>3,2W=38,4W</b>	<b>400lm</b>	<b>Li-on</b> 2000 mAh 3.7V	<b>2,3Wp</b> Poly-crystalline silicon
Power	Luminous Flux	Battery	Solar Panel
<b>4000k</b>			
Kelvin	Solar Loading	IP	PIR
<b>FRONT: 28 pcs BACK: 2pcs</b>		<b>φ212/ 140/ 109mm</b>	
SMD 2835	Beam Angle	Size	Charging Time



EKO3867



EKO3874



EKO3997



EKO3881

EKO3997  
EKO3881

<b>6,8W=70,8W</b>	<b>800lm</b>	<b>Li-on</b> 4000 mAh 3.7V	<b>4,4Wp</b> Poly-crystalline silicon
Power	Luminous Flux	Battery	Solar Panel
<b>4000k</b>			
Kelvin	Solar Loading	IP	PIR
<b>FRONT: 56 pcs BACK: 4pcs</b>		<b>270* 221* 109mm</b>	
SMD 2835	Beam Angle	Size	Charging Time



EKO8328



<b>8W</b>	<b>950lm</b>	<b>Li-on</b> 4000 mAh 3.7V	<b>4,5Wp</b> Mono-crystalline + Tempered glass
Power	Luminous Flux	Battery	Solar Panel
<b>4000k</b>			
Kelvin	Solar Loading	IP	PIR
<b>64pcs</b>		<b>267,9* 214* 75,9mm</b>	
SMD 2835	Beam Angle	Size	Charging Time



EKO9154

<b>8W LED</b>	<b>1000 lm</b>	<b>Li-on</b> 5200 mAh 3.7V	<b>4Wp</b> Mono-crystalline silicon
Power	Luminous Flux	Battery	Solar Panel
<b>4000k</b>			
Kelvin	Solar Loading	IP	PIR
<b>104 pcs</b>		<b>240/ 215/ 98mm</b>	
SMD 2835	Beam Angle	Size	Charging Time



EKO9181


<b>6W LED</b>	<b>800lm</b>	<b>Li-on</b> 3000 mAh 3.7V	<b>2,8Wp</b> Mono-crystalline silicon
Power	Luminous Flux	Battery	Solar Panel
<b>4000k</b>			
Kelvin	Solar Loading	IP	PIR
<b>35pcs</b>		<b>230/ 97/ 43mm</b>	
SMD 2835	Beam Angle	Size	Charging Time



# LAMPY SOLARNE DROGOWE


## SOLAR STREET LIGHTS

**EKO1991**



<b>7W LED</b> Power	<b>700lm</b> Luminous Flux	<b>Li-on 5400 mAh 3.7V</b> Battery	<b>3.7Wp Mono-crystalline silicon</b> Solar Panel
<b>4000k</b> Kelvin	 Solar Loading	 IP	 PIR
<b>40+10 pcs</b> SMD 2835	 <b>120°</b> Beam Angle	<b>190/ 233/ 100mm</b> Size	 <b>5-6hrs</b> Charging Time

**EKO2004**




<b>15W LED</b> Power	<b>1500 lm</b> Luminous Flux	<b>Li-on 5400 mAh 7.4V</b> Battery	<b>7.3Wp Mono-crystalline silicon</b> Solar Panel
<b>4000k</b> Kelvin	 Solar Loading	 IP	 PIR
<b>76+12 pcs</b> SMD 2835	 <b>120°</b> Beam Angle	<b>258/ 310/ 127mm</b> Size	 <b>5-6hrs</b> Charging Time

**EKO2011**




<b>8W LED</b> Power	<b>850lm</b> Luminous Flux	<b>Li-on 6000 mAh 3.7V</b> Battery	<b>7.0Wp Mono-crystalline silicon</b> Solar Panel
<b>4000k</b> Kelvin	 Solar Loading	 IP	 PIR
<b>40 pcs</b> SMD 2835	 <b>120°</b> Beam Angle	<b>194/ 351/ 50mm</b> Size	 <b>5-6hrs</b> Charging Time

**EKO2028**




<b>15W LED</b> Power	<b>1600 lm</b> Luminous Flux	<b>Li-on 5400 mAh 7.4V</b> Battery	<b>9.5Wp Mono-crystalline silicon</b> Solar Panel
<b>4000k</b> Kelvin	 Solar Loading	 IP	 PIR
<b>40 pcs</b> SMD 2835	 <b>120°</b> Beam Angle	<b>232/ 413/ 50mm</b> Size	 <b>5-6hrs</b> Charging Time

**EKO9093**




<b>50W LED</b> Power	<b>500lm</b> Luminous Flux	<b>Li-on 5000 mAh 3.2V</b> Battery	<b>5Wp Mono-crystalline silicon</b> Solar Panel
<b>6000k</b> Kelvin	 Solar Loading	 IP	 PIR
<b>60pcs</b> SMD 2835	 <b>70°* 140°</b> Beam Angle	<b>394/ 235/ 48mm</b> Size	 <b>4-6hrs</b> Charging Time

**EKO9094**




<b>100W LED</b> Power	<b>1200 lm</b> Luminous Flux	<b>Li-on 10000 mAh 3.2V</b> Battery	<b>10Wp Mono-crystalline silicon</b> Solar Panel
<b>6000k</b> Kelvin	 Solar Loading	 IP	 PIR
<b>90pcs</b> SMD 2835	 <b>70°* 140°</b> Beam Angle	<b>506/ 242/ 48mm</b> Size	 <b>5-6hrs</b> Charging Time

**EKO9095**




<b>150W LED</b> Power	<b>1800 lm</b> Luminous Flux	<b>Li-on 15000 mAh 3.2V</b> Battery	<b>15Wp Mono-crystalline silicon</b> Solar Panel
<b>6000k</b> Kelvin	 Solar Loading	 IP	 PIR
<b>120pcs</b> SMD 2835	 <b>70°* 140°</b> Beam Angle	<b>634/ 258/ 52mm</b> Size	 <b>4-6hrs</b> Charging Time

**EKO9096**



<b>200W LED</b> Power	<b>2400 lm</b> Luminous Flux	<b>Li-on 20000 mAh 3.2V</b> Battery	<b>20Wp Mono-crystalline silicon</b> Solar Panel
<b>6000k</b> Kelvin	 Solar Loading	 IP	 PIR
<b>150pcs</b> SMD 2835	 <b>70°* 140°</b> Beam Angle	<b>717/ 270/ 53mm</b> Size	 <b>4-6hrs</b> Charging Time

**EKO9168**



<b>METAL</b> Material	<b>490mm</b> Length	<b>48mm</b> Diameter	<b>EKO9093 EKO9094 EKO9095 EKO9096</b> For products
--------------------------	------------------------	-------------------------	--



# LAMPY SOLARNE

## SOLAR LAMPS



EKO9099

<b>2W LED</b>	<b>50lm</b>	<b>Li-on</b> 1300 mAh 3.7V	<b>1.8Wp</b> Mono-crystalline silicon
Power	Luminous Flux	Battery	Solar Panel
<b>3000K (WW)</b>			<b>165/112/64mm</b>
Kelvin	Solar Loading	IP	Size



EKO9100

<b>2W LED</b>	<b>50lm</b>	<b>Li-on</b> 1300 mAh 3.7V	<b>1.8Wp</b> Mono-crystalline silicon
Power	Luminous Flux	Battery	Solar Panel
<b>6000K (CW)</b>			<b>165/112/64mm</b>
Kelvin	Solar Loading	IP	Size



EKO9097

<b>2W LED</b>	<b>50lm</b>	<b>Li-on</b> 1300 mAh 3.7V	<b>2.7Wp</b> Mono-crystalline silicon
Power	Luminous Flux	Battery	Solar Panel
<b>3000K (WW)</b>			<b>155/100/96mm</b>
Kelvin	Solar Loading	IP	Size



EKO9098

<b>2W LED</b>	<b>50lm</b>	<b>Li-on</b> 1300 mAh 3.7V	<b>2.7Wp</b> Mono-crystalline silicon
Power	Luminous Flux	Battery	Solar Panel
<b>6000K (CW)</b>			<b>155/100/96mm</b>
Kelvin	Solar Loading	IP	Size



EKO0443

<b>0,14W</b>	<b>1x1.2V AA</b> 300mAh Ni-MH	<b>2V/70mA</b>
Power	Battery	Solar Panel
<b>IP44</b>	<b>1,5m</b>	
Internal Protection	LED Wire Length	Powered by the sun



EKO0504

<b>0,12W</b>	<b>1x1.2V AA</b> 300mAh Ni-MH	<b>2V/120mA</b>	
Power	Battery	Solar Panel	
<b>IP44</b>	<b>3,8m</b>		<b>10x</b>
Internal Protection	Lead Wire Length	Powered by the sun	Bulbs



EKO0436

<b>0,1W</b>	<b>1x1.2V</b> 2/3 AAA 300mAh Ni-MH	<b>4,6/4,6cm</b>
Power	Battery	Solar Panel (Amorphous)
<b>IP44</b>	<b>10/10/65cm</b>	
Internal Protection	Size	Powered by the sun



EKO0450

<b>0,24W</b>	<b>1x1.2V AA</b> 600mAh Ni-MH	<b>2V/120mA</b>
Power	Battery	Solar Panel
<b>IP44</b>	<b>15/15cm</b>	
Internal Protection	Hemisphere Size	Powered by the sun



EKO4826

No. Art.

<b>0,06W</b>	<b>340/100/100mm</b>	<b>6000K</b>
Power	Size	Colour
<b>IP44</b>	<b>Ni-Mh</b> 40mAH	
IP	Battery	Twilight Sensor



EKO4772

No. Art.

<b>0,06W</b>	<b>350/55/55mm</b>	<b>RGB</b>
Power	Size	Colour
<b>IP44</b>	<b>Ni-Mh</b> 40mAH	
IP	Battery	Twilight Sensor



# LAMPY SOLARNE SOLAR LIGHT

<b>6W LED</b>	<b>80lm</b>	<b>Li-on</b> 800 mAh 3.7V	<b>5.5V</b> <b>180mA</b>	<b>120°</b>	<b>6-8hrs</b>
Power	Luminous Flux	Battery	Solar Panel	Beam angle	Charging
<b>4000K</b>		<b>IP44</b>	<b>180/180/60mm</b>		
Kelvin	Solar Loading	IP	Size	Twilight Sensor	+RC



EKO9150



<b>12W LED</b>	<b>150lm</b>	<b>Li-on</b> 2000 mAh 3.7V	<b>5.5V</b> <b>180mA</b>	<b>120°</b>	<b>6-8hrs</b>
Power	Luminous Flux	Battery	Solar Panel	Beam angle	Charging
<b>4000K</b>		<b>IP44</b>	<b>180/180/60mm</b>		
Kelvin	Solar Loading	IP	Size	Twilight Sensor	+RC



EKO9151



<b>20W LED</b>	<b>300lm</b>	<b>2*Li-on</b> 1200 mAh 3.7V	<b>5.5V</b> <b>180mA</b>	<b>120°</b>	<b>6-8hrs</b>
Power	Luminous Flux	Battery	Solar Panel	Beam angle	Charging
<b>6000K</b>		<b>IP44</b>	<b>190/125/105mm</b>		
Kelvin	Solar Loading	IP	Size	PIR	+RC



EKO9152



<b>30W LED</b>	<b>400lm</b>	<b>2*Li-on</b> 1200 mAh 3.7V	<b>5.5V</b> <b>180mA</b>	<b>120°</b>	<b>6-8hrs</b>
Power	Luminous Flux	Battery	Solar Panel	Beam angle	Charging
<b>6000K</b>		<b>IP44</b>	<b>190/125/105mm</b>		
Kelvin	Solar Loading	IP	Size	PIR	+RC



EKO9153



<b>40W LED</b>	<b>580lm</b>	<b>Li-on</b> 5000 mAh 3.7V	<b>8Wp</b> MONO CRYSTALLINE	<b>120°</b>	<b>4-6hrs</b>
Power	Luminous Flux	Battery	Solar Panel	Beam angle	Charging
<b>6000K</b>		<b>IP65</b>	<b>370/34/4mm</b>		
Kelvin	Solar Loading	IP	Size	+RC	



EKO9090



## LAMPY SOLARNE SOLAR LIGHT



EKO9091

<b>60W LED</b>	<b>900 lm</b>	Li-on 10000 mAh 3.2V	<b>15Wp</b> MONO CRYSTALLINE	90°	4-6hrs
Power	Luminous Flux	Battery	Solar Panel	Beam angle	Charging
<b>6000K</b>		<b>IP65</b>	178/132/ 48mm		
Kelvin	Solar Loading	IP	Size	Twilight Sensor	+RC



EKO9765

2m

Length Compatible

EKO9091



EKO9092

<b>100W LED</b>	<b>1300 lm</b>	Li-on 15000 mAh 3.2V	<b>20Wp</b> MONO CRYSTALLINE	90°	4-6hrs
Power	Luminous Flux	Battery	Solar Panel	Beam angle	Charging
<b>6000K</b>		<b>IP65</b>	240/173/ 41mm		
Kelvin	Solar Loading	IP	Size	Twilight Sensor	+RC



EKO9766

2m

Length Compatible

EKO9092

## NARZĘDZIA RĘCZNE HAND TOOLS

MadFit



EKNA4015 KLUCZ NASTAWNY 8"

EKNA4016 KLUCZ NASTAWNY 10"



EKNA4012 SZCZYPCE BOCZNE 160



EKNA3675 SZCZYPCE UNIWERSALNE 160



EKNA3676 SZCZYPCE UNIWERSALNE 180



- EKNA890 ŚRUBOKRĘT 5\*75 +
- EKNA906 ŚRUBOKRĘT 5\*100 +
- EKNA913 ŚRUBOKRĘT 5\*150 +
- EKNA920 ŚRUBOKRĘT 6\*100 +
- EKNA937 ŚRUBOKRĘT 6\*150 +
- EKNA944 ŚRUBOKRĘT 8\*200 +
- EKNA951 ŚRUBOKRĘT 5\*75 -
- EKNA996 ŚRUBOKRĘT 5\*100 -
- EKNA997 ŚRUBOKRĘT 5\*150 -
- EKNA998 ŚRUBOKRĘT 6\*100 -
- EKNA999 ŚRUBOKRĘT 6\*150 -
- EKNA001 ŚRUBOKRĘT 8\*200 -



EKNA131 ZESTAW KLUCZY TORX



EKNA7166 NÓŻ UNIWERSALNY



EKNA424 ZESTAW KLUCZY IMBUSOWYCH



EKNA111 KLEJ W SZTYFCIE 10szt (11\*100mm)



EKNA722 ZESTAW KLUCZY PŁASKOOCZKOWYCH



EKNA551

NÓŻ UNIWERSALNY  
Z MAGAZYNKIEM NA 8 OSTRZY



EKNA685

MIARA ZWIJANA 5M\*19mm



EKNA548

GRZECHOTKA 1/2"



- ▶ EKNA677 KLUCZ PŁASKO-OCZKOWY 8
- ▶ EKNA680 KLUCZ PŁASKO-OCZKOWY 9
- ▶ EKNA979 KLUCZ PŁASKO-OCZKOWY 10
- ▶ EKNA980 KLUCZ PŁASKO-OCZKOWY 12
- ▶ EKNA814 KLUCZ PŁASKO-OCZKOWY 13
- ▶ EKNA982 KLUCZ PŁASKO-OCZKOWY 14
- ▶ EKNA983 KLUCZ PŁASKO-OCZKOWY 15
- ▶ EKNA984 KLUCZ PŁASKO-OCZKOWY 17
- ▶ EKNA985 KLUCZ PŁASKO-OCZKOWY 19
- ▶ EKNA986 KLUCZ PŁASKO-OCZKOWY 22
- ▶ EKNA987 KLUCZ PŁASKO-OCZKOWY 24
- ▶ EKNA883 KLUCZ PŁASKO-OCZKOWY 27

TRYTYTKI - ZACISKI NYLONOWE BIAŁE



- ▶ EK8587 2.5\*100mm 100szt/pcs
- ▶ EK8588 2.5\*160mm 100szt/pcs
- ▶ EK8589 3.6\*200mm 100szt/pcs
- ▶ EK8590 3.6\*280mm 100szt/pcs
- ▶ EK8591 4.8\*200mm 100szt/pcs
- ▶ EK8592 4.8\*290mm 100szt/pcs
- ▶ EK8593 4.8\*360mm 100szt/pcs
- ▶ EK8594 4.8\*500mm 50szt/pcs

TRYTYTKI - ZACISKI NYLONOWE CZARNE



- ▶ EK8579 2.5\*100mm 100szt/pcs
- ▶ EK8580 2.5\*160mm 100szt/pcs
- ▶ EK8581 3.6\*200mm 100szt/pcs
- ▶ EK8582 3.6\*280mm 100szt/pcs
- ▶ EK8583 4.8\*200mm 100szt/pcs
- ▶ EK8584 4.8\*290mm 100szt/pcs
- ▶ EK8585 4.8\*360mm 100szt/pcs
- ▶ EK8586 4.8\*500mm 50szt/pcs

KARTUSZ GAZOWY / PALNIK GAZOWY  
GAS CARTRIDGE / FLAME TORCH



EK9826



Black

Colour

145x40  
x58mm

Size



EK9827



White

Colour

175x40  
x65mm

Size

227g

Capacity

Gas  
Butane

Type



EK0004




# INSTRUKCJA ŁĄCZENIA - TRACK LIGHT 3-OBWODOWY

## USER MANUAL - TRACK LIGHT 3-CIRCUIT



power end cap „-“	CONNECTOR „-“	<b>D</b> - DOWN <b>U</b> - UP <b>L</b> - LEFT <b>R</b> - RIGHT <b>WH</b> - WHITE <b>BL</b> - BLACK STYK UZIEMIENIAJĄCY	
CONNECTOR „L“ D	CONNECTOR „L“ U		
CONNECTOR „T“ DL	CONNECTOR „T“ DR		
CONNECTOR „T“ UL	CONNECTOR „T“ UR		
CONNECTOR „FLEX“			
CONNECTOR „+“			

**MILAGRO**<sup>®</sup>  
Brand that inspires









O FIRMIE / ABOUT COMPANY	03
INNE KATALOGI / OTHER CATALOGS	04
NAŚWIETLACZE / FLOODLIGHTS	05
NAŚWIETLACZE PIR / FLOODLIGHTS + PIR	05
PASKI LED ZESTAWY / LED STRIP KITS	06
PASKI LED COB / COB LED STRIP	07
PASKI LED / LED STRIP	08
PASKI LED PREMIUM / PREMIUM LED STRIP	09
AKCESORIA / ACCESSORIES	10
ZASILACZE / POWER SUPPLIES	10
PROFILE LED / LED PROFILES	11
PANELE LED / LED PANELS	12
OŚWIETLENIE TECHNICZNE - OPRAWY BATTEN / TECHNICAL LIGHTING - BATTEN LED LIGHT	13
OŚWIETLENIE TECHNICZNE / TECHNICAL LIGHTING	14
TUBY LED / LED TUBES	15
TUBY LED PREMIUM / PREMIUM LED TUBES	16
ŻARÓWKI LED / LED BULBS	17
ŻARÓWKI LED / LED BULBS	18
ŻARÓWKI LED AR111 / AR111 LED BULBS	19
OŚWIETLENIE SMART / SMART LIGHTING	20
ŻARÓWKI FILAMENTOWE LED / LED FILAMENT BULBS	21
ŻARÓWKI DEKORACYJNE LED / DECORATIVE LED BULBS	22
ŻARÓWKI LED KRYSZTAŁ / CRYSTAL LED BULBS	23
ŻARÓWKI DEKORACYJNE LED / DECORATIVE LED BULBS	23
OCZKA SUFITOWE / DOWNLIGHT SET	24
OCZKA SUFITOWE / DOWNLIGHT SET	25
OPRAWY SUFITOWE BIMA / BIMA CEILING FIXTURES	26
LAMPKI ZASILANE ~230V / POWER LIGHTS ~230V	27
LAMPKI ZASILANE BATERIAMI / BATTERY LIGHTS	27
OPRAWY SCHODOWE LED / DECORATIVE LED STAIRCASES	28
OPRAWY SCHODOWE LED +PIR / DECORATIVE LED STAIRCASES +PIR	29
NEONY LED I AKCESORIA / LED NEONS & ACCESORIES	30
SZYNOPRZEWODY 1-OBWODOWE / TRACK LIGHT 1-CIRCUIT	31
AKCESORIA 1-OBWODOWE / ACCESSORIES 1-CIRCUIT	32
SZYNOPRZEWODY 3-OBWODOWE / TRACK LIGHT 3-CIRCUIT	32
AKCESORIA 3-OBWODOWE ACCESSORIES 3-CIRCUIT	33
SZYNOPRZEWODY MAGNETYCZNE + AKCESORIA / MAGNETIC TRACK LIGHT + ACCESSORIES	34
ZESTAWY TRACK LIGHT / TRACK LIGHT SETS	35
PLAFONY LED / CEILING LED FIXTURES	36
PLAFONY LED + PLAFONY LED PIR / CEILING LED FIXTURES + CEILING PIR LED FIXTURES	37
LAMPY OGRODOWE / GARDEN LAMPS	38
LAMPY OGRODOWE / GARDEN LAMPS	39
GIRLANDY / GARLANDS	40
GIRLANDY / GARLANDS	41
LAMPY SOLARNE BUTTERFLY / BUTTERFLY SOLAR LAMPS	42
LAMPY SOLARNE DROGOWE / SOLAR STREET LIGHTS	43
LAMPY SOLARNE / SOLAR LIGHTS	44
LAMPY SOLARNE / SOLAR LIGHTS	45
LAMPY SOLARNE / SOLAR LIGHTS	46
NARZĘDZIA RĘCZNE / HAND TOOLS	46
NARZĘDZIA RĘCZNE / HAND TOOLS	47
KARTUSZ GAZOWY / GAS CARTRIDGE	47
INSTRUKCJA ŁĄCZENIA TRACK LIGHT 3-OBWODOWY / USER MANUAL TRACK LIGHT 3-CIRCUIT	48
NOTATKI / NOTES	49
SPIS TREŚCI / TABLE OF CONTENT	50

### PRZEWODNIK GUIDE

OŚWIETLENIE TECHNICZNE TECHNICAL LIGHTING	WARSZTAT WORKSHOP TOOLS
OŚWIETLENIE OGRODOWE GARDEN LIGHTING	NOTATKI NOTES

Mode: R/G/B	(IP) Internal Protection	Twilight Sensor	Motion Sensor
Solar Loading	Solar Panel Builded	USB Connection	LED Cutttable
App Operated	WiFi Connection	Timer/ Countdown	Voice Control
YES Dimmable	Scene Setting	Share Control	



## KONTAKT / CONTACT

EKO-LIGHT TEAM Sp. z o.o.  
ul. Główna 142  
42-280 Częstochowa  
POLAND



[www.eko-light.com](http://www.eko-light.com)  
[www.b2b.eko-light.com](http://www.b2b.eko-light.com)

[biuro@eko-light.com](mailto:biuro@eko-light.com)  
+48 666 503 333

The lighting experts

Your Distributor



**European Funds**  
Smart Growth



**Republic of Poland**



**European Union**  
European Regional  
Development Fund

