

VK Leading Light

2024 2025

DECORATIVE

INDOOR + OUTDOOR

VK Leading Light

Since 1978

Decorative

Indoor & Outdoor

BEWVA

THE

A
Short
Photographic


ARE OF

VIEWS

A light chronicle

Beware of the views. You think you know light,
we think we know light; but light never ceases to amaze us in every way possible.
The works seen inside this edition demonstrate this, by transforming and sculpting everything into
whimsical landscapes, into memorable scenes,
and into unassailable goddesses. So, beware of the views

Story of
Light
by VK Leading Light





A short journey of observation and meditation, highlighting the deeper essence of things. The hitherto, remote

Everything on display here are aware of their temporary

Until they all disappear and become light again. The trip to



acquaintance with light, finds its true meaning here. Where light and time are born, reflected, and diffused together.
nature and have certainly benefited from the lessons of Time.

Sarakiniko, deep and lethargic, a short journey to the ocean of our desires

The trip to Sarakiniko



VK Leading Light

Since 1978

A: 8 Aristotelous St, Tavros, 177 78 Athens, Greece
T: +30 210 99 69 610-11, +30 210 34 58 072, +30 210 34 58 075
F: +30 210 99 58 374
E: info@vkleadinglight.gr
W: vkleadinglight.gr


Working Hours

Monday - Friday 8:00 - 18:00

Saturday 9:00 - 14:00

index


INDEX



Architectural Decorative Lights

Pages 032-059

042



VK/04491/PE

046



VK/03217/CE
VK/03218/CE

048



VK/03217/CHB



VK/03217/PS75




VK/03218/PS150

050




VK/03217/FL

054



VK/04270

058











































VK/04619/PE




Pendant Lights

Pendant Lights

Pages 060-217

062  VK/04582/ PE/NW/W/130	 VK/04582/ PE/NW/W/150	 VK/04582/ PE/NW/W/180	064  VK/04581/ PE/.../W/120	 VK/04581/ PE/.../W/150	 VK/04581/ PE/.../W/180	066  VK/04569/ PE/D/W/118	 VK/04569/ PE/D/W/150	068  VK/04579/ PE/.../W/42	 VK/04579/ PE/.../W/51
 VK/04579/ PE/.../W/61	070  VK/04570/ PE/.../W/40	 VK/04570/ PE/.../W/60-80	072  VK/04415PE	074  VK/04131PE VK/04132PE	076  VK/04243PE	078  VK/04242PE	080  VK/04568/ PE/.../W/120	 VK/04568/ PE/.../W/150	082  VK/04251PE
084  VK/04252PE	086  VK/04404PE/.../53	088  VK/04405PE/.../66	090  VK/04406PE/.../92	092  VK/04407PE/.../3C	094  VK/04434/ PE/.../W	096  VK/04305PE/ B/W/60	 VK/04305PE/ W/W/40	098  VK/04620/PE	100  VK/04454/PE
102-103  VK/04413PE	104  VK/04016	108  VK/04390/PE VK/04389/PE	110  VK/04388/PE	112  VK/04254PE	114  VK/04255WA	116  VK/04400	118  VK/04401	120  VK/04414PE	124  VK/04392/PE

INDEX


126  VK/04393/PE	128  VK/04391/PE	130  VK/03153/PE	132  VK/04256PE	 VK/04257PE	134  VK/03166/BR	 VK/03167/BR	136  VK/03166/G	 VK/03167/G	138  VK/03320/PE
140  VK/03314/PE/G	142  VK/09066	 VK/09063	143  VK/09067/W	 VK/09067/AN	144  VK/03088/20	 VK/03088/24	145  VK/03092/50	 VK/03080/30	146  VK/03079/35
 VK/03079/55	148  VK/03329/PE/.../33	 VK/03329/PE/.../45	 VK/03329/PE/.../61	150  VK/03330/PE/NW	152  VK/03325/PE	154  VK/03324/PE	156  VK/03326/PE/NW/30	 VK/03326/PE/NW/20	158  VK/03327/PE/NW
 VK/03328/PE/NW	160  VK/03068/PE	 VK/03069/PE	162  VK/03117/PE	164  VK/04387/CE/B	166  VK/03099PE	 VK/03100PE	168  VK/03319/PE/40	 VK/03319/PE/30	170  VK/03317/PE/BMB/50
 VK/03317/PE/BMB/35	172  VK/03321/PE	174  VK/03322/PE/.../50	 VK/03322/PE/.../35	176  VK/03318/PE/BMB/50	178  VK/03323/PE/.../50	180  VK/03125PE/30	 VK/03125PE/35	181  VK/03126PE/30	 VK/03126PE/45
182  VK/03123PE/35	 VK/03123PE/55	 VK/03124PE/70	184  VK/03146PE/35	 VK/03146PE/60	 VK/03146PE/80	186  VK/03148PE/73	 VK/03147PE/78	188  VK/03173/PE	192  VK/03177/PE
 VK/03175/PE	194  VK/03172/PE	 VK/03176/PE	196  VK/03171/PE	 VK/03170/PE	200  VK/03182PE	202  VK/03181PE	204  VK/03118PE	205  VK/03119PE	206  VK/03120PE
207  VK/03121PE	208  VK/03180PE	210  VK/03122PE	212  VK/03105PE	 VK/03105PE/2	213  VK/03105PE/3	214  VK/03087/PE/20	 VK/03087/PE/30	215  VK/03087/PE/50	216  VK/03163




Plafa & Ceiling Lights

Plafa & Ceiling Lights

Pages 218-257

220  VK/04580/ CE/.../W/27	221  VK/04580/ CE/.../W/33	222  VK/04580/ CE/.../W/42	222  VK/04580/ CE/.../W/51	223  VK/04580/ CE/.../W/61	224  VK/04565/ CE/.../W/40	225  VK/04565/ CE/.../W/60	226  VK/04565/ CE/.../W/80	227  VK/04416CE	228  VK/04566/ CE/.../W/60
230  VK/04566/ CE/.../W/80	231  VK/04567/ CE/.../W/60	232  VK/04567/ CE/.../W/80	232  VK/04129CE VK/04130CE	234  VK/04243CE	236  VK/04242CE	238  VK/04418CE	240  VK/04253CE	242  VK/03316/CE	244  VK/03315/CE
246  VK/04578/ CE/GD/W	248  VK/04577/ CE/.../W	250  VK/03151/CE/50 VK/03152/CE/30	252  VK/04134CE VK/04133CE	253  VK/03098CE	254  VK/03001	256  VK/03002			

INDEX



Ceiling Fans

Ceiling fans

Pages 258-261

260





Reading Lights

Pages 262-303

264 VK/04575/WA	266 VK/04573/WA	268 VK/04576/WA	270 VK/04574/WA	272 VK/04236	274 VK/04233	276 VK/04229	278 VK/04110	 VK/04110NS	280 VK/04231/40/L
 VK/04231/40/R	282 VK/04230/30/L	 VK/04230/60/L	283 VK/04230/30/R	 VK/04230/60/R	284 VK/04178/WA	285 VK/04155/WA	286 VK/04177/WA	 VK/04175/WA	287 VK/04154/WA
288 VK/04151/WA	 VK/04153/WA	289 VK/04152/WA	290 VK/04176/WA	291 VK/04232	292 VK/04224	293 VK/04225	294 VK/04245	 VK/04244	 VK/04246
296 VK/04034	297 VK/04032	 VK/04033	298 VK/03312/WA	300 VK/04023	301 VK/04031/SPIRAL	 VK/04031/CREE	 VK/04031/LENS	 VK/04031/DRIVER	302 VK/SW1/1
 VK/SW1/2	 VK/SW2/1								

INDEX



Step Lights Led

Step Lights Led

Pages 304-311

306




308



310





Wall Decorative Lights

Pages 312-381

314  VK/04458	316  VK/04455/WA	318  VK/04386/WA/B	320  VK/03174/WA	322  VK/03330/WA/NW	324  VK/03296/CE	325  VK/03295/CE	325  VK/03295/CE/2	325  VK/03295/CE/3	326  VK/03297/CE
327  VK/03297/CE/2	327  VK/03297/CE/3	328  VK/03078CE	329  VK/03078CE/2	329  VK/03078CE/3	330  VK/03106CE	332  VK/03106CE/2	332  VK/03096WA	333  VK/03161/WA	334  VK/03310/WA
336  VK/03311/WA	338  VK/03077WA	340  VK/03072WA	342  VK/03073WA	344  VK/03074WA	346  VK/03075WA	348  VK/03076WA	350  VK/03128WA	352  VK/03127WA	352  VK/04223/W/15
354  VK/04223/W/25	354  VK/04223/W/35	354  VK/04133WA	356  VK/04180/WA	358  VK/03069/WA	360  VK/03069/2/WA	360  VK/04009	361  VK/04010	361  VK/04008	362  VK/09017
363  VK/09015	363  VK/09016	363  VK/09010	364  VK/09068	364  VK/09069	366  VK/09043	366  VK/09044	367  VK/09018	367  VK/09019	368  VK/09013
369  VK/09011	370  VK/09014	371  VK/09040	372  VK/09026	372  VK/09027	373  VK/09028	373  VK/09024	374  VK/09025	374  VK/09012	375  VK/09064
376  VK/09045	377  VK/09065	378  VK/09070	378  VK/09071	379  VK/09021	379  VK/09020	380  VK/09023	380  VK/09022	381  VK/09042	381  VK/04227

INDEX



Floor & Table Lights

Floor & Table Lights

Pages 382-407

<p>384</p> <p>VK/03248</p>	<p>386</p> <p>VK/03313</p>	<p>388</p> <p>VK/04385/B</p>	<p>390</p> <p>VK/04258</p>	<p>392</p> <p>VK/04456</p>	<p>394</p> <p>VK/03158/WD</p>	<p>395</p> <p>VK/03159</p>	<p>396</p> <p>VK/03131</p>	
<p>397</p> <p>VK/03169</p>	<p>398</p> <p>VK/03168</p>	<p>399</p> <p>VK/04238</p>	<p>400</p> <p>VK/04239</p>	<p>401</p> <p>VK/03096</p>	<p>402</p> <p>VK/04240</p>	<p>403</p> <p>VK/04237</p>	<p>404</p> <p>VK/03242</p>	<p>406</p> <p>VK/04459</p>



Cabinet Lights

Pages 408-413


411



412



413



Mirror Wall Lights

Pages 414-425


416



418



419



420



422



424



425



INDEX




Outdoor Decorative Lights

Outdoor Decorative Lights

Pages 426-461

428  VK/01119/FL	430  VK/01119/TL	432  VK/01119/PE	434  VK/01126/ PE/B/40	 VK/01126/ PE/B/30	 VK/01127/ PE/B/40	436  VK/01125/ TL/B	 VK/01126/ TL/B/30	 VK/01127/ TL/B/40	438  VK/01123/PE
440  VK/01124/PE	442  VK/01122/PE	 VK/01122/WA	442  VK/01118/ PE/.../60	 VK/01118/ PE/.../45	444  VK/03203/100	 VK/03203	446  VK/03203/PE	 VK/03203/WA	448  VK/03066/80
 VK/03066/60	449  VK/03066/28	 VK/03066/PE	450  VK/03066/WA	 VK/03067/80	451  VK/03067/35	 VK/03067/PE	 VK/03067/WA	452  VK/03204	453  VK/03204/PE
 VK/03204/WA	454  VK/01093	 VK/01092	456  VK/01046	 VK/01045	458  VK/01094	 VK/01048	459  VK/01047	 VK/01047/SPIKE	460  VK/01075
 VK/01074									















Led Lamps

Pages 462-477

464		465				466				467	
		468								469	
						472		473			
474		475				476					
477											

notes

Symbols

IP20	IP protection class (indoor)		maximum height		on front side radiant lamp
IP44	IP protection class (outdoor)		adjustable downward radiating luminaire		on both sides radiant lamp (top & bottom)
IP45	IP protection class (outdoor)		gypsum lamps paintable		wall lamp with light beam down
IP54	IP protection class (outdoor)		luminaire type - LED either halogen useable		ceiling downward radiant luminaire
IP65	IP protection class (outdoor)		indicates temperature		upward radiant luminaire
IP68	IP protection class (outdoor)		indicates energy efficiency Class		pendant radiant lamp

IP Rate

Αναλυτική επεξήγηση του βαθμού στεγανότητας IPXX

Σίγουρα έχετε δει σε διάφορα φωτιστικά να αναφέρεται κάποιος βαθμός προστασίας IP, όπως IP54, IPX8 κ.λπ. Οι αριθμοί αυτοί υποδηλώνουν μια συγκεκριμένη πιστοποίηση για το φωτιστικό, στο κατά πόσον αυτό είναι αδιάβροχο και προστατευμένο. Για παράδειγμα, ένα φωτιστικό μπορεί να είναι αδιάβροχο όταν ψιχαλίζει, αλλά να μην είναι αδιάβροχο όταν αυτό πέσει/βυθιστεί στο νερό.

Με την κατάλληλη πιστοποίηση, ο καταναλωτής είναι σε θέση να γνωρίζει ακριβώς τον βαθμό αδιαβροχοποίησης του φωτιστικού που αγοράζει και όχι εάν είναι αδιάβροχο, γενικά και αόριστα.

Ο έλεγχος της πιστοποίησης πραγματοποιείται σε εργαστήρια, σύμφωνα με συγκεκριμένες διαδικασίες, οι οποίες ακολουθούν το πρότυπο IEC 60529, ώστε να είναι πάντα οι ίδιες, ανεξαρτήτως του προϊόντος ή του κατασκευαστή. Η κωδικοποίηση IPXX, που ακολουθείται πιο συχνά, έχει 2 ψηφία, τα οποία παίρνουν συγκεκριμένες τιμές και ενημερώνουν τον καταναλωτή για την πιστοποίηση που φέρει το προϊόν.

Συγκεκριμένα

A. Το πρώτο X πιστοποιεί την προστασία που διαθέτει το προϊόν από την είσοδο στερεών σωματιδίων. Παίρνει τιμές από 0-6, όπως αναλύεται παρακάτω:

0 = Καμία προστασία.

1 = Προστασία από την είσοδο στερεών σωματιδίων με διάμετρο πάχους άνω των 50,00 χιλιοστών.

2 = Προστασία από την είσοδο στερεών σωματιδίων με διάμετρο πάχους άνω των 12,00 χιλιοστών.

3 = Προστασία από την είσοδο στερεών σωματιδίων με διάμετρο πάχους άνω των 2,50 χιλιοστών.

4 = Προστασία από την είσοδο στερεών σωματιδίων με διάμετρο πάχους άνω του 1,00 χιλιοστού.

5 = Προστασία από την ποσότητα της σκόνης όπου θα ήταν ικανή να επηρεάσει τη φυσιολογική λειτουργία της συσκευής.

6 = Δεν μπαίνει καθόλου σκόνη.

B. Το δεύτερο X πιστοποιεί την προστασία που διαθέτει το προϊόν από την είσοδο νερού. Παίρνει τιμές από 0-8, όπως αναλύεται παρακάτω.

0 = Καμία προστασία.

1 = Προστασία από σταγόνες νερού που πέφτουν κατακόρυφα.

2 = Προστασία από απευθείας ψεκαζόμενες σταγόνες νερού, με κλίση έως 15 μοίρες ως προς την κατακόρυφο.

3 = Προστασία από απευθείας ψεκαζόμενες σταγόνες νερού, με κλίση έως 60 μοίρες ως προς την κατακόρυφο.

















4 = Προστασία από νερό που ψεκάζεται από πάσα κατεύθυνση.

5 = Προστασία από πίδακες νερού που πέφτουν υπό χαμηλή πίεση, από πάσα κατεύθυνση.

6 = Προστασία από πίδακες νερού που πέφτουν υπό υψηλή πίεση.

7 = Προστασία από το νερό, σε βύθισμα βάθους από 15 εκατοστά έως ένα μέτρο, έως και 30 λεπτά.

8 = Προστασία από το νερό, σε βύθισμα για μεγάλες χρονικές περιόδους, υπό δοσμένη πίεση.

	dimnable		guarandy		neckline of article
	no dimnable		beam angle		neckline of article
	average service life in hours		grounding		indicates the installation depth
	average service life in clicks		incl. motion sensor		WiFi control
COB 1016	chip on board				indicates rechargeable battery
MAX 50w	max. load on the article				adaptor

IP Rate

Analytical explanation of IPXX protection degree

You have certainly seen in some luminaires the reference to some degree of IP protection, such as IPX54, IPX8 etc. These numbers imply a specific certification for the luminaire, whether it is waterproof and protected. For example, a luminaire may be waterproof when it is under drizzling rain, but may not be when dropped/sunk into the water.

With the proper certification, the consumer is able to know the exact degree of water resistance of the luminaire he is buying, not only if it's water resistant, in general.

The certification testing is carried out in laboratories, followed by specific procedures, according to the International Standard IEC 60529, which (procedures) are always the same, regardless of the product or the manufacturer. The most frequently followed IPXX encoding has 2 digits, which get specific values and inform the consumer of the certification that the product carries.

More specifically

A. The first digit (X) of the IP code indicates the degree of protection of the product against solid particles intruding into an enclosure. It takes values from 0-6, as analyzed below:

0 = No special protection.

1 = Protection from entry by solid particles with a diameter of thickness greater than 50,00mm.

2 = Protection from entry by solid particles with a diameter of thickness greater than 12,00mm.

3 = Protection from entry by solid particles with a diameter of thickness greater than 2,50mm.

4 = Protection from entry by solid particles with a diameter of thickness greater than 1,00mm.

5 = Protection from the amount of dust that would interfere with the operation of the equipment.

6 = Dust tight.

B. The second digit (X) of the IP code indicates the degree of protection of the product inside an enclosure against the harmful entry of various forms of moisture. It takes values from 0-8, as analyzed below:

0 = No special protection.

1 = Protection against vertically falling drops of water.

2 = Protection against direct sprays of water up to 15 degrees from vertical angle.

3 = Protection against direct sprays of water up to 60 degrees from vertical angle.

4 = Protection against water splashed from all directions.

5 = Protection against low pressure jets of water from all directions.

6 = Protection against powerful jets of water.

7 = Protection against the effect of immersion between 15,00cm and 1,00m for up to 30 minutes.

8 = Protection against long periods of immersion under pressure.

Κλάση I & II

Κλάση I

Αυτές οι συσκευές πρέπει να έχουν το σασί τους συνδεδεμένο με ηλεκτρική γείωση (ΗΠΑ: γείωση) με ξεχωριστό καλώδιο γείωσης (χρώματος πράσινου/κίτρινου στις περισσότερες χώρες, πράσινου στις ΗΠΑ, τον Καναδά και την Ιαπωνία). Η σύνδεση γείωσης επιτυγχάνεται με ένα καλώδιο τριών αγωγών, το οποίο τυπικά τελειώνει με υποδοχή εναλλασσόμενου ρεύματος (AC) τριών (3) ακίδων, που συνδέεται σε αντίστοιχη έξοδο εναλλασσόμενου ρεύματος. Η βασική απαίτηση είναι ότι καμία απλή αστοχία δεν μπορεί να οδηγήσει σε έκθεση σε επικίνδυνη τάση, ώστε να προκληθεί ηλεκτροπληξία και ότι σε περίπτωση βλάβης, η τροφοδοσία θα αφαιρεθεί αυτόματα [μερικές φορές αναφέρεται ως αυτόματη αποσύνδεση τροφοδοσίας (ADS)].

Ένα σφάλμα στη συσκευή που προκαλεί την επαφή ενός ενεργού αγωγού με το περίβλημα, θα προκαλέσει τη ροή ρεύματος στον αγωγό γείωσης. Εάν είναι αρκετά μεγάλο, αυτό το ρεύμα θα σβήσει μία συσκευή υπερβολικής τάσης ρεύματος [ασφάλεια ή διακόπτης κυκλώματος (CB)] και θα αποσυνδέσει την παροχή. Ο χρόνος αποσύνδεσης πρέπει να είναι αρκετά γρήγορος ώστε να μην επιτρέπεται η έναρξη της μαρμαρυγής εάν ένα άτομο έρχεται σε επαφή με το περίβλημα τη δεδομένη στιγμή. Αυτή τη φορά και η τρέχουσα διαβάθμιση με τη σειρά της επιτρέπει τη μέγιστη αντίσταση γείωσης. Για να παρέχεται συμπληρωματική προστασία έναντι σφαλμάτων υψηλής σύνθεσης αντίστασης, είναι σύνθετες να συνιστούμε μία συσκευή υπολειπόμενου ρεύματος (RCD), γνωστή και ως διακόπτης προστασίας υπολειπόμενου ρεύματος (RCCB), διακόπτης κυκλώματος βλάβης γείωσης (GFCI), ή διακόπτης προστασίας από υπολειμματικό ρεύμα με ενσωματωμένη προστασία υπέρτασης ρεύματος (RCBO), ο οποίος θα διακόψει την παροχή ηλεκτρικού ρεύματος στη συσκευή εάν τα ρεύματα στους δύο πόλους της παροχής δεν είναι ίσα και αντίθετα.

Κλάση II

Μια ηλεκτρική συσκευή "Κλάσης II" ή με διπλή μόνωση, είναι εκείνη που έχει σχεδιαστεί κατά τέτοιο τρόπο, ώστε να μην απαιτεί τη σύνδεση ασφαλείας σε ηλεκτρική γείωση.

Η βασική απαίτηση είναι ότι καμία απλή αστοχία δεν μπορεί να οδηγήσει στην έκθεση σε επικίνδυνη τάση ώστε να προκληθεί ηλεκτροπληξία και ότι αυτό θα πρέπει να επιτυγχάνεται δίχως να στηρίζεται σε γεωμένο μεταλλικό περίβλημα. Αυτό συνήθως επιτυγχάνεται τουλάχιστον εν μέρει με την ύπαρξη τουλάχιστον δύο στρώσεων μονωτικού υλικού μεταξύ των ενεργών τμημάτων και του χρήστη, ή με τη χρήση ενισχυμένης μόνωσης.

Στην Ευρώπη, μία συσκευή με διπλή μόνωση πρέπει να φέρει την ετικέτα "Κλάση II" (Class II) ή "διπλής μόνωσης" ή να φέρει το σύμβολο διπλής μόνωσης (ένα τετράγωνο μέσα σε ένα άλλο τετράγωνο).

Τα μονωμένα τροφοδοτικά εναλλασσόμενου ρεύματος (όπως φορτιστές κινητού τηλεφώνου), τυπικά χαρακτηρίζονται ως "Κλάση II", πράγμα που σημαίνει ότι τα καλώδια εξόδου συνεχούς ρεύματος (DC) απομονώνονται από την είσοδο εναλλασσόμενου ρεύματος. Η ονομασία "Κλάση II" δεν πρέπει να συγχέεται με την ονομασία "Κλάση 2", καθώς η τελευταία δεν σχετίζεται με τη μόνωση (προέρχεται από το πρότυπο UL 1310, καθορίζοντας τα όρια μέγιστης τάσης/ρεύματος/ισχύος).

Colour Codes

Decoding our colours



ABS
Bronze



ACOP
Antique
Copper



PCOP
Pink
Copper



BBS
Brushed
Brass



BS
Brass



MC
Brushed
Chrome



NB
Natural
Brass



BR
Rust
Brown



AL
Aluminium



C
Chrome



G
Grey



GD
Gold



COP
Copper



AN
Anthracite



TC
Terracotta



GB
Golden
Black



R
Red



GR
Green



BL
Blue



Y
Yellow



B
Black



W
White

Class I & II

Class I

These appliances must have their chassis connected to electrical earth (US: ground) by a separate earth conductor (colored green/ yellow in most countries, green in the US, Canada and Japan). The earth connection is achieved with a 3-conductor mains cable, typically ending with 3-prong AC connector which plugs into corresponding AC outlet. The basic requirement is that no single failure can result in dangerous voltage becoming exposed so that it might cause an electric shock and that if a fault occurs the supply will be removed automatically (this is sometimes referred to as ADS = Automatic Disconnection of Supply).

A fault in the appliance which causes a live conductor to contact the casing will cause a current to flow in the earth conductor. If large enough, this current will trip an over current device [fuse or circuit breaker (CB)] and disconnect the supply. The disconnection time has to be fast enough not to allow fibrillation to start if a person is in contact with the casing at the time. This time and the current rating in turn sets a maximum earth resistance permissible. To provide supplementary protection against high-impedance faults, it is common to recommend a residual current operated circuit-breaker with integral over-current protection (RCBO), which will cut off the supply of electricity to the appliance if the currents in the two poles of the supply are not equal and opposite.

Class II

A Class II or double insulated electrical appliance, is one which has been designed in such a way that it does not require a safety connection to electrical earth (ground).

The basic requirement is that no single failure can result in dangerous voltage becoming exposed so that it might cause an electric shock and that is achieved without relying on an earthed metal casing. This is usually achieved at least in part by having at least two layers of insulating material between live parts and the user, or by using reinforced insulation.

In Europe, a double insulated appliance must be labelled "Class II" or double insulated or bear the double insulation symbol (a square inside another square).

Insulated AC/DC power supplies (such as cell-phone chargers), are typically designated as "Class II", meaning that the DC output wires are isolated from the AC input. The designation "Class II" should not be confused with the designation of "Class 2", as the latter is unrelated to insulation (it originates from standard UL 1310, setting limits on maximum output voltage/ current/ power).

Graphic Department

Graphic Designer - Photo Editing Litsa Brami, Frosso Notara

Photographer Anita Szlachta

Cover UnitedGrey

Categories

Architectural Decorative Lights

Pendant Lights

Plafo & Ceiling Lights

Ceiling Fans

Reading Lights

Step Lights Led

Wall Decorative Lights

Floor & Table Lights

Cabinet Lights

Mirror Wall Lights

Outdoor Decorative Lights

Led Lamps

Acrovatis






Architectural
Decorative
Lights








Acrovatis



" Watch me swing and swoop in all my glory
and dance the dance that only I know... "



Acrovatis 15 W. 120° 5 W. 24°

/a.kro'va.tis/

The Greek word for Acrobat.

Design & Developed by VK Leading Light








Ceiling led lights

Acrovatis




VK/04491/PE/B


VK/04491/PE

Code	Model	Box
71164-178721	VK/04491/PE/B/W ● Black sand. 3000K. 5W+15W. 350lm + 533lm. CRI>90	1pc
71164-179721	VK/04491/PE/B/C ● Black sand. 4000K. 5W+15W. 425lm + 592lm. CRI>90	1pc

Details


AC220-240V 50/60Hz.
LED spotlight + floodlight 
Driver Meanwell.
Angle 24°+120°.
No Dimmable.


Lifetime 20.000 hrs.
Working temperature -20°C~45°C.
Material Aluminium.
Installation Surface-Mounted.

 5 years guarantee



IP20





Bent



" I am stretching for wall to wall, from ceiling to floor...
but my job is not finished yet...
I will light you up very atmospheric... "

Wall to wall suspension LED

Bent



VK/03217/CE/B/6

VK/03217/CE

VK/03218/CE

Code	Model	Box
75169-048721	VK/03217/CE/B/6 ● Black. 6m (length). 10mm (Max width LED Strip)	1pc
75169-049721	VK/03218/CE/B/12 ● Black. 12m (length). 10mm (Max width LED Strip)	1pc



Details


DC 24V.
Working temperature <45°C.
Material Stainless steel+iron.
Length 6m or 12m.

Attention: Max width of LED Strip cannot be over 10mm.
The power supply put inside the ceiling!
Guarantee 2 years.



IP20





Wall to wall suspension LED

Bent



VK/03217/CHB




VK/03217/PS75



VK/03218/PS150

VK/03217/B/CHB
VK/03217/B/PS75
VK/03218/B/PS150

Code	Model	Box
78000-052721	VK/03217/B/CHB ● Black. Cable holder.	50pcs
78000-050721	VK/03217/B/PS75 ● Black. Power box 75W.	20pcs
78000-051721	VK/03218/B/PS150 ● Black. Power box 150W.	8pcs



Details


Cable holder. (VK/03217/B/CHB)

Working temperature <45°C.

Material **Stainless steel+iron**. Fix the cable.

Use environment: Concrete/Cement ceiling or wall.

Guarantee 2 years.



Power boxes.

Voltage AC 100-240V, DC 24V.


Working temperature <45°C.

Hours 50.000hrs.

Material **Stainless steel+iron**.

Use environment: Concrete/Cement ceiling or wall.

Guarantee 2 years.



IP20



Floor to ceiling suspension LED

Bent



VK/03217/FL/B/4

VK/03217/FL

Code
75169-054721

Model
VK/03217/FL/B/4
● Black. 4m (length). 10mm (Max width LED Strip)



Box
1pc

Details

DC 24V.
Working temperature <45°C.
Material Stainless steel+iron.
Length 4m.
Attention: Max width of LED Strip cannot be over 10mm.
Included driver 24V, 48W.
Guarantee 2 years.

Included


Driver 24V-48W







Thik




" Give me your art, give me your favorite portrait
and believe me, you are already a star..."

Pendant led lights

Thik



VK/04270/B



VK/04270


Code 75169-045721	Model VK/04270/B/W ● Black. 3000K. 1335lm. 9W. CRI>90	Box 6pcs
75169-046721	VK/04270/B/C ● Black. 4000K. 1516m. 9W. CRI>90	6pcs


Details

Voltage **200-240V**.
Diffuse lighting.
Type of Led **bridge**.
Dimmable **No**.


Lifetime **50.000hrs**.
Working temperature **< 45°C**.
Material **Aluminium**.
Guarantee **2 years**.







Apete



" I am dark, but my light is enough
for you..."

LED Pendant Linear Light

Apete



VK/04619/PE/B-CB

VK/04619/PE

Code	Model	Box
64174-043776	VK/04619/PE/W-W/W ○ White. 3000K. 5.756lm. 40W.	1pc
64174-044776	VK/04619/PE/B-CB/W ● Black+chrome black reflector. 3000K. 5.756lm. 40W.	1pc

Details


Voltage 220-240V.
Material Aluminium, reflector.
Beam Angle 38°.
Type of Led **OSRAM** 3030.
Lifetime 50.000 hrs.
Working temperature < 45°C.


Dimmable **Boke Dali Driver**.
Flicker free.
Included 1m hanging accessories & screws.
CRI>90

5 years guarantee



IP20









Pendant Lights

Pendant Lights Led

Woody



VK/04582/PE/NW/W/130



VK/04582/PE/NW/W/150



VK/04582/PE/NW/W/180

Dimmable


VK/04582/PE

Code	Model	Box
75169-023775	VK/04582/PE/NW/W/130 ● Natural wood. 3000K. 23W. 2830lm. 130cm	1pc
75169-024775	VK/04582/PE/NW/W/150 ● Natural wood. 3000K. 25W. 3200lm. 150cm	1pc
75169-025775	VK/04582/PE/NW/W/180 ● Natural wood. 3000K. 27W. 3650lm. 180cm	1pc

Details

Material **Beechwood, aluminium profile, ledstrips, 2m exposed transparency LED cable**
 Type of Led **3A chips ledstrip**
 Voltage **AC220-240V**
 Location **Ceiling**

Beam angle **120°**
 Working temperature **< 50°C**
 Lifetime **25.000hrs**
 Dimmable **Yes, Dali**
 CRI **>80**
 Guarantee **2 Years**



Natural wood



DALI



IP20



Pendant Lights Led

Woody



VK/04581/PE/NW/W/120



VK/04581/PE/DW/W/150




VK/04581/PE/NW/W/180

Dimmable

VK/04581/PE

Code	Model	Box
75169-017775	VK/04581/PE/NW/W/120 ● Natural wood. 3000K. 23W. 2830lm. 120cm	1pc
75169-020775	VK/04581/PE/DW/W/120 ● Dark wood. 3000K. 23W. 2830lm. 120cm	1pc
75169-018775	VK/04581/PE/NW/W/150 ● Natural wood. 3000K. 25W. 3200lm. 150cm	1pc
75169-021775	VK/04581/PE/DW/W/150 ● Dark wood. 3000K. 25W. 3200lm. 150cm	1pc
75169-019775	VK/04581/PE/NW/W/180 ● Natural wood. 3000K. 27W. 3650lm. 180cm	1pc
75169-022775	VK/04581/PE/DW/W/180 ● Dark wood. 3000K. 27W. 3650lm. 180cm	1pc



Details

Material **Ashwood/American Dark walnut wood, aluminium profile, ledstrips, 2m exposed transparency LED cable**
 Type of Led **3A chips ledstrip**
 Voltage **AC220-240V**
 Location **Ceiling**


Beam angle **120°**
 Working temperature **< 50°C**
 Lifetime **25.000hrs**
 Dimmable **Yes, Dali**
 CRI **>80**
 Guarantee **2 Years**



Natural wood



Dark wood




IP20




Pendant Lights Led

Orra



VK/04569/PE/WD/W/118



VK/04569/PE/WD/W/150

Dimmable

VK/04569/PE/WD/W

Code 71164-058702	Model VK/04569/PE/WD/W/118 ● Wood. 3000K. 41W. 2.466lm. 118cm	Box 1pc
----------------------	---	------------

71164-059702	VK/04569/PE/WD/W/150 ● Wood. 3000K. 49W. 2.710lm. 150cm	1pc
--------------	--	-----


Details


Material **Aluminum+Silicone**
Location **Ceiling**
Type of LED **SMD 2835**
CRI **Ra>80**

Hours **30.000**
Beam angle **120°**
Working temperature **-20°C ~ 60°C**
Updown



IP20





Pendant Lights Led

Woody



VK/04579/PE/NW/W/42



VK/04579/PE/DW/W/51



VK/04579/PE/NW/W/61

Dimmable

VK/04579/PE

Code	Model	Box
75169-001775	VK/04579/PE/NW/W/42 ● Natural wood. 3000K. 35W. 3900lm. CRI>90 ø42cm	1pc
75169-004775	VK/04579/PE/DW/W/42 ● Dark wood. 3000K. 35W. 3900lm. CRI>90 ø42cm	1pc
75169-002775	VK/04579/PE/NW/W/51 ● Natural wood. 3000K. 40W. 4805lm. CRI>90 ø51cm	1pc
75169-005775	VK/04579/PE/DW/W/51 ● Dark wood. 3000K. 40W. 4805lm. CRI>90 ø51cm	1pc
75169-003775	VK/04579/PE/NW/W/61 ● Natural wood. 3000K. 50W. 6000lm. CRI>90 ø61cm	1pc
75169-006775	VK/04579/PE/DW/W/61 ● Dark wood. 3000K. 50W. 6000lm. CRI>90 ø61cm	1pc


Details

Material **Oakwood/Darkwalnutwood, metal, fabric cord, acrylic diffuser**
 Type of Led **OSRAM**
 Voltage **AC220-240V**
 Location **Ceiling**

Beam angle **120°**
 Working temperature **< 50°C**
 Lifetime **25.000hrs**
 Dimmable **Triac**
 Guarantee **2 Years**



IP20





Pendant Lights Led

Eleso



VK/04570/PE/W/W/40




VK/04570/PE/B/W/60

Dimmable

VK/04570/PE

Code	Model	Box
71164-060702	VK/04570/PE/W/W/40 ○ White. 3000K. 38W. 2.630lm. ø40cm	1pc
71164-061702	VK/04570/PE/B/W/40 ● Black. 3000K. 38W. 2.630lm. ø40cm	1pc
71164-062702	VK/04570/PE/W/W/60 ○ White. 3000K. 72W. 5.620lm. ø60cm	1pc
71164-063702	VK/04570/PE/B/W/60 ● Black. 3000K. 72W. 5.620lm. ø60cm	1pc
71164-064702	VK/04570/PE/W/W/80 ○ White. 3000K. 92W. 5.665lm. ø80cm	1pc
71164-065702	VK/04570/PE/B/W/80 ● Black. 3000K. 92W. 5.665lm. ø80cm	1pc



Details

Material **Aluminum+Metal+Acrylic**
Location **Ceiling**
Type of LED **SMD 2835**
CRI **Ra>80**

Hours **30.000**
Beam angle **120°**
Working temperature **-20°C ~ 60°C**
Updown



IP20



Pendant Lights Led

Alys



VK/04415PE/AN/W

Dimmable


VK/04415PE

Code 71164-014755	Model VK/04415PE/W/W ○ White. 3000K. 4.350lm. 42W. CRI>80.	Box 1pc
71164-015755	VK/04415PE/AN/W ● Anthracite. 3000K. 2.940lm. 42W. CRI>80.	1pc

Details

Led Pendant Light 220V.
Type of Led Epistar.
Driver Eaglerise.
Dimmable triac.

Lifetime 50.000hrs.
Working temperature -20°C → 60°C.
Material Aluminium+acrylic.
Guarantee 3 years.



IP20



Pendant Lights Led

Bryn



VK/04131PE/AN/W


VK/04131PE

VK/04132PE


Code	Model	Box
71164-005702	VK/04131PE/W/W ○ White sanded. 3000K. 1.870lm. 29W. CRI>80. Ø45.5cm.	1pc
71164-007702	VK/04131PE/AN/W ● Anthracite. 3000K. 1.870lm. 29W. CRI>80. Ø45.5cm.	1pc
71164-006702	VK/04132PE/W/W ○ White sanded. 3000K. 2.100lm. 40W. CRI>80. Ø60cm.	1pc
71164-008702	VK/04132PE/AN/W ● Anthracite. 3000K. 2.100lm. 40W. CRI>80. Ø60cm.	1pc



Ø45.5cm



Ø60cm



Details

AC 220-240V Driver (Included).
Beam Angle 120°.
Type of Led SMD Epistar 2835.
Dimmable No.

Working temperature -20°C ~ 60°C.
Lifetime 50.000hrs.
Material Aluminium, Acrylic.
Guarantee 2 years.



IP20



Pendant Lights Led




Sino



VK/04243PE/AN/W/80

VK/04243PE

Code	Model	Box
71164-017702	VK/04243PE/W/W/60 ○ White sanded. 3000K. 3.824lm. 51W. CRI>80. Ø60cm.	1pc
71164-018702	VK/04243PE/AN/W/60 ● Anthracite. 3000K. 3.824lm. 51W. CRI>80. Ø60cm.	1pc
71164-019702	VK/04243PE/W/W/80 ○ White sanded. 3000K. 4.000lm. 80W. CRI>80. Ø80cm.	1pc
71164-020702	VK/04243PE/AN/W/80 ● Anthracite. 3000K. 4.000lm. 80W. CRI>80. Ø80cm.	1pc



Details

AC 220-240V Driver (Included).
Beam Angle 120°.
Type of Led SMD Epistar 2835.
Dimmable No.

Working temperature -20°C ~ 60°C.
Lifetime 50.000hrs.
Material Aluminium, Acrylic.
Guarantee 2 years.



IP20



Pendant Lights Led

Cloud



VK/04242PE/W/W/45

VK/04242PE

Code
71164-011702

Model
VK/04242PE/W/W/45
○ White. 3000K. 1.900lm. 38W. CRI>80. **Ø45cm.**

Box
1pc

71164-012702


VK/04242PE/W/W/60
○ White. 3000K. 2.500lm. 50W. CRI>80. **Ø60cm.**

1pc



Details

AC 220-240V Driver (Included).
Beam Angle 120°.
Type of Led SMD Epistar 2835.
Dimmable No.


Working temperature -20°C ~ 60°C.
Lifetime 50.000hrs.
Material PE.
Guarantee 2 years.



Ø45cm



Ø60cm



IP20



Pendant Lights Led

Orra



VK/04568/PE/W/W/120




VK/04568/PE/B/W/150

Dimmable

VK/04568/PE

Code	Model	Box
71164-054702	VK/04568/PE/W/W/120 ○ White. 3000K. 79W. 5.254lm. 120cm	1pc
71164-055702	VK/04568/PE/B/W/120 ● Black. 3000K. 79W. 5.254lm. 120cm	1pc
71164-056702	VK/04568/PE/W/W/150 ○ White. 3000K. 101W. 7.101lm. 150cm	1pc
71164-057702	VK/04568/PE/B/W/150 ● Black. 3000K. 101W. 7.101lm. 150cm	1pc



Details

Material **Aluminum+Metal+Silicone**
 Location **Ceiling**
 Type of LED **SMD 2835**
 CRI **Ra>80**

Hours **30.000**
 Beam angle **120°**
 Working temperature **-20°C ~ 60°C**
Updown



IP20



Pendant Lights Led


Egis




VK/04251PE/CG/W/40

VK/04251PE


Code	Model	Box
71164-021702	VK/04251PE/W/W/40 ○ White sanded. 3000K. 1.856lm. 30W. Ø40cm.	1pc
71164-022702	VK/04251PE/B/W/40 ● Black sanded. 3000K. 1.856lm. 30W. Ø40cm.	1pc
71164-023702	VK/04251PE/CG/W/40 ● Champaign Gold. 3000K. 1.856lm. 30W. Ø40cm.	1pc
71164-024702	VK/04251PE/W/W/60 ○ White sanded. 3000K. 2.808lm. 41W. Ø60cm.	1pc
71164-025702	VK/04251PE/B/W/60 ● Black sanded. 3000K. 2.808lm. 41W. Ø60cm.	1pc
71164-026702	VK/04251PE/CG/W/60 ● Champaign Gold. 3000K. 2.808lm. 41W. Ø60cm.	1pc
71164-027702	VK/04251PE/W/W/80 ○ White sanded. 3000K. 4.424lm. 61W. Ø80cm.	1pc
71164-028702	VK/04251PE/B/W/80 ● Black sanded. 3000K. 4.424lm. 61W. Ø80cm.	1pc
71164-029702	VK/04251PE/CG/W/80 ● Champaign Gold. 3000K. 4.424lm. 61W. Ø80cm.	1pc




Ø40cm



Ø60cm



Ø80cm



120 cm

Details

AC 200-240V.
Type of Led SMD 2835.
Working temperature -20°C ~ 60°C.
Dimmable No. CRI>80.

Lifetime 50.000hrs.
Material Aluminium.
Cable 1m + 12.5cm ceiling plate.
Guarantee 2 years.



IP20



Pendant Lights Led


Epos



VK/04252PE/B/W/4060

VK/04252PE

Code	Model	Box
71164-030702	VK/04252PE/W/W/4060 ○ White sanded. 3000K. 5.032lm. 74W. CRI>80	1pc
71164-031702	VK/04252PE/B/W/4060 ● Black sanded. 3000K. 4.308lm. 68W. CRI>80	1pc
71164-032702	VK/04252PE/CG/W/4060 ● Champaign Gold. 3000K. 4.588lm. 74W. CRI>80	1pc



Details

AC 200-240V.
Type of Led **SMD 2835**.
Working temperature -20°C ~ 60°C.
Dimmable **No**.

Lifetime **50.000hrs**.
Material **Aluminium+Acrylic**.
Guarantee 2 years.




IP20



Pendant Lights Led

Glia



VK/04404PE/B/W/53

Dimmable


VK/04404PE/.../53

Code 71164-001115	Model VK/04404PE/B/W/53 ● Black. 3000K. 2.400lm. 24W. CRI>80.	Box 1pc
71164-002115	VK/04404PE/W/W/53 ○ White. 3000K. 2.400lm. 24W. CRI>80.	1pc

Details

Led Pendant Light 220-240V.
Type of Led **OSRAM** 2835 with driver.
Dimmable Triac.

Lifetime **20.000hrs.**
Working temperature -20°C → 40°C.
Material **Aluminium.**



5 years guarantee



IP20



Pendant Lights Led

Hebi



VK/04405PE/B/W/66

Dimmable


VK/04405PE/.../66

Code	Model	Box
71164-003115	VK/04405PE/B/W/66 ● Black. 3000K. 3.000lm. 30W. CRI>80.	1pc
71164-004115	VK/04405PE/W/W/66 ○ White. 3000K. 3.000lm. 30W. CRI>80.	1pc

Details

Led Pendant Light 220-240V.
Type of Led **OSRAM** 2835 with driver.
Dimmable Triac.

Lifetime **20.000hrs.**
Working temperature **-20°C → 40°C.**
Material **Aluminium.**



5 years guarantee



IP20



Pendant Lights Led

Inon



VK/04406PE/B/W/92

Dimmable


VK/04406PE/.../92

Code	Model	Box
71164-005115	VK/04406PE/B/W/92 ● Black. 3000K. 4.200lm. 42W. CRI>80.	1pc
71164-006115	VK/04406PE/W/W/92 ○ White. 3000K. 4.200lm. 42W. CRI>80.	1pc

Details

Led Pendant Light 220-240V.
Type of Led **OSRAM** 2835 with driver.
Dimmable Triac.

Lifetime **20.000hrs.**
Working temperature **-20°C → 40°C.**
Material **Aluminium.**



5 years guarantee




IP20



Pendant Lights Led

Noet



VK/04407PE/B/W/3C

Dimmable


VK/04407PE/.../3C

Code 71164-007115	Model VK/04407PE/B/W/3C ● Black. 3000K. 10.800lm. 108W. CRI>80.	Box 1pc
71164-008115	VK/04407PE/W/W/3C ○ White. 3000K. 10.800lm. 108W. CRI>80.	1pc

Details

Led Pendant Light 220-240V.
Type of Led **OSRAM** 2835 with driver.
Dimmable Triac.

Lifetime **20.000hrs.**
Working temperature **-20°C → 40°C.**
Material **Aluminium.**



5 years guarantee



IP20



Pendant Lights Led

Olpe



VK/04434/PE/W/W


VK/04434/PE

Code	Model	Box
75169-127721	VK/04434/PE/B/W ● Black sand. 3000K. 2W. 125lm. CRI>90	20pcs
75169-128721	VK/04434/PE/W/W ○ White sand. 3000K. 2W. 125lm. CRI>90	20pcs

Details

Input current **700mA**.
Input Voltage **DC3V**.
Type of Led **OSRAM SMD with driver**.
Driver input **AC220-240V 50/60Hz**.
Angle **24°**.
No Dimmable.

Lifetime **20.000 hrs**.
Working temperature **-20°C~45°C**.
Material **Aluminium**.
Installation **Surface-Mounted**.
Cable **1.2m**.
Guarantee **3 years**.



IP20



Pendant Lights Led

Phon



VK/04305PE/B/W/60



VK/04305PE/W/W/40

VK/04305PE

Code
64174-116721

Model
VK/04305PE/B/W/60
● Black sand. 3000K. 583lm. 4W. **bridgelux**. 20°. L60cm

Box
20pcs

64174-115721

VK/04305PE/W/W/40
○ White sand. 3000K. 583lm. 4W. **bridgelux**. 20°. L40cm

20pcs


Details

AC Driver **220-240V (Included)**.
Type of Led **bridgelux 5050**.
Dimmable **No**.
Lifetime **50.000hrs**.
Clicks **50.000hrs**.

Working temperature **-20°C → 45°C**.
Material **Aluminium**.
Guarantee **3 years**.
CRI**>90**.



IP20





Pendant Lights Led

Baro



VK/04620/PE/T

VK/04620/PE

Code	Model	Box
64174-045776	VK/04620/PE/W/W ○ White. 3000K. 620lm. 5W. 24° CRI>90	1pc
64174-046776	VK/04620/PE/B/W ● Black. 3000K. 620lm. 5W. 24° CRI>90	1pc
64174-047776	VK/04620/PE/GD/W ● Gold. 3000K. 620lm. 5W. 24° CRI>90	1pc
64174-048776	VK/04620/PE/T/W ● Titanium. 3000K. 620lm. 5W. 24° CRI>90	1pc



White




Black



Gold



Titanium



Details

Voltage 220-240V.
Material Aluminium.
Beam Angle 24°.
Type of Led bridge. 5050.
Lifetime 50.000 hrs.

Working temperature < 45°C.
Dimmable No.
Included 1m cable.

5 years guarantee



IP20



Pendant Lights Led

Rupi



VK/04454/PE/B/W

VK/04454/PE

Code	Model	Box
75169-098721	VK/04454/PE/B/W ● Black sand. 3000K. 11W. 1243lm. CRI>90	20pcs
75169-099721	VK/04454/PE/W/W ○ White sand. 3000K. 11W. 1243lm. CRI>90	20pcs

Details

Input current <500mA.
Input Voltage **DC24V**.
Type of Led bridgelux: **SMD with driver**.
Driver input **AC220-240V 50/60Hz** output **DC 16-25V 500mA**.
Angle **120°**.
No Dimmable.

Lifetime **20.000 hrs**.
Working temperature **-20°C~45°C**.
Material **Aluminium**.
Cable **1.2m**.
Installation **Surface-Mounted**.
Guarantee 3 years.



IP20



Pendant Lights Led

Pia




VK/04413PE/G


Dimmable

VK/04413PE

Code	Model	Box
71164-001755	VK/04413PE/B/W/25 ● Matt Black . 3000K. 900lm. 8W. Canopy dø10cm. Dø25cm.	1pc
71164-002755	VK/04413PE/GD/W/25 ● Gold . 3000K. 900lm. 8W. Canopy dø10cm. Dø25cm.	1pc
71164-003755	VK/04413PE/OR/W/25 ● Orange . 3000K. 900lm. 8W. Canopy dø10cm. Dø25cm.	1pc
71164-004755	VK/04413PE/G/W/25 ● Grey . 3000K. 900lm. 8W. Canopy dø10cm. Dø25cm.	1pc




Code	Model	Box
71164-005755	VK/04413PE/B/W/35 ● Matt Black . 3000K. 1.350lm. 12W. Canopy dø15cm. Dø35cm.	1pc
71164-006755	VK/04413PE/GD/W/35 ● Gold . 3000K. 1.350lm. 12W. Canopy dø15cm. Dø35cm.	1pc
71164-007755	VK/04413PE/OR/W/35 ● Orange . 3000K. 1.350lm. 12W. Canopy dø15cm. Dø35cm.	1pc
71164-008755	VK/04413PE/G/W/35 ● Grey . 3000K. 1.350lm. 12W. Canopy dø15cm. Dø35cm.	1pc





Code 71164-009755	Model VK/04413PE/B/W/45 ● Matt Black . 3000K. 1.760lm. 16W. Canopy dø18cm. Dø45cm.	Box 1pc
71164-010755	VK/04413PE/GD/W/45 ● Gold . 3000K. 1.760lm. 16W. Canopy dø18cm. Dø45cm.	1pc
71164-011755	VK/04413PE/OR/W/45 ● Orange . 3000K. 1.760lm. 16W. Canopy dø18cm. Dø45cm.	1pc
71164-012755	VK/04413PE/G/W/45 ● Grey . 3000K. 1.760lm. 16W. Canopy dø18cm. Dø45cm.	1pc



Details

AC 220V.
Type of Led **Epistar**.
Driver **Eaglerise**.
Dimmable **triac**.
Lifetime **50.000hrs**.

Working temperature **-20°C → 60°C**.
Material **Steel+rasin+acrylic**.
Cable **180cm**.
CRI**>80**.
Guarantee **3 years**.



IP20

Pendant Lights Led


Aiko



VK/04016/B

VK/04016


Code	Model	Box
64173-039118	VK/04016/W/W ○ White. 3000K. 1.350lm. 120°. 18W. CRI>80	10pcs
64173-040118	VK/04016/W/C ○ White. 4000K. 1.400lm. 120°. 18W. CRI>80	10pcs
64173-037118	VK/04016/OR/W ● Orange. 3000K. 1.350lm. 120°. 18W CRI>80	10pcs
64173-038118	VK/04016/OR/C ● Orange. 4000K. 1.400lm. 120°. 18W. CRI>80	10pcs
64173-041118	VK/04016/B/W ● Black. 3000K. 1.350lm. 120°. 18W. CRI>80	10pcs
64173-042118	VK/04016/B/C ● Black. 4000K. 1.400lm. 120°. 18W CRI>80	10pcs




Details


AC Driver **110-240V (Included)**.
Type of Led **COB Edison**.
Dimmable **No**.
Lifetime **50.000hrs**.


Cable **1m + 12.5cm ceiling plate**.
Working temperature **-20°C → 45°C**.
Material **Aluminium**.
Guarantee **2 years**.



IP20







Pendant Lights Led

Polla



VK/04390/PE/B



VK/04389/PE/B


VK/04390/PE/.../W VK/04389/PE/.../W

Code	Model	Box
75169-015741	VK/04390/PE/BS/W ● Brass. 2700K. 700lm. 10W. CRI>80. ø60cm	1pc
75169-016741	VK/04390/PE/B/W ● Black. 2700K. 700lm. 10W. CRI>80. ø60cm	1pc
75169-013741	VK/04389/PE/BS/W ● Brass. 2700K. 700lm. 10W. CRI>80. ø50cm	1pc
75169-014741	VK/04389/PE/B/W ● Black. 2700K. 700lm. 10W. CRI>80. ø50cm	1pc

Details

Led Pendant Light 220-240V.
Type of Led SMD with driver.
Dimmable No.
Lifetime 10.000hrs.

Working temperature -20°C → 45°C.
Material Metal wires, black painting metal canopy, black textile cable.
Guarantee 3 years.





Pendant Lights Led

Polla



VK/04388/PE/BS


VK/04388/PE/.../W

Code 75169-011741	Model VK/04388/PE/BS/W ● Brass. 2700K. 350lm. 5W. CRI>80.	Box 1pc
75169-012741	VK/04388/PE/B/W ● Black. 2700K. 350lm. 5W. CRI>80.	1pc

Details

Led Pendant Light 220-240V.
Type of Led SMD with driver.
Dimmable No.
Lifetime 10.000hrs.

Working temperature -20°C → 45°C.
Material Metal wires, black painting metal canopy, black textile cable.
Guarantee 3 years.



IP20



Pendant Lights Led

Polla



VK/04254PE/GD (like a cloud)



VK/04254PE/GD (like a flower)

VK/04254PE

Code
75169-001741

Model
VK/04254PE/B/WW
● Black. 2700K. 190lm. 8W.

Box
1pc

75169-002741

VK/04254PE/GD/WW
● Gold. 2700K. 190lm. 8W.

1pc

Details

AC 220-240V.
Dimmable Yes.
Cable Black textile.


Material Metal.
Guarantee 2 years.




Side light + Down light

The wire can be assembled into 2 configurations, like the cloud or like the flower. Different configuration with different diameter.

like a cloud




like a flower



  IP20



Polla



VK/04255WA/B (like a cloud)



VK/04255WA/B (like a flower)

VK/04255WA

Code 75169-003741	Model VK/04255WA/B/WW ● Black. 2700K. 8W.	Box 1pc
75169-004741	VK/04255WA/GD/WW ● Gold. 2700K. 8W.	1pc

Details

AC 220-240V.
Dimmable Yes.
Cable Black textile

with dimmer switch.
Material Metal.
Guarantee 2 years.




Side light + Front light

The wire can be assembled into 2 configurations, like the cloud or like the flower. Different configuration with different diameter.


like a cloud

ø61cm



like a flower


ø74cm





Pendant Lights Led

Sada



VK/04400/B/W

Dimmable

VK/04400

Code
71164-017724


Model
VK/04400/B/W
● **Matt Black**, 3000K, 2.070lm, 19W, CRI>80

Box
1pc

Details


Led Pendant Light **220-240V**.
Type of Led **OSRAM 2835** with driver.
Dimmable Euchip Triac.
Lifetime **20.000hrs**.

Working temperature **-20°C → 40°C**.
Material **Iron+aluminium+acrylic**.
Cable **1.4m**.

 **5 years guarantee**




IP20





Pendant Lights Led

Sada



VK/04401/GD/W

Dimmable

VK/04401

Code
71164-018724


Model
VK/04401/GD/W
● **Matt Gold**. 3000K. 2.898lm. 28W. CRI>80

Box
1pc

Details


Led Pendant Light **220-240V**.
Type of Led **OSRAM 2835** with driver.
Dimmable Euchip Triac.
Lifetime **20.000hrs**.

Working temperature **-20°C → 40°C**.
Material **Iron+aluminium+acrylic**.
Cable **1.4m**.

 **5 years guarantee**




IP20





Pendant Lights Led

Nori



VK/04414PE/B/W

VK/04414PE

Code
71164-013755

Model
VK/04414PE/B/W
● **Matt Black.** 3000K. 7.000lm. 100W. CRI>80.


Box
1pc

Details

Led Pendant Light **220V.**
Type of Led **Epistar.**
Driver **Mean well.**
Dimmable **No.**

Lifetime **50.000hrs.**
Working temperature **-20°C → 60°C.**
Material **Aluminium+acrylic.**
Guarantee **3 years.**

  **IP20**









Pendant Lights


Kimi



VK/04392/PE/GD

VK/04392/PE

Code	Model	Box
75169-019741	VK/04392/PE/B ● Black shade + canopy. E27. Max 20W (LED).	1pc
75169-020741	VK/04392/PE/BL ● Blue shade + canopy. E27. Max 20W (LED).	1pc
75169-021741	VK/04392/PE/G ● Grey shade + canopy. E27. Max 20W (LED).	1pc
75169-022741	VK/04392/PE/GD ● Gold shade + canopy. E27. Max 20W (LED).	1pc



Details

Input voltage **AC220-240V**
Lampholder **E27**
Working temperature **-20°C → 45°C**.

Material **Metal shade, black textile cable, metal canopy.**





Pendant Lights


Kimi



VK/04393/PE/G

VK/04393/PE

Code	Model	Box
75169-023741	VK/04393/PE/B ● Black shade + canopy. E27. Max 20W (LED)	1pc
75169-024741	VK/04393/PE/BL ● Blue shade + canopy. E27. Max 20W (LED)	1pc
75169-025741	VK/04393/PE/G ● Grey shade + canopy. E27. Max 20W (LED)	1pc
75169-026741	VK/04393/PE/GD ● Gold shade + canopy. E27. Max 20W (LED)	1pc



Details

Input voltage AC220-240V
Lampholder E27
Working temperature -20°C → 45°C.

Material Metal shade, black textile cable,
metal canopy.





Pendant Lights

Nami



VK/04391/PE/GD

VK/04391/PE


Code	Model	Box
75169-018741	VK/04391/PE/GD ● Gold shade + canopy. GU10. Max 12W (LED).	1pc
75169-017741	VK/04391/PE/B ● Black shade + canopy. GU10. Max 12W (LED).	1pc

Details

Input voltage **AC220-240V**
Lampholder **GU10**
Working temperature **-20°C → 45°C**.
Material **Metal shade, black textile cable,**

metal canopy.
Included Led lamp **5W, 3000K, 435lm.**
Guarantee **3 years.**


  **IP20**





Pendant Lights

Nobu



VK/03153/PE/50/B-GD



VK/03153/PE

Code 71164-005724	Model VK/03153/PE/50/B-GD ● Black-Gold. E27. Max 20W (LED).	Box 1pc
71164-006724	VK/03153/PE/50/W-GD ○ White-Gold. E27. Max 20W (LED).	1pc


Details

Input voltage **AC220-240V**
Lampholder **E27**
Working temperature **-20°C ~ 40°C.**

Cable **2m black or white cable + black or white ceiling plate.**
Material **Metal.**



IP20



Pendant Lights Led

Kasa



VK/04256PE/GR



VK/04257PE/W

VK/04256PE

VK/04257PE


Code 75169-005741	Model VK/04256PE/GR ● Green+white. GU10. Max 12W (LED). Ø65cm.	Box 1pc
75169-006741	VK/04257PE/W ○ White. GU10. Max 12W (LED). Ø45cm.	1pc



Details

Input voltage **AC220-240V**
Lampholder **GU10**

Material **Metal.**





Pendant Lights

Aimi



VK/03166/BR



VK/03167/BR

VK/03166/BR

VK/03167/BR

Code
75169-018733

Model
VK/03166/BR
● Rust brown. E27. Max 20W (LED). Rust brown plate.

Box
1pc

75169-020733


VK/03167/BR
● Rust brown. E27. Max 20W (LED). Rust brown plate.


1pc

Details

Input voltage **AC220-240V**
Lampholder **E27**
Working temperature **-20°C ~ 40°C.**

Cable **1 m black cable + rust brown ceiling plate.**
Material **Metal.**





Pendant Lights

Aimi



VK/03166/G



VK/03167/G

VK/03166/G

VK/03167/G

Code
75169-019733

Model
VK/03166/G
● **Dark grey.** E27. Max 20W (LED). Dark grey plate.

Box
1pc

75169-021733


VK/03167/G
● **Dark grey.** E27. Max 20W (LED). Dark grey plate.


1pc

Details

Input voltage **AC220-240V**
Lampholder **E27**
Working temperature **-20°C ~ 40°C.**

Cable **1 m black cable + dark grey ceiling plate.**
Material **Metal.**






Pendant Lights

Planto





VK/03320/PE/GD/60



VK/03320/PE


Code	Model	Box
75169-049741	VK/03320/PE/GD/60 ● Gold . E27. Max 20W (LED). ø60cm	1pc
75169-050741	VK/03320/PE/NT/60 ● Natural . E27. Max 20W (LED) ø60cm	1pc
75169-051741	VK/03320/PE/B/60 ● Black . E27. Max 20W (LED). ø60cm	1pc
75169-046741	VK/03320/PE/GD/45 ● Gold . E27. Max 20W (LED). ø45cm	1pc
75169-047741	VK/03320/PE/NT/45 ● Natural . E27. Max 20W (LED). ø45cm	1pc
75169-048741	VK/03320/PE/B/45 ● Black . E27. Max 20W (LED). ø45cm	1pc
75169-043741	VK/03320/PE/GD/35 ● Gold . E27. Max 20W (LED). ø35cm	1pc
75169-044741	VK/03320/PE/NT/35 ● Natural . E27. Max 20W (LED). ø35cm	1pc
75169-045741	VK/03320/PE/B/35 ● Black . E27. Max 20W (LED). ø35cm	1pc



Details

Input voltage **AC220-240V**
Lampholder **E27**
Material **Metal canopy, Rattan shade,**

textile cable
Location **Ceiling**
Cable length **1300mm**



IP20



Pendant Lights

Prei



VK/03314/PE/G



VK/03314/PE

Code
75169-029741


Model
VK/03314/PE/G
● Grey. GU10. Max. 12W. (LED)

Box
8pcs

Details

Input voltage **AC220-240V**
Lampholder **GU10 (included)**
Included lamp **GU10, 5W, 3000K**

Material **Metal canopy, Concrete shade**
Location **Ceiling**
Cable length **1330mm**



IP20



Pendant Lights

Remy



VK/09066



VK/09063

VK/09066


VK/09063

Code 64174-295131	Model VK/09066 ○ White. E27. Max 20W (LED).	Box 4pcs
64174-292131	VK/09063 ● Grey. E27. Max 20W (LED).	4pcs

Details

Input voltage AC220-240V
Lampholder E27
Working temperature -20°C ~ 40°C.
Cable 1.20 m + ceiling plate.

Material Gypsum (VK/09066),
Concrete (VK/09063).
Possibility to paint.



Abel



VK/09067/W



VK/09067/AN


VK/09067

Code 64174-296131	Model VK/09067/W ○ White. E27. Max 20W (LED).	Box 4pcs
Code 64174-297131	Model VK/09067/AN ● Anthracite. E27. Max 20W (LED).	Box 4pcs

Details

Input voltage **AC220-240V**
Lampholder **E27**
Working temperature **-20°C ~ 40°C.**

Cable **1.20 m + ceiling plate.**
Material **Concrete.**
Possibility to paint.



Pendant Lights

Noem



VK/03088/20/BR



VK/03088/24/BR

VK/03088/20/BR


VK/03088/24/BR

Code 64174-020108	Model VK/03088/20/BR ● Brown. E27. Max 20W (LED).	Box 1pc
64174-021108	VK/03088/24/BR ● Brown. E27. Max 20W (LED).	1pc

Details

Input voltage AC220-240V
Lampholder E27
Working temperature -20°C ~ 40°C.

Cable 1 m fabric cable + ceiling plate.
Material Paper.



Noem



VK/03092/50/BR



VK/03080/30/BR

VK/03092/50/BR


VK/03080/30/BR

Code	Model	Box
64174-022108	VK/03092/50/BR ● Brown. E27. Max 20W (LED).	1pc
64174-023108	VK/03080/30/BR ● Brown. E27. Max 20W (LED).	1pc

Details

Input voltage **AC220-240V**
Lampholder **E27**
Working temperature **-20°C ~ 40°C.**

Cable **1 m fabric cable + ceiling plate.**
Material **Paper.**



Pendant Lights

Noem



VK/03079/35/BR



VK/03079/55/BR

VK/03079/35/BR

VK/03079/55/BR

Code
64174-018108



Model
VK/03079/35/BR
● Brown. E27. Max 20W (LED).

Box
1pc

64174-019108

VK/03079/55/BR
● Brown. E27. Max 20W (LED).

1pc




Details

Input voltage AC220-240V
Lampholder E27
Working temperature -20°C ~ 40°C.

Cable 1 m fabric cable + ceiling plate.
Material Paper.





Pendant Lights

Woody



VK/03329/PE/NW/33




VK/03329/PE/DW/45



VK/03329/PE/NW/61

VK/03329/PE

Code	Model	Box
64174-009775	VK/03329/PE/NW/33 ● Oak wood. E27. Max. 20W. (LED). ø33cm	1pc
64174-012775	VK/03329/PE/DW/33 ● Walnut wood. E27. Max. 20W. (LED). ø33cm	1pc
64174-010775	VK/03329/PE/NW/45 ● Oak wood. E27. Max. 20W. (LED). ø45cm	1pc
64174-013775	VK/03329/PE/DW/45 ● Walnut wood. E27. Max. 20W. (LED). ø45cm	1pc
64174-011775	VK/03329/PE/NW/61 ● Oak wood. E27. Max. 20W. (LED). ø61cm	1pc
64174-014775	VK/03329/PE/DW/61 ● Walnut wood. E27. Max. 20W. (LED). ø61cm	1pc



Details

Material **Oakwood/Walnut wood,**
fabric cable, wood canopy
Location **Ceiling**

Input voltage **AC220-240V**
Lampholder **E27**
Cable length **2000mm**



Oak wood



Walnut wood



IP20




Pendant Lights

Apro



VK/03330/PE/NW



VK/03330/PE

Code
64174-015775

Model
VK/03330/PE/NW
● Natural wood. GU10. Max. 12W. (LED)

Box
1pc

Details

Material **Oak wood & fabric cord**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **GU10**
Cable length **2000mm**
Guarantee **2 years**



Natural wood



IP20



Pendant Lights

Ada



VK/03325/PE/B

VK/03325/PE

Code
64174-003775

Model
VK/03325/PE/NW
● Natural wood. GU10. Max. 12W. (LED)

Box
1pc

64174-004775





VK/03325/PE/B
● Black. GU10. Max. 12W. (LED)

1pc

Details

Material **Ashwood & fabric cord**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **GU10**
Cable length **2000mm**
Guarantee **2 years**





Pendant Lights

Ada



VK/03324/PE/NW


VK/03324/PE

Code 64174-001775	Model VK/03324/PE/NW ● Natural wood. GU10. Max. 12W. (LED)	Box 1pc
64174-002775	VK/03324/PE/B ● Black. GU10. Max. 12W. (LED)	1pc


Details

Material **Ashwood & fabric cord**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **GU10**
Cable length **2000mm**
Guarantee **2 years**



Natural wood



Black



IP20



Pendant Lights

Alena



VK/03326/PE/NW/30



VK/03326/PE/NW/20



VK/03326/PE

Code 64174-006775	Model VK/03326/PE/NW/30 ○ ● White/Wood. E27. Max. 20W. (LED)	Box 1pc
64174-005775	VK/03326/PE/NW/20 ○ ● White/Wood. E27. Max. 20W. (LED)	1pc

Details

Material **Glass shade, Ashwood, fabric cord, wood canopy**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **2000mm**
Guarantee **2 years**





Pendant Lights

Alena



VK/03327/PE/NW



VK/03328/PE/NW

VK/03327/PE/NW

VK/03328/PE/NW

Code	Model	Box
64174-007775	VK/03327/PE/NW	1pc

○ ● White/Wood. E27. Max. 20W. (LED)

64174-008775	VK/03328/PE/NW	1pc
--------------	----------------	-----

○ ● White/Wood. E27. Max. 20W. (LED)



Details

Material **Glass shade, Ashwood, fabric cord, wood canopy**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **2000mm**
Guarantee **2 years**



IP20





Pendant Lights

Icla



VK/03068/PE/BR



VK/03069/PE/BR

VK/03068/PE/BR


VK/03069/PE/BR

Code 64174-886697	Model VK/03068/PE/BR ● Brown+Grey glass. E27. Max 20W (LED).	Box 6pcs
64174-887697	VK/03069/PE/BR ● Brown+Grey glass. G9. Max 8W (LED).	18pcs

Details

Voltage 240V.
E27. (VK/03068/PE/BR),
G9. (VK/03069/PE/BR)

Working temperature -20°C ~ 40°C.
Cable 1 m + ceiling plate.
Material Metal, Glass.



IP20



Pendant Lights

Luc



VK/03117/PE

VK/03117/PE

Code 64174-013126	Model VK/03117/PE/15/GL ○ Milky glass. E27. Max 20W (LED). ø15cm	Box 1pc
----------------------	--	-------------------


64174-014126	VK/03117/PE/30/GL ○ Milky glass. E27. Max 20W (LED). ø30cm	1pc
--------------	---	------------

64174-015126	VK/03117/PE/40/GL ○ Milky glass. E27. Max 20W (LED). ø40cm	1pc
--------------	---	------------


Details

Voltage **240V**.
E27.
Working temperature **-20°C ~ 40°C**.

Cable **1.80 m + ceiling plate**.
Material **Glass milky**.
Guarantee **2 years**



IP20






Pendant Lights

Liam



VK/04387/CE/B



VK/04387/CE/B

Code
75169-010741

Model
VK/04387/CE/B
● Black. E27. Max 20W (LED)

Box
1pc

Details

Ceiling Light 220-240V.
Working temperature $-20^{\circ}\text{C} \rightarrow 45^{\circ}\text{C}$.

Material Matt Black painting metal lamp
body, black fabric KD shade.





Pendant Lights

Enna



VK/03099PE/W



VK/03100PE/W

VK/03099PE/W


VK/03100PE/W

Code 71164-005108	Model VK/03099PE/W ○ White. E27x3. Max 3x20W (LED).	Box 1pc
71164-006108	VK/03100PE/W ○ White. E27. Max 20W (LED).	1pc

Details

Voltage 240V.
E27x3 (VK/03099PE/W).
E27 (VK/03100PE/W).

Working temperature -20°C ~ 40°C.
Cable 1 m + ceiling plate.
Material Fabric, metal, PMMA.





Pendant Lights

Ballo



VK/03319/PE/40



VK/03319/PE/30



VK/03319/PE

Code
75169-042741

Model
VK/03319/PE/40
● Natural. E27. Max 20W (LED). \varnothing 40cm

Box
1pc

75169-041741


VK/03319/PE/30
● Natural. E27. Max 20W (LED). \varnothing 30cm

1pc

Details

Material **Metal canopy, Nature rattan shade, textile cable**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **1390mm**
Guarantee **2 years**





Pendant Lights

Ballo



VK/03317/PE/BMB/50



VK/03317/PE/BMB/35



VK/03317/PE

Code
75169-040741

Model
VK/03317/PE/BMB/50
● Bamboo. E27. Max 20W (LED). ø50cm

Box
1pc

75169-038741


VK/03317/PE/BMB/35
● Bamboo. E27. Max 20W (LED). ø35cm

1pc

Details

Material **Metal canopy, Nature Bamboo shade, textile cable**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **1370mm**
Guarantee **2 years**





Pendant Lights

Rago



VK/03321/PE/B/36


VK/03321/PE

Code 75169-052741	Model VK/03321/PE/Y/36 ● Natural. E27. Max 20W (LED).	Box 1pc
75169-053741	VK/03321/PE/B/36 ● Black. E27. Max 20W (LED).	1pc

Details

Material **Metal canopy, Rattan shade, textile cable**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **1300mm**
Guarantee **2 years**





Pendant Lights

Rago



VK/03322/PE/Y/50



VK/03322/PE/B/35

VK/03322/PE

Code 75169-056741	Model VK/03322/PE/Y/50 ● Natural . E27. Max 20W (LED). ø50cm	Box 1pc
75169-057741	VK/03322/PE/B/50 ● Black . E27. Max 20W (LED). ø50cm	1pc
75169-054741	VK/03322/PE/Y/35 ● Natural . E27. Max 20W (LED). ø35cm	1pc
75169-055741	VK/03322/PE/B/35 ● Black . E27. Max 20W (LED). ø35cm	1pc



Details

Material **Metal canopy, Rattan shade, textile cable**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **1300mm**
Guarantee **2 years**



IP20





Pendant Lights

Ballo



VK/03318/PE/BMB/50

VK/03318/PE

Code
75169-039741


Model
VK/03318/PE/BMB/50
● Bamboo. E27. Max 20W (LED).

Box
1pc

Details

Material **Metal canopy, Nature Bamboo shade, textile cable**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **1365mm**
Guarantee **2 years**





Pendant Lights

Rago



VK/03323/PE/B/50




VK/03323/PE

Code 75169-058741	Model VK/03323/PE/Y/50 ● Natural. E27. Max 20W (LED).	Box 1pc
75169-059741	VK/03323/PE/B/50 ● Black. E27. Max 20W (LED).	1pc

Details

Material **Metal canopy, Rattan shade, textile cable**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **1300mm**
Guarantee **2 years**





Pendant Lights

Jan



VK/03125PE/30



VK/03125PE/35

VK/03125PE/30

VK/03125PE/35


Code 75169-234115	Model VK/03125PE/30 ○ White + wood. E27. Max 20W (LED).	Box 1pc
----------------------	---	------------

75169-235115	VK/03125PE/35 ○ White + wood. E27. Max 20W (LED).	1pc
--------------	--	-----

Details

Voltage **240V**.
E27.
Working temperature **-20°C ~ 40°C**.
Cable **2 m white fabric cable + white**

ceiling plate.
Material **Bamboo**.
IP Rating **IP20**.
Guarantee **2 years**



Jan



VK/03126PE/30



VK/03126PE/45

VK/03126PE/30

VK/03126PE/45


Code 75169-236115	Model VK/03126PE/30 ● Wood. E27. Max 20W (LED).	Box 1pc
----------------------	--	------------

75169-237115	VK/03126PE/45 ● Black. E27. Max 20W (LED).	1pc
--------------	--	-----

Details

Voltage **240V**.
E27.
Working temperature **-20°C ~ 40°C**.
Cable **2 m white fabric cable + white**

ceiling plate.
Material **Bamboo**.
IP Rating **IP20**.
Guarantee **2 years**



Pendant Lights

Eliz



VK/03123PE/35



VK/03123PE/55

VK/03123PE/35

VK/03123PE/55


Code 75169-231115	Model VK/03123PE/35/BMB ● Bamboo. E27. Max 20W (LED).	Box 1pc
----------------------	--	-------------------

75169-232115	VK/03123PE/55/BMB ● Bamboo. E27. Max 20W (LED).	1pc
--------------	---	------------

Details

Voltage **240V**.
E27.
Working temperature **-20°C ~ 40°C**.
Cable **2 m white fabric cable + white**

ceiling plate.
Material **Bamboo**.
IP Rating **IP20**.
Guarantee **2 years**



Mart



VK/03124PE/70

VK/03124PE/70

Code
75169-233115


Model
VK/03124PE/70/BMB
● Bamboo. E27. Max 20W (LED).

Box
1pc

Details

Voltage **240V**.
E27.
Working temperature -20°C ~ 40°C.
Cable 2 m white fabric cable + white

ceiling plate.
Material **Bamboo**.
IP Rating **IP20**.
Guarantee 2 years



Pendant Lights

Fay



VK/03146PE/35



VK/03146PE/60

VK/03146PE/35

VK/03146PE/60


Code 75169-477724	Model VK/03146PE/35 ● Brown light. E27. Max 20W (LED).	Box 1pc
----------------------	--	------------

75169-478724	VK/03146PE/60 ● Brown light. E27. Max 20W (LED).	1pc
--------------	---	-----

Details

Voltage 240V.
E27.
Working temperature -20°C ~ 40°C.
Cable 2 m white cable +

white ceiling plate.
Material Rattan, metal.
IP Rating IP20.
Guarantee 2 years



Fay



VK/03146PE/80

VK/03146PE/80

Code
75169-479724


Model
VK/03146PE/80
● **Brown light.** E27. Max 20W (LED).

Box
1pc

Details

Voltage **240V.**
E27.
Working temperature -20°C ~ 40°C.
Cable 2 m white cable + white ceiling

plate.
Material **Rattan, metal.**
IP Rating **IP20.**
Guarantee 2 years



Pendant Lights

Lis



VK/03148PE/73

VK/03148PE/73

Code
75169-481724


Model
VK/03148PE/73
● Black. E27. Max 20W (LED)

Box
1pc

Details

Voltage **240V**.
E27.
Working temperature **-20°C ~ 40°C**.
Cable **2 m black fabric cable + black**

ceiling plate.
Material **PC Rattan, metal**.
IP Rating **IP20**.
Guarantee **2 years**





Pendant Lights

Lis



VK/03147PE/78

VK/03147PE/78

Code
75169-480724


Model
VK/03147PE/78
● Black. E27. Max 20W (LED)

Box
1pc

Details

Voltage 240V.
E27.
Working temperature -20°C ~ 40°C.
Cable 2m black fabric cable + black

ceiling plate.
Material PC Rattan, metal.
IP Rating IP20.
Guarantee 2 years





Pendant Lights

Rob



VK/03173/PE/B

VK/03173/PE/B

Code
75169-485730


Model
VK/03173/PE/B
● Black. E27. Max 20W (LED)

Box
1pc

Details

Voltage **240V**.
E27.
Working temperature **-20°C ~ 40°C**.
Cable **1.24m black cable**

+ black ceiling plate.
Material **Metal**.
IP Rating **IP20**.
Guarantee **2 years**





Pendant Lights

Alain



VK/03177/PE/B



VK/03175/PE/B

VK/03177/PE/B

VK/03175/PE/B


Code 75169-489730	Model VK/03177/PE/B ● Black. E27. Max 20W (LED).	Box 1pc
----------------------	--	------------

75169-487730	VK/03175/PE/B ● Black. E27. Max 20W (LED).	1pc
--------------	---	-----

Details

Voltage **240V**.
E27.
Working temperature **-20°C ~ 40°C**.
Cable **1.2m cable + black ceiling plate**.

Material **Metal**.
IP Rating **IP20**.
Guarantee **2 years**





Pendant Lights

Alain



VK/03172/PE



VK/03176/PE

VK/03172/PE

VK/03176/PE


Code 75169-490730	Model VK/03172/PE/B ● Black. E27. Max 20W (LED).	Box 1pc
----------------------	---	-------------------

75169-488730	VK/03176/PE/B ● Black. E27. Max 20W (LED).	1pc
--------------	--	------------

Details

Voltage **240V**.
E27.
Working temperature **-20°C ~ 40°C**.
Cable **1.2m cable + black ceiling plate**.

Material **Metal**.
IP Rating **IP20**.
Guarantee **2 years**





Pendant Lights

Nina



VK/03171/PE/ABS/26



VK/03171/PE/ABS/34

VK/03171/PE


Code 75169-483730	Model VK/03171/PE/ABS/26 ● Bronze. E27. Max 20W (LED).	Box 1pc
----------------------	---	------------

75169-484730	VK/03171/PE/ABS/34 ● Bronze. E27. Max 20W (LED).	1pc
--------------	--	-----

Details

Voltage **240V**.
E27.
Working temperature **-20°C ~ 40°C**.
Cable **1.7m cable + black ceiling plate**.

Material **Metal**.
IP Rating **IP20**.
Guarantee **2 years**





Pendant Lights

Ines



VK/03170/PE

VK/03170/PE

Code
75169-482730


Model
VK/03170/PE/ABS
● Bronze. E27x3. Max 3x20W (LED)

Box
1pc

Details

Voltage **240V**.
E27.
Working temperature **-20°C ~ 40°C**.
Cable **1.6m black cable+chain**

+ ceiling plate.
Material **Metal**.
IP Rating **IP20**.
Guarantee **2 years**





Pendant Lights

Abel



VK/03182PE

VK/03182PE

Code
75169-484724


Model
VK/03182PE/B
● **Black**. E27. Max 20W (LED)

Box
1pc

Details

Voltage **240V**.
E27.
Working temperature **-20°C ~ 40°C**.
Cable **2m black cable + black ceiling plate**.

Material **Iron**.
IP Rating **IP20**.
Guarantee **2 years**





Pendant Lights

Abel



VK/03181PE

VK/03181PE

Code
75169-483724


Model
VK/03181PE/B
● **Black.** E27. Max 20W (LED)

Box
1pc

Details

Voltage **240V.**
E27.
Working temperature **-20°C ~ 40°C.**

Cable **2m black cable + black ceiling plate.**
Material **Iron.**
IP Rating **IP20.**





Pendant Lights

Abel



VK/03118PE


VK/03118PE

Code 75169-222115	Model VK/03118PE/B ● Black . E27. Max 20W (LED).	Box 1pc
75169-223115	VK/03118PE/GD ● Gold . E27. Max 20W (LED).	1pc

Details

Voltage **240V**.
E27.
Working temperature **-20°C ~ 40°C**.
Cable **2m black fabric cable + black**

ceiling plate.
Material **Metal**.
IP Rating **IP20**.
Guarantee **2 years**



Abel



VK/03119PE


VK/03119PE

Code	Model	Box
75169-224115	VK/03119PE/B ● Black. E27. Max 20W (LED).	1pc
75169-225115	VK/03119PE/GD ● Gold. E27. Max 20W (LED).	1pc

Details

Voltage **240V**.
E27.
Working temperature **-20°C ~ 40°C**.
Cable **2m black fabric cable**

+ black ceiling plate.
Material **Metal**.
IP Rating **IP20**.
Guarantee **2 years**



Pendant Lights

Abel



VK/03120PE

VK/03120PE

Code
75169-226115


Model
VK/03120PE/B
● Black. E27. Max 20W (LED).

Box
1pc

Details

Voltage 240V.
E27.
Working temperature -20°C ~ 40°C.
Cable 2m black fabric cable + black

ceiling plate.
Material Metal.
IP Rating IP20.
Guarantee 2 years



Abel



VK/03121PE


VK/03121PE

Code 75169-228115	Model VK/03121PE/B ● Black. E27. Max 20W (LED).	Box 1pc
75169-227115	VK/03121PE/GD ● Gold. E27. Max 20W (LED).	1pc

Details

Voltage **240V**.
E27.
Working temperature -20°C ~ 40°C.
Cable **2m black fabric cable + black**

ceiling plate.
Material **Metal**.
IP Rating **IP20**.
Guarantee **2 years**



Pendant Lights

Abel



VK/03180PE

VK/03180PE

Code
75169-482724


Model
VK/03180PE/B
● **Black.** E27. Max 20W (LED)

Box
1pc

Details

Voltage **240V.**
E27.
Working temperature **-20°C ~ 40°C.**
Cable **2m black cable + black ceiling plate.**

Material **Iron.**
IP Rating **IP20.**
Guarantee **2 years**





Pendant Lights

Abel



VK/03122PE


VK/03122PE

Code 75169-229115	Model VK/03122PE/GD ● Gold. E27. Max 20W (LED)	Box 1pc
75169-230115	VK/03122PE/W ○ White. E27. Max 20W (LED)	1pc

Details

Voltage **240V.**
E27.
Working temperature **-20°C ~ 40°C.**
Cable **2m white cable + white ceiling plate.**

Material **Metal.**
IP Rating **IP20.**
Guarantee **2 years**





Pendant Lights

Igi




VK/03105PE

VK/03105PE/2

VK/03105PE

VK/03105PE/2

Code	Model	Box
75169-252108	VK/03105PE/W ○ White sanded. GU10. Max 12W (LED).	20pcs
75169-253108	VK/03105PE/B ● Black sanded. GU10. Max 12W (LED).	20pcs
75169-254108	VK/03105PE/2/W ○ White sanded. GU10x2. Max 2x12W (LED).	10pcs
75169-255108	VK/03105PE/2/B ● Black sanded. GU10x2. Max 2x12W (LED).	10pcs



Details

Voltage 240V.
GU10/Par16.
Working temperature -20°C ~ 40°C.

Cable 1.20 m + ceiling plate.
Material Aluminium, metal.
Guarantee 2 years




Igi



VK/03105PE/3/B

VK/03105PE/3

Code 75169-256108	Model VK/03105PE/3/W ○ White sanded. GU10x3. Max 3x12W (LED)	Box 6pcs
75169-257108	VK/03105PE/3/B ● Black sanded. GU10x3. Max 3x12W (LED)	6pcs



Details

Voltage **240V.**
GU10/Par16.
 Working temperature **-20°C ~ 40°C.**

Cable **1.20 m + ceiling plate.**
 Material **Aluminium, metal.**
 Guarantee **2 years**



Pendant Lights

Edelle



VK/03087/PE/20/B

VK/03087/PE/30/W

VK/03087/PE/50/DB

VK/03087/PE/20

Code	Model	Box
75169-278108	VK/03087/PE/20/B ● Sanded black. GU10. Max. 12W. (LED)	25pcs
75169-277108	VK/03087/PE/20/W ○ Sanded white. GU10. Max. 12W. (LED)	25pcs
75169-279108	VK/03087/PE/20/DB ● Dark Bronze. GU10. Max. 12W. (LED)	25pcs

VK/03087/PE/30

Code	Model	Box
75169-280108	VK/03087/PE/30/B ● Sanded black. GU10. Max. 12W. (LED)	20pcs
75169-281108	VK/03087/PE/30/W ○ Sanded white. GU10. Max. 12W. (LED)	20pcs
75169-282108	VK/03087/PE/30/DB ● Dark Bronze. GU10. Max. 12W. (LED)	20pcs



VK/03087/PE/50

Code	Model	Box
75169-284108	VK/03087/PE/50/B ● Sanded black. GU10. Max. 12W. (LED)	10pcs
75169-283108	VK/03087/PE/50/W ○ Sanded white. GU10. Max. 12W. (LED)	10pcs
75169-285108	VK/03087/PE/50/DB ● Dark Bronze. GU10. Max. 12W. (LED)	10pcs

Details

Material **aluminium+iron**
Location **Ceiling**
Input voltage **230V**

Lampholder **GU10**
Cable length **1500mm**
Guarantee **2 years**



IP20

Pendant Lights

Ozz



VK/03163/B

&



VK/05169

VK/03163

Code
75169-007733



Model
VK/03163/B
● **Black sanded.** E27. Max 20W (LED).

Box
1pc

Details

Voltage **240V.**
E27.
Working temperature **-20°C ~ 40°C.**


Cable **1 m + ceiling plate.**
Material **Metal.**
Guarantee **2 years**




IP20




VK/05169
Dark Grey




VK/05170
Dark Grey




VK/05171
Dark Grey



VK/05173
Amber



VK/05174
Dark Grey







Plafo & Ceiling Lights

Plafo & Ceiling Lights Led

Woody



VK/04580/CE/NW/W/27



VK/04580/CE/DW/W/33



VK/04580/CE/NW/W/42

Dimmable

VK/04580/CE

Code	Model	Box
75169-007775	VK/04580/CE/NW/W/27 ● Natural wood. 3000K. 21W. 2190lm. CRI>90 ø27x7cm	1pc
75169-012775	VK/04580/CE/DW/W/27 ● Dark wood. 3000K. 21W. 2190lm. CRI>90 ø27x7cm	1pc
75169-008775	VK/04580/CE/NW/W/33 ● Natural wood. 3000K. 28W. 3130lm. CRI>90 ø33x8cm	1pc
75169-013775	VK/04580/CE/DW/W/33 ● Dark wood. 3000K. 28W. 3130lm. CRI>90 ø33x8cm	1pc
75169-009775	VK/04580/CE/NW/W/42 ● Natural wood. 3000K. 35W. 3900lm. CRI>90 ø42x8cm	1pc
75169-014775	VK/04580/PE/DW/W/42 ● Dark wood. 3000K. 35W. 3900lm. CRI>90 ø42x8cm	1pc



Natural wood



Dark wood


Details

Material **Oakwood/Darkwalnutwood, metal, fabric cord, acrylic diffuser**
 Type of Led **OSRAM**
 Voltage **AC220-240V**
 Location **Ceiling**

Beam angle **120°**
 Working temperature **< 50°C**
 Lifetime **25.000hrs**
 Dimmable **Triac**
 Guarantee **2 Years**



IP20





Plafo & Ceiling Lights Led

Woody



VK/04580/CE/NW/W/51



VK/04580/CE/DW/W/61

Dimmable

VK/04580/CE

Code	Model	Box
75169-010775	VK/04580/CE/NW/W/51 ● Natural wood. 3000K. 40W. 4805lm. CRI>90 ø51cm	1pc
75169-015775	VK/04580/CE/DW/W/51 ● Dark wood. 3000K. 40W. 4805lm. CRI>90 ø51cm	1pc
75169-011775	VK/04580/CE/NW/W/61 ● Natural wood. 3000K. 50W. 6000lm. CRI>90 ø61cm	1pc
75169-016775	VK/04580/CE/DW/W/61 ● Dark wood. 3000K. 50W. 6000lm. CRI>90 ø61cm	1pc



Natural wood



Dark wood


Details

Material **Oakwood/Darkwalnutwood, metal, fabric cord, acrylic diffuser**
 Type of Led **OSRAM**
 Voltage **AC220-240V**
 Location **Ceiling**

Beam angle **120°**
 Working temperature **< 50°C**
 Lifetime **25.000hrs**
 Dimmable **Triac**
 Guarantee **2 Years**



IP20





Plafond & Ceiling Lights Led

Eleso



VK/04565/CE/WD/W/40



VK/04565/CE/B/W/60




VK/04565/CE/W/W/80


Dimmable

VK/04565/CE

Code	Model	Box
71164-035702	VK/04565/CE/W/W/40 ○ White. 3000K. 33W Down+7W Up. 3.566lm. ø40cm	1pc
71164-036702	VK/04565/CE/B/W/40 ● Black. 3000K. 33W Down+7W Up. 3.566lm. ø40cm	1pc
71164-037702	VK/04565/CE/WD/W/40 ● Wood. 3000K. 33W Down+7W Up. 3.566lm. ø40cm	1pc
71164-038702	VK/04565/CE/W/W/60 ○ White. 3000K. 59W Down+10W Up. 5.967lm. ø60cm	1pc
71164-039702	VK/04565/CE/B/W/60 ● Black. 3000K. 59W Down+10W Up. 5.967lm. ø60cm	1pc
71164-040702	VK/04565/CE/WD/W/60 ● Wood. 3000K. 59W Down+10W Up. 5.967lm. ø60cm	1pc
71164-041702	VK/04565/CE/W/W/80 ○ White. 3000K. 80W Down 12W Up. 6.802lm. ø80cm	1pc
71164-042702	VK/04565/CE/B/W/80 ● Black. 3000K. 80W Down 12W Up. 6.802lm. ø80cm	1pc
71164-043702	VK/04565/CE/WD/W/80 ● Wood. 3000K. 80W Down 12W Up. 6.802lm. ø80cm	1pc



ø40/60/80cm



40/60/80cm

Details

Material **Aluminum+Metal+Acrylic**
 Diffuser **PC**
 Location **Ceiling**
 Color led **3000K**
 Type of LED **LENS**

CRI **Ra>80**
 Hours **30.000**
 Beam angle **120°**
 Working temperature **-20°C ~ 60°C**
Updown. Guarantee 3 Years



IP20



Plafo & Ceiling Lights Led

Hart




VK/04416CE/GD/W/46

Dimmable

VK/04416CE

Code	Model	Box
71164-016755	VK/04416CE/W/W/46 ○ Sand White. 3000K. 4.232lm. 34W. CRI>80. Ø46.5cm	1pc
71164-017755	VK/04416CE/AN/W/46 ● Anthracite. 3000K. 4.232lm. 34W. CRI>80. Ø46.5cm	1pc
71164-020755	VK/04416CE/GD/W/46 ● Golden. 3000K. 4.232lm. 34W. CRI>80. Ø46.5cm	1pc
71164-018755	VK/04416CE/W/W/61 ○ Sand White. 3000K. 5.785lm. 52W. CRI>80. Ø61.5cm	1pc
71164-019755	VK/04416CE/AN/W/61 ● Anthracite. 3000K. 5.785lm. 52W. CRI>80. Ø61.5cm	1pc
71164-021755	VK/04416CE/GD/W/61 ● Golden. 3000K. 5.785lm. 52W. CRI>80. Ø61.5cm	1pc



Details

Led Ceiling Light 220V.
Type of Led Epistar.
Driver Eaglerise.
Dimmable triac.

Lifetime 50.000hrs.
Working temperature -20°C → 60°C.
Material Steel+acrylic.
Guarantee 3 years.



IP20



Plafond & Ceiling Lights Led

Eleso



VK/04566/CE/WD/W/60




VK/04566/CE/B/W/80


Dimmable

VK/04566/CE

Code	Model	Box
71164-044702	VK/04566/CE/W/W/60 ○ White. 3000K. 48W. 3.615lm. ø60cm	1pc
71164-045702	VK/04566/CE/B/W/60 ● Black. 3000K. 48W. 3.615lm. ø60cm	1pc
71164-046702	VK/04566/CE/WD/W/60 ○ ● Wood. 3000K. 48W. 3.615lm. ø60cm	1pc
71164-047702	VK/04566/CE/W/W/80 ○ White. 3000K. 74W. 5.106lm. ø80cm	1pc
71164-048702	VK/04566/CE/B/W/80 ● Black. 3000K. 74W. 5.106lm. ø80cm	1pc
71164-049702	VK/04566/CE/WD/W/80 ○ ● Wood. 3000K. 74W. 5.106lm. ø80cm	1pc



ø60/80cm



60/80cm

6cm

Details

Material **Aluminum+Metal+Acrylic**
Location **Ceiling**
Type of LED **SMD 2835**
CRI **Ra>80**

Hours **30.000**
Beam angle **120°**
Working temperature **-20°C ~ 60°C**
Guarantee **2 years.**



IP20



Plafond & Ceiling Lights Led

Eleso



VK/04567/CE/B/W/60




VK/04567/CE/W/W/80

Dimmable

VK/04567/CE

Code 71164-050702	Model VK/04567/CE/W/W/60 ○ White. 3000K. 52W. 3.328lm. ø60cm	Box 1pc
71164-051702	VK/04567/CE/B/W/60 ● Black. 3000K. 52W. 3.328lm. ø60cm	1pc
71164-052702	VK/04567/CE/W/W/80 ○ White. 3000K. 83W. 5.535lm. ø80cm	1pc
71164-053702	VK/04567/CE/B/W/80 ● Black. 3000K. 83W. 5.535lm. ø80cm	1pc



Details

Material **Aluminum+Metal+Acrylic**
Location **Ceiling**
Type of LED **SMD 2835**
CRI **Ra>80**

Hours **30.000**
Beam angle **120°**
Working temperature **-20°C ~ 60°C**
Guarantee **2 years.**



IP20



Kero



VK/04130CE/AN/W


VK/04129CE

VK/04130CE


Code	Model	Box
71164-001702	VK/04129CE/W/W ○ White sanded. 3000K. 1.600lm. 30W. CRI>80. Ø45cm.	1pc
71164-003702	VK/04129CE/AN/W ● Anthracite. 3000K. 1.600lm. 30W. CRI>80. Ø45cm.	1pc
71164-002702	VK/04130CE/W/W ○ White sanded. 3000K. 2.845lm. 42W. CRI>80. Ø60cm.	1pc
71164-004702	VK/04130CE/AN/W ● Anthracite. 3000K. 2.845lm. 42W. CRI>80. Ø60cm.	1pc



Ø45cm



Ø60cm



9 cm

Details

AC 220-240V Driver (Included).
Beam Angle 120°.
Type of Led SMD Epistar 2835.
Dimmable No.

Working temperature -20°C ~ 60°C.
Lifetime 50.000hrs.
Material Aluminium, Acrylic.
Guarantee 2 years.



IP20




Sino




VK/04243CE/W/W/60

VK/04243CE


Code	Model	Box
71164-013702	VK/04243CE/W/W/60 ○ White sanded. 3000K. 2.800lm. 57W. CRI>80. Ø60cm.	1pc
71164-014702	VK/04243CE/AN/W/60 ● Anthracite. 3000K. 2.800lm. 57W. CRI>80. Ø60cm.	1pc
71164-015702	VK/04243CE/W/W/80 ○ White sanded. 3000K. 4.000lm. 80W. CRI>80. Ø80cm.	1pc
71164-016702	VK/04243CE/AN/W/80 ● Anthracite. 3000K. 4.000lm. 80W. CRI>80. Ø80cm.	1pc



Ø60cm



Ø80cm



8 cm

Details

AC 220-240V Driver (Included).
Beam Angle 120°.
Type of Led SMD Epistar 2835.
Dimmable No.

Working temperature -20°C ~ 60°C.
Lifetime 50.000hrs.
Material Aluminium, Acrylic.
Guarantee 2 years.



IP20





Cloud





VK/04242CE/W/W/45

VK/04242CE

Code 71164-009702	Model VK/04242CE/W/W/45 ○ White. 3000K. 1.900lm. 38W. CRI>80. Ø45cm.	Box 1pc
71164-010702	VK/04242CE/W/W/60 ○ White. 3000K. 2.500lm. 50W. CRI>80. Ø60cm.	1pc



Ø45cm



Ø60cm

Details

AC 220-240V Driver (Included).
Beam Angle 120°.
Type of Led SMD Epistar 2835.
Dimmable No.

Working temperature -20°C ~ 60°C.
Lifetime 50.000hrs.
Material PE.
Guarantee 2 years.



IP20



Elim




VK/04418CE/W/W/45

Dimmable

VK/04418CE

Code	Model	Box
71164-022755	VK/04418CE/W/W/45 ○ Sand White. 3000K. 4.215lm. 34W. CRI>80. ø45cm.	1pc
71164-023755	VK/04418CE/AN/W/45 ● Anthracite. 3000K. 4.215lm. 34W. CRI>80. ø45cm.	1pc
71164-024755	VK/04418CE/W/W/60 ○ Sand White. 3000K. 4.979lm. 42W. CRI>80. ø60cm.	1pc
71164-025755	VK/04418CE/AN/W/60 ● Anthracite. 3000K. 4.979lm. 42W. CRI>80. ø60cm.	1pc



Details

Led Pendant Light **220V**.
Type of Led **Epistar**.
Dimmable **triac**.
Driver **HBL**.

Lifetime **50.000hrs**.
Working temperature **-20°C → 60°C**
Material **Steel+acrylic**.
Guarantee **3 years**.



IP20



Albie



VK/04253CE/B/W/58

VK/04253CE


Code 71164-033702	Model VK/04253CE/B/W/45 ● Black sanded. 3000K. 2.100lm. 35W. CRI>80. Ø45xH10cm.	Box 1pc
----------------------	---	------------

71164-034702	VK/04253CE/B/W/58 ● Black sanded. 3000K. 3.000lm. 50W. CRI>80. Ø58xH12cm.	1pc
--------------	--	-----

Details

AC 220-240V.
Type of Led **SMD 2835**.
Dimmable **No**.
Working temperature -20°C ~ 60°C.

Material **Metal+Acrylic**.
Lifetime **50.000hrs**.
Material **Metal, Acrylic**.
Guarantee **2 years**.






Timo



VK/03316/CE/GR

VK/03316/CE

Code	Model	Box
75169-034741	VK/03316/CE/G ● Grey. GU10. Max. 12W. (LED)	4pcs
75169-035741	VK/03316/CE/GR ● Green. GU10. Max. 12W. (LED)	4pcs
75169-036741	VK/03316/CE/BL ● Blue. GU10. Max. 12W. (LED)	4pcs
75169-037741	VK/03316/CE/B ● Black. GU10. Max. 12W. (LED)	4pcs



Details

Material **Metal canopy, Concrete shade**
 Location **Ceiling**
 Input voltage **AC220-240V**

Lampholder **GU10**
 Cable length **1330mm**
 Guarantee **2 years**



IP20




Timo



VK/03315/CE/BL

VK/03315/CE

Code	Model	Box
75169-030741	VK/03315/CE/G ● Grey. GU10. Max. 12W. (LED)	8pcs
75169-031741	VK/03315/CE/GR ● Green. GU10. Max. 12W. (LED)	8pcs
75169-032741	VK/03315/CE/BL ● Blue. GU10. Max. 12W. (LED)	8pcs
75169-033741	VK/03315/CE/B ● Black. GU10. Max. 12W. (LED)	8pcs




Details

Material **Metal canopy, Concrete shade**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **GU10**
Cable length **1330mm**
Guarantee **2 years**



IP20



Roto



VK/04578/CE/GD/W


Dimmable

VK/04578/CE

Code
71165-006741

Model
VK/04578/CE/GD/W
● Gold. 3000K. 1.200lm. 12W. CRI>80.

Box
6pcs



Details

Input voltage **AC220-240V**
Beam Angle **120°**.
Dimmable **Yes**
Type of Led **SMD**

Lifetime **30.000hrs**.
Working temperature **-20°C → 75°C**
Material **Stainless steel/Opal glass**.
Guarantee **3 years**.






Roto




VK/04577/CE/MC/W



Dimmable

VK/04577/CE

Code	Model	Box
71165-003741	VK/04577/CE/MC/W ● Nickel Matt. 3000K. 1.200lm. 12W. CRI>80.	6pcs
71165-004741	VK/04577/CE/WD/W ● Wood. 3000K. 1.200lm. 12W. CRI>80.	6pcs
71165-005741	VK/04577/CE/MRB/W ○ Sand White. 3000K. 1.200lm. 12W. CRI>80.	6pcs



Details

Input voltage **AC220-240V**
Beam Angle **120°**.
Dimmable **Yes**
Type of Led **SMD**

Lifetime **30.000hrs**.
Working temperature **-20°C → 75°C**
Material **Stainless steel/Opal glass**.
Guarantee **3 years**.



IP20



Bol





VK/03151/CE/50/B

VK/03151/CE

VK/03152/CE

Code	Model	Box
71164-001724	VK/03151/CE/50/B ● Black. E27x3. Max 3x20W (LED). Ø50cm.	1pc
71164-002724	VK/03151/CE/50/W ○ White. E27x3. Max 3x20W (LED). Ø50cm.	1pc
71164-003724	VK/03152/CE/30/B ● Black. E27x2. Max 2x20W (LED). Ø30cm.	1pc
71164-004724	VK/03152/CE/30/W ○ White. E27x2. Max 2x20W (LED). Ø30cm.	1pc



Details

Voltage **240V.**
E27.
Working temperature **-20°C ~ 40°C.**

Material **Aluminium.**
Guarantee **2 years**



IP20



Reter



VK/04133CE/B/W




VK/04134CE

VK/04133CE


Code	Model	Box
71164-002108	VK/04134CE/B/W	1pc
	● Black shade. 2700K. 2.045lm. 20W. CRI>80. Ø40cm.	

71164-001108	VK/04133CE/B/W	1pc
	● Black shade. 2700K. 1.120lm. 10W. CRI>80. Ø30cm.	



Ø40cm

Ø40cm



Ø30cm

Ø30cm

Details

AC 175-265V Driver (Included).
 Beam Angle 125°.
 Type of Led SMD 2835.
 Dimmable No.

Working temperature -25°C ~ 40°C.
 Lifetime 30.000hrs.
 Material Metal, Fabric, PMMA White.
 Guarantee 2 years.



IP20

Reter




VK/03098CE/W




VK/03098CE

Code 71164-003108	Model VK/03098CE/W ○ White shade+white plate. E27x4. Max 4x20W (LED).	Box 1pc
71164-004108	VK/03098CE/B ● Black shade+ white plate. E27x4. Max 4x20W (LED).	1pc



Ø50cm



15
cm

Ø50cm

Details

Voltage **230V**.
E27.

Material **Metal+Fabric+PMMA**.
Guarantee **2 years**.



IP20

Plafo & Ceiling Lights


Play



VK/03001/DB

VK/03001

Code	Model	Box
75169-181108	VK/03001/W ○ White. GU10. Max 12W (LED).	10pcs
75169-176108	VK/03001/B ● Black. GU10. Max 12W (LED).	10pcs
75169-182108	VK/03001/C ● Chrome. GU10. Max 12W (LED).	10pcs
75169-197108	VK/03001/AL ● Aluminium. GU10. Max 12W (LED).	10pcs
75169-175108	VK/03001/R ● Red. GU10. Max 12W (LED).	10pcs
75169-177108	VK/03001/GR ● Green. GU10. Max 12W (LED).	10pcs
75169-178108	VK/03001/Y ● Yellow. GU10. Max 12W (LED).	10pcs
75169-198108	VK/03001/OR ● Orange. GU10. Max 12W (LED).	10pcs
75169-193108	VK/03001/DB ● Deep Blue. GU10. Max 12W (LED).	10pcs
75169-179108	VK/03001/LB ● Light Blue. GU10. Max 12W (LED).	10pcs



Details

Voltage **240V**.
GU10/Par16.

Working temperature **-20°C ~ 40°C**.
Material **Aluminium**.






Play



VK/03002/R

VK/03002

Code	Model	Box
75169-200108	VK/03002/W ○ White. GU10. Max 12W (LED).	10pcs
75169-202108	VK/03002/B ● Black. GU10. Max 12W (LED).	10pcs
75169-185108	VK/03002/C ● Chrome. GU10. Max 12W (LED).	10pcs
75169-199108	VK/03002/AL ● Aluminium. GU10. Max 12W (LED).	10pcs
75169-184108	VK/03002/R ● Red. GU10. Max 12W (LED).	10pcs
75169-188108	VK/03002/GR ● Green. GU10. Max 12W (LED).	10pcs
75169-201108	VK/03002/Y ● Yellow. GU10. Max 12W (LED).	10pcs
75169-187108	VK/03002/OR ● Orange. GU10. Max 12W (LED).	10pcs
75169-203108	VK/03002/DB ● Deep Blue. GU10. Max 12W (LED).	10pcs
75169-186108	VK/03002/LB ● Light Blue. GU10. Max 12W (LED).	10pcs



Details


Voltage **240V**.
GU10/Par16.

Working temperature **-20°C ~ 40°C**.
Material **Aluminium**.









Ceiling Fans

Ceiling Fans

Air



VK/04241/AIR/W



VK/04235/AIR/WOOD

VK/04241/AIR

VK/04235/AIR

Code 77161-476724	Model VK/04241/AIR/W White. 65W.	Box 1pc
77161-474724	VK/04235/AIR/WOOD Wood. 65W.	1pc
77161-477724	VK/04235/AIR/L-WOOD Light Wood. 65W.	1pc


Details

Voltage 220-240V.
Material Aluminium + Wood.

IP Rating IP20.



Included Remote
& wall control









Reading Lights

Reading Lights Led

Aira





VK/04575/WA/W



Recessed

VK/04575/WA

Code 64171-282727	Model VK/04575/WA/W/W ○ White. 3000K. 6W. 545lm. CRI>80	Box 20pcs
64171-283727	VK/04575/WA/B/W ● Black. 3000K. 6W. 545lm. CRI>80	20pcs



Details


Material **Aluminium & iron**
Lighting source **CREE COB**
Led driver **EAGLERISE 6W500mA,**
Driver output **2.8-12V**
Voltage **AC220-240V**
Location **Wall recessed**

Color led **3000K**
Beam angle **25°**
Working temperature **-20°C - 50°C**
Lifetime **50.000hrs**
Dimmable **No**
Guarantee **3 Years**

Cut hole



IP20



Aira




VK/04573/WA/W



VK/04573/WA

Code 64171-278727	Model VK/04573/WA/W/W ○ White. 3000K. 6W. 545lm. CRI>80	Box 20pcs
64171-279727	VK/04573/WA/B/W ● Black. 3000K. 6W. 545lm. CRI>80	20pcs



Details

Material **Aluminium & iron**
Lighting source **CREE COB**
Led driver **EAGLERISE 6W500mA,**
Driver output **2.8-12V**
Voltage **AC220-240V**
Location **Wall**

Color led **3000K**
Beam angle **25°**
Working temperature **-20°C - 50°C**
Lifetime **50.000hrs**
Dimmable **No**
Guarantee **3 Years**



IP20



Reading Lights Led

Aira



VK/04576/WA/W/W




VK/04576/WA

Code 64171-284727	Model VK/04576/WA/W/W ○ White. 3000K. 6W+6W. 767lm. CRI>80	Box 20pcs
64171-285727	VK/04576/WA/B/W ● Black. 3000K. 6W+6W. 767lm. CRI>80	20pcs


Details

Material **Aluminium & iron & glass**
Lighting source **CREE COB + EDISON 0.5x16**
Led driver **EAGLERISE 6W500mA + 6W350mA**
Driver **output 5-18V**
Voltage **AC220-240V**
Location **Wall**

Color led **3000K**
Beam angle **120° + 25°**
Working temperature **-20°C - 50°C**
Lifetime **50.000hrs**
Dimmable **No**
Guarantee **3 Years**



IP20



Reading Lights Led

Aira



VK/04574/WA/B/W



VK/04574/WA


Code 64171-280727	Model VK/04574/WA/W/W ○ White. 3000K. 6W. 545lm. CRI>80	Box 20pcs
64171-281727	VK/04574/WA/B/W ● Black. 3000K. 6W. 545lm. CRI>80	20pcs

Details

Material **Aluminium & iron**
Lighting source **CREE COB**
Led driver **EAGLERISE 6W500mA**,
Driver output **2.8-12V**
Voltage **AC220-240V**
Location **Wall**

Color led **3000K**
Beam angle **25°**
Working temperature **-20°C - 50°C**
Lifetime **50.000hrs**
Dimmable **No**
Guarantee **3 Years**





Reading Lights Led

Owl




VK/04236/W/W

VK/04236

Code
64174-944724

Model
VK/04236/W/W
○ White. 3000K. 78lm. 7W.

Box
3pcs



Details

AC 220-240V Driver (Included).
CRI>82.
Type of Led SMD 5730.
Working temperature -20°C → 30°C.

Lifetime 50.000hrs.
Clicks 30.000.
Material Aluminium.
Guarantee 2 years.



IP20



Reading Lights Led

Jak



VK/04233/B/W


VK/04233

Code 64171-270727	Model VK/04233/W/W ○ White. 3200K. 480lm. 3W & 6W.	Box 10pcs
64171-271727	VK/04233/B/W ● Black. 3200K. 480lm. 3W & 6W.	10pcs

Details

Voltage **220-240V.**
CRI>**70.**
Type of LED **SMD Samsung 3535/ Edison 2835.**
Beam angle **25°.**

No dimmable.
Lifetime **30.000hrs.**
Working temperature **-20°C→ 45°C.**
Material **Aluminium, iron, acrylic.**
Guarantee **2 years.**





Reading Lights Led

Jak



VK/04229/B/W


VK/04229 with USB


Code	Model	Box
64171-258727	VK/04229/W/W ○ White. 3200K. 480lm. 3W & 6W.	12pcs
64171-259727	VK/04229/B/W ● Black. 3200K. 480lm. 3W & 6W.	12pcs

Details

Voltage **220-240V**.
CRI>**70**.
Type of LED **SMD Samsung 3535/ Edison 2835**.
Beam angle **25°**.
No dimmable.

Lifetime **30.000hrs**.
Working temperature **-20°C → 45°C**.
Material **Aluminium, iron, acrylic**.
USB charger.
Guarantee **2 years**.





Reading Lights Led

Jak



VK/04110/B/W
(With switch)





VK/04110NS/W/W
(No switch)

VK/04110 (With Switch)

VK/04110NS (No Switch)

Code	Model	Box
64171-053126	VK/04110/W/W ○ White. 3000K. 100lm. 3W. With Switch	50pcs
64171-054126	VK/04110/B/W ● Black. 3000K. 100lm. 3W. With Switch	50pcs
64171-073126	VK/04110NS/W/W ○ White. 3000K. 100lm. 3W. NO switch.	50pcs
64171-072126	VK/04110NS/B/W ● Black. 3000K. 100lm. 3W. NO switch.	50pcs




Details

AC 100-240V Driver (Included).
CRI>80.
Beam Angle 25°.
Type of Led CREE.
Working temperature -20°C → 45°C.

Lifetime 50.000hrs.
Clicks 50.000.
Material Aluminium, spiral.
Guarantee 2 years.





Reading Lights Led

Olo



VK/04231/W/W/40/L







VK/04231/W/W/40/R

LEFT

RIGHT

VK/04231/40/L VK/04231/40/R

Code	Model	Box
64171-264727	VK/04231/W/W/40/L ○ White. 3200K. 690lm. 3W & 2x6W.	20pcs
64171-265727	VK/04231/B/W/40/L ● Black. 3200K. 690lm. 3W & 2x6W.	20pcs
64171-276727	VK/04231/W/W/40/R ○ White. 3200K. 690lm. 3W & 2x6W.	20pcs
64171-277727	VK/04231/B/W/40/R ● Black. 3200K. 690lm. 3W & 2x6W.	20pcs



Details

Voltage 220-240V.
CRI>70.
Type of LED SMD Samsung 3535/Edison
2835. Beam angle 25°.
No dimmable.

Lifetime 30.000hrs.
Working temperature -20°C→ 45°C.
Material Aluminium, iron, acrylic.
Guarantee 2 years.





Reading Lights Led

Olo



VK/04230/B/W/30/L




VK/04230/B/W/60/L

LEFT

VK/04230/30/L

VK/04230/60/L


Code	Model	Box
64171-260727	VK/04230/W/W/30/L ○ White. 3200K. 480lm. 3W & 6W.	20pcs
64171-261727	VK/04230/B/W/30/L ● Black. 3200K. 480lm. 3W & 6W.	20pcs
64171-262727	VK/04230/W/W/60/L ○ White. 3200K. 690lm. 3W & 12W.	20pcs
64171-263727	VK/04230/B/W/60/L ● Black. 3200K. 690lm. 3W & 12W.	20pcs



Details

Voltage 220-240V.
CRI>70.
Type of LED SMD Samsung 3535/
Edison 2835.
Beam angle 25°.

No dimmable.
Lifetime 30.000hrs.
Working temperature -20°C→ 45°C.
Material Aluminium, iron, acrylic.
Guarantee 2 years.



Olo



VK/04230/B/W/30/R





VK/04230/B/W/60/R

RIGHT

VK/04230/30/R

VK/04230/60/R

Code	Model	Box
64171-272727	VK/04230/W/W/30/R ○ White. 3200K. 480lm. 3W & 6W.	20pcs
64171-273727	VK/04230/B/W/30/R ● Black. 3200K. 480lm. 3W & 6W.	20pcs
64171-274727	VK/04230/W/W/60/R ○ White. 3200K. 690lm. 3W & 12W.	20pcs
64171-275727	VK/04230/B/W/60/R ● Black. 3200K. 690lm. 3W & 12W.	20pcs



Reading Lights Led


Archie



VK/04178/WA/AN

VK/04178

Code	Model	Box
64174-021126	VK/04178/WA/W/W ○ White. 3000K. 120lm. 2W.	10pcs
64174-022126	VK/04178/WA/W/C ○ White. 4000K. 120lm. 2W.	10pcs
64174-023126	VK/04178/WA/AN/W ● Anthracite. 3000K. 120lm. 2W.	10pcs
64174-024126	VK/04178/WA/AN/C ● Anthracite. 4000K. 120lm. 2W.	10pcs



Details

AC 100-265V Driver (Included).
CRI>80.
Beam Angle 24°.
Type of Led CREE High power.

Working temperature -20°C → 40°C.
Lifetime 50.000hrs.
Material Aluminium.
Guarantee 2 years.




Ellis



VK/04155/WA/W

VK/04155

Code	Model	Box
64171-064126	VK/04155/WA/B/W ● Black matt. 3000K. 110lm. 3W.	36pcs
64171-065126	VK/04155/WA/W/W ○ White. 3000K. 110lm. 3W.	36pcs



Details

AC 100-265V Driver (Included).
CRI>80.
Beam Angle 30°.
Type of Led CREE.

Working temperature -20°C→ 40°C.
Lifetime 50.000hrs.
Material Aluminium.
Guarantee 2 years.



Reading Lights Led

Milo



VK/04177/WA/B/W



VK/04175/WA/B/W

with USB

VK/04177


VK/04175

Code	Model	Box
64171-071126	VK/04177/WA/B/W ● Black matt. 3000K. 175lm. 3W.	10pcs
64171-070126	VK/04177/WA/W/W ○ White. 3000K. 175lm. 3W.	10pcs
64171-067126	VK/04175/WA/B/W ● Black matt. 3000K. 110lm. 3W.	10pcs
64171-066126	VK/04175/WA/W/W ○ White. 3000K. 110lm. 3W.	10pcs

Details

AC 100-265V Driver (Included).
CRI>80. Beam Angle 30°.
Type of Led 3535.
Working temperature -20°C → 40°C.

Lifetime 30.000hrs.
Material Aluminium.
USB charger.
Guarantee 3 years.



IP20

Milo



VK/04154/WA/W/W

VK/04154

Code
64171-062126

Model
VK/04154/WA/B/W
● Black matt. 3000K. 110lm. 3W.

Box
40pcs



64171-063126

VK/04154/WA/W/W
○ White. 3000K. 110lm. 3W.

40pcs

Cut hole
5x16cm


3cm



Details

AC 100-265V Driver (Included).
CRI>80.
Beam Angle 30°.
Type of Led 3535.

Working temperature -20°C → 40°C.
Lifetime 30.000hrs.
Material Aluminium.
Guarantee 3 years.



IP20



Reading Lights Led

Obo



VK/04151/WA/W/W



VK/04153/WA/B/W





VK/04151

VK/04153

Code	Model	Box
64171-055126	VK/04151/WA/B/W ● Black matt. 3000K. 110lm. 3W.	24pcs
64171-056126	VK/04151/WA/W/W ○ White. 3000K. 110lm. 3W.	24pcs
64171-060126	VK/04153/WA/B/W ● Black matt. 3000K. 110lm. 3W.	40pcs
64171-061126	VK/04153/WA/W/W ○ White. 3000K. 110lm. 3W.	40pcs

Cut hole
12x4cm



Details

AC 100-265V Driver (Included).
CRI>80.
Beam Angle 30°.
Type of Led 3535.

Working temperature -20°C→ 40°C.
Lifetime 30.000hrs.
Material Aluminium.
Guarantee 3 years.




Obo



VK/04152/WA/BS/W

VK/04152

Code 64171-057126	Model VK/04152/WA/B/W ● Black matt. 3000K. 110lm. 3W.	Box 40pcs
64171-058126	VK/04152/WA/BS/W ● Brushed brass. 3000K. 110lm. 3W.	40pcs
64171-059126	VK/04152/WA/W/W ○ White. 3000K. 110lm. 3W.	40pcs



Details

AC **100-265V** Driver (Included).
CRI>**80**.
Beam Angle **30°**.
Type of Led **CREE**.

Working temperature **-20°C → 40°C**.
Lifetime **50.000hrs**.
Material **Aluminium**.
Guarantee **2 years**.



Reading Lights Led

Obo




VK/04176/WA/W/W

with USB

VK/04176

Code	Model	Box
64171-069126	VK/04176/WA/B/W ● Black matt. 3000K. 110lm. 3W.	10pcs
64171-068126	VK/04176/WA/W/W ○ White. 3000K. 110lm. 3W.	10pcs



Details

AC 100-265V Driver (Included).
CRI>80. Beam Angle 30°.
Type of Led CREE.
Working temperature -20°C→ 40°C.

Lifetime 50.000hrs.
Material Aluminium.
USB charger.
Guarantee 2 years.



IP20

Theo



VK/04232/B/W



with USB

VK/04232

Code	Model	Box
64171-268727	VK/04232/W/W ○ White. 3200K. 205lm. 3W.	20pcs
64171-269727	VK/04232/B/W ● Black. 3200K. 205lm. 3W.	20pcs

Details

AC 220-240V Driver (Included). CRI>70. Beam Angle 25°. Type of Led SMD 3535.	Working temperature -20°C→ 45°C. Lifetime 30.000hrs. Material Aluminium, iron. USB charger. Guarantee 2 years.
---	---



Night lights Led


Square



VK/04224/W

VK/04224


Code 75169-042721	Model VK/04224/W/W ○ White matt. 3000K. 40lm. 3W.	Box 50pcs
75169-044721	VK/04224/W/C ○ White matt. 4000K. 40lm. 3W.	50pcs



Details

AC Driver **100-240V (Included)**.
CRI>**80**.
Beam Angle **Diffuser light**.
Type of Led **CREE XPE**.

Lifetime **50.000hrs**.
Working temperature < **45°C**.
Material **Aluminium**.
Guarantee **3 years**.



Round




VK/04225/W

VK/04225

Code
75169-043721

Model
VK/04225/W/W
○ White matt. 3000K. 110lm. 1W. CRI>80

Box
50pcs




Details

AC 100-240V Driver (Included).
Type of Led **Edison**.
Lifetime 50.000hrs.
Clicks 20.000.

Working temperature < 45°C.
Material **Aluminium**.
Guarantee 3 years.



IP20




Sign Lights Led


Sino

VK/04245, VK/04244, VK/04246


Code	Model	Color	Kelvin	Lumen	Watt	Degrees	CRI	Box
64174-029126	VK/04245/MC/W	● Matt Nickel	3000K	300lm	2W	120°	CRI>70	30pcs
64174-028126	VK/04245/MC/D	● Matt Nickel	6000K	300lm	2W	120°	CRI>70	30pcs
64174-032126	VK/04245/MC/BL	● Matt Nickel	Blue	300lm	2W	120°	CRI>70	30pcs
64174-027126	VK/04244/MC/W	● Matt Nickel	3000K	300lm	2W	120°	CRI>70	30pcs
64174-026126	VK/04244/MC/D	● Matt Nickel	6000K	300lm	2W	120°	CRI>70	30pcs
64174-033126	VK/04244/MC/BL	● Matt Nickel	Blue	300lm	2W	120°	CRI>70	30pcs
64174-031126	VK/04246/MC/W	● Matt Nickel	3000K	300lm	2W	120°	CRI>70	30pcs
64174-030126	VK/04246/MC/D	● Matt Nickel	6000K	300lm	2W	120°	CRI>70	30pcs
64174-034126	VK/04246/MC/BL	● Matt Nickel	Blue	300lm	2W	120°	CRI>70	30pcs



VK/04245



VK/04244



VK/04246

Details

Voltage **230V**.
 Type of LED **SMD 5730**.
 CRI**>70**.
 Beam angle **120°**.
No dimmable.

Lifetime **30.000hrs**.
 Working temperature **-20°C → 45°C**.
 Material **Acrylic, iron base**.
 Guarantee **2 years**.





Reading Lights

Hat



VK/04034/MC/B


VK/04034

Code	Model	Box
64171-029171	VK/04034/MC/W ○ White shade. Nickel. E27. Max. 20W (LED).	10pcs
64171-028171	VK/04034/MC/B ● Black shade. Nickel. E27. Max. 20W (LED).	10pcs

Details

Voltage 240V.
Lampholder E27.
Led light 1W.

Working temperature -20°C → 45°C.
Material Aluminium, metal,
TC shade (included).



Hat



VK/04032/MC/B





VK/04033/MC/W

VK/04032

VK/04033

Code	Model	Box
64171-025171	VK/04032/MC/W ○ White shade. Nickel. E14. Max. 9W (LED).	10pcs
64171-024171	VK/04032/MC/B ● Black shade. Nickel. E14. Max. 9W (LED).	10pcs
64171-027171	VK/04033/MC/W ○ White shade. Nickel mat. E14. Max. 9W (LED).	10pcs
64171-026171	VK/04033/MC/B ● Black shade. Nickel mat. E14. Max. 9W (LED).	10pcs



Details

Voltage 240V.
Lampholder E14.
Led light 1W.
Working temperature -20°C → 45°C.

Material Aluminium, metal,
TC shade (included).
IP Rating IP20.




Wally



VK/03312/WA/MCW

VK/03312/WA

Code	Model	Box
75169-292108	VK/03312/WA/MCB ●● Metal/Black. E27. Max. 20W (LED).	10pcs
75169-293108	VK/03312/WA/MCW ●○ Metal/White. E27. Max. 20W (LED).	10pcs
75169-294108	VK/03312/WA/WW ○ White. E27. Max. 20W (LED).	10pcs
75169-295108	VK/03312/WA/BB ● Black. E27. Max. 20W (LED).	10pcs



Details

Material **iron+cotton shade**
Location **Wall**
Input voltage **220-240V**

Lampholder **E27**
With switch






Adair



VK/04023/BS

VK/04023

Code	Model	Box
64171-011171	VK/04023/C ● Chrome. 50lm. 1W.	10pcs
64171-021171	VK/04023/MC ● Brushed Chrome. 50lm. 1W.	10pcs
64171-022171	VK/04023/BS ● Brass. 50lm. 1W.	10pcs



Details

AC 240V Driver (Included).
CRI>80.
Beam Angle 25°.
Type of Led CREE.

Working temperature -20°C→ 45°C.
Lifetime 50.000hrs.
Material Aluminium.
Guarantee 2 years.





VK/04031/SPIRAL/H5

VK/04031/SPIRAL

Code	Model	Box
64171-024126	VK/04031/SPIRAL/H5 ● Chrome.	10pcs

Details
Spiral 30x0.8cm. Head 5cm.



VK/04031/CREE

VK/04031/CREE

Code	Model	Box
64171-026126	VK/04031/CREE 1W.	10pcs

Details
Led CREE. Watt 1W.



VK/04031/LENS

VK/04031/LENS

Code	Model	Box
64171-027126	VK/04031/LENS	10pcs

Details
Lens.



VK/04031/DRIVER

1.8cm | 1.8cm
1.8cm | 3.6cm

VK/04031/DRIVER

Code	Model	Box
64171-028126	VK/04031/DRIVER 300mA. 1W. DC300mA. L3.6xW1.8xH1.8cm	10pcs


Details
Voltage 100-240V. Watt 1W. Material Plastic.
Guarantee 2 years.




Reading Lights Led Accessories



VK/SW1/1



VK/SW1/2



VK/SW1/1

Code
64171-031126

Model
VK/SW1/1
Switch On-Off.

Box
10pcs

Details

Material **Metal**. Guarantee **3 years**.

IP20

VK/SW1/2

Code
64171-032126

Model
VK/SW1/2
Switch On-Off-On.

Box
10pcs


Details

Material **Metal**. Guarantee **3 years**.

IP20



VK/SW2/1



VK/SW2/1

Code
64171-033126


Model
VK/SW2/1
Switch On-Off.

Box
10pcs

Details

Material **Plastic**. Guarantee **3 years**.

IP20






Step Lights Led

Step Lights Led

Fune



+



VK/04571/BASE/W


VK/04571/FRAME/CH

VK/04571/BASE/W

Code
75169-246115


Model
VK/04571/BASE/W
3000K. 1.5W. 80lm. CRI>80

Box
50pcs



8.6cm

Cut hole



VK/04571/FRAME

Code
75169-247115

Model
VK/04571/FRAME/W
○ White. Led Light Frame

Box
250pcs

75169-248115

VK/04571/FRAME/B
● Black. Led Light Frame

250pcs

75169-249115


VK/04571/FRAME/CG
● Champagne gold. Led Light Frame

250pcs

75169-250115

VK/04571/FRAME/CH
● Nickel Led Light Frame

250pcs



8.6cm

8.6cm

White



Black



Champagne gold



Details

Material **Steel+PC+Plastic**
Type of Led **SMD**
Lighting source **3535**
Voltage **AC220-240V**
Location **Recessed Wall**

Beam angle **10°**
Working temperature **≤35°C**
Lifetime **20.000hrs**
Guarantee **2 years**



installation box

IP20



Step Lights Led


Fune



VK/04584/B/W

VK/04584


Code	Model	Box
75169-255115	VK/04584/W/W ○ White. 3000K. 1W. 90lm. CRI>80	100pcs
75169-254115	VK/04584/B/W ● Black. 3000K. 1W. 90lm. CRI>80	100pcs
75169-256115	VK/04584/AN/W ● Anthracite. 3000K. 1W. 90lm. CRI>80	100pcs




Details

Material **Aluminium**
Type of Led **SMD**
Lighting source **3535**
Voltage **AC220-240V**
Location **Recessed Wall**


Beam angle **40°**
Working temperature **≤35°C**
Lifetime **20.000hrs**
Guarantee **2 years**





Step Lights Led

Fune




VK/04585/AN/W

VK/02249/S/W

VK/04585

VK/02249

Code	Model	Box
75169-258115	VK/04585/W/W ○ White. 3000K. 1W. 90lm. CRI>80. IP20	100pcs
75169-257115	VK/04585/B/W ● Black. 3000K. 1W. 90lm. CRI>80. IP20	100pcs
75169-259115	VK/04585/AN/W ● Anthracite. 3000K. 1W. 90lm. CRI>80. IP20	100pcs
75169-260115	VK/02249/S/W ● Silver. 3000K. 1W. 88lm. CRI>80. IP67	100pcs
75169-261115	VK/02249/B/W ● Black. 3000K. 1W. 88lm. CRI>80. IP67	100pcs




Details


Material **Aluminium**
 Type of Led **SMD**
 Lighting source **3535**
 Voltage **AC220-240V**
 Location **Recessed Wall**

Beam angle **40°**
 Working temperature $\leq 35^{\circ}\text{C}$
 Lifetime **20.000hrs**
 Guarantee **2 years**











Wall Decorative Lights

Wall Decorative Lights Led

Noa



VK/04458



Dimmable

VK/04458

Code
75169-123721


Model
VK/04458/WA/B/W
● Black sand. 3000K. 6W. 258lm. CRI>85

Box
1pc

Details

Input current **0.0340mA**.
Input Voltage **DC218.9V**.
Type of Led **COB with driver**.
Input AC 220-240V 50/60Hz
Output **DC20V 0.075mA**.
Angle **95°**.
Rotation Angle **350°**.

Dimmable.
Lifetime **50.000 hrs**.
Clicks **10.000 clicks**.
Working temperature **< 75°C**.
Material **Metal**.
Guarantee **2 years**.



Detail of the LED shade and the signature junction



Wall led lights

Oscar




VK/04455/WA/B/W/60


VK/04455/WA/.../60

Code	Model	Box
75169-100721	VK/04455/WA/B/W/60 ● Black sand. 3000K. 5W. 716lm. CRI>90. 60cm	12pcs
75169-101721	VK/04455/WA/B/C/60 ● Black sand. 4000K. 5W. 865lm. CRI>90. 60cm	12pcs
75169-102721	VK/04455/WA/W/W/60 ○ White sand. 3000K. 5W. 716lm. CRI>90. 60cm	12pcs
75169-103721	VK/04455/WA/W/C/60 ○ White sand. 4000K. 5W. 865lm. CRI>90. 60cm	12pcs


Details

5W: Input current **600mA**.
Input Voltage **DC9V**.
Type of Led  **SMD with driver**.
Driver input **AC200-240V 50/60Hz**
output **DC 6-10V 600mA**.
Angle **110°**.
Rotation angle **350°**.

No Dimmable.
Lifetime **20.000 hrs**.
Working temperature **-20°C~45°C**.
Material **Aluminium**.
Installation **Surface-Mounted**.
Guarantee **3 years**.



IP20




VK/04455/WA/.../90

Code	Model	Box
75169-104721	VK/04455/WA/B/W/90 ● Black sand. 3000K. 8W. 1208lm. CRI>90. 90cm	8pcs
75169-105721	VK/04455/WA/B/C/90 ● Black sand. 4000K. 8W. 1163lm. CRI>90. 90cm	8pcs
75169-106721	VK/04455/WA/W/W/90 ○ White sand. 3000K. 8W. 1208lm. CRI>90. 90cm	8pcs
75169-107721	VK/04455/WA/W/C/90 ○ White sand. 4000K. 8W. 1163lm. CRI>90. 90cm	8pcs

Details

8W: Input current 700mA.
 Input Voltage DC12V.
 Type of Led ~~bridgeled~~ SMD with driver.
 Driver input AC200-240V 50/60Hz
 output DC 5-12V 700mA.
 Angle 110°.
 Rotation angle 350°.




Wall Decorative Lights

Liv



VK/04386/WA/B



VK/04386/WA/B

Code
75169-009741

Model
VK/04386/WA/B
● Black. E27. Max 20W (LED).

Box
1pc

Details

Wall Light 220-240V.
Working temperature -20°C → 45°C.
Material **Matt Black painting metal lamp body,**

black fabric KD shade,
black textile cable.
Guarantee 2 years.





Wall Decorative Lights

Eino




VK/03174/WA/B

VK/03174/WA

Code
75169-486730

Model
VK/03174/WA/B
● Black. E27. Max 20W (LED).

Box
1pc



Details

Voltage 240V.
E27.

Material **Metal, glass.**
Guarantee **2 years.**



IP20



Wall/Ceiling Decorative Lights

Apro



VK/03330/WA/NW

VK/03330/WA

Code
64174-016775


Model
VK/03330/WA/NW
● Natural wood. GU10. Max. 12W. (LED)

Box
1pc

Details

Material **Oak wood & fabric cord**
Location **Wall**

Input voltage **AC220-240V**
Lampholder **GU10**



Natural wood



IP20



Wall/Ceiling Decorative Lights

Game



VK/03296/CE/W
With ON/OFF switch







VK/03295/CE/B
Without switch

VK/03296/CE With ON/OFF switch

VK/03295/CE Without switch

Code 64174-964121	Model VK/03296/CE/W ○ White. GU10. Max. 12W. (LED)	Box 1pc
64174-965121	VK/03296/CE/B ● Black. GU10. Max. 12W. (LED)	1pc
64174-958121	VK/03295/CE/W ○ White. GU10. Max. 12W. (LED)	1pc
64174-959121	VK/03295/CE/B ● Black. GU10. Max. 12W. (LED)	1pc



Details

Material **Pure aluminium**
Input voltage **230V**

Location **Ceiling**
Lampholder **GU10**



Game




VK/03295/CE/2/W



VK/03295/CE/3/B

VK/03295/CE/2
VK/03295/CE/3

Code 64174-960121	Model VK/03295/CE/2/W ○ White. 2xGU10. Max. 2x12W. (LED)
64174-961121	VK/03295/CE/2/B ● Black. 2xGU10. Max. 2x12W. (LED)
64174-962121	VK/03295/CE/3/W ○ White. 3xGU10. Max. 3x12W. (LED)
64174-963121	VK/03295/CE/3/B ● Black. 3xGU10. Max. 3x12W. (LED)



Details

Material Pure aluminium
Input voltage 230V

Location Ceiling
Lampholder 2xGU10

Wall/Ceiling Decorative Lights

Game




VK/03297/CE/BGD



VK/03297/CE/2/BGD

VK/03297/CE/BGD VK/03297/CE/2/BGD

Code 64174-966121	Model VK/03297/CE/BGD ● ● Black-Gold. GU10. Max. 12W. (LED)	Box 1pc
64174-967121	VK/03297/CE/2/BGD ● ● Black-Gold. 2xGU10. Max. 2x12W. (LED)	1pc



Details

Material Pure aluminium
Input voltage 230V

Location Ceiling
Lampholder GU10/ 2xGU10



Game





VK/03297/CE/3/BGD

VK/03297/CE/3/BGD

Code
64174-968121

Model
VK/03297/CE/3/BGD
● **Black-Gold.** 3xGU10. Max. 3x12W. (LED)

Box
1pc



Details

Material **Pure aluminium**
Input voltage **230V**

Location **Ceiling**
Lampholder **2xGU10**

⏚  **IP20**

Wall/Ceiling Decorative Lights



Trina



VK/03078CE/W



VK/03078CE/2/B



VK/03078CE

Code	Model	Box
64174-001108	VK/03078CE/W ○ White sanded. GU10. Max. 12W. (LED)	36pcs
64174-002108	VK/03078CE/B ● Black sanded. GU10. Max. 12W. (LED)	36pcs

Details

Voltage **240V**.
GU10/Par16.
Guarantee **2 years**.

Working temperature **-20°C ~ 40°C**.
Material **Aluminium, metal**.



VK/03078CE/2

Code	Model	Box
64174-003108	VK/03078CE/2/W ○ White sanded. GU10x2. Max 2x12W. (LED)	18pcs
64174-004108	VK/03078CE/2/B ● Black sanded. GU10x2. Max 2x12W. (LED)	18pcs

Details

Voltage **240V**.
GU10/Par16.
Guarantee **2 years**.


Working temperature **-20°C ~ 40°C**.
Material **Aluminium, metal**.



Trina



VK/03078CE/3/W



VK/03078CE/3

Code	Model	Box
64174-005108	VK/03078CE/3/W ○ White sanded. GU10x3. Max 3x12W. (LED)	15pcs
64174-006108	VK/03078CE/3/B ● Black sanded. GU10x3. Max 3x12W. (LED)	15pcs

Details

Voltage **240V**.
GU10/Par16.
Guarantee **2 years**.

Working temperature **-20°C ~ 40°C**.
Material **Aluminium, metal**.



IP20

Wall/Ceiling Decorative Lights



Aina



VK/03106CE/COP



VK/03106CE/2/B



VK/03106CE

Code	Model	Box
64174-029108	VK/03106CE/COP ● Copper+Black. GU10. Max. 12W. (LED)	24pcs
64174-030108	VK/03106CE/B ● Black. GU10. Max. 12W. (LED)	24pcs

Details

Voltage **240V**.
GU10/Par16.

Working temperature **-20°C ~ 40°C**.
Material **Aluminium, iron**.



VK/03106CE/2

Code	Model	Box
64174-031108	VK/03106CE/2/COP ● Copper+Black. GU10x2. Max 2x12W. (LED)	12pcs
64174-032108	VK/03106CE/2/B ● Black. GU10x2. Max 2x12W. (LED)	12pcs

Details

Voltage **240V**.
GU10/Par16.

Working temperature **-20°C ~ 40°C**.
Material **Aluminium, iron**.





Wall Decorative Lights

Inga




VK/03096WA/B

VK/03096WA

Code
64174-015108

Model
VK/03096WA/B
● Black sanded. GU10. Max. 12W. (LED)

Box
8pcs



Details

Voltage 240V.
Working temperature -20°C → 45°C.

Material Aluminium.
IP Rating IP20. Guarantee 2 years.



Gro




VK/03161/WA/B

VK/03161/WA

Code
71164-014724

Model
VK/03161/WA/B
● Black. E27. Max. 20W. (LED)

Box
1pc



Details

Voltage 240V.
E27.

Material Metal.
Guarantee 2 years.

  IP20

Wall Decorative Lights

Hana



VK/03310/WA/W




VK/03310/WA/B

Updown

VK/03310/WA

Code 75169-288108	Model VK/03310/WA/W ○ Sanded white. GU10x2. Max. 2x12W. (LED)	Box 20pcs
75169-289108	VK/03310/WA/B ● Sanded black. GU10x2. Max. 2x12W. (LED)	20pcs



Details

Material **aluminium**
Location **Wall**
Input voltage **230V**

Lampholder **2xGU10**
Guarantee **2 years.**





Wall Decorative Lights

Hana



VK/03311/WA/W



VK/03311/WA/B

Updown

VK/03311/WA

Code
75169-290108


Model
VK/03311/WA/W
○ Sanded white. GU10x2. Max. 2x12W. (LED)

Box
20pcs

75169-291108

VK/03311/WA/B
● Sanded black. GU10x2. Max. 2x12W. (LED)

20pcs




Details

Material **aluminium**
Location **Wall**
Input voltage **230V**

Lampholder **2xGU10**
Guarantee **2 years.**



IP20



Wall Decorative Lights

Mia



VK/03077WA/AL



VK/03077WA/COP

Updown

VK/03077WA

Code
75169-225108


Model
VK/03077WA/AL
● Aluminium+Frosted glass. G9. Max 8W. (LED)

Box
20pcs

75169-226108

VK/03077WA/COP
● Copper+Frosted glass. G9. Max 8W. (LED)

20pcs



Details

Voltage 220-240V.
G9.

Material Aluminium.
Guarantee 2 years.





Wall Decorative Lights

Ase



VK/03072WA/BGD


Updown

VK/03072WA

Code
75169-220108

Model
VK/03072WA/BGD
● Black+Gold sanded. G9. Max 8W. (LED)

Box
20pcs



Details

Voltage 220-240V.
G9.

Material **Aluminium.**





Wall Decorative Lights

Kub



VK/03073WA/BGD


Updown

VK/03073WA

Code
75169-221108

Model
VK/03073WA/BGD
● Black+Gold sanded. G9. Max 8W. (LED)

Box
20pcs



Details

Voltage 220-240V.
G9.

Material Aluminium.





Wall Decorative Lights

Frey



VK/03074WA/BGD


Updown

VK/03074WA

Code
75169-222108

Model
VK/03074WA/BGD
● Black+Gold sanded. G9. Max 8W. (LED)

Box
20pcs



Details

Voltage 220-240V.
G9.

Material Aluminium.





Wall Decorative Lights

Slot



VK/03075WA/BGD

Updown

VK/03075WA

Code
75169-223108


Model
VK/03075WA/BGD
● Black+Gold sanded. G9. Max 8W. (LED)

Box
20pcs

Details

Voltage 220-240V.
G9.

Material Aluminium.





Wall Decorative Lights

Nor



VK/03076WA/BGD


Updown

VK/03076WA

Code
75169-224108

Model
VK/03076WA/BGD
● Black+Gold sanded. G9. Max 8W. (LED)

Box
20pcs



Details

Voltage 220-240V.
G9.

Material Aluminium.



Wall Decorative Lights

Olia



VK/03128WA/BGD





VK/03127WA/BGD

Updown

VK/03128WA

VK/03127WA

Code	Model	Box
75169-276108	VK/03128WA/BGD ● Black+Gold. G9. Max 8W. (LED)	20pcs
75169-275108	VK/03127WA/BGD ● Black+Gold. G9. Max 8W. (LED)	20pcs



Details

Voltage 220-240V.
G9.

Material Aluminium.





Wall Decorative Lights

Lynea



VK/04223/W/15



VK/04223/W/25






VK/04223/W/35

VK/04223/W/15

VK/04223/W/25

VK/04223/.../35

Code	Model	Box
75169-039721	VK/04223/W/15/W ○ White sand. 3000K. 305lm. 5W. 15cm	50pcs
75169-040721	VK/04223/W/25/W ○ White sand. 3000K. 493lm. 7W. 25cm	30pcs
75169-041721	VK/04223/W/35/W ○ White sand. 3000K. 1502lm. 10W. 35cm	20pcs
75169-140721	VK/04223/B/35/W ● Black sand. 3000K. 1502lm. 10W. 35cm	20pcs



Details

AC 220-240V Driver (Included).
Beam Angle Diffuse light.
Type of Led Bridgelux 2835.
Lifetime 50.000hrs.

Working temperature <45°C.
Material Aluminium.
CRI>80
Guarantee 3 years.





Wall Decorative Lights

Ray




VK/04133WA/B/W

Updown

VK/04133WA

Code 75169-258108	Model VK/04133WA/W/W ○ White sanded. 3000K. 685lm. 6W. CRI>80.	Box 10pcs
75169-259108	VK/04133WA/B/W ● Black sanded. 3000K. 685lm. 6W. CRI>80.	10pcs




Details

AC 220-240V Driver (Included).
Beam Angle 120°.
Type of Led **SMD Edison**.
Lifetime **50.000hrs**.

Working temperature **-20°C → 45°C**.
Material **Aluminium**.
Guarantee **2 years**.





Wall Decorative Lights


Eli



VK/04180/WA/GD/W

VK/04180/WA

Code	Model	Box
75169-356695	VK/04180/WA/W/W ○ White. 3000K. 213lm. 2W. CRI>80.	5pcs
75169-357695	VK/04180/WA/B/W ● Black. 3000K. 213lm. 2W. CRI>80.	5pcs
75169-358695	VK/04180/WA/GD/W ● Gold. 3000K. 213lm. 2W. CRI>80.	5pcs



Details

AC 220-240V Driver **(Included)**.
Beam Angle **120°**.
Type of Led **CREE**.
Lifetime **30.000hrs**.

Working temperature **-20°C → 40°C**.
Material **Iron**.
Guarantee **2 years**.





Wall Decorative Lights

Thora



VK/03069/WA/BR



VK/03069/2/WA/BR

VK/03069/WA VK/03069/2/WA

Code
64171-055697


Model
VK/03069/WA/BR
● **Brown.** G9. Max 8W. (LED)

Box
8pcs

64171-056697

VK/03069/2/WA/BR
● **Brown.** 2xG9. Max 2x8W. (LED)

6pcs



Details

Voltage **230V.**
G9.

Material **Metal, glass.**
IP Rating **IP20.**

  **IP20**



Wall Decorative Lights

Kam



VK/04009/AL




VK/04010/AL

Updown


VK/04009

VK/04010

Code 75169-209108	Model VK/04009/AL ■ Aluminium. 3000K. 180lm (90lmx2). 2W (2x1W).	Box 10pcs
----------------------	--	--------------



75169-204108	VK/04010/AL ■ Aluminium. 3000K. 360lm (90lmx4). 4W (4x1W).	10pcs
--------------	---	-------



Details

AC 100-240V Driver (Included).
Beam Angle 60°.
Type of Led High Power Led Edison.
Lifetime 20.000hrs.

Working temperature -20°C → 45°C.
Material Aluminium.
CRI>80.
Guarantee 2 years.



Kam



VK/04008/AL


Updown

VK/04008

Code
75169-210108

Model
VK/04008/AL
■ Aluminium. 3000K. 540lm (90lmx6). 6W (6x1W).

Box
10pcs



Details

AC 100-240V Driver (Included).
Beam Angle 60°.
Type of Led High Power Led Edison.
Lifetime 20.000hrs.

Working temperature -20°C → 45°C.
Material Aluminium.
CRI>80.
Guarantee 2 years.



Wall Decorative Gypsum Lights

Frame



VK/09017



VK/09015



VK/09016

VK/09017


VK/09015

VK/09016

Code
64174-236131

Model
VK/09017
○ White. 3000K. 5W. 220lm. CRI>80


Box
8pcs



64174-234131

VK/09015
○ White. 3000K. 12W. 598lm. CRI>80


8pcs



64174-235131

VK/09016
○ White. 3000K. 17W. 891lm. CRI>80

5pcs



Details

AC Driver **220-240V (Included)**.
Beam Angle **Diffuser light**.
Type of Led **SMD 5050**.
No Dimmable.
Lifetime **30.000 hrs**.

Working temperature **< 45°C**.
Material **Gypsum**.
Possibility to paint.
Guarantee **2 years**.



IP20

Anne




VK/09010

VK/09010

Code
64174-229131

Model
VK/09010
○ White. E14. Max 9W. (LED)

Box
6pcs



Details

Voltage 240V.
E14.

Material Gypsum.
Possibility to paint.



Wall Decorative Gypsum Lights

Eclipse



VK/09068



VK/09069


VK/09068

VK/09069

Code
64174-298131

Model
VK/09068
○ White. 3000K. 4W. 206lm. CRI>80


Box
16pcs



64174-299131

VK/09069
○ White. 3000K. 10W. 550lm. CRI>80

8pcs



Details

AC Driver **220-240V (Included)**.
Beam Angle **Diffuser light perimeter**.
Type of Led **SMD Hongli 5050**.
No Dimmable.

Lifetime **30.000 hrs**.
Working temperature **< 45°C**.
Material **Gypsum**. Possibility to paint.
Guarantee **2 years**.





Wall Decorative Gypsum Lights

Bod



VK/09043



VK/09044


VK/09043

VK/09044

Code
64174-262131

Model
VK/09043
○ White. G9. Max 8W. (LED)


Box
18pcs



64174-263131

Model
VK/09044
○ White. G9. Max 8W. (LED)

24pcs



Details

Voltage 240V.
G9.

Material Gypsum.
Possibility to paint.



Konta



VK/09018



VK/09019

VK/09018

VK/09019


Code
64174-237131

Model
VK/09018
○ White. GU10. Max 2x12W. (LED)

Box
9pcs



10
cm



7.5
cm

25.5
cm




64174-238131

Model
VK/09019
○ White. GU10. Max 2x12W. (LED)

9pcs



10
cm



7.5
cm

25.5
cm



Details

Voltage 240V.
GU10x2.

Material Gypsum.
Possibility to paint.



IP20

Wall Decorative Gypsum Lights

Kare





VK/09013

VK/09013

Code
64174-232131

Model
VK/09013
○ White. E14. Max 9W. (LED)

Box
6pcs



Details

Voltage **240V.**
E14.

Material **Gypsum.**
Possibility to paint.



Dag




VK/09011

VK/09011

Code
64174-230131

Model
VK/09011
○ White. E14. Max 9W. (LED)

Box
12pcs



Details

Voltage **240V.**
E14.

Material **Gypsum.**
Possibility to paint.



Wall Decorative Gypsum Lights

Hol



VK/09014

VK/09014

Code
64174-233131


Model
VK/09014
○ **White.** E14. Max 9W (LED).

Box
9pcs

Details

Voltage **240V.**
E14.

Material **Gypsum.**
Possibility to paint.



Nele





VK/09040

VK/09040

Code
64174-259131

Model
VK/09040
○ White. G9. Max 8W (LED).

Box
9pcs



Details

Voltage 240V.
G9.

Material **Gypsum.**
Possibility to paint.



IP20

Wall Decorative Gypsum Lights

Nest



VK/09026



VK/09027



VK/09028

VK/09026



VK/09027

VK/09028

Code
64174-245131

Model
VK/09026
○ White. 3000K. 1W. CRI>80

Box
8pcs



64174-339131



VK/09026/MR11
○ White. GU10/MR11. Max 6W. (LED)

8pcs

64174-246131

VK/09027
○ White. GU10. Max 12W. (LED)



4pcs



64174-247131

VK/09028
○ White. GU10. Max 12W. (LED)

3pcs



Details

Voltage 240V.
Material Gypsum.

Possibility to paint.



Randi



VK/09024



VK/09025


VK/09024

VK/09025

Code
64174-243131

Model
VK/09024
○ White. 3000K. 1W. CRI>80


Box
12pcs



64174-244131

Model
VK/09025
○ White. 3000K. 1W. CRI>80

8pcs



Details

AC Driver 220-240V (Included).
Beam Angle Diffuser light.
Type of Led CREE.
No Dimmable.
Lifetime 30.000 hrs.

Working temperature < 45°C.
Material Gypsum.
Possibility to paint.
Guarantee 2 years.



Wall Decorative Gypsum Lights

Kopp




VK/09012

VK/09012

Code
64174-231131

Model
VK/09012
○ **White.** G9. Max 8W. (LED)

Box
6pcs



Details

Voltage **240V.**
G9.

Material **Gypsum.**
Possibility to paint.



Lobe




VK/09064

VK/09064

Code
64174-293131

Model
VK/09064
○ **White.** 3000K. 7W. 401lm. CRI>80

Box
12pcs



Details

AC Driver **220-240V (Included).**
CRI>**80.**
Beam Angle **Diffuser light.**
Type of Led **COB.**
No Dimmable.

Lifetime **30.000 hrs.**
Working temperature < **45°C.**
Material **Gypsum.**
Possibility to paint.
Guarantee **2 years.**



Wall Decorative Gypsum Lights

Toke



VK/09045

VK/09045

Code
64174-264131


Model
VK/09045
○ **White**. 3000K. 6W. 502lm. CRI>80

Box
6pcs

Details

AC Driver **220-240V (Included)**.
Beam Angle **Diffuser light**.
Type of Led **COB Edison**.
No Dimmable.
Lifetime **30.000 hrs**.

Working temperature **< 45°C**.
Material **Gypsum**.
Possibility to paint.
Guarantee **2 years**.



Viggo




VK/09065

VK/09065

Code
64174-294131

Model
VK/09065
○ White. 3000K. 5W. CRI>80

Box
12pcs



Details

AC Driver **220-240V (Included)**.
Beam Angle **Diffuser light**.
Type of Led **COB**.
No Dimmable.
Lifetime **30.000 hrs**.

Working temperature **< 45°C**.
Material **Gypsum**.
Possibility to paint.
Guarantee **2 years**.



Wall Decorative Gypsum Lights

Sofo



VK/09070



VK/09071


VK/09070

VK/09071

Code
64174-300131

Model
VK/09070
○ White. G9. Max 8W. (LED)


Box
8pcs



64174-301131

Model
VK/09071
○ White. E14. Max 9W. (LED)

8pcs



Details

Voltage 240V.
Material Gypsum.

Possibility to paint.



Don



VK/09021



VK/09020

VK/09021


VK/09020

Code
64174-240131

Model
VK/09021
○ White. G9. Max 8W. (LED)

Box
3pcs

Cut hole



40
cm




64174-239131

Model
VK/09020
○ White. E14. Max 9W. (LED)

4pcs

Cut hole



33
cm



Details

Voltage 240V.
Material Gypsum.

Possibility to paint.



IP20

Wall Decorative Gypsum Lights

Sil



VK/09023



VK/09022

VK/09023



VK/09022

Code
64174-242131

Model
VK/09023
○ White. 3000K. 1W. CRI>80

Box
12pcs

Cut hole





64174-241131

Model
VK/09022
○ White. 3000K. 1W. CRI>80

12pcs

Cut hole



Details

AC Driver **220-240V (Included)**.
Beam Angle **Diffuser light**.
Type of Led **CREE**.
No Dimmable.
Lifetime **30.000 hrs**.

Working temperature **< 45°C**.
Material **Gypsum**.
Possibility to paint.
2 years guarantee.



Gate



VK/09042



VK/04227

VK/09042

VK/04227

Code 64174-261131	Model VK/09042 ○ White. 3000K. 1W. 153lm.	Box 20pcs
-----------------------------	--	---------------------



Details

AC Driver 220-240V (Included). Beam Angle Diffuser light. Type of Led CREE. CRI>80 No Dimmable. Lifetime 30.000 hrs.	Working temperature < 45°C. Material Gypsum. Possibility to paint. 2 years guarantee.
---	--

Code 64174-314131	Model VK/04227 ○ White. GU10. Max 12W. (LED)	Box 4pcs
-----------------------------	---	--------------------

Details

Voltage 240V. GU10.	Material Gypsum. Possibility to paint.
-------------------------------	---



IP20





Floor & Table Lights

Floor & Table Lights Led

Pac



VK/03248/W/W



White



Black



Dusty pink



Sage green



Rusty brown

Portable

VK/03248

Code
61171-258694

Model
VK/03248/W/W
○ White. 3000K. 2.2W. 150lm. CRI>80


Box
8pcs

ø12cm

61171-259694

VK/03248/B/W
● Black. 3000K. 2.2W. 150lm. CRI>80

8pcs



61171-260694

VK/03248/P/W
● Dusty Pink. 3000K. 2.2W. 150lm. CRI>80

8pcs

61171-261694

VK/03248/G/W
● Sage Green. 3000K. 2.2W. 150lm. CRI>80


8pcs

ø12cm

61171-262694

VK/03248/RB/W
● Rusty Brown. 3000K. 2.2W. 150lm. CRI>80

8pcs



Details

LED Indoor Portable Light
2x2200mAh lithium battery.
Beam angle 115°.
Location **Indoor table.**
Charge 6-8 hours.
Work time 12 hours.

With Open switch.
Working temperature 0-40°C.
Material **Aluminium.**
The battery can be charged and discharged 300 times.
Guarantee 2 years.

Included



USB type-C



IP20



Floor & Table Lights

Una



VK/03313/W



VK/03313

Code
61171-293741

Model
VK/03313/W
○ **White.** E27. Max. 20W. (LED)

Box
1pc

61171-294741

VK/03313/B
● **Black.** E27. Max. 20W. (LED)

1pc

61171-295741

VK/03313/GD
● **Gold.** E27. Max. 20W. (LED)

1pc


Details

Material **Metal**
Location **Table**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **1600mm**
Guarantee **2 years**



IP20



VK/03313/B




VK/03313/GD



Floor & Table Lights

Dia




VK/04385/B

Code
75169-008741

Model
VK/04385/B
● Black. E27. Max. 20W. (LED)

Box
1pc

Base



Details

Floor Light 220-240V.
Working temperature -20°C → 45°C.
Material **Matt Black painting metal lamp**



**body, black fabric KD shade,
black textile cable with foot on/off switch,
black marble base.**





Floor & Table Lights Led

Dia




VK/04258/B

Code
75169-007741

Model
VK/04258/B/W
● **Black.** 3000K. 11W. 244lm. CRI>80.

Box
1pc

Base



Details

AC 220-240V.
Color **Black metal body & base.**
Material **Metal body & marble base.**


Cable **Black textile.**
Guarantee **2 years.**





Floor & Table led lights

Lin



VK/04456

VK/04457

Code	Model	Box
75169-121721	VK/04456/B/W ● Black sand. 3000K. 12W. 129lm. CRI>80	1pc
75169-122721	VK/04457/B/W ● Black sand. 3000K. 24W. 481lm. CRI>80	1pc



Rotation of the horizontal beam

Details

Input current **0.1040mA**.
 Input Voltage **DC218.9V**.
 Type of Led **SMD with driver**.
 Input AC 220-240V 50/60Hz
 Output **DC24V 0.5mA**.
 Angle **90°, 180°**.
 Rotation Angle **350°**.

Dimmable.
 Lifetime **50.000 hrs**.
 Clicks **10.000 clicks**.
 Working temperature **< 75°C**.
 Material **Metal**.
 Guarantee **2 years**.



IP20



Connection of the wire



Floor & Table Lights



Elle



VK/03158/WD/W



VK/03157/WD/W



VK/03158/WD

Code
61171-011724

Model
VK/03158/WD/W
○ White & wood. E27. Max. 20W. (LED)

Box
1pc

Details

Voltage 240V.
Lampholder E27.

Material Wood, metal, TC shade.



IP20

VK/03157/WD

Code
61171-010724

Model
VK/03157/WD/W
○ White & wood. E27. Max. 20W. (LED)

Box
1pc

Details

Voltage 240V.
Lampholder E27.

Material Wood, metal, TC shade.




IP20

Elle



VK/03159/W



VK/03159

Code
61171-012724

Model
VK/03159/W
○ White & wood. E27. Max. 20W. (LED)

Box
6pcs

Details

Voltage 240V.
Lampholder E27.


Material Wood, metal, TC shade.



Elle



VK/03131/WD/RD40W



VK/03131

Code
61171-230747

Model
VK/03131/WD/RD40W
● **Wooden.** E27. Max. 20W. (LED)

Box
1pc

Details

Voltage **240V.**
Lampholder **E27.**

Material **Wood, fabric.**



IP20



Elle



VK/03169/G



VK/03168/G



VK/03169

VK/03168

Code	Model	Box
61171-023733	VK/03169/G	1pc
	● Dark grey. E27. Max. 20W. (LED)	

61171-022733	VK/03168/G	1pc
	● Dark grey. E27. Max. 20W. (LED)	

Details

Voltage 240V.

Material **Metal**.



IP20




Floor & Table Lights Led

Nia



VK/04238/B/WCD



VK/04238

Code 58610-115728	Model VK/04238/W/WCD ○ White. 3000K-6000K. 650lm. 7W. CRI>80.	Box 8pcs
58610-116728	VK/04238/B/WCD ● Black. 3000K-6000K. 650lm. 7W. CRI>80.	8pcs

Details

Voltage **220-240V**.
Type of LED **SMD**.
Working temperature **-25°C → 45°C**.
Lifetime **25.000hrs**.


Clicks **25.000**.
Material **Aluminium, ABS, PC**.
Guarantee **2 years**.



Nia



VK/04239/B/C



VK/04239

Code	Model	Box
58610-117728	VK/04239/W/C ○ White. 4000K. 600lm. 7W. CRI>80.	8pcs
58610-118728	VK/04239/B/C ● Black. 4000K. 600lm. 7W. CRI>80.	8pcs

Details

Voltage 220-240V.
Type of LED SMD.
Working temperature -25°C → 45°C.
Lifetime 25.000hrs.

Clicks 25.000.
Material ABS, PC.
Guarantee 2 years.




Floor & Table Lights

Nia



VK/03096/B



VK/03096

Code
64174-028108

Model
VK/03096/B
● Black sanded. GU10. Max. 12W. (LED)

Box
6pcs

Details

Voltage 230V.
Lampholder GU10.


Material Aluminium, metal.



Nia



VK/04234/B/W



VK/04234

Code 64171-267727	Model VK/04234/B/W ● Black. 3200K. 480lm. 3W & 6W. CRI>70.	Box 4pc
64171-266727	VK/04234/W/W ○ White. 3200K. 480lm. 3W & 6W. CRI>70.	4pc

Details


Voltage **220-240V.**
Type of LED **SMD Samsung 3535, Edison 3014.**
Beam angle **25°.**

Lifetime **30.000hrs.**
Working temperature **-20°C → 45°C.**
Material **Aluminium, iron & acrylic.**
Guarantee **2 years.**



Floor & Table Lights Led

Nia



VK/04240/B/D

VK/04240

Code 58610-119728	Model VK/04240/W/D ○ White. 5000K. 350lm. 4W. CRI>80.	Box 8pcs
58610-120728	VK/04240/B/D ● Black. 5000K. 350lm. 4W. CRI>80.	8pcs


Details

Voltage **220-240V**.
Type of LED **SMD**.
Working temperature **-25°C → 45°C**.
Lifetime **25.000hrs**.

Clicks **25.000**.
Material **ABS, PC**.
Guarantee **2 years**.



Nia



VK/04237/B/D

VK/04237

Code 58610-113728	Model VK/04237/W/D ○ White. 5000K. 280lm. 5W. CRI>80.	Box 24pcs
58610-114728	VK/04237/B/D ● Black. 5000K. 280lm. 5W. CRI>80.	24pcs

Details

Input **5V 1A**.
Type of LED **SMD**.
Working temperature **-25°C → 45°C**.
Lifetime **25.000hrs**.

Clicks **25.000**.
Material **ABS, PC**.
Guarantee **2 years**.

Only USB cable




IP20



Floor & Table Lights

Sky



VK/03242

VK/03243

Code	Model	Box
75169-125721	VK/03242/B ● Black sand. 2xE27. Max 2x20W (LED).	8pcs
75169-126721	VK/03243/B ● Black sand. 2xE27. Max 2x20W (LED).	8pcs
75169-141721	VK/03243/GM ● Gun metal. 2xE27. Max 2x20W (LED).	8pcs

Details

Voltage 220-240V.
Lampholder 2xE27.
Working temperature < 45°C.

Material Iron.
Installation Desk/Floor.
With metal pull switch.

Gun metal



Side view of the shade and its ventilation holes

Detail of the metal pull switch




Floor & Table Lights Led

Sky



VK/04459/B/W



VK/04459

Code
75169-124721


Model
VK/04459/B/W
● Black sand. 3000K. 6W. 207lm. CRI>85

Box
1pc


Details


Input current **0.0350mA**.
Input Voltage **DC218.9V**.
Type of Led **COB with driver**.
Input AC 220-240V 50/60Hz
Output **DC12V 0.12mA**.
Angle **95°**.
Rotation Angle **350°**.

Dimmable.
Lifetime **50.000 hrs**.
Clicks **10.000 clicks**.
Working temperature **< 75°C**.
Material **Metal**.
Guarantee **2 years**.



Detail of the LED shade and the signature junction







Cabinet Lights

Cabinet lights LED



Cab



VK/04308

Code 64174-960115	Model VK/04308/W/30	○ White	3000K	230lm	3W	120°	CRI>80	Box 1pc
----------------------	------------------------	---------	-------	-------	----	------	--------	------------

Details

Voltage **12V (Required driver 12V, not included)**. Watt **3W**. CRI>80. IP Rating **IP20**. Type of Led **SMD2835 x 12pcs**. **No Dimmable**, Lifetime **30.000 hrs**, Working temperature **-20 ~ 45°C**. Material **Aluminum + PMMA**. **Total length should be no longer than 2m**. Guarantee **2 years**.



VK/04308/.../PIR

Code 64174-961115	Model VK/04308/W/30/PIR	○ White	3000K	230lm	3W	120°	CRI>80	Box 1pc
----------------------	----------------------------	---------	-------	-------	----	------	--------	------------

Details

Voltage **12V (Required driver 12V, not included)**. Watt **3W**. CRI>80. IP Rating **IP20**. Type of Led **SMD2835 x 12pcs**. **No Dimmable**, Lifetime **30.000 hrs**, Working temperature **-20 ~ 45°C**. Material **Aluminum + PMMA**. **Total length should be no longer than 2m**. **With sensor PIR**. Guarantee **2 years**.



Cabinet lights LED


Cab



VK/04309/.../PIR

Code	Model	○ White	3000K	425lm	5.5W	120°	CRI>80	Box 1pc
------	-------	---------	-------	-------	------	------	--------	------------


Details
Voltage **12V (Required driver 12V, not included)**. Watt **5.5W**. CRI>80. IP Rating **IP20**. Type of Led **SMD2835 x 24pcs**. **No Dimmable**. Lifetime **30.000 hrs**. Working temperature **-20 ~ 45°C**. Material **Aluminum + PMMA**. Total length should be no longer than **2m**. With sensor **PIR**. Guarantee **2 years**.



VK/04310/.../PIR

Code	Model	○ White	3000K	815lm	5.5W	120°	CRI>80	Box 1pc
------	-------	---------	-------	-------	------	------	--------	------------

Details
Voltage **12V (Required driver 12V, not included)**. Watt **5.5W**. CRI>80. IP Rating **IP20**. Type of Led **SMD2835x48pcs**. **No Dimmable**. Lifetime **30.000 hrs**. Working temperature **-20 ~ 45°C**. Material **Aluminum + PMMA**. Total length should be no longer than **2m**. With sensor **PIR**. Guarantee **2 years**.



Cabinet lights LED



VK/04311/CON



Code
64174-964115

Model
VK/04311/CON
● Grey. Inter connector for led cabinet lights.

Box
1pc

Details

Inter-connectors for LED cabinet lights (**VK/04308**, **VK/04309**, **VK/04310**).

VK/04312/CON



Code
64174-965115

Model
VK/04312/CON
● Black. Connectors for led cabinet lights 3.5DC.

Box
1pc

Details

Connectors for LED cabinet lights 3.5DC double male headline 3.5x1.35 L: 1m (**VK/04308**, **VK/04309**, **VK/04310**).





Mirror Wall Lights

Mirror Wall Lights Led


Blou



VK/04555/B/W/40

VK/04555/.../40

Code	Model	Box
57610-158774	VK/04555/B/W/40 ● Black. 3000K. 8W. 720lm. CRI>80	10pcs
57610-159774	VK/04555/B/C/40 ● Black. 4000K. 8W. 740lm. CRI>80	10pcs
57610-160774	VK/04555/W/W/40 ○ White. 3000K. 8W. 740lm. CRI>80	10pcs
57610-161774	VK/04555/W/C/40 ○ White. 4000K. 8W. 760lm. CRI>80	10pcs



Details

Material **Iron & plastic**
Type of Led **SMD**
Lighting source **2835**
Voltage **AC220-240V**
Location **Wall**


Beam angle **108°**
Working temperature **-10 - 40°C**
Lifetime **30.000hrs**
Guarantee **3 years**





Mirror Wall Lights Led


Blou



VK/04555/W/W/60

VK/04555/.../60

Code	Model	Box
57610-162774	VK/04555/B/W/60 ● Black. 3000K. 12W. 1320lm. CRI>80	10pcs
57610-163774	VK/04555/B/C/60 ● Black. 4000K. 12W. 1340lm. CRI>80	10pcs
57610-164774	VK/04555/W/W/60 ○ White. 3000K. 12W. 1340lm. CRI>80	10pcs
57610-165774	VK/04555/W/C/60 ○ White. 4000K. 12W. 1380lm. CRI>80	10pcs



Details

Material **Iron & plastic**
Type of Led **SMD**
Lighting source **2835**
Voltage **AC220-240V**
Location **Wall**

Beam angle **108°**
Working temperature **-10 - 40°C**
Lifetime **30.000hrs**
Guarantee **3 years**




Blou



VK/04555/B/W/80

VK/04555/.../80

Code	Model	Box
57610-166774	VK/04555/B/W/80 ● Black. 3000K. 16W. 1760lm. CRI>80	10pcs
57610-167774	VK/04555/B/C/80 ● Black. 4000K. 16W. 1800lm. CRI>80	10pcs
57610-168774	VK/04555/W/W/80 ○ White. 3000K. 16W. 1800lm. CRI>80	10pcs
57610-169774	VK/04555/W/C/80 ○ White. 4000K. 16W. 1830lm. CRI>80	10pcs



Details

Material **Iron & plastic**
 Type of Led **SMD**
 Lighting source **2835**
 Voltage **AC220-240V**
 Location **Wall**

Beam angle **108°**
 Working temperature **-10 - 40°C**
 Lifetime **30.000hrs**
 Guarantee **3 years**



Mirror Wall Lights Led


Blou



VK/04554/B/W/57

VK/04554/.../57

Code	Model	Box
57610-154774	VK/04554/B/W/57 ● Black. 3000K. 11W. 1220lm. CRI>80	10pcs
57610-155774	VK/04554/B/C/57 ● Black. 4000K. 11W. 1240lm. CRI>80	10pcs
57610-156774	VK/04554/W/W/57 ○ White. 3000K. 11W. 1250lm. CRI>80	10pcs
57610-157774	VK/04554/W/C/57 ○ White. 4000K. 11W. 1290lm. CRI>80	10pcs



Details

Material **Iron & plastic**
Type of Led **SMD**
Lighting source **2835**
Voltage **AC220-240V**
Location **Wall**

Beam angle **108°**
Working temperature **-10 - 40°C**
Lifetime **30.000hrs**
Guarantee **3 years**





Mirror Wall Lights Led


Blou



VK/04554/B/W/43

VK/04554/.../43

Code	Model	Box
57610-150774	VK/04554/B/W/43 ● Black. 3000K. 8W. 690lm. CRI>80	10pcs
57610-151774	VK/04554/B/C/43 ● Black. 4000K. 8W. 710lm. CRI>80	10pcs
57610-152774	VK/04554/W/W/43 ○ White. 3000K. 8W. 710lm. CRI>80	10pcs
57610-153774	VK/04554/W/C/43 ○ White. 4000K. 8W. 730lm. CRI>80	10pcs




Details

Material **Iron & plastic**
Type of Led **SMD**
Lighting source **2835**
Voltage **AC220-240V**
Location **Wall**

Beam angle **108°**
Working temperature **-10 - 40°C**
Lifetime **30.000hrs**
Guarantee **3 years**





Mirror Wall Lights Led

Tub



VK/04163



Code	Model	● Aluminium	3000K	800lm	8W	180°	CRI>80	Box 25pcs
57610-139115	VK/04163/AL/W							
57610-140115	VK/04163/AL/C	● Aluminium	4000K	800lm	8W	180°	CRI>80	25pcs

Details

Voltage **85-265V**. Watt **8W**. CRI>**Ra80**. Type of LED **SMD 2835**. Beam angle **180°**. Lifetime **30.000hrs**. Working temperature **-20°C→ 45°C**.
Material **Aluminium, acrylic**. Guarantee **2 years**.



IP44



VK/04164


Code	Model	● Aluminium	3000K	800lm	8W	180°	CRI>80	Box 25pcs
57610-141115	VK/04164/AL/W							
57610-142115	VK/04164/AL/C	● Aluminium	4000K	800lm	8W	180°	CRI>80	25pcs

Details

Voltage **85-265V**. Watt **8W**. CRI>**Ra80**. Type of LED **SMD 2835**. Beam angle **180°**. Lifetime **30.000hrs**. Working temperature **-20°C→ 45°C**.
Material **Aluminium, acrylic**. Guarantee **2 years**.



IP44



Tub




VK/04165


Code	Model								Box
57610-143115	VK/04165/AL/W	● Aluminium	3000K	1.400lm	14W	180°	CRI>80		25pcs
57610-144115	VK/04165/AL/C	● Aluminium	4000K	1.400lm	14W	180°	CRI>80		25pcs

Details

Voltage **85-265V**. Watt **14W**. CRI>**Ra80**. Type of LED **SMD 2835**. Beam angle **180°**. Lifetime **30.000hrs**. Working temperature **-20°C→ 45°C**.
Material **Aluminium, acrylic**. Guarantee **2 years**.



IP44




VK/04162


Code	Model								Box
57610-136115	VK/04162/AL/W	● Aluminium	3000K	1.400lm	14W	180°	CRI>80		25pcs
57610-137115	VK/04162/AL/C	● Aluminium	4000K	1.400lm	14W	180°	CRI>80		25pcs

Details

Voltage **85-265V**. Watt **14W**. CRI>**Ra80**. Type of LED **SMD 2835**. Beam angle **180°**. Lifetime **30.000hrs**. Working temperature **-20°C→ 45°C**.
Material **Aluminium, acrylic**. Guarantee **2 years**.



IP44








Outdoor Decorative Lights

Outdoor Decorative Lights

Keli



VK/01119/FL/LG/35



VK/01119/FL

Code
61171-297741

Model
VK/01119/FL/LG/35
● Light Grey. E27. Max. 20W. (LED)

Box
1pc

Details

Material **Metal canopy, Rattan+PC shade, rubber cable**
Location **Floor**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **3000mm**
Guarantee **2 years**



IP44





Outdoor Decorative Lights

Keli



VK/01119/TL/LG/30



VK/01119/TL

Code
61171-296741


Model
VK/01119/TL/LG/30
● Light Grey. E27. Max. 20W. (LED)

Box
1pc

Details

Material **Metal canopy, Rattan+PC shade, rubber cable**
Location **Table**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **3000mm**
Guarantee **2 years**





Outdoor Decorative Lights

Keli



VK/01119/PE/LG/35

VK/01119/PE

Code
75169-064741


Model
VK/01119/PE/LG/35
● Light Grey. E27. Max. 20W. (LED)

Box
1pc

Details

Material **Metal canopy, Rattan+PC shade, rubber cable**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **1030mm**
Guarantee **2 years**





Outdoor Decorative Lights

Berd






VK/01126/PE/B/40



VK/01126/PE/B/30



VK/01127/PE/B/40



VK/01126/PE/B/40

VK/01126/PE/B/30


VK/01127/PE/B/40

Code	Model	Box
75169-072741	VK/01126/PE/B/40 ● Black. E27. Max. 20W. (LED)	1pc
75169-071741	VK/01126/PE/B/30 ● Black. E27. Max. 20W. (LED)	1pc
75169-073741	VK/01127/PE/B/40 ● Black. E27. Max. 20W. (LED)	1pc

Details

Material **Metal body, Plastic rattan shade, Clear glass cover for the lamp, rubber cable**
Location **Ceiling**

Input voltage **AC220-240V**
Lampholder **E27**
Cable length **3000mm**



IP44



Outdoor Decorative Lights

Berd




VK/01125/TL/B



VK/01126/TL/B/30




VK/01127/TL/B/40




45 cm

ø25.5cm



35.5 cm

ø30cm



30 cm

ø40cm

VK/01125/TL/B

VK/01126/TL/B/30

VK/01127/TL/B/40

Code	Model	Box
61171-298741	VK/01125/TL/B ● Black. E27. Max. 20W. (LED)	1pc
61171-299741	VK/01126/TL/B/30 ● Black. E27. Max. 20W. (LED)	1pc
61171-300741	VK/01127/TL/B/40 ● Black. E27. Max. 20W. (LED)	1pc

Details

Material Plastic rattan shade, clear glass cover for the lamp rubber cable Location Table

Input voltage AC220-240V
Lampholder E27
Cable length 3000mm



IP44



Outdoor Decorative Lights

Amot



VK/01123/PE/B



VK/01124/PE/GR



VK/01123/PE VK/01124/PE

Code	Model	Box
75169-068741	VK/01123/PE/B ● Black. E27. Max. 20W. (LED)	1pc
75169-067741	VK/01123/PE/GR ● Green. E27. Max. 20W. (LED)	1pc
75169-070741	VK/01124/PE/B ● Black. E27. Max. 20W. (LED)	1pc
75169-069741	VK/01124/PE/GR ● Green. E27. Max. 20W. (LED)	1pc


Details

Material **Metal canopy, Metal shade, rubber cable**
Location **Ceiling**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **1320mm**
Guarantee **2 years**



IP44





Outdoor Decorative Lights

Vant



VK/01122/PE/GR



VK/01122/WA/B




VK/01122/PE VK/01122/WA

Code	Model	Box
75169-065741	VK/01122/PE/B ● Black. E27. Max. 20W. (LED)	1pc
75169-066741	VK/01122/PE/GR ● Green. E27. Max. 20W. (LED)	1pc
64171-300741	VK/01122/WA/B ● Black. E27. Max. 20W. (LED)	1pc
64171-301741	VK/01122/WA/GR ● Green. E27. Max. 20W. (LED)	1pc

Details

Material **Metal canopy, Metal shade, glass inner cover, rubber cable**
Location **Ceiling/Wall**
Input voltage **AC220-240V**

Lampholder **E27**
Cable length **1530mm**
Guarantee **2 years**





Outdoor Decorative Lights


Orance



VK/O1118/PE/GD/60



VK/O1118/PE/B/45



VK/O1118/PE

Code	Model	Box
75169-062741	VK/O1118/PE/GD/60 ● Gold. GU10. Max. 12W. (LED). ø60cm	1pc
75169-063741	VK/O1118/PE/B/60 ● Black. GU10. Max. 12W. (LED). ø60cm	1pc
75169-060741	VK/O1118/PE/GD/45 ● Gold. GU10. Max. 12W. (LED). ø45cm	1pc
75169-061741	VK/O1118/PE/B/45 ● Black. GU10. Max. 12W. (LED). ø45cm	1pc


Details


Material **Metal canopy, Metal shade, stainless steel wire rope, rubber cable**
Location **Ceiling**

Input voltage **AC220-240V**
Lampholder **GU10**
Cable length **1536mm**
Guarantee **2 years**



IP44





Outdoor Decorative Lights


Tes



VK/03203/100/B



VK/03203/60/B



VK/03203/100

Code	Model	Box
75169-385694	VK/03203/100/B ● Black. E27. Max 20W (LED). L101cm	1pc

Details

Voltage **230V**.
Lampholder **E27**.
Material **Aluminium + clear glass**.
Guarantee **2 years**.



IP23

VK/03203

Code	Model	Box
75169-380694	VK/03203/30/W ○ White. E27. Max 20W (LED). L29.4cm	1pc
75169-379694	VK/03203/30/B ● Black. E27. Max 20W (LED). L29.4cm	1pc
75169-382694	VK/03203/60/W ○ White. E27. Max 20W (LED). L60cm	1pc
75169-381694	VK/03203/60/B ● Black. E27. Max 20W (LED). L60cm	1pc
75169-384694	VK/03203/80/W ○ White. E27. Max 20W (LED). L80cm	1pc
75169-383694	VK/03203/80/B ● Black. E27. Max 20W (LED). L80cm	1pc

Details

Voltage **230V**.
Lampholder **E27**.
Material **Aluminium + clear glass**.
Guarantee **2 years**.



IP23



Outdoor Decorative Lights


Tes



VK/03203/PE/B



VK/03203/WA/W



VK/03203/PE

Code	Model	Box
75169-378694	VK/03203/PE/W ○ White. E27. Max 20W (LED).	1pc
75169-377694	VK/03203/PE/B ● Black. E27. Max 20W (LED).	1pc

Details

Voltage 230V.
Lampholder E27.
Material Aluminium + clear glass.

Bottom open.
Guarantee 2 years.



VK/03203/WA

Code	Model	Box
75169-376694	VK/03203/WA/W ○ White. E27. Max 20W (LED).	1pc
75169-375694	VK/03203/WA/B ● Black. E27. Max 20W (LED).	1pc

Details

Voltage 230V.
Lampholder E27.
Material Aluminium + clear glass.

Bottom open.
Guarantee 2 years.





Outdoor Decorative Lights

Ola






VK/03066/80/B



VK/03066/60/B



VK/03066/28/B



VK/03066

Code	Model	Box
75169-278694	VK/03066/80/B ● Black. E27. Max 20W (LED). 80cm	6pcs
75169-277694	VK/03066/60/B ● Black. E27. Max 20W (LED). 60cm	6pcs
75169-275694	VK/03066/28/B ● Black. E27. Max 20W (LED). 27.9cm	6pcs

Details

Voltage 240V.
E27.

Material Aluminium/Glass.



IP33


Ola



VK/03066/PE/B



VK/03066/WA



VK/03066/PE

Code
75169-276694

Model
VK/03066/PE/B
● Black. E27. Max 20W (LED).

Box
6pcs

Details

Voltage 240V.
E27.

Material Aluminium/Glass.



IP23

VK/03066/WA

Code
75169-274694

Model
VK/03066/WA/B
● Black. E27. Max 20W (LED).

Box
6pcs

Details

Voltage 240V.
E27.

Material Aluminium/Glass.
Bottom open.



IP23

Outdoor Decorative Lights



Fin



VK/03067/80/B



VK/03067/35/B



VK/03067

Code	Model	Box
75169-282694	VK/03067/80/B ● Black. E27. Max 20W (LED).	4pcs
75169-280694	VK/03067/35/B ● Black. E27. Max 20W (LED).	6pcs

Details

Voltage 240V.
E27.

Material Aluminium/Glass.




Fin



VK/03067/PE/B



VK/03067/WA




VK/03067/PE

Code 75169-281694 Model VK/03067/PE/B Box 6pcs
 ● Black. E27. Max 20W (LED).

Details

Voltage 240V. Material Aluminium/Glass.
 E27.



VK/03067/WA

Code 75169-279694 Model VK/03067/WA/B Box 6pcs
 ● Black. E27. Max 20W (LED).

Details

Voltage 240V. Material Aluminium/Glass.
 E27.




Outdoor Decorative Lights

Ivy



VK/03204/25/W



VK/03204

Code	Model	Box
75169-391694	VK/03204/25/W ○ White. E27. Max 20W (LED). L24.8cm	1pc
75169-390694	VK/03204/25/B ● Black. E27. Max 20W (LED). L24.8cm	1pc
75169-393694	VK/03204/60/W ○ White. E27. Max 20W (LED). L60cm	1pc
75169-392694	VK/03204/60/B ● Black. E27. Max 20W (LED). L60cm	1pc
75169-395694	VK/03204/80/W ○ White. E27. Max 20W (LED). L80cm	1pc
75169-394694	VK/03204/80/B ● Black. E27. Max 20W (LED). L80cm	1pc

Details

Voltage 230V.
Lampholder E27.

Material Aluminium + clear glass.
Guarantee 2 years.




Ivy



VK/03204/PE/W



VK/03204/WA/W



VK/03204/PE

Code 75169-389694	Model VK/03204/PE/W ○ White. E27. Max 20W (LED).	Box 1pc
75169-388694	VK/03204/PE/B ● Black. E27. Max 20W (LED).	1pc

Details

Voltage 230V. Bottom open.
Lampholder E27. Guarantee 2 years.
Material Aluminium + clear glass.



VK/03204/WA

Code 75169-387694	Model VK/03204/WA/W ○ White. E27. Max 20W (LED).	Box 1pc
75169-386694	VK/03204/WA/B ● Black. E27. Max 20W (LED).	1pc

Details

Voltage 230V. Bottom open.
Lampholder E27. Guarantee 2 years.
Material Aluminium + clear glass.




Outdoor Decorative Lights


Braso



VK/01093/NB



VK/01092/MC



Mini lamp MR11-GU10 is placed, not included

VK/01093

Code	Model	Box
74168-253677	VK/01093/304/MC ● Brushed Chrome. Stainless 304. GU10x2. Max 2x12W (LED).	1pc
74168-293677	VK/01093/316/MC ● Brushed Chrome. Stainless 316. GU10x2. Max 2x12W (LED).	1pc
74168-255677	VK/01093/ABS ● Bronze. Brass/Glass. GU10x2. Max 2x12W (LED).	1pc
74168-254677	VK/01093/NB ● Natural Brass. Brass/Glass. GU10x2. Max 2x12W (LED).	1pc

Details

Voltage 240V.
GU10x2.

Material **Stainless / Brass/Glass.**



VK/01092


Code	Model	Box
74168-250677	VK/01092/304/MC ● Brushed Chrome. Stainless 304. GU10. Max 6W (LED).	1pc
74168-292677	VK/01092/316/MC ● Brushed Chrome. Stainless 316. GU10. Max 6W (LED).	1pc
74168-252677	VK/01092/ABS ● Bronze. Brass/Glass. GU10. Max 6W (LED).	1pc
74168-251677	VK/01092/NB ● Natural Brass. Brass/Glass. GU10. Max 6W (LED).	1pc

Details

Voltage 240V.
GU10.

Material **Stainless / Brass/Glass.**





Outdoor Decorative Lights



Braso



VK/01046/TR



VK/01045/ABS



VK/01046

Code	Model	Box
74168-200677	VK/01046/304/MC ● Brushed Chrome. Stainless 304. GU10x2. Max 2x12W (LED).	10pcs
74168-291677	VK/01046/316/MC ● Brushed Chrome. Stainless 316. GU10x2. Max 2x12W (LED).	10pcs
74168-199677	VK/01046/ABS ● Bronze. Brass/Glass. GU10x2. Max 2x12W (LED).	10pcs
74168-156677	VK/01046/NB ● Natural Brass. Brass/Glass. GU10x2. Max 2x12W (LED).	10pcs
74168-227677	VK/01046/TR ● Terracotta. Brass/Glass. GU10x2. Max 2x12W (LED).	10pcs

Details

Voltage 240V.
GU10x2.

Material **Stainless / Brass/Glass.**



VK/01045


Code	Model	Box
74168-201677	VK/01045/304/MC ● Brushed Chrome. Stainless 304. GU10. Max 12W (LED).	10pcs
74168-290677	VK/01045/316/MC ● Brushed Chrome. Stainless 316. GU10. Max 12W (LED).	10pcs
74168-202677	VK/01045/ABS ● Bronze. Brass/Glass. GU10. Max 12W (LED).	10pcs
74168-158677	VK/01045/NB ● Natural Brass. Brass/Glass. GU10. Max 12W (LED).	10pcs
74168-225677	VK/01045/TC ● Terracotta. Brass/Glass. GU10. Max 12W (LED).	10pcs

Details

Voltage 240V.
GU10.

Material **Stainless / Brass/Glass.**






Outdoor Decorative Lights

Braso




VK/01094/ABS



Mini lamp MR11-GU10 is placed, not included



VK/01048/ABS



Lamp GX53 is placed, not included



VK/01094

Code	Model	Box
74168-256677	VK/01094/304/MC ● Brushed Chrome. Stainless 304. GU10. Max 6W (LED).	1pc
74168-289677	VK/01094/316/MC ● Brushed Chrome. Stainless 316. GU10. Max 6W (LED).	1pc
74168-258677	VK/01094/ABS ● Bronze. Brass. GU10. Max 6W (LED).	1pc
74168-257677	VK/01094/NB ● Natural Brass. Brass. GU10. Max 6W (LED).	1pc

Details

Voltage 240V.
GU10.

Material **Stainless / Brass.**



VK/01048

Code	Model	Box
74168-205677	VK/01048/MC ● Brushed Chrome. GX53. Max 7W. (LED)	10pcs
74168-193677	VK/01048/ABS ● Bronze. GX53. Max 7W. (LED)	10pcs
74168-206677	VK/01048/NB ● Natural Brass. GX53. Max 7W. (LED)	10pcs

Details

Voltage 240V.
GX53.

Material **Brass/Glass.**





Braso



VK/01047/NB



VK/01047/SPIKE



Lamp GU10-PAR16 is placed, not included

VK/01047

Code	Model	Box
74168-179677	VK/01047/304/MC ● Brushed Chrome. Stainless 304. GU10. Max 12W (LED).	10pcs
74168-288677	VK/01047/316/MC ● Brushed Chrome. Stainless 316. GU10. Max 12W (LED).	10pcs
74168-203677	VK/01047/ABS ● Bronze. Brass. GU10. Max 12W (LED).	10pcs
74168-196677	VK/01047/NB ● Natural Brass. Brass. GU10. Max 12W (LED).	10pcs

Details

Voltage 240V.
GU10.

Material **Stainless / Brass.**



IP65

VK/01047/SPIKE

Code	Model	Box
74168-194677	VK/01047/SPIKE ● Bronze.	10pcs

Details

Material **Brass.**

Outdoor Decorative Lights


Braso



VK/01075/MC



VK/01074/ABS



VK/01075

Code	Model	Box
75169-237269	VK/01075/MC ● Brushed Chrome. E27. Max 20W (LED).	6pcs
75169-238269	VK/01075/ABS ● Bronze. E27. Max 20W (LED).	6pcs
75169-239269	VK/01075/NB ● Natural Brass. E27. Max 20W (LED).	6pcs
75169-244269	VK/01075/TC ● Terracotta. E27. Max 20W (LED).	6pcs

Details

Voltage 240V.
E27.

Material Brass/Glass.




VK/01074

Code	Model	Box
75169-234269	VK/01074/MC ● Brushed Chrome. E27. Max 20W (LED).	6pcs
75169-235269	VK/01074/ABS ● Bronze. E27. Max 20W (LED).	6pcs
75169-236269	VK/01074/NB ● Natural Brass. E27. Max 20W (LED).	6pcs
75169-242269	VK/01074/TC ● Terracotta. E27. Max 20W (LED).	6pcs

Details

Voltage 240V.
E27.

Material Brass/Glass.









Led Lamps


Led lamps E27. Spiral. Filament.



VK/05169 Dark Grey

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-001733	VK/05169/D/E/TM/WW	E27	3W		2200K	50lm	1


Voltage 220-240	Filament Spiral	330° 	CRI Ra>90	25k hrs	15k clks	-20°C 45°C	Glass	Alu	3W > 10W	IP20	2
--------------------	--------------------	----------	--------------	------------	-------------	---------------	-------	-----	----------	------	---



VK/05170 Dark Grey

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-002733	VK/05170/D/E/TM/WW	E27	4W		2700K	120lm	1


Voltage 220-240	Filament Deco	330° 	CRI Ra>80	25k hrs	15k clks	-20°C 45°C	Glass	Alu	4W > 10W	IP20	2
--------------------	------------------	----------	--------------	------------	-------------	---------------	-------	-----	----------	------	---



VK/05171 Dark Grey

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-003733	VK/05171/D/E/TM/WW	E27	4W		2700K	120lm	1

Voltage 220-240	Filament Deco	330° 	CRI Ra>80	25k hrs	15k clks	-20°C 45°C	Glass	Alu	4W > 10W	IP20	2
--------------------	------------------	----------	--------------	------------	-------------	---------------	-------	-----	----------	------	---




Led lamps E27. Spiral. Filament.

VK/05172 Dark Grey

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-004733	VK/05172/D/E/TM/WW	E27	5W		2700K	200lm	1


Voltage 220-240	Filament Deco	330°	CRI Ra>90	25k hrs	15kclk	-20°C 45°C	Glass	Alu	5W > 20W	IP20	2
--------------------	------------------	------	--------------	------------	--------	---------------	-------	-----	----------	------	---



VK/05173 Amber

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-005733	VK/05173/D/E/A/WW	E27	3W		2200K	140lm	1


Voltage 220-240	Filament Spiral	330°	CRI Ra>90	25k hrs	15kclk	-20°C 45°C	Glass	Alu	3W > 15W	IP20	2
--------------------	--------------------	------	--------------	------------	--------	---------------	-------	-----	----------	------	---



VK/05174 Dark Grey

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-006733	VK/05174/D/E/TM/WW	E27	3W		2200K	60lm	1

Voltage 220-240	Filament Spiral	330°	CRI Ra>90	25k hrs	15kclk	-20°C 45°C	Glass	Alu	3W > 10W	IP20	2
--------------------	--------------------	------	--------------	------------	--------	---------------	-------	-----	----------	------	---



Led lamps E27. Spiral. Filament.




VK/05155 Amber A60

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-228664	VK/05155/D/E/SP/A	E27	4.5W		2200K	330lm	50

Voltage 220-240	Filament Spiral	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	5W > 28W	IP20	2
--------------------	--------------------	------	--------------	------------	---------	---------------	-------	-----	----------	------	---

VK/05160 Amber T45



Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-233664	VK/05160/D/E/SP/A	E27	4.5W		2200K	330lm	50

Voltage 220-240	Filament Spiral	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	5W > 25W	IP20	2
--------------------	--------------------	------	--------------	------------	---------	---------------	-------	-----	----------	------	---

VK/05156 Amber ST64



Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-229664	VK/05156/D/E/SP/A	E27	4.5W		2200K	330lm	50

Voltage 220-240	Filament Spiral	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	5W > 28W	IP20	2
--------------------	--------------------	------	--------------	------------	---------	---------------	-------	-----	----------	------	---

Led lamps E27. Spiral. Filament.

VK/05157 Amber G80

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-230664	VK/05157/D/E/SP/A	E27	4.5W		2200K	330lm	50

Voltage 220-240	Filament Spiral	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	5W > 27W	IP20	2
--------------------	--------------------	------	--------------	---------	---------	---------------	-------	-----	----------	------	---



VK/05158 Amber G95

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-231664	VK/05158/D/E/SP/A	E27	4.5W		2200K	330lm	50

Voltage 220-240	Filament Spiral	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	5W > 28W	IP20	2
--------------------	--------------------	------	--------------	---------	---------	---------------	-------	-----	----------	------	---



VK/05159 Amber G125

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-232664	VK/05159/D/E/SP/A	E27	4.5W		2200K	330lm	50

Voltage 220-240	Filament Spiral	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	5W > 28W	IP20	2
--------------------	--------------------	------	--------------	---------	---------	---------------	-------	-----	----------	------	---



Led lamps E27-A60. Classic Filament.



VK/05103 VK/05124 Clear

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-168664	VK/05103/E/CL/W	E27	6.5W		2700K	806lm	50
03045-208664	VK/05124/D/E/CL/W	E27	8.5W		2700K	1.055lm	50




Voltage 220-240	COB 1016/ 1030	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	6.5W > 60W 7.5W > 70W	IP20	2
--------------------	----------------------	------	--------------	------------	---------	---------------	-------	-----	--------------------------	------	---



VK/05103 VK/05122 Milky

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-169664	VK/05103/E/MK/W	E27	6.5W		2700K	806lm	50
03045-170664	VK/05103/E/MK/D	E27	6.5W		6500K	700lm	50
03045-196664	VK/05122/E/MK/W	E27	9W		2700K	1050lm	50
03045-197664	VK/05122/E/MK/D	E27	8W		6500K	820lm	50



Voltage 220-240	COB 1016/ 1030	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	6.5W > 54W 8W > 61W	IP20	2
--------------------	----------------------	------	--------------	------------	---------	---------------	-------	-----	------------------------	------	---



VK/05122 Silver

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-207664	VK/05122/D/E/ST/W	E27	7W		2700K	650lm	50



Voltage 220-240	COB 1030	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	7W > 51W	IP20	2
--------------------	-------------	------	--------------	------------	---------	---------------	-------	-----	----------	------	---



VK/05122 Pink Copper

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-224664	VK/05122/D/E/PCT/W	E27	7W		2700K	650lm	50




Voltage 220-240	COB 1030	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	7W > 51W	IP20	2
--------------------	-------------	------	--------------	------------	---------	---------------	-------	-----	----------	------	---

Led lamps E14-C37. Candle Filament.

VK/05104 Clear

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-171664	VK/05104/EI/CL/W	E14	4.3W		2700K	470lm	50
03045-172664	VK/05104/EI/CL/D	E14	4.3W		6500K	470lm	50

Voltage 220-240	COB 1016	360° 	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	4.3W > 40W	IP20	2
--------------------	-------------	----------	--------------	---------	---------	---------------	-------	-----	------------	------	---



VK/05120 Clear

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-202664	VK/05120/D/EI/CL/W	E14	5W		2700K	470lm	50

Voltage 220-240	COB 1018	360° 	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	5W > 40W	IP20	2
--------------------	-------------	----------	--------------	---------	---------	---------------	-------	-----	----------	------	---

VK/05104 Milky

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-173664	VK/05104/EI/MK/W	E14	4W		2700K	470lm	50
03045-174664	VK/05104/EI/MK/D	E14	3.5W		6500K	350lm	50

Voltage 220-240	COB 1016	360° 	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	3.5W > 32W	IP20	2
--------------------	-------------	----------	--------------	---------	---------	---------------	-------	-----	------------	------	---



VK/05120 Milky

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-190664	VK/05120/EI/MK/W	E14	4W		2700K	470lm	50
03045-191664	VK/05120/EI/MK/D	E14	4W		6500K	420lm	50

Voltage 220-240	COB 1030	360° 	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	4W > 40W 4.5W > 40W	IP20	2
--------------------	-------------	----------	--------------	---------	---------	---------------	-------	-----	------------------------	------	---

Led lamps E14-G45. Mini globe Filament.



VK/05105 VK/05121 Clear

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-175664	VK/05105/EI/CL/W	E14	4.3W		2700K	470lm	50
03045-176664	VK/05105/EI/CL/D	E14	4.3W		6500K	470lm	50
03045-203664	VK/05121/D/EI/CL/W	E14	5W		2700K	470lm	50

Voltage 220-240	COB 1016/1018	360°	CRI Ra>80	15k hrs	30kctiks	-20°C 40°C	Glass	Alu	4W > 40W 4.5W > 40W 5W > 40W	IP20	2
-----------------	---------------	------	-----------	---------	----------	------------	-------	-----	------------------------------	------	---



VK/05105 VK/05121 Milky

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-177664	VK/05105/EI/MK/W	E14	4W		2700K	470lm	50
03045-178664	VK/05105/EI/MK/D	E14	3.5W		6500K	350lm	50
03045-192664	VK/05121/EI/MK/W	E14	4W		2700K	400lm	50
03045-193664	VK/05121/EI/MK/D	E14	4W		6500K	470lm	50


Voltage 220-240	COB 1016/1030	360°	CRI Ra>80	15k hrs	30kctiks	-20°C 40°C	Glass	Alu	3.5W > 39W 4W > 39W	IP20	2
-----------------	---------------	------	-----------	---------	----------	------------	-------	-----	---------------------	------	---



VK/05121 Silver

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-204664	VK/05121/D/EI/ST/W	E14	4.5W		2700K	330lm	50

Voltage 220-240	COB 1018	360°	CRI Ra>80	15k hrs	30kctiks	-20°C 40°C	Glass	Alu	4W > 32W	IP20	2
-----------------	----------	------	-----------	---------	----------	------------	-------	-----	----------	------	---



VK/05121 Pink Copper

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-222664	VK/05121/D/EI/PCT/W	E14	4.5W		2700K	330lm	50

Voltage 220-240	COB 1018	360°	CRI Ra>80	15k hrs	30kctiks	-20°C 40°C	Glass	Alu	4W > 32W	IP20	2
-----------------	----------	------	-----------	---------	----------	------------	-------	-----	----------	------	---

Led lamps E27-G45. Mini globe Filament.

VK/05106 VK/05121 Clear

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-179664	VK/05106/E/CL/W	E27	4.3W		2700K	470lm	50
03045-180664	VK/05106/E/CL/D	E27	4.3W		6500K	470lm	50
03045-206664	VK/05121/D/E/CL/W	E27	4.5W		2700K	450lm	50

Voltage 220-240	COB 1016/ 1018	360° 	CRI Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	4W > 40W 4.5W > 40W 5W > 40W	IP20	
--------------------	----------------------	----------	--------------	------------	---------------	---------------	-------	-----	------------------------------------	------	--



VK/05106 VK/05121 Milky

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-181664	VK/05106/E/MK/W	E27	4W		2700K	470lm	50
03045-182664	VK/05106/E/MK/D	E27	4W		6500K	490lm	50
03045-194664	VK/05121/E/MK/W	E27	4W		2700K	470lm	50
03045-195664	VK/05121/E/MK/D	E27	4W		6500K	420lm	50

Voltage 220-240	COB 1016/ 1030	360° 	CRI Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	4W > 40W	IP20	
--------------------	----------------------	----------	--------------	------------	---------------	---------------	-------	-----	----------	------	--



VK/05121 Silver

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-205664	VK/05121/D/E/ST/W	E27	4.5W		2700K	330lm	50

Voltage 220-240	COB 1018	360° 	CRI Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	4W > 32W	IP20	
--------------------	-------------	----------	--------------	------------	---------------	---------------	-------	-----	----------	------	--



VK/05121 Pink Copper

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-223664	VK/05121/D/E/PCT/W	E27	4.5W		2700K	330lm	50

Voltage 220-240	COB 1018	360° 	CRI Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	4W > 32W	IP20	
--------------------	-------------	----------	--------------	------------	---------------	---------------	-------	-----	----------	------	--



Led lamps E27-ST64 Filament.



VK/05107 Clear

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-183664	VK/05107/E/CL/W	E27	6.5W		2700K	806lm	50
03045-215664	VK/05107/D/E/CL/W	E27	7W		2700K	806lm	50

Voltage 220-240	COB 1016/ 1030	360° 	CRI Ra>80	15k hrs 	30kclks 	-20°C 40°C 	Glass 	Alu 	6.5W > 60W 7W > 60W	IP20 	2
--------------------	----------------------	----------	--------------	----------------	-------------	-------------------	-----------	---------	------------------------	----------	-------



VK/05126 Amber

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-225664	VK/05126/D/E/A/W	E27	7W		2200K	720lm	50


Voltage 220-240	COB 1030	360° 	CRI Ra>80	15k hrs 	30kclks 	-20°C 40°C 	Glass 	Alu 	8W > 60W	IP20 	2
--------------------	-------------	----------	--------------	----------------	-------------	-------------------	-----------	---------	----------	----------	-------

Led lamps E27-G80 Globo Filament.

VK/05109 VK/05110 Clear

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-187664	VK/05109/E/CL/W	E27	4.3W		2700K	470lm	50
03045-209664	VK/05110/D/E/CL/W	E27	7W		2700K	806lm	50


Voltage 220-240	COB 1016/ 1030	360° 	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	4W > 39W 7W > 60W	IP20	2
--------------------	----------------------	----------	--------------	------------	---------	---------------	-------	-----	----------------------	------	---



VK/05110 Milky

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-188664	VK/05110/E/MK/W	E27	6.5W		2700K	680lm	50
03045-198664	VK/05110/E/MK/D	E27	7W		6500K	670lm	50

Voltage 220-240	COB 1030	360° 	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	7W > 52W	IP20	2
--------------------	-------------	----------	--------------	------------	---------	---------------	-------	-----	----------	------	---



VK/05109 VK/05110 Silver

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-189664	VK/05109/E/ST/W	E27	4W		2700K	350lm	50
03045-210664	VK/05110/D/E/ST/W	E27	7W		2700K	650lm	50

Voltage 220-240	COB 1016/ 1030	360° 	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	4W > 32W 7W > 51W	IP20	2
--------------------	----------------------	----------	--------------	------------	---------	---------------	-------	-----	----------------------	------	---



Led lamps E27-G95 Globo Filament.



VK/05123 Clear

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-211664	VK/05123/D/E/CL/W	E27	7W		2700K	806lm	50

Voltage 220-240	COB 1030	360° 	CRI Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	8W > 60W	IP20	
---------------------------	--------------------	----------	---------------------	---------	------------	---------------	-------	-----	----------	------	--



VK/05123 Amber

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-217664	VK/05123/D/E/A/W	E27	7W		2200K	720lm	50

Voltage 220-240	COB 1030	360° 	CRI Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	7W > 51W	IP20	
---------------------------	--------------------	----------	---------------------	---------	------------	---------------	-------	-----	----------	------	--



VK/05123 Dark Grey

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-218664	VK/05123/D/E/DG/W	E27	7W		2700K	200lm	50

Voltage 220-240	COB 1030	360° 	CRI Ra>80	15k hrs	30k clicks	-20°C 40°C	Glass	Alu	8W > 24W	IP20	
---------------------------	--------------------	----------	---------------------	---------	------------	---------------	-------	-----	----------	------	--

Led lamps E27-G95 Globo Filament.

VK/05123 Milky

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-199664	VK/05123/E/MK/W	E27	6.5W		2700K	806lm	50
03045-200664	VK/05123/E/MK/D	E27	7W		6500K	826lm	50

Voltage 220-240	COB 1030	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	7W > 60W	IP20	2
--------------------	-------------	------	--------------	------------	---------	---------------	-------	-----	----------	------	---



VK/05123 Silver

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-212664	VK/05123/D/E/ST/W	E27	7W		2700K	650lm	50

Voltage 220-240	COB 1030	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	7W > 51W	IP20	2
--------------------	-------------	------	--------------	------------	---------	---------------	-------	-----	----------	------	---



VK/05123 Pink Copper

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-216664	VK/05123/D/E/PCT/W	E27	7W		2700K	650lm	50

Voltage 220-240	COB 1030	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	7W > 51W	IP20	2
--------------------	-------------	------	--------------	------------	---------	---------------	-------	-----	----------	------	---



Led lamps E27-G125 Globo Filament.



VK/05108 Clear

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-184664	VK/05108/E/CL/W	E27	6.5W		2700K	806lm	50

03045-213664	VK/05108/D/E/CL/W	E27	7W		2700K	806lm	50
--------------	-------------------	-----	----	--	-------	-------	----

Voltage 220-240	COB 1016/ 1030	360° 	CRI Ra>80	 15k hrs	 30kclks	 -20°C 40°C			6.5W > 60W 8W > 60W		
---------------------------	-----------------------------	----------	---------------------	----------------	-------------	-------------------	--	--	------------------------	--	--



VK/05108 Amber

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-220664	VK/05108/D/E/A/W	E27	7W		2200K	720lm	50

Voltage 220-240	COB 1030	360° 	CRI Ra>80	 15k hrs	 30kclks	 -20°C 40°C			7W > 51W		
---------------------------	--------------------	----------	---------------------	----------------	-------------	-------------------	--	--	----------	--	--



VK/05108 Dark Grey

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-221664	VK/05108/D/E/DG/W	E27	7W		2700K	200lm	50

Voltage 220-240	COB 1030	360° 	CRI Ra>80	 15k hrs	 30kclks	 -20°C 40°C			7W > 21W		
---------------------------	--------------------	----------	---------------------	----------------	-------------	-------------------	--	--	----------	--	--



Led lamps E27-G125 Globo Filament.

VK/05108 Milky

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-185664	VK/05108/E/MK/W	E27	6.5W		2700K	806lm	50
03045-201664	VK/05108/E/MK/D	E27	7W		6500K	670lm	50

Voltage 220-240	COB 1030	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	7W > 51W	IP20	2
--------------------	-------------	------	--------------	------------	---------	---------------	-------	-----	----------	------	---



VK/05108 Silver

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-214664	VK/05108/D/E/ST/W	E27	7W		2700K	650lm	50

Voltage 220-240	COB 1030	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	7W > 51W	IP20	2
--------------------	-------------	------	--------------	------------	---------	---------------	-------	-----	----------	------	---



VK/05108 Pink Copper

Code	Model	Base	Watt	Dimm	Kelvin	Lumen	Box
03045-219664	VK/05108/D/E/PCT/W	E27	7W		2700K	650lm	50

Voltage 220-240	COB 1030	360°	CRI Ra>80	15k hrs	30kclks	-20°C 40°C	Glass	Alu	7W > 51W	IP20	2
--------------------	-------------	------	--------------	------------	---------	---------------	-------	-----	----------	------	---



product finder

Product finder

CODE	PAGE
03045-001733	464
03045-002733	464
03045-003733	464
03045-004733	465
03045-005733	465
03045-006733	465
03045-168664	468
03045-169664	468
03045-170664	468
03045-171664	469
03045-172664	469
03045-173664	469
03045-174664	469
03045-175664	470
03045-176664	470
03045-177664	470
03045-178664	470
03045-179664	471
03045-180664	471
03045-181664	471
03045-182664	471
03045-183664	472
03045-184664	476
03045-185664	477
03045-187664	473
03045-188664	473
03045-189664	473
03045-190664	469
03045-191664	469
03045-192664	470
03045-193664	470
03045-194664	471
03045-195664	471
03045-196664	468
03045-197664	468
03045-198664	473
03045-199664	475
03045-200664	475
03045-201664	477
03045-202664	469
03045-203664	470
03045-204664	470
03045-205664	471
03045-206664	471
03045-207664	468
03045-208664	468
03045-209664	473
03045-210664	473
03045-211664	474
03045-212664	475
03045-213664	476
03045-214664	477

CODE	PAGE
03045-215664	472
03045-216664	475
03045-217664	474
03045-218664	474
03045-219664	477
03045-220664	476
03045-221664	476
03045-222664	470
03045-223664	471
03045-224664	468
03045-225664	472
03045-228664	466
03045-229664	466
03045-230664	467
03045-231664	467
03045-232664	467
03045-233664	466
57610-136115	425
57610-137115	425
57610-139115	424
57610-140115	424
57610-141115	424
57610-142115	424
57610-143115	425
57610-144115	425
57610-150774	422
57610-151774	422
57610-152774	422
57610-153774	422
57610-154774	420
57610-155774	420
57610-156774	420
57610-157774	420
57610-158774	416
57610-159774	416
57610-160774	416
57610-161774	416
57610-162774	418
57610-163774	418
57610-164774	418
57610-165774	418
57610-166774	419
57610-167774	419
57610-168774	419
57610-169774	419
58610-113728	403
58610-114728	403
58610-115728	398
58610-116728	398
58610-117728	399
58610-118728	399
58610-119728	402

CODE	PAGE
58610-120728	402
61171-010724	394
61171-011724	394
61171-012724	395
61171-022733	397
61171-023733	397
61171-230747	396
61171-258694	384
61171-259694	384
61171-260694	384
61171-261694	384
61171-262694	384
61171-293741	386
61171-294741	386
61171-295741	386
61171-296741	430
61171-297741	428
61171-298741	436
61171-299741	436
61171-300741	436
64171-011171	300
64171-021171	300
64171-022171	300
64171-024126	301
64171-024171	297
64171-025171	297
64171-026126	301
64171-026171	297
64171-027126	301
64171-027171	297
64171-028126	301
64171-028171	296
64171-029171	296
64171-031126	302
64171-032126	302
64171-033126	302
64171-053126	278
64171-054126	278
64171-055126	288
64171-055697	358
64171-056126	288
64171-056697	358
64171-057126	289
64171-058126	289
64171-059126	289
64171-060126	288
64171-061126	288
64171-062126	287
64171-063126	287
64171-064126	285
64171-065126	285
64171-066126	286

CODE	PAGE
64171-067126	286
64171-068126	290
64171-069126	290
64171-070126	286
64171-071126	286
64171-072126	278
64171-073126	278
64171-258727	276
64171-259727	276
64171-260727	282
64171-261727	282
64171-262727	282
64171-263727	282
64171-264727	280
64171-265727	280
64171-266727	401
64171-267727	401
64171-268727	291
64171-269727	291
64171-270727	274
64171-271727	274
64171-272727	283
64171-273727	283
64171-274727	283
64171-275727	283
64171-276727	280
64171-277727	280
64171-278727	266
64171-279727	266
64171-280727	270
64171-281727	270
64171-282727	264
64171-283727	264
64171-284727	268
64171-285727	268
64171-300741	440
64171-301741	440
64173-037118	104
64173-038118	104
64173-039118	104
64173-040118	104
64173-041118	104
64173-042118	104
64174-001108	328
64174-001775	154
64174-002108	328
64174-002775	154
64174-003108	328
64174-003775	152
64174-004108	328
64174-004775	152
64174-005108	329

Product finder

CODE	PAGE
64174-005775	156
64174-006108	329
64174-006775	156
64174-007775	158
64174-008775	158
64174-009775	148
64174-010775	148
64174-011775	148
64174-012775	148
64174-013126	162
64174-013775	148
64174-014126	162
64174-014775	148
64174-015108	332
64174-015126	162
64174-015775	150
64174-016775	322
64174-018108	146
64174-019108	146
64174-020108	144
64174-021108	144
64174-021126	284
64174-022108	145
64174-022126	284
64174-023108	145
64174-023126	284
64174-024126	284
64174-026126	294
64174-027126	294
64174-028108	400
64174-028126	294
64174-029108	330
64174-029126	294
64174-030108	330
64174-030126	294
64174-031108	330
64174-031126	294
64174-032108	330
64174-032126	294
64174-033126	294
64174-034126	294
64174-043776	58
64174-044776	58
64174-045776	98
64174-046776	98
64174-047776	98
64174-048776	98
64174-115721	96
64174-116721	96
64174-229131	363
64174-230131	369
64174-231131	374

CODE	PAGE
64174-232131	368
64174-233131	370
64174-234131	362
64174-235131	362
64174-236131	362
64174-237131	367
64174-238131	367
64174-239131	379
64174-240131	379
64174-241131	380
64174-242131	380
64174-243131	373
64174-244131	373
64174-245131	372
64174-246131	372
64174-247131	372
64174-259131	371
64174-261131	381
64174-262131	366
64174-263131	366
64174-264131	376
64174-292131	142
64174-293131	375
64174-294131	377
64174-295131	142
64174-296131	143
64174-297131	143
64174-298131	364
64174-299131	364
64174-300131	378
64174-301131	378
64174-314131	381
64174-339131	372
64174-886697	160
64174-887697	160
64174-944724	272
64174-958121	324
64174-959121	324
64174-960115	411
64174-960121	325
64174-961115	411
64174-961121	325
64174-962115	412
64174-962121	325
64174-963115	412
64174-963121	325
64174-964115	413
64174-964121	324
64174-965115	413
64174-965121	324
64174-966121	326
64174-967121	326

CODE	PAGE
64174-968121	327
71164-001108	252
71164-001115	86
71164-001702	232
71164-001724	250
71164-001755	102
71164-002108	252
71164-002115	86
71164-002702	232
71164-002724	250
71164-002755	102
71164-003108	253
71164-003115	88
71164-003702	232
71164-003724	250
71164-003755	102
71164-004108	253
71164-004115	88
71164-004702	232
71164-004724	250
71164-004755	102
71164-005108	166
71164-005115	90
71164-005702	74
71164-005724	130
71164-005755	102
71164-006108	166
71164-006115	90
71164-006702	74
71164-006724	130
71164-006755	102
71164-007115	92
71164-007702	74
71164-007755	102
71164-008115	92
71164-008702	74
71164-008755	102
71164-009702	236
71164-009755	103
71164-010702	236
71164-010755	103
71164-011702	78
71164-011755	103
71164-012702	78
71164-012755	103
71164-013702	234
71164-013755	120
71164-014702	234
71164-014724	333
71164-014755	72
71164-015702	234
71164-015755	72

CODE	PAGE
71164-016702	234
71164-016755	226
71164-017702	76
71164-017724	116
71164-017755	226
71164-018702	76
71164-018724	118
71164-018755	226
71164-019702	76
71164-019755	226
71164-020702	76
71164-020755	226
71164-021702	82
71164-021755	226
71164-022702	82
71164-022755	238
71164-023702	82
71164-023755	238
71164-024702	82
71164-024755	238
71164-025702	82
71164-025755	238
71164-026702	82
71164-027702	82
71164-028702	82
71164-029702	82
71164-030702	84
71164-031702	84
71164-032702	84
71164-033702	240
71164-034702	240
71164-035702	224
71164-036702	224
71164-037702	224
71164-038702	224
71164-039702	224
71164-040702	224
71164-041702	224
71164-042702	224
71164-043702	224
71164-044702	228
71164-045702	228
71164-046702	228
71164-047702	228
71164-048702	228
71164-049702	228
71164-050702	230
71164-051702	230
71164-052702	230
71164-053702	230
71164-054702	80
71164-055702	80

Product finder

CODE	PAGE
71164-056702	80
71164-057702	80
71164-058702	66
71164-059702	66
71164-060702	70
71164-061702	70
71164-062702	70
71164-063702	70
71164-064702	70
71164-065702	70
71164-178721	42
71164-179721	42
71165-003741	248
71165-004741	248
71165-005741	248
71165-006741	246
74168-156677	456
74168-158677	456
74168-179677	459
74168-193677	458
74168-194677	459
74168-196677	459
74168-199677	456
74168-200677	456
74168-201677	456
74168-202677	456
74168-203677	459
74168-205677	458
74168-206677	458
74168-225677	456
74168-227677	456
74168-250677	454
74168-251677	454
74168-252677	454
74168-253677	454
74168-254677	454
74168-255677	454
74168-256677	458
74168-257677	458
74168-258677	458
74168-288677	459
74168-289677	458
74168-290677	456
74168-291677	456
74168-292677	454
74168-293677	454
75169-001741	112
75169-001775	68
75169-002741	112
75169-002775	68
75169-003741	114
75169-003775	68

CODE	PAGE
75169-004741	114
75169-004775	68
75169-005741	132
75169-005775	68
75169-006741	132
75169-006775	68
75169-007733	216
75169-007741	390
75169-007775	220
75169-008741	388
75169-008775	220
75169-009741	318
75169-009775	220
75169-010741	164
75169-010775	222
75169-011741	110
75169-011775	222
75169-012741	110
75169-012775	220
75169-013741	108
75169-013775	220
75169-014741	108
75169-014775	220
75169-015741	108
75169-015775	222
75169-016741	108
75169-016775	222
75169-017741	128
75169-017775	64
75169-018733	134
75169-018741	128
75169-018775	64
75169-019733	136
75169-019741	124
75169-019775	64
75169-020733	134
75169-020741	124
75169-020775	64
75169-021733	136
75169-021741	124
75169-021775	64
75169-022741	124
75169-022775	64
75169-023741	126
75169-023775	62
75169-024741	126
75169-024775	62
75169-025741	126
75169-025775	62
75169-026741	126
75169-029741	140
75169-030741	244

CODE	PAGE
75169-031741	244
75169-032741	244
75169-033741	244
75169-034741	242
75169-035741	242
75169-036741	242
75169-037741	242
75169-038741	170
75169-039721	352
75169-039741	176
75169-040721	352
75169-040741	170
75169-041721	352
75169-041741	168
75169-042721	292
75169-042741	168
75169-043721	293
75169-043741	138
75169-044721	292
75169-044741	138
75169-045721	54
75169-045741	138
75169-046721	54
75169-046741	138
75169-047741	138
75169-048721	46
75169-048741	138
75169-049721	46
75169-049741	138
75169-050741	138
75169-051741	138
75169-052741	172
75169-053741	172
75169-054721	50
75169-054741	174
75169-055741	174
75169-056741	174
75169-057741	174
75169-058741	178
75169-059741	178
75169-060741	442
75169-061741	442
75169-062741	442
75169-063741	442
75169-064741	432
75169-065741	440
75169-066741	440
75169-067741	438
75169-068741	438
75169-069741	438
75169-070741	438
75169-071741	434

CODE	PAGE
75169-072741	434
75169-073741	434
75169-098721	100
75169-099721	100
75169-100721	316
75169-101721	316
75169-102721	316
75169-103721	316
75169-104721	317
75169-105721	317
75169-106721	317
75169-107721	317
75169-121721	392
75169-122721	392
75169-123721	314
75169-124721	406
75169-125721	404
75169-126721	404
75169-127721	94
75169-128721	94
75169-140721	352
75169-141721	404
75169-175108	254
75169-176108	254
75169-177108	254
75169-178108	254
75169-179108	254
75169-181108	254
75169-182108	254
75169-184108	256
75169-185108	256
75169-186108	256
75169-187108	256
75169-188108	256
75169-193108	254
75169-197108	254
75169-198108	254
75169-199108	256
75169-200108	256
75169-201108	256
75169-202108	256
75169-203108	256
75169-204108	360
75169-209108	360
75169-210108	361
75169-220108	340
75169-221108	342
75169-222108	344
75169-222115	204
75169-223108	346
75169-223115	204
75169-224108	348

Product finder

CODE	PAGE
75169-224115	205
75169-225108	338
75169-225115	205
75169-226108	338
75169-226115	206
75169-227115	207
75169-228115	207
75169-229115	210
75169-230115	210
75169-231115	182
75169-232115	182
75169-233115	183
75169-234115	180
75169-234269	460
75169-235115	180
75169-235269	460
75169-236115	181
75169-236269	460
75169-237115	181
75169-237269	460
75169-238269	460
75169-239269	460
75169-242269	460
75169-244269	460
75169-246115	306
75169-247115	306
75169-248115	306
75169-249115	306
75169-250115	306
75169-252108	212
75169-253108	212
75169-254108	212
75169-254115	308
75169-255108	212
75169-255115	308
75169-256108	213
75169-256115	308
75169-257108	213
75169-257115	310
75169-258108	354
75169-258115	310
75169-259108	354
75169-259115	310
75169-260115	310
75169-261115	310
75169-274694	449
75169-275108	350
75169-275694	448
75169-276108	350
75169-276694	449
75169-277108	214
75169-277694	448

CODE	PAGE
75169-278108	214
75169-278694	448
75169-279108	214
75169-279694	451
75169-280108	214
75169-280694	450
75169-281108	214
75169-281694	451
75169-282108	214
75169-282694	450
75169-283108	215
75169-284108	215
75169-285108	215
75169-288108	334
75169-289108	334
75169-290108	336
75169-291108	336
75169-292108	298
75169-293108	298
75169-294108	298
75169-295108	298
75169-356695	356
75169-357695	356
75169-358695	356
75169-375694	446
75169-376694	446
75169-377694	446
75169-378694	446
75169-379694	444
75169-380694	444
75169-381694	444
75169-382694	444
75169-383694	444
75169-384694	444
75169-385694	444
75169-386694	453
75169-387694	453
75169-388694	453
75169-389694	453
75169-390694	452
75169-391694	452
75169-392694	452
75169-393694	452
75169-394694	452
75169-395694	452
75169-477724	184
75169-478724	184
75169-479724	185
75169-480724	188
75169-481724	186
75169-482724	208
75169-482730	198

CODE	PAGE
75169-483724	202
75169-483730	196
75169-484724	200
75169-484730	196
75169-485730	190
75169-486730	320
75169-487730	192
75169-488730	194
75169-489730	192
75169-490730	194
77161-474724	260
77161-476724	260
77161-477724	260
78000-050721	48
78000-051721	48
78000-052721	48

Q-CERT

ΠΙΣΤΟΠΟΙΗΤΙΚΟ/CERTIFICATE

QMSCERT, an accredited provider of third-party system certification organization for ISO 9001 quality management systems and acting in accordance with the requirements of ISO 17021 for registrars attests that:

VK Hellas Electric S.A. - Vaios Karakostas S.A.
8, ARISTOTELOUS STR., GR-17778,
TAVROS, ATHENS, GREECE

with a scope of:

*Elaboration of Illumination Studies. Wholesale & Retail Sale of
Illumination & Electrical Equipment.*

has established a quality management system that is in conformance with the
International Standard

EN ISO 9001:2015

June 20th, 2019

Certification Period Ending

June 21st, 2016

Initial Certification Date

June 21st, 2016

Certification Date

IAF/EA Subsector: 29.3, 34.1

For the QMSCERT Board

This certification is subject to Annual Surveillance Audits. The certification is valid (for three years) only if it is followed by the annual surveillance audits approval.

For information concerning the validity of the certificate, you can visit the site www.qmscert.com



QMSCERT® No. 210616-1 Rev.1

MS Certification
Cert. No. 110-6

QMSCERT 26th OCTOBER Str. 90 - GR 546 27 - THESSALONIKI - HELLAS

Q-CERT

ΠΙΣΤΟΠΟΙΗΤΙΚΟ/CERTIFICATE

QMSCERT, an accredited provider of third-party system certification organization for ISO 14001 environmental management systems and acting in accordance with the requirements of ISO 17021 for registrars attests that:

VK Hellas Electric S.A. - Vaios Karakostas S.A.

8, ARISTOTELOUS STR., GR-17778,
TAVROS, ATHENS, GREECE

with a scope of:

*Elaboration of Illumination Studies. Wholesale & Retail Sale of
Illumination & Electrical Equipment.*

has established an environmental management system that is in conformance with the
International Standard

EN ISO 14001:2015

September 11th, 2020

Certification Period Ending

September 12th, 2017

Initial Certification Date

September 12th, 2017

Certification Date

NACE code: 46.69, 71.12

For the QMSCERT Board

This certification is subject to Annual Surveillance Audits. The certification is valid (for three years) only if it is followed by the annual surveillance audits approval.

For information concerning the validity of the certificate, you can visit the site www.qmscert.com



QMSCERT® N. 120917-6 Rev.1

MS Certification
Cert. No. 110-6

QMSCERT 26th OCTOBER Str. 90 - GR 546 27 - THESSALONIKI - HELLAS



CERTIFICATE

Q-CERT

Q-CERT, an accredited provider of third-party system certification
attests that:

VK LEADING LIGHT - VAIOS I. KARAKOSTAS S.A.
8, ARISTOTELOUS STR., GR-17778, TAVROS, ATHENS, GREECE

with a scope of:

***Elaboration of Illumination Studies. Wholesale & Retail Sale
of Illumination & Electrical Equipment***

has established an
OCCUPATIONAL HEALTH & SAFETY MANAGEMENT SYSTEM
that is in conformance with the requirements of the International Standard

ISO 45001:2018

August 31, 2023

Certification Period Ending

September 01, 2020

Initial Certification Date

September 01, 2020

Certification Date

IAF/EA Sector: 29, 34

For Q-CERT's Board

This certification is subject to Annual Surveillance Audits. The certification is valid (for three years) only if it is followed by the annual surveillance audits approval.

For information concerning the validity of the certificate, you can visit the site www.qmscert.com

Certificate No: 010920-3



MS Certification
Cert. No. 110-6

VK Leading Light 2024 2025 DECORATIVE INDOOR + OUTDOOR

Inside this vessel there are creatures of light living and breathing, while travelling the world. This space is a field of practising the art of imagination, so take the time to test your skills. There are single travellers, couples, and entire families travelling all together, creating little communities, and awaiting for you to meet them. They come in all shapes and sizes and are all available and open for discussion with you, about the wonders you can achieve together.

A 8 Aristotelous St, Tavros, 177 78 Athens, Greece

T +30 210 99 69 610-11 +30 210 34 58 072 +30 210 34 58 075 F +30 210 99 58 374

E info@vkleadinglight.gr W vkleadinglight.gr

vkleadinglight.gr