



## PRICE LIST - PROJECT PRODUCTS - 2022/2023

Valid starting with 15.09.2022

| No  | Product Code  | Product Description   | Цена с ДДС   | U/M | Driver Info | Bar Code      | Pcs/ master ctn | Gross Weight | NET Weight | Catalogue no. |
|---|---------------|---|--------------|-----|-------------|---------------|-----------------|--------------|------------|---------------|
| <b>1. RECESSED, SURFACE AND SUSPENDED LIGHT SYSTEMS</b> |               |   |              |     |             |               |                 |              |            |               |
| 1   | AX01SR WW     | XAXE LINEAR LIGHT FITTING VERTICAL 319mm 2W 24V DC 3000K (5.1.2)  | 246.04 лв.   | pc  |             | 6422103091558 | 80              | 0.08         | 0.07       | 28            |
| 2   | AX02SR WW     | XAXE LINEAR LIGHT FITTING VERTICAL 611mm 4.5W 24V DC 3000K (4.1.2)  | 263.62 лв.   | pc  |             | 6422103091565 | 1               | 0.15         | 0.14       | 28            |
| 3   | AX03SR WW     | XAXE LINEAR LIGHT FITTING VERTICAL 1114mm 9W 24V DC 3000K (4.1.2)   | 424.72 лв.   | pc  |             | 6422103091572 | 1               | 0.25         | 0.24       | 28            |
| 4   | AX04SR WW     | XAXE LINEAR LIGHT FITTING VERTICAL 1617mm 14W 24V DC 3000K (4.1.2)  | 571.17 лв.   | pc  |             | 6422103091589 | 1               | 0.29         | 0.28       | 28            |
| 5   | AX05SR WW     | XAXE LINEAR LIGHT FITTING VERTICAL 611mm 3W 24V DC 3000K (4.1.2)  | 281.19 лв.   | pc  |             | 6422103091596 | 1               | 0.15         | 0.14       | 28            |
| 6   | AX06SR WW     | XAXE LINEAR LIGHT FITTING VERTICAL 1114mm 5W 24V DC 3000K (4.1.2)   | 393.96 лв.   | pc  |             | 6422103091602 | 1               | 0.25         | 0.24       | 28            |
| 7   | AX07SR WW     | XAXE LINEAR LIGHT FITTING VERTICAL 1617mm 8W 24V DC 3000K (4.1.2)   | 446.68 лв.   | pc  |             | 6422103091619 | 1               | 0.29         | 0.28       | 28            |
| 8   | AX01HS WW     | XAXE LINEAR LIGHT FITTING HORIZONTAL SUSPENDED 6.5W 24V DC 3000K (4.1.2)                                  | 351.49 лв.   | pc  |             | 6422103091664 | 1               | 0.22         | 0.21       | 30            |
| 9   | AX01VS WW     | XAXE LINEAR LIGHT FITTING VERTICAL SUSPENDED 5W 24V DC 3000K (4.1.2)                                      | 248.97 лв.   | pc  |             | 6422103091657 | 1               | 0.12         | 0.11       | 30            |
| 10  | MCKSO1SCT     | XCLICK M SURFACE STRUCTURAL ELEMENT TRACK 10cm with CIRCUIT for 48V DC IP20 BK                            | 65.91 лв.    | pc  |             | 6422103047531 | 45              | 0.10         | 0.09       | 31            |
| 11  | AX01B WW      | XAXE LINEAR LIGHT FITTING 528mm 5W 24V DC 3000K CRI.90 (4.1.2)  | 187.46 лв.   | pc  |             | 6422103091626 | 1               | 0.11         | 0.10       | 32            |
| 12  | AX02B WW      | XAXE LINEAR LIGHT FITTING 1031mm 10W 24V DC 3000K CRI.90 (4.1.2)  | 304.62 лв.   | pc  |             | 6422103091633 | 1               | 0.22         | 0.21       | 32            |
| 13  | AX03B WW      | XAXE LINEAR LIGHT FITTING 2036mm 20W 24V DC 3000K CRI.90 (4.1.2)  | 597.53 лв.   | pc  |             | 6422103091640 | 1               | 0.43         | 0.41       | 32            |
| 14  | AX01C90       | XAXE CONNECTOR MECHANIC ANGULAR 90° DIFFERENT PLANES  | 55.65 лв.    | pc  |             | 6422103091688 | 36              | 0.04         | 0.03       | 34            |
| 15  | AX01EC180     | XAXE CONNECTOR MECHANIC & ELECTRICAL ANGULAR 180° SAME PLAN   | 171.35 лв.   | pc  |             | 6422103091695 | 36              | 0.04         | 0.03       | 34            |
| 16  | AX01EC90      | XAXE CONNECTOR MECHANIC & ELECTRICAL ANGULAR 90° DIFFERENT PLANES   | 175.74 лв.   | pc  |             | 6422103091671 | 36              | 0.05         | 0.04       | 34            |
| 17  | AX01ACV       | XAXE ADHESIVE TAPE ROLL (18m) for MASKING   | 7.47 лв.     | pc  |             | 6422103093088 |                 | 0.10         | 0.09       | 35            |
| 18  | AX01DB        | XAXE DRIVER BOX + DRIVER 220-240V AC 76.8W  | 610.71 лв.   | pc  |             | 6422103091701 | 20              | 0.80         | 0.77       | 35            |
| 19  | SMCKSO2TDB    | XCLICK S/M SURFACE new BOX FOR DRIVER, TRIMLESS MOUNTING WH   | 205.95 лв.   | pc  |             | 6422103047548 | 12              | 0.88         | 0.84       | 35            |
| 20  | RO01 TK       | XROD LINEAR SUSP. TRACK 48V DC 0.6 Mr BK  | 288.22 лв.   | pc  |             | 6422103087322 | 16              | 0.34         | 0.32       | 42            |
| 21  | RO02 TK       | XROD LINEAR SUSP. TRACK 48V DC 1.2 Mr BK  | 368.62 лв.   | pc  |             | 6422103087339 | 1               | 0.61         | 0.59       | 42            |
| 22  | RO03 TK       | XROD LINEAR SUSP. TRACK 48V DC 1.8 Mr BK  | 574.10 лв.   | pc  |             | 6422103087346 | 1               | 0.90         | 0.87       | 42            |
| 23  | RO01WWW OP    | XROD LINEAR CYLINDRICAL SUSP. 13.2W/48V DC WW CRI.90 large optics 0.6 Mr BK (4.1.2)                       | 307.11 лв.   | pc  | Excluded    | 6422103087230 | 16              | 0.34         | 0.32       | 43            |
| 24  | RO01WWW SP    | XROD LINEAR CYLINDRICAL SUSP. 12.1W/48V DC WW CRI.90 20grd. 0.6 Mr BK (4.1.2)                             | 394.55 лв.   | pc  | Excluded    | 6422103087261 | 16              | 0.34         | 0.32       | 43            |
| 25  | RO01WWW SP+OP | XROD LINEAR CYLINDRICAL SUSP. DIRECT/INDIRECT LIGHT 25.3W/48V DC WW CRI.90 large+20grd. 0.6 Mr BK (4.1.2) | 493.70 лв.   | pc  | Excluded    | 6422103087292 | 16              | 0.34         | 0.32       | 43            |
| 26  | RO02WWW OP    | XROD LINEAR CYLINDRICAL SUSP. 26.3W/48V DC WW CRI.90 large optics 1.2 Mr BK (4.1.2)                       | 493.70 лв.   | pc  | Excluded    | 6422103087247 | 1               | 0.61         | 0.59       | 43            |
| 27  | RO02WWW SP    | XROD LINEAR CYLINDRICAL SUSP. 24.3W/48V DC WW CRI.90 20grd. 1.2 Mr BK (4.1.2)                             | 682.77 лв.   | pc  | Excluded    | 6422103087278 | 1               | 0.61         | 0.59       | 43            |
| 28  | RO02WWW SP+OP | XROD LINEAR CYLINDRICAL SUSP. DIRECT/INDIRECT LIGHT 50.6W/48V DC WW CRI.90 large+20grd. 1.2 Mr BK (4.1.2) | 888.24 лв.   | pc  | Excluded    | 6422103087308 | 1               | 0.61         | 0.59       | 43            |
| 29  | RO03WWW OP    | XROD LINEAR CYLINDRICAL SUSP. 39.5W/48V DC WW CRI.90 large optics 1.8 Mr BK (4.1.2)                       | 786.60 лв.   | pc  | Excluded    | 6422103087254 | 1               | 0.90         | 0.87       | 43            |
| 30  | RO03WWW SP    | XROD LINEAR CYLINDRICAL SUSP. 36.4W/48V DC WW CRI.90 20grd. 1.8 Mr BK (4.1.2)                             | 1 062.96 лв. | pc  | Excluded    | 6422103087285 | 1               | 0.90         | 0.87       | 43            |
| 31  | RO03WWW SP+OP | XROD LINEAR CYLINDRICAL SUSP. DIRECT/INDIRECT LIGHT 74.7W/48V DC WW CRI.90 large+20grd. 1.8 Mr BK (4.1.2) | 1 341.81 лв. | pc  | Excluded    | 6422103087315 | 1               | 0.90         | 0.87       | 43            |
| 32  | RO01C90       | XROD 90grd CONNECTOR 48V DC BK  | 73.23 лв.    | pc  |             | 6422103087360 | 90              | 0.03         | 0.02       | 44            |
| 33  | RO01LC        | XROD LINEAR CONNECTOR 48V DC BK   | 68.54 лв.    | pc  |             | 6422103087353 | 90              | 0.03         | 0.02       | 44            |
| 34  | RO01TC        | XROD T CONNECTOR 48V DC BK  | 82.75 лв.    | pc  |             | 6422103087377 | 60              | 0.03         | 0.02       | 44            |
| 35  | RO01XC        | XROD X CONNECTOR 48V DC BK  | 92.12 лв.    | pc  |             | 6422103087384 | 45              | 0.04         | 0.03       | 44            |
| 36  | RO01EC        | XROD END CAP BK   | 38.52 лв.    | pc  |             | 6422103087391 | 216             | 0.01         | 0.01       | 45            |
| 37  | RO01RDB       | XROD AL. ROD for SUSP. and POWER SUPPLY 562mm BK  | 127.56 лв.   | pc  |             | 6422103087414 | 48              | 0.32         | 0.31       | 46            |
| 38  | RO01RNC       | XROD AL. ROD for SUSP. to CEILING 593mm BK  | 127.56 лв.   | pc  |             | 6422103087438 | 48              | 0.32         | 0.31       | 46            |
| 39  | RO02RDB       | XROD AL. ROD for SUSP. and POWER SUPPLY 862mm BK  | 148.94 лв.   | pc  |             | 6422103087421 | 36              | 0.51         | 0.49       | 46            |
| 40  | RO02RNC       | XROD AL. ROD for SUSP. to CEILING 893mm BK  | 165.35 лв.   | pc  |             | 6422103087445 | 36              | 0.51         | 0.49       | 46            |
| 41  | RO01DB        | XROD DRIVER BOX BK  | 741.79 лв.   | pc  |             | 6422103087407 | 10              | 1.80         | 1.74       | 47            |
| 42  | RO01RFC       | XROD AL. ROD for SUSP. to FALSE CEILING 593mm BK  | 136.20 лв.   | pc  |             | 6422103087452 | 16              | 0.34         | 0.32       | 47            |
| 43  | RO02RFC       | XROD AL. ROD for SUSP. to FALSE CEILING 893mm BK  | 168.42 лв.   | pc  |             | 6422103087469 | 8               | 0.54         | 0.52       | 47            |
| 44  | SMCKSO3TDB    | XCLICK S/M BOX FOR DRIVER TRIMLESS MWH 330x103x15mm   | 177.86 лв.   | pc  |             | 6422103087476 | 60              | 0.78         | 0.75       | 47            |
| 45  | SCKR01        | XCLICK S RECESSED PROFILE 2,5m 48V DC IP20 BK   | 348.74 лв.   | pc  |             | 6422103045803 | 1               | 1.43         | 1.38       | 53            |
| 46  | SCKR01C90     | XCLICK S RECESSED CONNECTOR 90grd SAME PLANE 48V DC IP20 BK   | 129.28 лв.   | pc  |             | 6422103046718 | 40              | 0.18         | 0.17       | 53            |
| 47  | SCKR01EAC     | XCLICK S RECESSED CONNECTOR 90grd, EXTERNAL ANGLE, DIF. PLANES 48V DC IP20 BK                             | 125.20 лв.   | pc  |             | 6422103046695 | 20              | 0.18         | 0.17       | 53            |
| 48  | SCKR01IAC     | XCLICK S RECESSED CONNECTOR 90grd, INTERNAL ANGLE, DIF. PLANES 48V DC IP20 BK                             | 127.24 лв.   | pc  |             | 6422103046701 | 20              | 0.19         | 0.18       | 53            |
| 49  | SCKSO1        | XCLICK S SURFACE PROFILE 2,5m 48V DC IP20 BK  | 325.53 лв.   | pc  |             | 6422103045810 | 1               | 1.28         | 1.24       | 55            |
| 50  | SCKSO1C90     | XCLICK S SURFACE CONNECTOR 90grd SAME PLANE 48V DC IP20 BK  | 92.54 лв.    | pc  |             | 6422103046763 | 40              | 0.15         | 0.14       | 55            |
| 51  | SCKSO1IAC     | XCLICK S SURFACE CONNECTOR 90grd, INTERNAL ANGLE, DIF. PLANES 48V DC IP20 BK                              | 85.73 лв.    | pc  |             | 6422103046756 | 40              | 0.15         | 0.14       | 55            |
| 52  | SCKSO1SCT     | XCLICK S SURFACE STRUCTURAL ELEMENT TRACK 10cm with CIRCUIT for 48V DC IP20 BK                            | 48.06 лв.    | pc  |             | 6422103047500 | 135             | 0.06         | 0.05       | 55            |

|     |                   |  |            |    |  |               |      |      |      |    |
|-----|-------------------|--|------------|----|--|---------------|------|------|------|----|
| 53  | SCRS01CV          | XCLICK S FRONT COVER 2,5m BK   | 40.72 лв.  | pc |  | 6422103045797 | 10   | 0.16 | 0.15 | 58 |
| 54  | SCRS01FC          | XCLICK S FLEXIBLE ANGLE CONNECTOR WITH CABLE 48V DC IP20 BK  | 95.36 лв.  | pc |  | 6422103045841 | 48   | 0.06 | 0.05 | 58 |
| 55  | SCRS01LC          | XCLICK S LINEAR CONNECTOR 48V DC IP20 BK   | 61.08 лв.  | pc |  | 6422103045827 | 96   | 0.03 | 0.02 | 58 |
| 56  | SCRS01PC0.5       | XCLICK S POWER SUPPLY CONNECTOR WITH CABLE 48V DC IP20 BK  | 67.87 лв.  | pc |  | 6422103045834 | 72   | 0.05 | 0.04 | 58 |
| 57  | SCRS01CF          | XCLICK S SURFACE FIXING ELEMENT FOR WALL/CEILING MOUNTING BK                                       | 13.55 лв.  | pc |  | 6422103045872 | 1280 | 0.02 | 0.01 | 58 |
| 58  | SCRS01PC1.7       | XCLICK S SURFACE POWER SUPPLY CONNECTOR WITH CABLE 1,7m 48V DC IP20 BK                             | 88.23 лв.  | pc |  | 6422103046275 | 24   | 0.07 | 0.06 | 58 |
| 59  | SCRS01EC          | XCLICK S END CAP WITHOUT HOLE BK   | 22.49 лв.  | pc |  | 6422103045858 | 360  | 0.01 | 0.01 | 59 |
| 60  | SCRS02EC          | XCLICK S END CAP WITH HOLE BK  | 22.49 лв.  | pc |  | 6422103045865 | 360  | 0.01 | 0.01 | 59 |
| 61  | SCRS01MSU         | XCLICK S SURFACE MECHANICAL SUSP+WIRE BK   | 40.72 лв.  | pc |  | 6422103046237 | 300  | 0.03 | 0.02 | 59 |
| 62  | SMCKS01CSU        | XCLICK S/M SURFACE ELEMENT FOR CEILING SUSPENSION fi.20x30 mm BK                                   | 57.49 лв.  | pc |  | 6422103046244 | 72   | 0.04 | 0.03 | 59 |
| 63  | SMCKS01SDB        | XCLICK S/M SURFACE BOX FOR 100W DRIVER, CEILING MOUNTING BK  | 127.69 лв. | pc |  | 6422103046268 | 20   | 0.23 | 0.22 | 59 |
| 64  | SMCKS02SDB        | XCLICK S/M SURFACE BOX FOR 200W DRIVER, CEILING MOUNTING BK  | 178.49 лв. | pc |  | 6422103047128 | 10   | 1.32 | 1.28 | 59 |
| 65  | SCRS01UWWW OP     | XCLICK S LINEAR LIGHT FITTING 11,4W 48V DC 2700K CRI.80 306x14,6x24,5 mm IP20 BK (5.1.2)           | 203.61 лв. | pc |  | 6422103048347 | 100  | 0.12 | 0.11 | 60 |
| 66  | SCRS01WWW OP      | XCLICK S LINEAR LIGHT FITTING 11,4W 48V DC 3000K CRI.80 306x14,6x24,5 mm IP20 BK (5.1.2)           | 203.61 лв. | pc |  | 6422103045933 | 100  | 0.12 | 0.11 | 60 |
| 67  | SCRS02UWWW OP     | XCLICK S LINEAR LIGHT FITTING 20W 48V DC 2700K CRI.80 606x14,6x24,5 mm IP20 BK (4.1.2)             | 298.62 лв. | pc |  | 6422103048354 | 48   | 0.23 | 0.22 | 60 |
| 68  | SCRS02WWW OP      | XCLICK S LINEAR LIGHT FITTING 20W 48V DC 3000K CRI.80 606x14,6x24,5 mm IP20 BK (4.1.2)             | 298.63 лв. | pc |  | 6422103045940 | 48   | 0.23 | 0.22 | 60 |
| 69  | SCRS03UWWW OP     | XCLICK S LINEAR LIGHT FITTING 30W 48V DC 2700K CRI.80 906x14,6x24,5 mm IP20 BK (4.1.2)             | 388.21 лв. | pc |  | 6422103048361 | 36   | 0.33 | 0.32 | 60 |
| 70  | SCRS03WWW OP      | XCLICK S LINEAR LIGHT FITTING 30W 48V DC 3000K CRI.80 906x14,6x24,5 mm IP20 BK (4.1.2)             | 388.22 лв. | pc |  | 6422103045957 | 36   | 0.33 | 0.32 | 60 |
| 71  | SCRS04UWWW OP     | XCLICK S LINEAR LIGHT FITTING 40W 48V DC 2700K CRI.80 1196x14,6x24,5 mm IP20 BK (4.1.2)            | 502.23 лв. | pc |  | 6422103048378 | 24   | 0.44 | 0.42 | 60 |
| 72  | SCRS04WWW OP      | XCLICK S LINEAR LIGHT FITTING 40W 48V DC 3000K CRI.80 1196x14,6x24,5 mm IP20 BK (4.1.2)            | 502.24 лв. | pc |  | 6422103045964 | 24   | 0.44 | 0.42 | 60 |
| 73  | SCRS05UWWW OP     | XCLICK S LINEAR LIGHT FITTING 50W 48V DC 2700K CRI.80 1496x14,6x24,5 mm IP20 BK (4.1.2)            | 563.32 лв. | pc |  | 6422103048385 | 16   | 0.55 | 0.53 | 60 |
| 74  | SCRS05WWW OP      | XCLICK S LINEAR LIGHT FITTING 50W 48V DC 3000K CRI.80 1496x14,6x24,5 mm IP20 BK (4.1.2)            | 563.32 лв. | pc |  | 6422103045971 | 16   | 0.55 | 0.53 | 60 |
| 75  | SCRS21UWWW SP BK  | XCLICK S ADJ. LINEAR PROJECTOR 4,5W 48V DC 2700K CRI.90 20° 201x14,6x60 mm IP20 UGR<16 BK(5.1.2)   | 332.56 лв. | pc |  | 6422103048439 | 15   | 0.18 | 0.17 | 60 |
| 76  | SCRS21UWWW SP MWH | XCLICK S ADJ. LINEAR PROJECTOR 4,5W 48V DC 2700K CRI.90 20° 201x14,6x60 mm IP20 UGR<16 MWH (5.1.2) | 324.28 лв. | pc |  | 6422103070836 | 15   | 0.18 | 0.17 | 60 |
| 77  | SCRS21UWWW SP SGD | XCLICK S ADJ. LINEAR PROJECTOR 4,5W 48V DC 2700K CRI.90 20° 201x14,6x60 mm IP20 UGR<16 SGD (5.1.2) | 324.28 лв. | pc |  | 6422103069571 | 15   | 0.18 | 0.17 | 60 |
| 78  | SCRS21WWW SP BK   | XCLICK S ADJ. LINEAR PROJECTOR 4,5W 48V DC 3000K CRI.90 20° 201x14,6x60 mm IP20 UGR<16 BK (5.1.2)  | 332.56 лв. | pc |  | 6422103045988 | 15   | 0.18 | 0.17 | 60 |
| 79  | SCRS21WWW SP MWH  | XCLICK S ADJ. LINEAR PROJECTOR 4,5W 48V DC 3000K CRI.90 20° 201x14,6x60 mm IP20 UGR<16 MWH (5.1.2) | 324.28 лв. | pc |  | 6422103070843 | 15   | 0.18 | 0.17 | 60 |
| 80  | SCRS21WWW SP SGD  | XCLICK S ADJ. LINEAR PROJECTOR 4,5W 48V DC 3000K CRI.90 20° 201x14,6x60 mm IP20 UGR<16 SGD (5.1.2) | 324.28 лв. | pc |  | 6422103069045 | 15   | 0.18 | 0.17 | 60 |
| 81  | SCRS22UWWW SP BK  | XCLICK S ADJ. LINEAR PROJECTOR 9W 48V DC 2700K CRI.90 20° 308x14,6x60 mm IP20 UGR<16 BK(5.1.2)     | 468.31 лв. | pc |  | 6422103048446 | 20   | 0.31 | 0.30 | 60 |
| 82  | SCRS22UWWW SP MWH | XCLICK S ADJ. LINEAR PROJECTOR 9W 48V DC 2700K CRI.90 20° 308x14,6x60 mm IP20 UGR<16 MWH (5.1.2)   | 445.03 лв. | pc |  | 6422103070850 | 20   | 0.31 | 0.30 | 60 |
| 83  | SCRS22UWWW SP SGD | XCLICK S ADJ. LINEAR PROJECTOR 9W 48V DC 2700K CRI.90 20° 308x14,6x60 mm IP20 UGR<16 SGD (5.1.2)   | 445.03 лв. | pc |  | 6422103069588 | 20   | 0.31 | 0.30 | 60 |
| 84  | SCRS22WWW SP BK   | XCLICK S ADJ. LINEAR PROJECTOR 9W 48V DC 3000K CRI.90 20° 308x14,6x60 mm IP20 UGR<16 BK(5.1.2)     | 468.30 лв. | pc |  | 6422103045995 | 20   | 0.31 | 0.30 | 60 |
| 85  | SCRS22WWW SP MWH  | XCLICK S ADJ. LINEAR PROJECTOR 9W 48V DC 3000K CRI.90 20° 308x14,6x60 mm IP20 UGR<16 MWH (5.1.2)   | 445.03 лв. | pc |  | 6422103070867 | 20   | 0.31 | 0.30 | 60 |
| 86  | SCRS22WWW SP SGD  | XCLICK S ADJ. LINEAR PROJECTOR 9W 48V DC 3000K CRI.90 20° 308x14,6x60 mm IP20 UGR<16 SGD (5.1.2)   | 445.03 лв. | pc |  | 6422103069052 | 20   | 0.31 | 0.30 | 60 |
| 87  | SCRS31UWWW SP BK  | XCLICK S ADJ. MINI PROJECTOR 5,4W 48V DC 2700K CRI.90 IP20 14° UGR<19 BK (5.1.2)                   | 305.01 лв. | pc |  | 6422103048453 | 30   | 0.19 | 0.18 | 61 |
| 88  | SCRS31UWWW SP MWH | XCLICK S ADJ. MINI PROJECTOR 5,4W 48V DC 2700K CRI.90 IP20 14° UGR<19 MWH (5.1.2)                  | 305.01 лв. | pc |  | 6422103070874 | 30   | 0.19 | 0.18 | 61 |
| 89  | SCRS31UWWW SP SGD | XCLICK S ADJ. MINI PROJECTOR 5,4W 48V DC 2700K CRI.90 IP20 14° UGR<19 SGD (5.1.2)                  | 305.01 лв. | pc |  | 6422103069595 | 30   | 0.19 | 0.18 | 61 |
| 90  | SCRS31WWW SP BK   | XCLICK S ADJ. MINI PROJECTOR 5,4W 48V DC 3000K CRI.90 IP20 14° UGR<19 BK (5.1.2)                   | 305.01 лв. | pc |  | 6422103045919 | 30   | 0.19 | 0.18 | 61 |
| 91  | SCRS31WWW SP MWH  | XCLICK S ADJ. MINI PROJECTOR 5,4W 48V DC 3000K CRI.90 IP20 14° UGR<19 MWH (5.1.2)                  | 305.01 лв. | pc |  | 6422103070881 | 30   | 0.19 | 0.18 | 61 |
| 92  | SCRS31WWW SP SGD  | XCLICK S ADJ. MINI PROJECTOR GOLD 5,4W 48V DC 3000K CRI.90 IP20 14° UGR<19 BK (5.1.2)              | 305.01 лв. | pc |  | 6422103069069 | 30   | 0.19 | 0.18 | 61 |
| 93  | SCRS32UWWW SP BK  | XCLICK S ADJ. MINI PROJECTOR 10,8W 48V DC 2700K CRI.90 IP20 26° UGR<10 BK (5.1.2)                  | 342.85 лв. | pc |  | 6422103048460 | 30   | 0.31 | 0.30 | 61 |
| 94  | SCRS32UWWW SP MWH | XCLICK S ADJ. MINI PROJECTOR 10,8W 48V DC 2700K CRI.90 IP20 26° UGR<10 MWH (5.1.2)                 | 342.85 лв. | pc |  | 6422103070898 | 30   | 0.31 | 0.30 | 61 |
| 95  | SCRS32UWWW SP SGD | XCLICK S ADJ. MINI PROJECTOR 10,8W 48V DC 2700K CRI.90 IP20 26° UGR<10 SGD (5.1.2)                 | 342.85 лв. | pc |  | 6422103069601 | 30   | 0.31 | 0.30 | 61 |
| 96  | SCRS32WWW SP BK   | XCLICK S ADJ. MINI PROJECTOR 10,8W 48V DC 3000K CRI.90 IP20 26° UGR<10 BK (5.1.2)                  | 342.85 лв. | pc |  | 6422103046008 | 30   | 0.31 | 0.30 | 61 |
| 97  | SCRS32WWW SP MWH  | XCLICK S ADJ. MINI PROJECTOR 10,8W 48V DC 3000K CRI.90 IP20 26° UGR<10 MWH (5.1.2)                 | 342.85 лв. | pc |  | 6422103070904 | 30   | 0.31 | 0.30 | 61 |
| 98  | SCRS32WWW SP SGD  | XCLICK S ADJ. MINI PROJECTOR 10,8W 48V DC 3000K CRI.90 IP20 26° UGR<10 SGD (5.1.2)                 | 342.85 лв. | pc |  | 6422103069076 | 30   | 0.31 | 0.30 | 61 |
| 99  | SCRS33UWWW SP BK  | XCLICK S ADJ. MINI PROJECTOR 9,2W 48V DC 2700K CRI.90 IP20 26° UGR<10 BK (5.1.2)                   | 451.45 лв. | pc |  | 6422103072014 | 18   | 0.31 | 0.30 | 61 |
| 100 | SCRS33UWWW SP MWH | XCLICK S ADJ. MINI PROJECTOR 9,2W 48V DC 2700K CRI.90 IP20 26° UGR<10 MWH (5.1.2)                  | 451.45 лв. | pc |  | 6422103072007 | 18   | 0.29 | 0.28 | 61 |
| 101 | SCRS33UWWW SP SGD | XCLICK S ADJ. MINI PROJECTOR 9,2W 48V DC 2700K CRI.90 IP20 26° UGR<10 GD (5.1.2)                   | 451.45 лв. | pc |  | 6422103072021 | 18   | 0.29 | 0.28 | 61 |
| 102 | SCRS33WWW SP BK   | XCLICK S ADJ. MINI PROJECTOR 9,2W 48V DC 3000K CRI.90 IP20 26° UGR<10 BK (5.1.2)                   | 451.45 лв. | pc |  | 6422103072045 | 18   | 0.29 | 0.28 | 61 |
| 103 | SCRS33WWW SP MWH  | XCLICK S ADJ. MINI PROJECTOR 9,2W 48V DC 3000K CRI.90 IP20 26° UGR<10 MWH (5.1.2)                  | 451.45 лв. | pc |  | 6422103072038 | 18   | 0.29 | 0.28 | 61 |
| 104 | SCRS33WWW SP SGD  | XCLICK S ADJ. MINI PROJECTOR 9,2W 48V DC 3000K CRI.90 IP20 26° UGR<10 GD (5.1.2)                   | 451.45 лв. | pc |  | 6422103072052 | 18   | 0.29 | 0.28 | 61 |
| 105 | SCRS11UWWW GB     | XCLICK S DECO. SPHERICAL LIGHT FITTING 6W 48V DC 2700K CRI.90 IP20 BK (5.1.2)                      | 440.19 лв. | pc |  | 6422103048392 | 4    | 0.44 | 0.42 | 62 |
| 106 | SCRS11WWW GB      | XCLICK S DECO. SPHERICAL LIGHT FITTING 6W 48V DC 3000K CRI.90 IP20 BK (5.1.2)                      | 440.19 лв. | pc |  | 6422103045896 | 4    | 0.44 | 0.42 | 62 |
| 107 | SCRS12UWWW PN     | XCLICK S DECO. PANEL LIGHT FITTING 11,2W 48V DC 2700K CRI.90 IP20 MWH (5.1.2)                      | 360.61 лв. | pc |  | 6422103048408 | 20   | 0.37 | 0.35 | 62 |
| 108 | SCRS12WWW PN      | XCLICK S DECO. PANEL LIGHT FITTING 11,2W 48V DC 3000K CRI.90 IP20 MWH (5.1.2)                      | 360.61 лв. | pc |  | 6422103045902 | 20   | 0.37 | 0.35 | 62 |
| 109 | SCRS14UWWW SU BK  | XCLICK S DECO. SUSP. LIGHT FITTING 5,2W 48V DC 2700K CRI.90 IP20 19° UGR<10 BK (5.1.2)             | 389.94 лв. | pc |  | 6422103048415 | 30   | 0.70 | 0.67 | 63 |
| 110 | SCRS14UWWW SU MWH | XCLICK S DECO. SUSP. LIGHT FITTING 5,2W 48V DC 2700K CRI.90 IP20 19° UGR<10 MWH (5.1.2)            | 389.94 лв. | pc |  | 6422103070911 | 30   | 0.70 | 0.67 | 63 |
| 111 | SCRS14UWWW SU SGD | XCLICK S DECO. SUSP. LIGHT FITTING 5,2W 48V DC 2700K CRI.90 IP20 19° UGR<10 SGD (5.1.2)            | 389.94 лв. | pc |  | 6422103069618 | 30   | 0.70 | 0.67 | 63 |
| 112 | SCRS14WWW SU BK   | XCLICK S DECO. SUSP. LIGHT FITTING 5,2W 48V DC 3000K CRI.90 IP20 19° UGR<10 BK (5.1.2)             | 389.94 лв. | pc |  | 6422103047517 | 30   | 0.70 | 0.67 | 63 |
| 113 | SCRS14WWW SU MWH  | XCLICK S DECO. SUSP. LIGHT FITTING 5,2W 48V DC 3000K CRI.90 IP20 19° UGR<10 MWH (5.1.2)            | 389.94 лв. | pc |  | 6422103070928 | 30   | 0.70 | 0.67 | 63 |

|     |                  |  |            |    |               |     |      |      |    |
|-----|------------------|--|------------|----|---------------|-----|------|------|----|
| 114 | SCKRS14WW SU SGD | XCLICK S DECO. SUSP. LIGHT FITTING 5,2W 48V DC 3000K CRI.90 IP20 19° UGR<10 SGD (5.1.2)          | 389.94 лв. | pc | 6422103069038 | 30  | 0.70 | 0.67 | 63 |
| 115 | SCKRS15UWW SU    | XCLICK S DECO. SPHERICAL SUSP. LIGHT FITTING 4,6W 48V DC 2700K CRI.90 IP20 UGR<16 BK (5.1.2)     | 501.56 лв. | pc | 6422103048422 | 4   | 0.40 | 0.38 | 63 |
| 116 | SCKRS15WW SU     | XCLICK S DECO. SPHERICAL SUSP. LIGHT FITTING 4,6W 48V DC 3000K CRI.90 IP20 UGR<16 BK (5.1.2)     | 501.56 лв. | pc | 6422103047524 | 4   | 0.40 | 0.38 | 63 |
| 117 | MCKR01           | XCLICK M RECESSED PROFILE 2,5m 48V DC IP20 BK  | 562.12 лв. | pc | 6422103045612 | 1   | 3.20 | 3.10 | 68 |
| 118 | MCKR01C90        | XCLICK M RECESSED CONNECTOR 90grd SAME PLANE 48V DC IP20 BK                                      | 237.58 лв. | pc | 6422103046749 | 40  | 0.36 | 0.34 | 69 |
| 119 | MCKR01EAC        | XCLICK M RECESSED CONNECTOR 90grd, EXTERNAL ANGLE, DIF. PLANES 48V DC IP20 BK                    | 247.86 лв. | pc | 6422103046725 | 16  | 0.39 | 0.37 | 69 |
| 120 | MCKR01IAC        | XCLICK M RECESSED CONNECTOR 90grd, INTERNAL ANGLE, DIF. PLANES 48V DC IP20 BK                    | 243.34 лв. | pc | 6422103046732 | 16  | 0.41 | 0.39 | 69 |
| 121 | MCKS01           | XCLICK M SURFACE PROFILE 2,5m 48V DC IP20 BK   | 504.63 лв. | pc | 6422103045629 | 1   | 2.56 | 2.48 | 70 |
| 122 | MCKS01C90        | XCLICK M SURFACE CONNECTOR 90grd SAME PLANE 48V DC IP20 BK                                       | 128.07 лв. | pc | 6422103046787 | 40  | 0.35 | 0.33 | 71 |
| 123 | MCKS01IAC        | XCLICK M SURFACE CONNECTOR 90grd, INTERNAL ANGLE, DIF. PLANES 48V DC IP20 BK                     | 121.67 лв. | pc | 6422103046770 | 16  | 0.34 | 0.32 | 71 |
| 124 | MCKRS01CV        | XCLICK M RECESSED/SURFACE FRONT COVER 2,5m BK  | 57.49 лв.  | pc | 6422103045636 | 10  | 0.24 | 0.23 | 72 |
| 125 | MCKRS01FC        | XCLICK M FLEXIBLE ANGLE CONNECTOR WITH CABLE 48V DC IP20 BK                                      | 134.14 лв. | pc | 6422103045674 | 50  | 0.10 | 0.09 | 72 |
| 126 | MCKRS01LC        | XCLICK M LINEAR CONNECTOR 48V DC IP20 BK   | 76.65 лв.  | pc | 6422103045667 | 100 | 0.04 | 0.03 | 72 |
| 127 | MCKRS01PC0.5     | XCLICK M POWER SUPPLY CONNECTOR WITH CABLE 48V DC IP20 BK  | 84.32 лв.  | pc | 6422103045643 | 100 | 0.13 | 0.12 | 72 |
| 128 | MCKS01CF         | XCLICK M SURFACE FIXING ELEMENT FOR WALL/CEILING MOUNTING BK                                     | 31.94 лв.  | pc | 6422103045704 | 540 | 0.03 | 0.02 | 72 |
| 129 | MCKS01PC1.7      | XCLICK M SURFACE POWER SUPPLY CONNECTOR WITH CABLE 1,7m 48V DC IP20 BK                           | 123.57 лв. | pc | 6422103045650 | 30  | 0.15 | 0.14 | 72 |
| 130 | MCKRS01EC        | XCLICK M END CAP WITHOUT HOLE BK   | 22.49 лв.  | pc | 6422103045681 | 240 | 0.02 | 0.01 | 73 |
| 131 | MCKRS02EC        | XCLICK M END CAP WITH HOLE BK  | 22.49 лв.  | pc | 6422103045698 | 240 | 0.01 | 0.01 | 73 |
| 132 | MCKS01MSU        | XCLICK M SURFACE MECHANICAL SUSP+WIRE BK   | 38.33 лв.  | pc | 6422103045711 | 300 | 0.05 | 0.04 | 73 |
| 133 | MCKRS01NW OP     | XCLICK M LINEAR DALI LIGHT FITTING 19,2W 48V DC 4000K CRI.90 306x32.5x42,5mm IP20 BK (5.1.2)     | 383.27 лв. | pc | 6422103046060 | 12  | 0.30 | 0.29 | 74 |
| 134 | MCKRS01WW OP     | XCLICK M LINEAR DALI LIGHT FITTING 19,2W 48V DC 3000K CRI.90 306x32.5x42,5mm IP20 BK (5.1.2)     | 383.27 лв. | pc | 6422103046053 | 12  | 0.30 | 0.29 | 74 |
| 135 | MCKRS02NW OP     | XCLICK M LINEAR DALI LIGHT FITTING 38,4W 48V DC 4000K CRI.90 601x32.5x42,5mm IP20 BK (4.1.2)     | 536.57 лв. | pc | 6422103046084 | 12  | 0.57 | 0.55 | 74 |
| 136 | MCKRS02WW OP     | XCLICK M LINEAR DALI LIGHT FITTING 38,4W 48V DC 3000K CRI.90 601x32.5x42,5mm IP20 BK (4.1.2)     | 536.57 лв. | pc | 6422103046077 | 12  | 0.81 | 0.78 | 74 |
| 137 | MCKRS03NW OP     | XCLICK M LINEAR DALI LIGHT FITTING 57,6W 48V DC 4000K CRI.90 896x32.5x42,5mm IP20 BK (4.1.2)     | 713.97 лв. | pc | 6422103046107 | 6   | 0.73 | 0.70 | 74 |
| 138 | MCKRS03WW OP     | XCLICK M LINEAR DALI LIGHT FITTING 57,6W 48V DC 3000K CRI.90 896x32.5x42,5mm IP20 BK (4.1.2)     | 713.97 лв. | pc | 6422103046091 | 6   | 0.73 | 0.70 | 74 |
| 139 | MCKRS04NW OP     | XCLICK M LINEAR DALI LIGHT FITTING 76,8W 48V DC 4000K CRI.90 1191x32.5x42,5mm IP20 BK (4.1.2)    | 865.00 лв. | pc | 6422103046022 | 6   | 1.12 | 1.08 | 74 |
| 140 | MCKRS04WW OP     | XCLICK M LINEAR DALI LIGHT FITTING 76,8W 48V DC 3000K CRI.90 1191x32.5x42,5mm IP20 BK (4.1.2)    | 865.00 лв. | pc | 6422103046015 | 6   | 1.12 | 1.08 | 74 |
| 141 | MCKRS05NW OP     | XCLICK M LINEAR DALI LIGHT FITTING 96W 48V DC 4000K CRI.90 1486x32.5x42,5mm IP20 BK (4.1.2)      | 995.44 лв. | pc | 6422103046046 | 6   | 1.65 | 1.60 | 74 |
| 142 | MCKRS05WW OP     | XCLICK M LINEAR DALI LIGHT FITTING 96W 48V DC 3000K CRI.90 1486x32.5x42,5mm IP20 BK (4.1.2)      | 995.44 лв. | pc | 6422103046039 | 6   | 1.65 | 1.60 | 74 |
| 143 | MCKRS21NW SP     | XCLICK M FIXED DALI PROJECTOR 11W 48V DC 4000K CRI.90 IP20 18° 156x32.5x42,5mm UGR<10 BK (5.1.2) | 408.82 лв. | pc | 6422103046121 | 20  | 0.25 | 0.24 | 75 |
| 144 | MCKRS21WW SP     | XCLICK M FIXED DALI PROJECTOR 11W 48V DC 3000K CRI.90 IP20 18° 156x32.5x42,5mm UGR<10 BK (5.1.2) | 408.82 лв. | pc | 6422103046114 | 20  | 0.25 | 0.24 | 75 |
| 145 | MCKRS31NW SP BK  | XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 4000K CRI.90 IP20 20° UGR<16 BK (5.1.2)                | 457.51 лв. | pc | 6422103046169 | 8   | 0.68 | 0.65 | 77 |
| 146 | MCKRS31NW SP MWH | XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 4000K CRI.90 IP20 20° UGR<16 MWH (5.1.2)               | 457.51 лв. | pc | 6422103074766 | 8   | 0.68 | 0.65 | 77 |
| 147 | MCKRS31NW SP SGD | XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 4000K CRI.90 IP20 20° UGR<16 SGD (5.1.2)               | 457.51 лв. | pc | 6422103074773 | 8   | 0.68 | 0.65 | 77 |
| 148 | MCKRS31WW SP BK  | XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 3000K CRI.90 IP20 20° UGR<16 BK (5.1.2)                | 457.51 лв. | pc | 6422103046152 | 8   | 0.68 | 0.65 | 77 |
| 149 | MCKRS31WW SP MWH | XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 3000K CRI.90 IP20 20° UGR<16 MWH (5.1.2)               | 457.51 лв. | pc | 6422103070935 | 8   | 0.68 | 0.65 | 77 |
| 150 | MCKRS31WW SP SGD | XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 3000K CRI.90 IP20 20° UGR<16 SGD (5.1.2)               | 457.51 лв. | pc | 6422103068857 | 8   | 0.68 | 0.65 | 77 |
| 151 | MCKRS32NW SP BK  | XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 4000K CRI.90 IP20 20° UGR<16 BK (5.1.2)                | 564.26 лв. | pc | 6422103046183 | 8   | 0.94 | 0.91 | 77 |
| 152 | MCKRS32NW SP MWH | XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 4000K CRI.90 IP20 20° UGR<16 MWH (5.1.2)               | 564.26 лв. | pc | 6422103074780 | 8   | 0.94 | 0.91 | 77 |
| 153 | MCKRS32NW SP SGD | XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 4000K CRI.90 IP20 20° UGR<16 SGD (5.1.2)               | 564.26 лв. | pc | 6422103074797 | 8   | 0.94 | 0.91 | 77 |
| 154 | MCKRS32WW SP BK  | XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 3000K CRI.90 IP20 20° UGR<16 BK (5.1.2)                | 564.26 лв. | pc | 6422103046176 | 8   | 0.94 | 0.91 | 77 |
| 155 | MCKRS32WW SP MWH | XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 3000K CRI.90 IP20 20° UGR<16 MWH (5.1.2)               | 564.26 лв. | pc | 6422103070942 | 8   | 0.94 | 0.91 | 77 |
| 156 | MCKRS32WW SP SGD | XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 3000K CRI.90 IP20 20° UGR<16 SGD (5.1.2)               | 564.26 лв. | pc | 6422103068871 | 8   | 0.94 | 0.91 | 77 |
| 157 | MCKRS33NW SP BK  | XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 4000K CRI.90 IP20 15°-30° BK (5.1.2)                   | 542.96 лв. | pc | 6422103046145 | 8   | 0.78 | 0.75 | 79 |
| 158 | MCKRS33NW SP MWH | XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 4000K CRI.90 IP20 15°-30° MWH (5.1.2)                  | 537.09 лв. | pc | 6422103074803 | 8   | 0.78 | 0.75 | 79 |
| 159 | MCKRS33NW SP SGD | XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 4000K CRI.90 IP20 15°-30° WGD (5.1.2)                  | 537.09 лв. | pc | 6422103074810 | 8   | 0.78 | 0.75 | 79 |
| 160 | MCKRS33WW SP BK  | XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 3000K CRI.90 IP20 15°-30° BK (5.1.2)                   | 542.96 лв. | pc | 6422103046138 | 8   | 0.78 | 0.75 | 79 |
| 161 | MCKRS33WW SP MWH | XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 3000K CRI.90 IP20 15°-30° MWH (5.1.2)                  | 537.09 лв. | pc | 6422103070959 | 8   | 0.78 | 0.75 | 79 |
| 162 | MCKRS33WW SP SGD | XCLICK M ADJ. DALI PROJECTOR 12,9W 48V DC 3000K CRI.90 IP20 15°-30° SGD (5.1.2)                  | 537.09 лв. | pc | 6422103068895 | 8   | 0.78 | 0.75 | 79 |
| 163 | MCKRS34NW SP BK  | XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 4000K CRI.90 IP20 15°-30° BK (5.1.2)                   | 654.38 лв. | pc | 6422103046206 | 8   | 1.10 | 1.06 | 79 |
| 164 | MCKRS34NW SP MWH | XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 4000K CRI.90 IP20 15°-30° MWH (5.1.2)                  | 654.38 лв. | pc | 6422103074827 | 8   | 1.10 | 1.06 | 79 |
| 165 | MCKRS34NW SP SGD | XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 4000K CRI.90 IP20 15°-30° SGD (5.1.2)                  | 654.38 лв. | pc | 6422103074834 | 8   | 1.10 | 1.06 | 79 |
| 166 | MCKRS34WW SP BK  | XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 3000K CRI.90 IP20 15°-30° BK (5.1.2)                   | 654.38 лв. | pc | 6422103046190 | 8   | 1.10 | 1.06 | 79 |
| 167 | MCKRS34WW SP MWH | XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 3000K CRI.90 IP20 15°-30° MWH (5.1.2)                  | 654.38 лв. | pc | 6422103070966 | 8   | 1.10 | 1.06 | 79 |
| 168 | MCKRS34WW SP SGD | XCLICK M ADJ. DALI PROJECTOR 32,4W 48V DC 3000K CRI.90 IP20 15°-30° SGD (5.1.2)                  | 654.38 лв. | pc | 6422103069021 | 8   | 1.10 | 1.06 | 79 |
| 169 | MCKRS14NW SU BK  | XCLICK M DECO. DALI SUSP. LIGHT FITTING 5,98W 48V DC 4000K CRI.90 IP20 18° UGR<19 BK (5.1.2)     | 501.15 лв. | pc | 6422103046220 | 12  | 0.90 | 0.87 | 80 |
| 170 | MCKRS14NW SU MWH | XCLICK M DECO. DALI SUSP. LIGHT FITTING 5,98W 48V DC 4000K CRI.90 IP20 18° UGR<19 MWH (5.1.2)    | 501.15 лв. | pc | 6422103074742 | 12  | 0.90 | 0.87 | 80 |
| 171 | MCKRS14NW SU SGD | XCLICK M DECO. DALI SUSP. LIGHT FITTING 5,98W 48V DC 4000K CRI.90 IP20 18° UGR<19 SGD (5.1.2)    | 501.15 лв. | pc | 6422103074759 | 12  | 0.90 | 0.87 | 80 |
| 172 | MCKRS14WW SU BK  | XCLICK M DECO. DALI SUSP. LIGHT FITTING 5,98W 48V DC 3000K CRI.90 IP20 18° UGR<19 BK (5.1.2)     | 501.15 лв. | pc | 6422103046213 | 12  | 0.90 | 0.87 | 80 |
| 173 | MCKRS14WW SU MWH | XCLICK M DECO. DALI SUSP. LIGHT FITTING 5,98W 48V DC 3000K CRI.90 IP20 18° UGR<19 MWH (5.1.2)    | 501.15 лв. | pc | 6422103071734 | 12  | 0.90 | 0.87 | 80 |
| 174 | MCKRS14WW SU SGD | XCLICK M DECO. DALI SUSP. LIGHT FITTING 5,98W 48V DC 3000K CRI.90 IP20 18° UGR<19 SGD (5.1.2)    | 501.15 лв. | pc | 6422103069144 | 12  | 0.90 | 0.87 | 80 |

|     |                   |   |            |     |  |               |      |      |      |    |
|-----|-------------------|---|------------|-----|--|---------------|------|------|------|----|
| 175 | STMRO1EAC         | XTRIM S RECESSED CONNECTOR 90grd, EXTERNAL ANGLE, DIF. PLANES 48V DC IP20 BK              | 219.68 lb. | pc  |  | 6422103036337 | 12   | 0.30 | 0.29 | 84 |
| 176 | STMRO1FD          | XTRIM S RECESSED STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 0.5M BK             | 185.98 lb. | pc  |  | 6422103036344 | 1    | 0.51 | 0.49 | 84 |
| 177 | STMRO1IAC         | XTRIM S RECESSED CONNECTOR 90grd, INTERNAL ANGLE, DIF. PLANES 48V DC IP20 BK              | 219.68 lb. | pc  |  | 6422103036351 | 12   | 0.30 | 0.29 | 84 |
| 178 | STMRO1INT         | XTRIM S RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 0.5M IP20 BK                  | 162.76 lb. | pc  |  | 6422103036368 | 1    | 0.49 | 0.47 | 84 |
| 179 | STMRO2FD          | XTRIM S RECESSED STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 1M BK               | 337.21 lb. | pc  |  | 6422103036375 | 1    | 0.99 | 0.96 | 84 |
| 180 | STMRO2INT         | XTRIM S RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 1M IP20 BK                    | 314.00 lb. | pc  |  | 6422103036382 | 1    | 0.97 | 0.94 | 84 |
| 181 | STMRO3FD          | XTRIM S RECESSED STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 1.5M BK             | 453.41 lb. | pc  |  | 6422103036399 | 1    | 1.49 | 1.44 | 84 |
| 182 | STMRO3INT         | XTRIM S RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 1.5M IP20 BK                  | 430.20 lb. | pc  |  | 6422103036405 | 1    | 1.46 | 1.41 | 84 |
| 183 | STMRO4FD          | XTRIM S RECESSED STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 2M BK               | 569.75 lb. | pc  |  | 6422103036412 | 1    | 1.93 | 1.87 | 84 |
| 184 | STMRO4INT         | XTRIM S RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 2M IP20 BK                    | 546.39 lb. | pc  |  | 6422103036429 | 1    | 1.90 | 1.84 | 84 |
| 185 | STMRO5FD          | XTRIM S RECESSED STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 2,5m BK             | 709.16 lb. | pc  |  | 6422103036436 | 1    | 2.44 | 2.36 | 84 |
| 186 | STMRO5INT         | XTRIM S RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 2,5m IP20 BK                  | 685.95 lb. | pc  |  | 6422103036443 | 1    | 2.40 | 2.32 | 84 |
| 187 | STMRO1C90         | XTRIM S RECESSED CONNECTOR 90grd SAME PLANE 48V DC IP20 BK                                | 223.67 lb. | pc  |  | 6422103036320 | 10   | 0.33 | 0.32 | 85 |
| 188 | STMRS01LC         | XTRIM S LINEAR CONNECTOR 48V DC IP20 BK   | 40.52 lb.  | pc  |  | 6422103036474 | 12   | 0.25 | 0.24 | 85 |
| 189 | STMRS01PIN        | XTRIM S ELECTRICAL PIN CONNECTOR ( 1 connector = 2 pins = set)                            | 10.48 lb.  | set |  | 6422103047197 | 1500 | 0.05 | 0.04 | 85 |
| 190 | STMSO1C90         | XTRIM S SURFACE CONNECTOR 90grd SAME PLANE 48V DC IP20 BK                                 | 188.24 lb. | pc  |  | 6422103036702 | 2    | 0.40 | 0.38 | 88 |
| 191 | STMSO1DPC         | XTRIM S SURFACE CONNECTOR 90grd DIFFRENT PLANES 48V DC IP20 BK                            | 205.95 lb. | pc  |  | 6422103036726 | 4    | 0.77 | 0.74 | 88 |
| 192 | STMSO1FD          | XTRIM S SURFACE STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 0.5M BK              | 190.73 lb. | pc  |  | 6422103036733 | 1    | 0.36 | 0.34 | 88 |
| 193 | STMSO1INT         | XTRIM S SURFACE, STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 0,5M IP20 BK                  | 167.38 lb. | pc  |  | 6422103036740 | 1    | 0.35 | 0.33 | 88 |
| 194 | STMSO2FD          | XTRIM S SURFACE STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 1M BK                | 337.21 lb. | pc  |  | 6422103036757 | 1    | 0.72 | 0.69 | 88 |
| 195 | STMSO2INT         | XTRIM S SURFACE, STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 1M IP20 BK                    | 314.00 lb. | pc  |  | 6422103036764 | 1    | 0.70 | 0.67 | 88 |
| 196 | STMSO3FD          | XTRIM S SURFACE STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 1.5M BK              | 430.20 lb. | pc  |  | 6422103036771 | 1    | 1.08 | 1.04 | 88 |
| 197 | STMSO3INT         | XTRIM S SURFACE, STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 1,5M IP20 BK                  | 406.98 lb. | pc  |  | 6422103036788 | 1    | 1.05 | 1.01 | 88 |
| 198 | STMSO4FD          | XTRIM S SURFACE STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 2M BK                | 558.07 lb. | pc  |  | 6422103036795 | 1    | 1.44 | 1.39 | 88 |
| 199 | STMSO4INT         | XTRIM S SURFACE, STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 2M IP20 BK                    | 534.86 lb. | pc  |  | 6422103036801 | 1    | 1.40 | 1.35 | 88 |
| 200 | STMSO5FD          | XTRIM S SURFACE STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 2,5m BK              | 674.41 lb. | pc  |  | 6422103036818 | 1    | 1.80 | 1.74 | 88 |
| 201 | STMSO5INT         | XTRIM S SURFACE, STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 2,5m IP20 BK                  | 651.06 lb. | pc  |  | 6422103036825 | 1    | 1.75 | 1.69 | 88 |
| 202 | STMRS01UWW OP     | XTRIM S LINEAR LIGHT FITTING 11,3W 48V DC 2700K CRI.80 300x14,6x24,5 mm IP20 BK (5.1.2)   | 186.04 lb. | pc  |  | 6422103048477 | 100  | 0.12 | 0.11 | 94 |
| 203 | STMRS01WW OP      | XTRIM S LINEAR LIGHT FITTING 11,3W 48V DC 3000K CRI.80 300x14,6x24,5 mm IP20 BK (5.1.2)   | 186.04 lb. | pc  |  | 6422103036498 | 100  | 0.12 | 0.11 | 94 |
| 204 | STMRS02UWW OP     | XTRIM S LINEAR LIGHT FITTING 20W 48V DC 2700K CRI.80 600x14,6x24,5 mm IP20 BK (4.1.2)     | 297.67 lb. | pc  |  | 6422103048484 | 48   | 0.25 | 0.24 | 94 |
| 205 | STMRS02WW OP      | XTRIM S LINEAR LIGHT FITTING 20W 48V DC 3000K CRI.80 600x14,6x24,5 mm IP20 BK (4.1.2)     | 297.67 lb. | pc  |  | 6422103036511 | 48   | 0.25 | 0.24 | 94 |
| 206 | STMRS03UWW OP     | XTRIM S LINEAR LIGHT FITTING 30W 48V DC 2700K CRI.80 900x14,6x24,5 mm IP20 BK (4.1.2)     | 396.94 lb. | pc  |  | 6422103048491 | 36   | 0.37 | 0.35 | 94 |
| 207 | STMRS03WW OP      | XTRIM S LINEAR LIGHT FITTING 30W 48V DC 3000K CRI.80 900x14,6x24,5 mm IP20 BK (4.1.2)     | 396.94 lb. | pc  |  | 6422103036535 | 36   | 0.37 | 0.35 | 94 |
| 208 | STMRS04UWW OP     | XTRIM S LINEAR LIGHT FITTING 40W 48V DC 2700K CRI.80 1190x14,6x24,5 mm IP20 BK (4.1.2)    | 570.49 lb. | pc  |  | 6422103048507 | 24   | 0.47 | 0.45 | 94 |
| 209 | STMRS04WW OP      | XTRIM S LINEAR LIGHT FITTING 40W 48V DC 3000K CRI.80 1190x14,6x24,5 mm IP20 BK (4.1.2)    | 570.49 lb. | pc  |  | 6422103036559 | 24   | 0.47 | 0.45 | 94 |
| 210 | STMRS05UWW OP     | XTRIM S LINEAR LIGHT FITTING 50W 48V DC 2700K CRI.80 1490x14,6x24,5 mm IP20 BK (4.1.2)    | 694.47 lb. | pc  |  | 6422103048514 | 16   | 0.60 | 0.58 | 94 |
| 211 | STMRS05WW OP      | XTRIM S LINEAR LIGHT FITTING 50W 48V DC 3000K CRI.80 1490x14,6x24,5 mm IP20 BK (4.1.2)    | 694.47 lb. | pc  |  | 6422103036573 | 16   | 0.60 | 0.58 | 94 |
| 212 | STMRS31UWW SP     | XTRIM S FIX SPOTLIGHT 3W 48V DC 2700K CRI.90 IP20 20° UGR<10 BK(5.1.2)                    | 187.08 lb. | pc  |  | 6422103048569 | 30   | 0.30 | 0.29 | 95 |
| 213 | STMRS31WW SP      | XTRIM S FIX SPOTLIGHT 3W 48V DC 3000K CRI.90 IP20 20° UGR<10 BK(5.1.2)                    | 187.08 lb. | pc  |  | 6422103036672 | 30   | 0.30 | 0.29 | 95 |
| 214 | STMRS33UWW SP     | XTRIM S SPOT FIX 3,15W 48V DC 2700K CRI.90 IP20 20° UGR<10 BK(5.1.2)                      | 241.38 lb. | pc  |  | 6422103048576 | 32   | 0.07 | 0.06 | 95 |
| 215 | STMRS33WW SP      | XTRIM S SPOT FIX 3,15W 48V DC 3000K CRI.90 IP20 20° UGR<10 BK(5.1.2)                      | 241.38 lb. | pc  |  | 6422103046534 | 32   | 0.07 | 0.06 | 95 |
| 216 | STMRS41UWW SP BK  | XTRIM S ADJ. MINI PROJECTOR 8,4W 48V DC 2700K CRI.90 IP20 14° UGR<16 BK (5.1.2)           | 306.81 lb. | pc  |  | 6422103048583 | 30   | 0.15 | 0.14 | 97 |
| 217 | STMRS41UWW SP MWH | XTRIM S ADJ. MINI PROJECTOR 8,4W 48V DC 2700K CRI.90 IP20 14° UGR<16 MWH (5.1.2)          | 306.81 lb. | pc  |  | 6422103071055 | 30   | 0.15 | 0.14 | 97 |
| 218 | STMRS41UWW SP SGD | XTRIM S ADJ. MINI PROJECTOR 8,4W 48V DC 2700K CRI.90 IP20 14° UGR<16 SGD (5.1.2)          | 306.81 lb. | pc  |  | 6422103069663 | 30   | 0.15 | 0.14 | 97 |
| 219 | STMRS41WW SP BK   | XTRIM S ADJ. MINI PROJECTOR 8,4W 48V DC 3000K CRI.90 IP20 14° UGR<16 BK (5.1.2)           | 306.81 lb. | pc  |  | 6422103036696 | 30   | 0.15 | 0.14 | 97 |
| 220 | STMRS41WW SP MWH  | XTRIM S ADJ. MINI PROJECTOR 8,4W 48V DC 3000K CRI.90 IP20 14° UGR<16 MWH (5.1.2)          | 306.81 lb. | pc  |  | 6422103071062 | 30   | 0.15 | 0.14 | 97 |
| 221 | STMRS41WW SP SGD  | XTRIM S ADJ. MINI PROJECTOR 8,4W 48V DC 3000K CRI.90 IP20 14° UGR<16 SGD (5.1.2)          | 306.81 lb. | pc  |  | 6422103069120 | 30   | 0.15 | 0.14 | 97 |
| 222 | STMRS42UWW SP BK  | XTRIM S ADJ. MINI PROJECTOR 8,2W 48V DC 2700K CRI.90 IP20 6° UGR<16 BK (5.1.2)            | 512.13 lb. | pc  |  | 6422103048590 | 18   | 0.28 | 0.27 | 97 |
| 223 | STMRS42UWW SP MWH | XTRIM S ADJ. MINI PROJECTOR 8,2W 48V DC 2700K CRI.90 IP20 6° UGR<16 MWH (5.1.2)           | 512.13 lb. | pc  |  | 6422103071079 | 18   | 0.28 | 0.27 | 97 |
| 224 | STMRS42UWW SP SGD | XTRIM S ADJ. MINI PROJECTOR 8,2W 48V DC 2700K CRI.90 IP20 6° UGR<16 SGD (5.1.2)           | 512.13 lb. | pc  |  | 6422103069670 | 18   | 0.28 | 0.27 | 97 |
| 225 | STMRS42WW SP BK   | XTRIM S ADJ. MINI PROJECTOR 8,2W 48V DC 3000K CRI.90 IP20 6° UGR<16 BK (5.1.2)            | 512.13 lb. | pc  |  | 6422103046527 | 18   | 0.28 | 0.27 | 97 |
| 226 | STMRS42WW SP MWH  | XTRIM S ADJ. MINI PROJECTOR 8,2W 48V DC 3000K CRI.90 IP20 6° UGR<16 MWH (5.1.2)           | 512.13 lb. | pc  |  | 6422103071086 | 18   | 0.28 | 0.27 | 97 |
| 227 | STMRS42WW SP SGD  | XTRIM S ADJ. MINI PROJECTOR 8,2W 48V DC 3000K CRI.90 IP20 6° UGR<16 SGD (5.1.2)           | 512.13 lb. | pc  |  | 6422103069137 | 18   | 0.28 | 0.27 | 97 |
| 228 | STMRS43UWW SP BK  | XTRIM S ADJ. MINI PROJECTOR 9,6W 48V DC 2700K CRI.90 IP20 28grd UGR<16 BK (5.1.2)         | 350.62 lb. | pc  |  | 6422103072076 | 24   | 0.30 | 0.29 | 97 |
| 229 | STMRS43UWW SP MWH | XTRIM S ADJ. MINI PROJECTOR 9,6W 48V DC 2700K CRI.90 IP20 28grd UGR<16 MWH (5.1.2)        | 350.62 lb. | pc  |  | 6422103072069 | 24   | 0.30 | 0.29 | 97 |
| 230 | STMRS43UWW SP SGD | XTRIM S ADJ. MINI PROJECTOR 9,6W 48V DC 2700K CRI.90 IP20 28grd UGR<16 SGD (5.1.2)        | 350.62 lb. | pc  |  | 6422103072083 | 24   | 0.30 | 0.29 | 97 |
| 231 | STMRS43WW SP BK   | XTRIM S ADJ. MINI PROJECTOR 9,6W 48V DC 3000K CRI.90 IP20 28grd UGR<16 BK (5.1.2)         | 350.62 lb. | pc  |  | 6422103072106 | 24   | 0.30 | 0.29 | 97 |
| 232 | STMRS43WW SP MWH  | XTRIM S ADJ. MINI PROJECTOR 9,6W 48V DC 3000K CRI.90 IP20 28grd UGR<16 MWH (5.1.2)        | 350.62 lb. | pc  |  | 6422103072090 | 24   | 0.30 | 0.29 | 97 |
| 233 | STMRS43WW SP SGD  | XTRIM S ADJ. MINI PROJECTOR 9,6W 48V DC 3000K CRI.90 IP20 28grd UGR<16 SGD (5.1.2)        | 350.62 lb. | pc  |  | 6422103072113 | 24   | 0.30 | 0.29 | 97 |
| 234 | STMRS21UWW SP BK  | XTRIM S ADJ. LINEAR LIGHT FITTING 5,3W 48V DC 2700K CRI.90 150 mm IP20 UGR<16 BK (5.1.2)  | 458.86 lb. | pc  |  | 6422103048545 | 30   | 0.50 | 0.48 | 99 |
| 235 | STMRS21UWW SP MWH | XTRIM S ADJ. LINEAR LIGHT FITTING 5,3W 48V DC 2700K CRI.90 150 mm IP20 UGR<16 MWH (5.1.2) | 458.86 lb. | pc  |  | 6422103071017 | 30   | 0.50 | 0.48 | 99 |



|     |                   |   |              |    |                   |               |     |      |      |     |
|-----|-------------------|---|--------------|----|-------------------|---------------|-----|------|------|-----|
| 236 | STMRS21UWW SP SGD | XTRIM S ADJ. LINEAR LIGHT FITTING 5,3W 48V DC 2700K CRI.90 150 mm IP20 UGR<16 SGD (5.1.2) | 458.86 лв.   | pc |                   | 6422103069649 | 30  | 0.50 | 0.48 | 99  |
| 237 | STMRS21WW SP BK   | XTRIM S ADJ. LINEAR LIGHT FITTING 5,3W 48V DC 3000K CRI.90 150 mm IP20 UGR<16 BK (5.1.2)  | 458.86 лв.   | pc |                   | 6422103036634 | 30  | 0.50 | 0.48 | 99  |
| 238 | STMRS21WW SP MWH  | XTRIM S ADJ. LINEAR LIGHT FITTING 5,3W 48V DC 3000K CRI.90 150 mm IP20 UGR<16 MWH (5.1.2) | 458.86 лв.   | pc |                   | 6422103071024 | 30  | 0.50 | 0.48 | 99  |
| 239 | STMRS21WW SP SGD  | XTRIM S ADJ. LINEAR LIGHT FITTING 5,3W 48V DC 3000K CRI.90 150 mm IP20 UGR<16 SGD (5.1.2) | 458.86 лв.   | pc |                   | 6422103069106 | 30  | 0.50 | 0.48 | 99  |
| 240 | STMRS22UWW SP BK  | XTRIM S ADJ. LINEAR LIGHT FITTING 10.6W 48V DC 2700K CRI.90 300mm IP20 UGR<16 BK (5.1.2)  | 793.61 лв.   | pc |                   | 6422103048552 | 20  | 1.00 | 0.97 | 99  |
| 241 | STMRS22UWW SP MWH | XTRIM S ADJ. LINEAR LIGHT FITTING 10.6W 48V DC 2700K CRI.90 300mm IP20 UGR<16 MWH (5.1.2) | 793.61 лв.   | pc |                   | 6422103071031 | 20  | 1.00 | 0.97 | 99  |
| 242 | STMRS22UWW SP SGD | XTRIM S ADJ. LINEAR LIGHT FITTING 10.6W 48V DC 2700K CRI.90 300mm IP20 UGR<16 SGD (5.1.2) | 793.61 лв.   | pc |                   | 6422103069656 | 20  | 1.00 | 0.97 | 99  |
| 243 | STMRS22WW SP BK   | XTRIM S ADJ. LINEAR LIGHT FITTING 10.6W 48V DC 3000K CRI.90 300mm IP20 UGR<16 BK (5.1.2)  | 793.61 лв.   | pc |                   | 6422103036658 | 20  | 1.00 | 0.97 | 99  |
| 244 | STMRS22WW SP MWH  | XTRIM S ADJ. LINEAR LIGHT FITTING 10.6W 48V DC 3000K CRI.90 300mm IP20 UGR<16 MWH (5.1.2) | 793.61 лв.   | pc |                   | 6422103071048 | 20  | 1.00 | 0.97 | 99  |
| 245 | STMRS22WW SP SGD  | XTRIM S ADJ. LINEAR LIGHT FITTING 10.6W 48V DC 3000K CRI.90 300mm IP20 UGR<16 SGD (5.1.2) | 793.61 лв.   | pc |                   | 6422103069113 | 20  | 1.00 | 0.97 | 99  |
| 246 | STMRS11UWW OP BK  | XTRIM S ADJ. LINEAR LIGHT FITTING 5,2W 48V DC 2700K CRI.80 150 mm IP20 BK (5.1.2)         | 347.24 лв.   | pc |                   | 6422103048521 | 30  | 0.32 | 0.31 | 101 |
| 247 | STMRS11UWW OP MWH | XTRIM S ADJ. LINEAR LIGHT FITTING 5,2W 48V DC 2700K CRI.80 150 mm IP20 MWH (5.1.2)        | 347.24 лв.   | pc |                   | 6422103070973 | 30  | 0.32 | 0.31 | 101 |
| 248 | STMRS11UWW OP SGD | XTRIM S ADJ. LINEAR LIGHT FITTING 5,2W 48V DC 2700K CRI.80 150 mm IP20 SGD (5.1.2)        | 347.24 лв.   | pc |                   | 6422103069625 | 30  | 0.32 | 0.31 | 101 |
| 249 | STMRS11WW OP BK   | XTRIM S ADJ. LINEAR LIGHT FITTING 5,2W 48V DC 3000K CRI.80 150 mm IP20 BK (5.1.2)         | 347.24 лв.   | pc |                   | 6422103036597 | 30  | 0.32 | 0.31 | 101 |
| 250 | STMRS11WW OP MWH  | XTRIM S ADJ. LINEAR LIGHT FITTING 5,2W 48V DC 3000K CRI.80 150 mm IP20 MWH (5.1.2)        | 347.24 лв.   | pc |                   | 6422103070980 | 30  | 0.32 | 0.31 | 101 |
| 251 | STMRS11WW OP SGD  | XTRIM S ADJ. LINEAR LIGHT FITTING 5,2W 48V DC 3000K CRI.80 150 mm IP20 SGD (5.1.2)        | 347.24 лв.   | pc |                   | 6422103069083 | 30  | 0.32 | 0.31 | 101 |
| 252 | STMRS12UWW OP BK  | XTRIM S ADJ. LINEAR LIGHT FITTING 10W 48V DC 2700K CRI.80 300 mm IP20 BK (5.1.2)          | 496.07 лв.   | pc |                   | 6422103048538 | 20  | 0.61 | 0.59 | 101 |
| 253 | STMRS12UWW OP MWH | XTRIM S ADJ. LINEAR LIGHT FITTING 10W 48V DC 2700K CRI.80 300 mm IP20 MWH (5.1.2)         | 496.07 лв.   | pc |                   | 6422103070997 | 20  | 0.61 | 0.59 | 101 |
| 254 | STMRS12UWW OP SGD | XTRIM S ADJ. LINEAR LIGHT FITTING 10W 48V DC 2700K CRI.80 300 mm IP20 SGD (5.1.2)         | 496.07 лв.   | pc |                   | 6422103069632 | 20  | 0.61 | 0.59 | 101 |
| 255 | STMRS12WW OP BK   | XTRIM S ADJ. LINEAR LIGHT FITTING 10W 48V DC 3000K CRI.80 300 mm IP20 BK (5.1.2)          | 496.07 лв.   | pc |                   | 6422103036610 | 20  | 0.61 | 0.59 | 101 |
| 256 | STMRS12WW OP MWH  | XTRIM S ADJ. LINEAR LIGHT FITTING 10W 48V DC 3000K CRI.80 300 mm IP20 MWH (5.1.2)         | 496.07 лв.   | pc |                   | 6422103071000 | 20  | 0.61 | 0.59 | 101 |
| 257 | STMRS12WW OP SGD  | XTRIM S ADJ. LINEAR LIGHT FITTING 10W 48V DC 3000K CRI.80 300 mm IP20 SGD (5.1.2)         | 496.07 лв.   | pc |                   | 6422103069090 | 20  | 0.61 | 0.59 | 101 |
| 258 | STMRS51UWW SF     | XTRIM S DECO. SPHERICAL LIGHT FITTING 7,5W 48V DC 2700K CRI.90 IP20 BK (5.1.2)            | 558.00 лв.   | pc |                   | 6422103049375 | 4   | 0.52 | 0.50 | 103 |
| 259 | STMRS51WW SF      | XTRIM S DECO. SPHERICAL LIGHT FITTING 7,5W 48V DC 3000K CRI.90 IP20 BK (5.1.2)            | 558.00 лв.   | pc |                   | 6422103046541 | 4   | 0.52 | 0.50 | 103 |
| 260 | STMRS53UWW PN     | XTRIM S DECO. PANEL LIGHT FITTING 14W 48V DC 2700K CRI.90 IP20 PAW (5.1.2)                | 518.35 лв.   | pc |                   | 6422103048606 | 6   | 0.35 | 0.33 | 103 |
| 261 | STMRS53WW PN      | XTRIM S DECO. PANEL LIGHT FITTING 14W 48V DC 3000K CRI.90 IP20 PAW (5.1.2)                | 518.35 лв.   | pc |                   | 6422103046558 | 6   | 0.35 | 0.33 | 103 |
| 262 | MTMR01FD          | XTRIM M REC. STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 0.5M BK                 | 395.31 лв.   | pc |                   | 6422103037952 | 1   | 1.25 | 1.21 | 110 |
| 263 | MTMR01INT         | XTRIM M RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 0,5M IP20 BK                  | 348.74 лв.   | pc |                   | 6422103038010 | 1   | 1.21 | 1.17 | 110 |
| 264 | MTMR02FD          | XTRIM M REC. STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 1M BK                   | 674.41 лв.   | pc |                   | 6422103037969 | 1   | 2.60 | 2.52 | 110 |
| 265 | MTMR02INT         | XTRIM M RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 1M IP20 BK                    | 627.85 лв.   | pc |                   | 6422103038027 | 1   | 2.55 | 2.47 | 110 |
| 266 | MTMR03FD          | XTRIM M REC. STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 1.5M BK                 | 906.81 лв.   | pc |                   | 6422103037976 | 1   | 3.75 | 3.63 | 110 |
| 267 | MTMR03INT         | XTRIM M RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 1,5M IP20 BK                  | 860.39 лв.   | pc |                   | 6422103038034 | 1   | 3.63 | 3.52 | 110 |
| 268 | MTMR04FD          | XTRIM M REC. STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 2M BK                   | 1 232.49 лв. | pc |                   | 6422103037983 | 1   | 5.00 | 4.85 | 110 |
| 269 | MTMR04INT         | XTRIM M RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 2M IP20 BK                    | 1 185.92 лв. | pc |                   | 6422103038041 | 1   | 4.84 | 4.69 | 110 |
| 270 | MTMR05FD          | XTRIM M REC. STRUCT. LINEAR PROFILE with POWER SUPPLY CBL. 48V DC 2,5m BK                 | 1 395.25 лв. | pc |                   | 6422103037990 | 1   | 6.25 | 6.06 | 110 |
| 271 | MTMR05INT         | XTRIM M RECESSED STRUCT. INTERMEDIATE LINEAR PROFILE 48V DC 2,5m IP20 BK                  | 1 348.69 лв. | pc |                   | 6422103038058 | 1   | 6.05 | 5.86 | 110 |
| 272 | MTMR01C90         | XTRIM M RECESSED CONNECTOR 90grd SAME PLANE 48V DC IP20 BK                                | 446.42 лв.   | pc |                   | 6422103038096 | 8   | 0.77 | 0.74 | 111 |
| 273 | MTMR01EAC         | XTRIM M RECESSED CONNECTOR 90grd, EXTERNAL ANGLE, DIF. PLANES 48V DC IP20 BK              | 374.25 лв.   | pc |                   | 6422103038072 | 4   | 0.64 | 0.62 | 111 |
| 274 | MTMR01IAC         | XTRIM M RECESSED CONNECTOR 90grd, INTERNAL ANGLE, DIF. PLANES 48V DC IP20 BK              | 453.10 лв.   | pc |                   | 6422103038089 | 8   | 0.65 | 0.63 | 111 |
| 275 | MTMR01LC          | XTRIM M RECESSED LINEAR CONNECTOR 48V DC IP20 BK  | 64.22 лв.    | pc |                   | 6422103038102 | 240 | 0.33 | 0.32 | 111 |
| 276 | MTMR01NW OP       | XTRIM M LINEAR DALI LIGHT FITTING 24W 48V DC 4000K CRI.80 300x34x71mm IP20 BK (5.1.2)     | 508.57 лв.   | pc | incl. DALI system | 6422103038126 | 12  | 0.50 | 0.48 | 112 |
| 277 | MTMR01WW OP       | XTRIM M LINEAR DALI LIGHT FITTING 24W 48V DC 3000K CRI.80 300x34x71mm IP20 BK (5.1.2)     | 508.55 лв.   | pc | incl. DALI system | 6422103038119 | 12  | 0.50 | 0.48 | 112 |
| 278 | MTMR02NW OP       | XTRIM M LINEAR DALI LIGHT FITTING 48W 48V DC 4000K CRI.80 595x34x71mm IP20 BK (4.1.2)     | 756.40 лв.   | pc | incl. DALI system | 6422103038140 | 12  | 1.10 | 1.06 | 112 |
| 279 | MTMR02WW OP       | XTRIM M LINEAR DALI LIGHT FITTING 48W 48V DC 3000K CRI.80 595x34x71mm IP20 BK (4.1.2)     | 756.44 лв.   | pc | incl. DALI system | 6422103038133 | 12  | 1.10 | 1.06 | 112 |
| 280 | MTMR03NW OP       | XTRIM M LINEAR DALI LIGHT FITTING 72W 48V DC 4000K CRI.80 890x34x71mm IP20 BK (4.1.2)     | 917.90 лв.   | pc | incl. DALI system | 6422103038164 | 12  | 1.40 | 1.35 | 112 |
| 281 | MTMR03WW OP       | XTRIM M LINEAR DALI LIGHT FITTING 72W 48V DC 3000K CRI.80 890x34x71mm IP20 BK (4.1.2)     | 917.90 лв.   | pc | incl. DALI system | 6422103038157 | 12  | 1.40 | 1.35 | 112 |
| 282 | MTMR04NW OP       | XTRIM M LINEAR DALI LIGHT FITTING 96W 48V DC 4000K CRI.80 1185x34x71mm IP20 BK (4.1.2)    | 1 270.94 лв. | pc | incl. DALI system | 6422103038188 | 9   | 1.70 | 1.64 | 112 |
| 283 | MTMR04WW OP       | XTRIM M LINEAR DALI LIGHT FITTING 96W 48V DC 3000K CRI.80 1185x34x71mm IP20 BK (4.1.2)    | 1 270.94 лв. | pc | incl. DALI system | 6422103038171 | 9   | 1.70 | 1.64 | 112 |
| 284 | MTMR05NW OP       | XTRIM M LINEAR DALI LIGHT FITTING 120W 48V DC 4000K CRI.80 1480x34x71mm IP20 BK (4.1.2)   | 1 591.88 лв. | pc | incl. DALI system | 6422103038201 | 6   | 2.10 | 2.03 | 112 |
| 285 | MTMR05WW OP       | XTRIM M LINEAR DALI LIGHT FITTING 120W 48V DC 3000K CRI.80 1480x34x71mm IP20 BK (4.1.2)   | 1 591.88 лв. | pc | incl. DALI system | 6422103038195 | 6   | 2.10 | 2.03 | 112 |
| 286 | MTMR31NW SP       | XTRIM M FIX DALI SPOTLIGHT 11W 48V DC 4000K CRI.90 IP20 8° UGR<10 BK (5.1.2)              | 535.48 лв.   | pc | incl. DALI system | 6422103038225 | 30  | 0.40 | 0.38 | 113 |
| 287 | MTMR31WW SP       | XTRIM M FIX DALI SPOTLIGHT 11W 48V DC 3000K CRI.90 IP20 8° UGR<10 BK (5.1.2)              | 535.48 лв.   | pc | incl. DALI system | 6422103038218 | 30  | 0.40 | 0.38 | 113 |
| 288 | MTMR41NW SP BK    | XTRIM M ADJ. DALI MINI PROJECTOR 16W 48V DC 4000K CRI.90 IP20 20° BK (5.1.2)              | 838.77 лв.   | pc |                   | 6422103038249 | 10  | 0.60 | 0.58 | 114 |
| 289 | MTMR41NW SP MWH   | XTRIM M ADJ. DALI MINI PROJECTOR 16W 48V DC 4000K CRI.90 IP20 20° MWH (5.1.2)             | 838.77 лв.   | pc |                   | 6422103072144 | 10  | 0.60 | 0.58 | 114 |
| 290 | MTMR41NW SP SGD   | XTRIM M ADJ. DALI MINI PROJECTOR 16W 48V DC 4000K CRI.90 IP20 20° SGD (5.1.2)             | 838.77 лв.   | pc |                   | 6422103072151 | 10  | 0.60 | 0.58 | 114 |
| 291 | MTMR41WW SP BK    | XTRIM M ADJ. DALI MINI PROJECTOR 16W 48V DC 3000K CRI.90 IP20 20° BK (5.1.2)              | 838.77 лв.   | pc |                   | 6422103038232 | 10  | 0.60 | 0.58 | 114 |
| 292 | MTMR41WW SP MWH   | XTRIM M ADJ. DALI MINI PROJECTOR 16W 48V DC 3000K CRI.90 IP20 20° MWH (5.1.2)             | 838.77 лв.   | pc |                   | 6422103072120 | 10  | 0.60 | 0.58 | 114 |
| 293 | MTMR41WW SP SGD   | XTRIM M ADJ. DALI MINI PROJECTOR 16W 48V DC 3000K CRI.90 IP20 20° SGD (5.1.2)             | 838.77 лв.   | pc |                   | 6422103072137 | 10  | 0.60 | 0.58 | 114 |
| 294 | MTMR43NW SP BK    | XTRIM M ADJ. DALI MINI PROJECTOR 36W 48V DC 4000K CRI.90 IP20 20° BK (5.1.2)              | 1 077.23 лв. | pc |                   | 6422103038287 | 8   | 1.00 | 0.97 | 114 |
| 295 | MTMR43NW SP MWH   | XTRIM M ADJ. DALI MINI PROJECTOR 36W 48V DC 4000K CRI.90 IP20 20° MWH (5.1.2)             | 1 077.23 лв. | pc |                   | 6422103072229 | 8   | 1.00 | 0.97 | 114 |
| 296 | MTMR43NW SP SGD   | XTRIM M ADJ. DALI MINI PROJECTOR 36W 48V DC 4000K CRI.90 IP20 20° SGD (5.1.2)             | 1 077.23 лв. | pc |                   | 6422103072236 | 8   | 1.00 | 0.97 | 114 |

|     |                 |  |              |    |          |               |     |      |      |     |
|-----|-----------------|--|--------------|----|----------|---------------|-----|------|------|-----|
| 297 | MTMR43WW SP BK  | XTRIM M ADJ. DALI MINI PROJECTOR 36W 48V DC 3000K CRI.90 IP20 20° BK (5.1.2)                               | 1 077.23 лв. | pc |          | 6422103038270 | 8   | 1.00 | 0.97 | 114 |
| 298 | MTMR43WW SP MWH | XTRIM M ADJ. DALI MINI PROJECTOR 36W 48V DC 3000K CRI.90 IP20 20° MWH (5.1.2)                              | 1 077.23 лв. | pc |          | 6422103072205 | 8   | 1.00 | 0.97 | 114 |
| 299 | MTMR43WW SP SGD | XTRIM M ADJ. DALI MINI PROJECTOR 36W 48V DC 3000K CRI.90 IP20 20° SGD (5.1.2)                              | 1 077.23 лв. | pc |          | 6422103072212 | 8   | 1.00 | 0.97 | 114 |
| 300 | MTMR42NW SP BK  | XTRIM M ADJ. DALI MINI PROJECTOR with ARM 16W 48V DC 4000K CRI90 20° BK (5.1.2)                            | 851.24 лв.   | pc |          | 6422103038263 | 10  | 0.60 | 0.58 | 115 |
| 301 | MTMR42NW SP MWH | XTRIM M ADJ. DALI MINI PROJECTOR with ARM 16W 48V DC 4000K CRI90 20° MWH (5.1.2)                           | 851.24 лв.   | pc |          | 6422103072182 | 10  | 0.60 | 0.58 | 115 |
| 302 | MTMR42NW SP SGD | XTRIM M ADJ. DALI MINI PROJECTOR with ARM 16W 48V DC 4000K CRI90 20° SGD (5.1.2)                           | 851.24 лв.   | pc |          | 6422103072199 | 10  | 0.60 | 0.58 | 115 |
| 303 | MTMR42WW SP BK  | XTRIM M ADJ. DALI MINI PROJECTOR with ARM 16W 48V DC 3000K CRI90 20° BK (5.1.2)                            | 851.24 лв.   | pc |          | 6422103038256 | 10  | 0.60 | 0.58 | 115 |
| 304 | MTMR42WW SP MWH | XTRIM M ADJ. DALI MINI PROJECTOR with ARM 16W 48V DC 3000K CRI90 20° MWH (5.1.2)                           | 851.24 лв.   | pc |          | 6422103072168 | 10  | 0.60 | 0.58 | 115 |
| 305 | MTMR42WW SP SGD | XTRIM M ADJ. DALI MINI PROJECTOR with ARM 16W 48V DC 3000K CRI90 20° SGD (5.1.2)                           | 851.24 лв.   | pc |          | 6422103072175 | 10  | 0.60 | 0.58 | 115 |
| 306 | MTMR44NW SP BK  | XTRIM M ADJ. DALI MINI PROJECTOR with ARM 36W 48V DC 4000K CRI90 20° BK (5.1.2)                            | 1 077.23 лв. | pc |          | 6422103038300 | 12  | 1.00 | 0.97 | 115 |
| 307 | MTMR44NW SP MWH | XTRIM M ADJ. DALI MINI PROJECTOR with ARM 36W 48V DC 4000K CRI90 20° MWH (5.1.2)                           | 1 077.23 лв. | pc |          | 6422103072267 | 12  | 1.00 | 0.97 | 115 |
| 308 | MTMR44NW SP SGD | XTRIM M ADJ. DALI MINI PROJECTOR with ARM 36W 48V DC 4000K CRI90 20° SGD (5.1.2)                           | 1 077.23 лв. | pc |          | 6422103072274 | 12  | 1.00 | 0.97 | 115 |
| 309 | MTMR44WW SP BK  | XTRIM M ADJ. DALI MINI PROJECTOR with ARM 36W 48V DC 3000K CRI90 20° BK (5.1.2)                            | 1 077.23 лв. | pc |          | 6422103038294 | 12  | 1.00 | 0.97 | 115 |
| 310 | MTMR44WW SP MWH | XTRIM M ADJ. DALI MINI PROJECTOR with ARM 36W 48V DC 3000K CRI90 20° MWH (5.1.2)                           | 1 077.23 лв. | pc |          | 6422103072243 | 12  | 1.00 | 0.97 | 115 |
| 311 | MTMR44WW SP SGD | XTRIM M ADJ. DALI MINI PROJECTOR with ARM 36W 48V DC 3000K CRI90 20° SGD (5.1.2)                           | 1 077.23 лв. | pc |          | 6422103072250 | 12  | 1.00 | 0.97 | 115 |
| 312 | NE01R           | XNEO REC. PROFILE 24V DC 2m  | 273.43 лв.   | pc |          | 6422103091268 |     | 0.66 | 0.64 | 120 |
| 313 | NE01RC90        | XNEO REC. 90 degr. ANGLE CONNECTOR 24V DC SAME PLANE   | 134.74 лв.   | pc |          | 6422103091510 | 40  | 0.03 | 0.02 | 121 |
| 314 | NE01REAC        | XNEO REC. EXTERNAL ANGLE CONNECTOR 24V DC 90 degr. DIF. PLANES   | 165.49 лв.   | pc |          | 6422103091497 | 36  | 0.03 | 0.02 | 121 |
| 315 | NE01RIAC        | XNEO REC. INTERNAL ANGLE CONNECTOR 24V DC 90 degr. DIF. PLANES   | 168.42 лв.   | pc |          | 6422103091503 | 36  | 0.03 | 0.02 | 121 |
| 316 | NE01S           | XNEO SURF. PROFILE 24V DC 2m   | 311.21 лв.   | pc |          | 6422103091275 |     | 0.44 | 0.42 | 122 |
| 317 | NE01SC90        | XNEO SURF. 90 degr. ANGLE CONNECTOR 24V DC SAME PLANE  | 131.81 лв.   | pc |          | 6422103091541 | 40  | 0.03 | 0.02 | 123 |
| 318 | NE01SEAC        | XNEO SURF. EXTERNAL ANGLE CONNECTOR 24V DC 90 degr. DIF. PLANES  | 168.42 лв.   | pc |          | 6422103091527 | 36  | 0.03 | 0.02 | 123 |
| 319 | NE01SIAC        | XNEO SURF. INTERNAL ANGLE CONNECTOR 24V DC 90 degr. DIF. PLANES  | 168.42 лв.   | pc |          | 6422103091534 | 36  | 0.03 | 0.02 | 123 |
| 320 | NE01EC          | XNEO END CAP   | 12.09 лв.    | pc |          | 6422103091312 | 360 | 0.01 | 0.01 | 124 |
| 321 | NE01LC          | XNEO LINEAR CONNECTION ELEMENT 24V DC  | 23.58 лв.    | pc |          | 6422103091299 |     | 0.01 | 0.01 | 124 |
| 322 | NE01PC          | XNEO POWER SUPPLY & LINEAR CONNECTION ELEMENT 24V DC   | 35.44 лв.    | pc |          | 6422103091282 |     | 0.01 | 0.01 | 124 |
| 323 | NE02CV          | XNEO FRON COVER 1.5m BK  | 26.58 лв.    | pc |          | 6422103091480 | 10  | 0.10 | 0.09 | 124 |
| 324 | NE01CV          | XNEO FRON COVER 1.5m MWH   | 26.58 лв.    | pc |          | 6422103091473 | 10  | 0.10 | 0.09 | 125 |
| 325 | NE01SC          | XNEO MONOPOLAR CONNECTOR FOR LED STRIP 24V DC  | 28.41 лв.    | pc |          | 6422103091305 |     | 0.01 | 0.01 | 125 |
| 326 | NE01WW BK       | XNEO ADJ. LINEAR FITTINGS 5.3W 24V DC 3000K BK (5.1.2)   | 236.19 лв.   | pc |          | 6422103091329 | 40  | 0.12 | 0.11 | 126 |
| 327 | NE01WW MWH      | XNEO ADJ. LINEAR FITTINGS 5.3W 24V DC 3000K MWH (5.1.2)  | 236.19 лв.   | pc |          | 6422103091336 | 40  | 0.12 | 0.11 | 126 |
| 328 | NE01WW SGD      | XNEO ADJ. LINEAR FITTINGS 5.3W 24V DC 3000K SGD (5.1.2)  | 236.19 лв.   | pc |          | 6422103091343 | 40  | 0.12 | 0.11 | 126 |
| 329 | NE02WW BK       | XNEO ADJ. LINEAR FITTINGS 10.8W 24V DC 3000K BK (5.1.2)  | 288.57 лв.   | pc |          | 6422103091350 | 20  | 0.20 | 0.19 | 126 |
| 330 | NE02WW MWH      | XNEO ADJ. LINEAR FITTINGS 10.8W 24V DC 3000K MWH (5.1.2)   | 288.57 лв.   | pc |          | 6422103091367 | 20  | 0.20 | 0.19 | 126 |
| 331 | NE02WW SGD      | XNEO ADJ. LINEAR FITTINGS 10.8W 24V DC 3000K SGD (5.1.2)   | 288.57 лв.   | pc |          | 6422103091374 | 20  | 0.20 | 0.19 | 126 |
| 332 | NE03WW BK       | XNEO ADJ. MINI PROJ. 6.3W 24V DC 3000K 32 degr. BK (5.1.2)   | 314.24 лв.   | pc |          | 6422103091381 | 50  | 0.12 | 0.11 | 126 |
| 333 | NE03WW MWH      | XNEO ADJ. MINI PROJ. 6.3W 24V DC 3000K 32 degr. MWH (5.1.2)  | 314.24 лв.   | pc |          | 6422103091398 | 50  | 0.12 | 0.11 | 126 |
| 334 | NE03WW SGD      | XNEO ADJ. MINI PROJ. 6.3W 24V DC 3000K 32 degr. SGD (5.1.2)  | 314.24 лв.   | pc |          | 6422103091404 | 50  | 0.12 | 0.11 | 126 |
| 335 | NE04WW BK       | XNEO ADJ. MINI PROJ. 9.6W 24V DC 3000K 25 degr. BK (5.1.2)   | 354.29 лв.   | pc |          | 6422103091411 | 50  | 0.18 | 0.17 | 126 |
| 336 | NE04WW MWH      | XNEO ADJ. MINI PROJ. 9.6W 24V DC 3000K 25 degr. MWH (5.1.2)  | 354.29 лв.   | pc |          | 6422103091428 | 50  | 0.18 | 0.17 | 126 |
| 337 | NE04WW SGD      | XNEO ADJ. MINI PROJ. 9.6W 24V DC 3000K 25 degr. SGD (5.1.2)  | 354.29 лв.   | pc |          | 6422103091435 | 50  | 0.18 | 0.17 | 126 |
| 338 | NE05WW BK       | XNEO DECORATIVE SUSP. 6.3W 24V DC 3000K 32 degr. BK (5.1.2)  | 341.11 лв.   | pc |          | 6422103091442 | 20  | 0.32 | 0.31 | 127 |
| 339 | NE05WW MWH      | XNEO DECORATIVE SUSP. 6.3W 24V DC 3000K 32 degr. MWH (5.1.2)   | 341.11 лв.   | pc |          | 6422103091459 | 20  | 0.32 | 0.31 | 127 |
| 340 | NE05WW SGD      | XNEO DECORATIVE SUSP. 6.3W 24V DC 3000K 32 degr. SGD (5.1.2)   | 341.11 лв.   | pc |          | 6422103091466 | 20  | 0.32 | 0.31 | 127 |
| 341 | UNS03NW SBK     | XUNO SYSTEM SURF./SUSP. LIGHT FITTING 50W 220-240V AC 4000K CRI.90 1186mm IP20 60° UGR<16 SBK (4.1.2)      | 447.64 лв.   | pc | Included | 6422103048163 | 8   | 1.50 | 1.45 | 132 |
| 342 | UNS03NW SWH     | XUNO SYSTEM SURF./SUSP. LIGHT FITTING 50W 220-240V AC 4000K CRI.90 1186mm IP20 60° UGR<16 SWH (4.1.2)      | 447.64 лв.   | pc | Included | 6422103048156 | 8   | 1.50 | 1.45 | 132 |
| 343 | UNS03NWDALI SBK | XUNO SYSTEM SURF./SUSP. LIGHT FITTING DALI 50W 220-240V AC 4000K CRI.90 1186mm IP20 60° UGR<16 SBK (4.1.2) | 620.92 лв.   | pc | Included | 6422103073608 | 8   | 2.04 | 1.97 | 132 |
| 344 | UNS03NWDALI SWH | XUNO SYSTEM SURF./SUSP. LIGHT FITTING DALI 50W 220-240V AC 4000K CRI.90 1186mm IP20 60° UGR<16 SWH (4.1.2) | 620.92 лв.   | pc | Included | 6422103073615 | 8   | 2.04 | 1.97 | 132 |
| 345 | UNS03WW SBK     | XUNO SYSTEM SURF./SUSP. LIGHT FITTING 50W 220-240V AC 3000K CRI.90 1186mm IP20 60° UGR<16 SBK (4.1.2)      | 447.64 лв.   | pc | Included | 6422103049405 | 8   | 1.50 | 1.45 | 132 |
| 346 | UNS03WW SWH     | XUNO SYSTEM SURF./SUSP. LIGHT FITTING 50W 220-240V AC 3000K CRI.90 1186mm IP20 60° UGR<16 SWH (4.1.2)      | 447.64 лв.   | pc | Included | 6422103049399 | 8   | 1.50 | 1.45 | 132 |
| 347 | UNS03WWDALI SBK | XUNO SYSTEM SURF./SUSP. LIGHT FITTING DALI 50W 220-240V AC 3000K CRI.90 1186mm IP20 60° UGR<16 SBK (4.1.2) | 620.92 лв.   | pc | Included | 6422103073639 | 8   | 2.04 | 1.97 | 132 |
| 348 | UNS03WWDALI SWH | XUNO SYSTEM SURF./SUSP. LIGHT FITTING DALI 50W 220-240V AC 3000K CRI.90 1186mm IP20 60° UGR<16 SWH (4.1.2) | 620.92 лв.   | pc | Included | 6422103073622 | 8   | 2.04 | 1.97 | 132 |
| 349 | UNS04NW SBK     | XUNO SYSTEM SURF./SUSP. LIGHT FITTING 60W 220-240V AC 4000K CRI.90 1480mm IP20 60° UGR<16 SBK (4.1.2)      | 505.40 лв.   | pc | Included | 6422103048187 | 8   | 1.70 | 1.64 | 132 |
| 350 | UNS04NW SWH     | XUNO SYSTEM SURF./SUSP. LIGHT FITTING 60W 220-240V AC 4000K CRI.90 1480mm IP20 60° UGR<16 SWH (4.1.2)      | 505.40 лв.   | pc | Included | 6422103048170 | 8   | 1.70 | 1.64 | 132 |
| 351 | UNS04NWDALI SBK | XUNO SYSTEM SURF./SUSP. LIGHT FITTING DALI 60W 220-240V AC 4000K CRI.90 1480mm IP20 60° UGR<16 SBK (4.1.2) | 707.56 лв.   | pc | Included | 6422103073646 | 8   | 2.45 | 2.37 | 132 |
| 352 | UNS04NWDALI SWH | XUNO SYSTEM SURF./SUSP. LIGHT FITTING DALI 60W 220-240V AC 4000K CRI.90 1480mm IP20 60° UGR<16 SWH (4.1.2) | 707.56 лв.   | pc | Included | 6422103073677 | 8   | 2.45 | 2.37 | 132 |
| 353 | UNS04WW SBK     | XUNO SYSTEM SURF./SUSP. LIGHT FITTING 60W 220-240V AC 3000K CRI.90 1480mm IP20 60° UGR<16 SBK (4.1.2)      | 505.40 лв.   | pc | Included | 6422103049429 | 8   | 1.70 | 1.64 | 132 |
| 354 | UNS04WW SWH     | XUNO SYSTEM SURF./SUSP. LIGHT FITTING 60W 220-240V AC 3000K CRI.90 1480mm IP20 60° UGR<16 SWH (4.1.2)      | 505.40 лв.   | pc | Included | 6422103049412 | 8   | 1.70 | 1.64 | 132 |
| 355 | UNS04WWDALI SBK | XUNO SYSTEM SURF./SUSP. LIGHT FITTING DALI 60W 220-240V AC 3000K CRI.90 1480mm IP20 60° UGR<16 SBK (4.1.2) | 707.56 лв.   | pc | Included | 6422103073653 | 8   | 2.45 | 2.37 | 132 |
| 356 | UNS04WWDALI SWH | XUNO SYSTEM SURF./SUSP. LIGHT FITTING DALI 60W 220-240V AC 3000K CRI.90 1480mm IP20 60° UGR<16 SWH (4.1.2) | 707.56 лв.   | pc | Included | 6422103073660 | 8   | 2.45 | 2.37 | 132 |
| 357 | UNS05NW SBK     | XUNO SYSTEM SURF./SUSP. LIGHT FITTING 30W 220-240V AC 4000K CRI.90 600mm IP20 60° UGR<16 SBK (4.1.2)       | 303.24 лв.   | pc | Included | 6422103071994 | 8   | 1.00 | 0.97 | 132 |

|     |                     |   |            |    |                   |               |      |      |      |     |
|-----|---------------------|---|------------|----|-------------------|---------------|------|------|------|-----|
| 358 | UNS05NW SWH         | XUNO SYSTEM SURF./SUSP. LIGHT FITTING 30W 220-240V AC 4000K CRI.90 600mm IP20 60° UGR<16 SWH (4.1.2)            | 303.24 лв. | pc | Included          | 6422103071987 | 8    | 1.00 | 0.97 | 132 |
| 359 | UNS05WW SBK         | XUNO SYSTEM SURF./SUSP. LIGHT FITTING 30W 220-240V AC 3000K CRI.90 600mm IP20 60° UGR<16 SBK (4.1.2)            | 303.24 лв. | pc | Included          | 6422103072298 | 8    | 1.00 | 0.97 | 132 |
| 360 | UNS05WWW SWH        | XUNO SYSTEM SURF./SUSP. LIGHT FITTING 30W 220-240V AC 3000K CRI.90 600mm IP20 60° UGR<16 SWH (4.1.2)            | 303.24 лв. | pc | Included          | 6422103072281 | 8    | 1.00 | 0.97 | 132 |
| 361 | UNS034C90NW SBK     | XUNO SYSTEM 90dgr CONNECTOR 30W 4000K 220-240V AC CRI.90 IP20 60° UGR<16 SBK (5.1.2)                            | 332.12 лв. | pc | Included          | 6422103048231 | 2    | 1.00 | 0.97 | 133 |
| 362 | UNS034C90NW SWH     | XUNO SYSTEM 90dgr CONNECTOR 30W 4000K 220-240V AC CRI.90 IP20 60° UGR<16 SWH (5.1.2)                            | 332.12 лв. | pc | Included          | 6422103048224 | 2    | 1.00 | 0.97 | 133 |
| 363 | UNS034C90NWDALI SBK | XUNO SYSTEM 90dgr CONNECTOR DALI 30W 4000K 220-240V AC CRI.90 IP20 60° UGR<16 SBK (5.1.2)                       | 490.96 лв. | pc | Included          | 6422103073684 | 2    | 1.00 | 0.97 | 133 |
| 364 | UNS034C90NWDALI SWH | XUNO SYSTEM 90dgr CONNECTOR DALI 30W 4000K 220-240V AC CRI.90 IP20 60° UGR<16 SWH (5.1.2)                       | 490.96 лв. | pc | Included          | 6422103073714 | 2    | 1.00 | 0.97 | 133 |
| 365 | UNS034C90WWW SBK    | XUNO SYSTEM 90dgr CONNECTOR 30W 3000K 220-240V AC CRI.90 IP20 60° UGR<16 SBK (5.1.2)                            | 332.12 лв. | pc | Included          | 6422103049443 | 2    | 1.00 | 0.97 | 133 |
| 366 | UNS034C90WWW SWH    | XUNO SYSTEM 90dgr CONNECTOR 30W 3000K 220-240V AC CRI.90 IP20 60° UGR<16 SWH (5.1.2)                            | 332.12 лв. | pc | Included          | 6422103049436 | 2    | 1.00 | 0.97 | 133 |
| 367 | UNS034C90WWDALI SBK | XUNO SYSTEM 90dgr CONNECTOR DALI 30W 3000K 220-240V AC CRI.90 IP20 60° UGR<16 SBK (5.1.2)                       | 490.96 лв. | pc | Included          | 6422103073691 | 2    | 1.00 | 0.97 | 133 |
| 368 | UNS034C90WWDALI SWH | XUNO SYSTEM 90dgr CONNECTOR DALI 30W 3000K 220-240V AC CRI.90 IP20 60° UGR<16 SWH (5.1.2)                       | 490.96 лв. | pc | Included          | 6422103073707 | 2    | 1.00 | 0.97 | 133 |
| 369 | UNS034TCNW SBK      | XUNO SYSTEM T-shape CONNECTOR 4000K 30W 220-240V AC CRI.90 IP20 60° UGR<16 SBK (4.1.2)                          | 361.00 лв. | pc | Included          | 6422103048255 | 2    | 1.10 | 1.06 | 133 |
| 370 | UNS034TCNW SWH      | XUNO SYSTEM T-shape CONNECTOR 4000K 30W 220-240V AC CRI.90 IP20 60° UGR<16 SWH (4.1.2)                          | 361.00 лв. | pc | Included          | 6422103048248 | 2    | 1.10 | 1.06 | 133 |
| 371 | UNS034TCNWDALI SBK  | XUNO SYSTEM T-shape CONNECTOR 4000K DALI 30W 220-240V AC CRI.90 IP20 60° UGR<16 SBK (4.1.2)                     | 519.84 лв. | pc | Included          | 6422103073721 | 2    | 1.10 | 1.06 | 133 |
| 372 | UNS034TCNWDALI SWH  | XUNO SYSTEM T-shape CONNECTOR 4000K DALI 30W 220-240V AC CRI.90 IP20 60° UGR<16 SWH (4.1.2)                     | 519.84 лв. | pc | Included          | 6422103073752 | 2    | 1.10 | 1.06 | 133 |
| 373 | UNS034TCWWW SBK     | XUNO SYSTEM T-shape CONNECTOR 3000K 30W 220-240V AC CRI.90 IP20 60° UGR<16 SBK (4.1.2)                          | 361.00 лв. | pc | Included          | 6422103049467 | 2    | 1.10 | 1.06 | 133 |
| 374 | UNS034TCWWW SWH     | XUNO SYSTEM T-shape CONNECTOR 3000K 30W 220-240V AC CRI.90 IP20 60° UGR<16 SWH (4.1.2)                          | 361.00 лв. | pc | Included          | 6422103049450 | 2    | 1.10 | 1.06 | 133 |
| 375 | UNS034TCWWDALI SBK  | XUNO SYSTEM T-shape CONNECTOR 3000K DALI 30W 220-240V AC CRI.90 IP20 60° UGR<16 SBK (4.1.2)                     | 519.84 лв. | pc | Included          | 6422103073738 | 2    | 1.10 | 1.06 | 133 |
| 376 | UNS034TCWWDALI SWH  | XUNO SYSTEM T-shape CONNECTOR 3000K DALI 30W 220-240V AC CRI.90 IP20 60° UGR<16 SWH (4.1.2)                     | 519.84 лв. | pc | Included          | 6422103073745 | 2    | 1.10 | 1.06 | 133 |
| 377 | UNS034LC            | XUNO SYSTEM LINEAR CONNECTOR  | 51.52 лв.  | pc |                   | 6422103048194 | 50   | 0.30 | 0.29 | 134 |
| 378 | UNS034LCDALI        | XUNO SYSTEM LINEAR CONNECTOR for DALI   | 58.89 лв.  | pc |                   | 6422103073820 | 50   | 0.30 | 0.29 | 134 |
| 379 | UNS034XCNW SBK      | XUNO SYSTEM X-shape CONNECTOR 30W 4000K 220-240V AC CRI.90 IP20 60° UGR<16 SBK (5.1.2)                          | 389.88 лв. | pc | Included          | 6422103049382 | 2    | 1.15 | 1.11 | 134 |
| 380 | UNS034XCNW SWH      | XUNO SYSTEM X-shape CONNECTOR 30W 4000K 220-240V AC CRI.90 IP20 60° UGR<16 SWH (5.1.2)                          | 389.88 лв. | pc | Included          | 6422103048262 | 2    | 1.15 | 1.11 | 134 |
| 381 | UNS034XCNWDALI SBK  | XUNO SYSTEM X-shape CONNECTOR DALI 30W 4000K 220-240V AC CRI.90 IP20 60° UGR<16 SBK (5.1.2)                     | 563.16 лв. | pc | Included          | 6422103073769 | 2    | 1.15 | 1.11 | 134 |
| 382 | UNS034XCNWDALI SWH  | XUNO SYSTEM X-shape CONNECTOR DALI 30W 4000K 220-240V AC CRI.90 IP20 60° UGR<16 SWH (5.1.2)                     | 563.16 лв. | pc | Included          | 6422103073790 | 2    | 1.15 | 1.11 | 134 |
| 383 | UNS034XCWWW SBK     | XUNO SYSTEM X-shape CONNECTOR 30W 3000K 220-240V AC CRI.90 IP20 60° UGR<16 SBK (5.1.2)                          | 389.88 лв. | pc | Included          | 6422103049481 | 2    | 1.15 | 1.11 | 134 |
| 384 | UNS034XCWWW SWH     | XUNO SYSTEM X-shape CONNECTOR 30W 3000K 220-240V AC CRI.90 IP20 60° UGR<16 SWH (5.1.2)                          | 389.88 лв. | pc | Included          | 6422103049474 | 2    | 1.15 | 1.11 | 134 |
| 385 | UNS034XCWWDALI SBK  | XUNO SYSTEM X-shape CONNECTOR DALI 30W 3000K 220-240V AC CRI.90 IP20 60° UGR<16 SBK (5.1.2)                     | 563.16 лв. | pc | Included          | 6422103073776 | 2    | 1.15 | 1.11 | 134 |
| 386 | UNS034XCWWDALI SWH  | XUNO SYSTEM X-shape CONNECTOR DALI 30W 3000K 220-240V AC CRI.90 IP20 60° UGR<16 SWH (5.1.2)                     | 563.16 лв. | pc | Included          | 6422103073783 | 2    | 1.15 | 1.11 | 134 |
| 387 | UNS034CB SBK        | XUNO SYSTEM CONNECTION BOX WITH 2P+N BLOCK TERMINAL, IP20 SBK   | 43.32 лв.  | pc |                   | 6422103048286 | 100  | 0.15 | 0.14 | 135 |
| 388 | UNS034CB SWH        | XUNO SYSTEM CONNECTION BOX WITH 2P+N BLOCK TERMINAL, IP20 SWH   | 43.32 лв.  | pc |                   | 6422103048279 | 100  | 0.15 | 0.14 | 135 |
| 389 | UNS034PK SBK        | XUNO SYSTEM POWER SUPPLY KIT, PROFILE+END CAP+FEMALE CONNECTOR+CABLE SBK  | 66.25 лв.  | pc |                   | 6422103048200 | 72   | 0.30 | 0.29 | 135 |
| 390 | UNS034PK SWH        | XUNO SYSTEM POWER SUPPLY KIT, PROFILE+END CAP+FEMALE CONNECTOR+CABLE SWH  | 66.25 лв.  | pc |                   | 6422103048217 | 72   | 0.30 | 0.29 | 135 |
| 391 | UNS034PKDALI SBK    | XUNO SYSTEM POWER SUPPLY KIT for DALI, PROFILE+END CAP+FEMALE CONNECTOR+CABLE SBK                               | 73.61 лв.  | pc |                   | 6422103073806 | 72   | 0.30 | 0.29 | 135 |
| 392 | UNS034PKDALI SWH    | XUNO SYSTEM POWER SUPPLY KIT for DALI, PROFILE+END CAP+FEMALE CONNECTOR+CABLE SWH                               | 73.61 лв.  | pc |                   | 6422103073813 | 72   | 0.30 | 0.29 | 135 |
| 393 | RP50NW15 MBK O.     | XROPE PROFIL APARENT/SUSPENDAT 14.7W 220-240V AC 4000K CRI 80 120° 570mm MBK OSRAM (4.1.2)                      | 188.31 лв. | pc | OSRAM included    | 6422103058780 | 1.73 | 1.67 | 138  |     |
| 394 | RP50NW15 MBK T.     | XROPE SURF./SUSP. LIGHT FITTING 14.7W 220-240V AC 4000K TRIDONIC CRI.80 IP40 120° 570mm MBK (4.1.2)             | 199.57 лв. | pc | TRIDONIC included | 6422103058629 | 1.73 | 1.67 | 138  |     |
| 395 | RP50NW15 MWH O.     | XROPE PROFIL APARENT/SUSPENDAT 14.7W 220-240V AC 4000K CRI 80 120° 570mm MWH OSRAM (4.1.2)                      | 188.31 лв. | pc | OSRAM included    | 6422103058773 | 1.73 | 1.67 | 138  |     |
| 396 | RP50NW15 MWH T.     | XROPE SURF./SUSP. LIGHT FITTING 14.7W 220-240V AC 4000K TRIDONIC CRI.80 IP40 120° 570mm MWH (4.1.2)             | 199.57 лв. | pc | TRIDONIC included | 6422103038324 | 1.73 | 1.67 | 138  |     |
| 397 | RP50NW15DALI MBK    | XROPE SURF./SUSP. LIGHT FITTING 14.7W 220-240V AC 4000K TRIDONIC DALI CRI.80 IP40 120° 570mm MBK (4.1.2)        | 294.52 лв. | pc | TRIDONIC included | 6422103092852 | 4    | 1.73 | 1.67 | 138 |
| 398 | RP50NW15DALI MWH    | XROPE SURF./SUSP. LIGHT FITTING 14.7W 220-240V AC 4000K TRIDONIC DALI CRI.80 IP40 120° 570mm MWH (4.1.2)        | 294.52 лв. | pc | TRIDONIC included | 6422103092869 | 4    | 1.73 | 1.67 | 138 |
| 399 | RP50NW30 MBK O.     | XROPE PROFIL APARENT/SUSPENDAT 29.4W 220-240V AC 4000K CRI 80 120° 1140mm MBK OSRAM (4.1.2)                     | 341.67 лв. | pc | OSRAM included    | 6422103058797 | 3.34 | 3.23 | 138  |     |
| 400 | RP50NW30 MBK T.     | XROPE SURF./SUSP. LIGHT FITTING 29.4W 220-240V AC 4000K TRIDONIC CRI.80 IP40 120° 1140mm MBK (4.1.2)            | 364.67 лв. | pc | TRIDONIC included | 6422103058643 | 3.34 | 3.23 | 138  |     |
| 401 | RP50NW30 MWH O.     | XROPE PROFIL APARENT/SUSPENDAT 29.4W 220-240V AC 4000K CRI 80 120° 1140mm MWH OSRAM (4.1.2)                     | 341.67 лв. | pc | OSRAM included    | 6422103038348 | 3.34 | 3.23 | 138  |     |
| 402 | RP50NW30 MWH T.     | XROPE SURF./SUSP. LIGHT FITTING 29.4W 220-240V AC 4000K TRIDONIC CRI.80 IP40 120° 1140mm MWH (4.1.2)            | 364.67 лв. | pc | TRIDONIC included | 6422103058636 | 3.34 | 3.23 | 138  |     |
| 403 | RP50NW30DALI MBK    | XROPE SURF./SUSP. LIGHT FITTING 29.4W 220-240V AC 4000K TRIDONIC DALI CRI.80 IP40 120° 1140mm MBK (4.1.2)       | 445.96 лв. | pc | TRIDONIC included | 6422103092876 | 4    | 3.34 | 3.23 | 138 |
| 404 | RP50NW30DALI MWH    | XROPE SURF./SUSP. LIGHT FITTING 29.4W 220-240V AC 4000K TRIDONIC DALI CRI.80 IP40 120° 1140mm MWH (4.1.2)       | 445.96 лв. | pc | TRIDONIC included | 6422103092883 | 4    | 3.34 | 3.23 | 138 |
| 405 | RP50NW45 MBK O.     | XROPE PROFIL APARENT/SUSPENDAT 44.10W 220-240V AC 4000K CRI 80 120° 1710mm MBK OSRAM (4.1.2)                    | 495.87 лв. | pc | OSRAM included    | 6422103058803 | 4.92 | 4.77 | 138  |     |
| 406 | RP50NW45 MBK T.     | XROPE SURF./SUSP. LIGHT FITTING 44.10W 220-240V AC 4000K TRIDONIC CRI.80 IP40 120° 1710mm MBK (4.1.2)           | 522.14 лв. | pc | TRIDONIC included | 6422103058667 | 4.92 | 4.77 | 138  |     |
| 407 | RP50NW45 MWH O.     | XROPE PROFIL APARENT/SUSPENDAT 44.10W 220-240V AC 4000K CRI 80 120° 1710mm MWH OSRAM (4.1.2)                    | 495.87 лв. | pc | OSRAM included    | 6422103038362 | 4.92 | 4.77 | 138  |     |
| 408 | RP50NW45 MWH T.     | XROPE SURF./SUSP. LIGHT FITTING 44.10W 220-240V AC 4000K TRIDONIC CRI.80 IP40 120° 1710mm MWH (4.1.2)           | 522.14 лв. | pc | TRIDONIC included | 6422103058650 | 4.92 | 4.77 | 138  |     |
| 409 | RP50NW45DALI MBK    | XROPE SURF./SUSP. DALI LIGHT FITTING 44.10W 220-240V AC 4000K TRIDONIC DALI CRI.80 IP40 120° 1710mm MBK (4.1.2) | 637.33 лв. | pc | TRIDONIC included | 6422103092890 | 4    | 4.92 | 4.77 | 138 |
| 410 | RP50NW45DALI MWH    | XROPE SURF./SUSP. DALI LIGHT FITTING 44.10W 220-240V AC 4000K TRIDONIC DALI CRI.80 IP40 120° 1710mm MWH (4.1.2) | 637.33 лв. | pc | TRIDONIC included | 6422103092906 | 4    | 4.92 | 4.77 | 138 |
| 411 | RP50NW60 MBK O.     | XROPE PROFIL APARENT/SUSPENDAT 58.8W 220-240V AC 4000K CRI 80 120° 2280mm MBK OSRAM (4.1.2)                     | 643.31 лв. | pc | OSRAM included    | 6422103058810 | 6.67 | 6.46 | 138  |     |
| 412 | RP50NW60 MBK T.     | XROPE SURF./SUSP. LIGHT FITTING 58.8W 220-240V AC 4000K TRIDONIC DALI CRI.80 IP40 120° 2280mm MBK (4.1.2)       | 687.72 лв. | pc | TRIDONIC included | 6422103058681 | 6.67 | 6.46 | 138  |     |
| 413 | RP50NW60 MWH O.     | XROPE PROFIL APARENT/SUSPENDAT 58.8W 220-240V AC 4000K CRI 80 120° 2280mm MWH OSRAM (4.1.2)                     | 643.31 лв. | pc | OSRAM included    | 6422103038386 | 6.67 | 6.46 | 138  |     |
| 414 | RP50NW60 MWH T.     | XROPE SURF./SUSP. LIGHT FITTING 58.8W 220-240V AC 4000K TRIDONIC CRI.80 IP40 120° 2280mm MWH (4.1.2)            | 687.72 лв. | pc | TRIDONIC included | 6422103058674 | 6.67 | 6.46 | 138  |     |
| 415 | RP50NW60DALI MBK    | XROPE SURF./SUSP. DALI LIGHT FITTING 58.8W 220-240V AC 4000K TRIDONIC DALI CRI.80 IP40 120° 2280mm MBK (4.1.2)  | 771.93 лв. | pc | TRIDONIC included | 6422103092913 | 4    | 6.67 | 6.46 | 138 |
| 416 | RP50NW60DALI MWH    | XROPE SURF./SUSP. LIGHT FITTING 58.8W 220-240V AC 4000K TRIDONIC DALI CRI.80 IP40 120° 2280mm MWH (4.1.2)       | 771.93 лв. | pc | TRIDONIC included | 6422103092920 | 4    | 6.67 | 6.46 | 138 |
| 417 | RP50WWW15 MBK O.    | XROPE PROFIL APARENT/SUSPENDAT 14.7W 220-240V AC 3000K CRI 80 120° 570mm MBK OSRAM (4.1.2)                      | 188.31 лв. | pc | OSRAM included    | 6422103056151 | 1.73 | 1.67 | 138  |     |
| 418 | RP50WWW15 MBK T.    | XROPE SURF./SUSP. LIGHT FITTING 14.7W 220-240V AC 3000K TRIDONIC CRI.80 IP40 120° 570mm MBK (4.1.2)             | 199.57 лв. | pc | TRIDONIC included | 6422103058704 | 1.73 | 1.67 | 138  |     |

|     |                  |   |            |     |                   |               |     |      |      |     |
|-----|------------------|---|------------|-----|-------------------|---------------|-----|------|------|-----|
| 419 | RP50WW15 MWH O.  | XROPE PROFIL APARENT/SUSPENDAT 14.7W 220-240V AC 3000K CRI 80 120° 570mm MWH OSRAM (4.1.2)                      | 188.31 lb. | pc  | OSRAM included    | 6422103038317 |     | 1.73 | 1.67 | 138 |
| 420 | RP50WW15 MWH T.  | XROPE SURF./SUSP. LIGHT FITTING 14.7W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 570mm MWH (4.1.2)        | 199.57 lb. | pc  | TRIDONIC included | 6422103058698 |     | 1.73 | 1.67 | 138 |
| 421 | RP50WW15DALI MBK | XROPE SURF./SUSP. LIGHT FITTING 14.7W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 570mm MBK (4.1.2)        | 294.52 lb. | pc  | TRIDONIC included | 6422103092937 | 4   | 1.73 | 1.67 | 138 |
| 422 | RP50WW15DALI MWH | XROPE SURF./SUSP. LIGHT FITTING 14.7W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 570mm MWH (4.1.2)        | 294.52 lb. | pc  | TRIDONIC included | 6422103092944 | 4   | 1.73 | 1.67 | 138 |
| 423 | RP50WW30 MBK O.  | XROPE PROFIL APARENT/SUSPENDAT 29.4W 220-240V AC 3000K CRI 80 120° 1140mm MBK OSRAM (4.1.2)                     | 341.67 lb. | pc  | OSRAM included    | 6422103056175 |     | 3.34 | 3.23 | 138 |
| 424 | RP50WW30 MBK T.  | XROPE SURF./SUSP. LIGHT FITTING 29.4W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 1140mm MBK (4.1.2)       | 364.67 lb. | pc  | TRIDONIC included | 6422103058728 |     | 3.34 | 3.23 | 138 |
| 425 | RP50WW30 MWH O.  | XROPE PROFIL APARENT/SUSPENDAT 29.4W 220-240V AC 3000K CRI 80 120° 1140mm MWH OSRAM (4.1.2)                     | 341.67 lb. | pc  | OSRAM included    | 6422103038331 |     | 3.34 | 3.23 | 138 |
| 426 | RP50WW30 MWH T.  | XROPE SURF./SUSP. LIGHT FITTING 29.4W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 1140mm MWH (4.1.2)       | 364.67 lb. | pc  | TRIDONIC included | 6422103058711 |     | 3.34 | 3.23 | 138 |
| 427 | RP50WW30DALI MBK | XROPE SURF./SUSP. LIGHT FITTING 29.4W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 1140mm MBK (4.1.2)       | 445.96 lb. | pc  | TRIDONIC included | 6422103092951 | 4   | 3.34 | 3.23 | 138 |
| 428 | RP50WW30DALI MWH | XROPE SURF./SUSP. LIGHT FITTING 29.4W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 1140mm MWH (4.1.2)       | 445.96 lb. | pc  | TRIDONIC included | 6422103092968 | 4   | 3.34 | 3.23 | 138 |
| 429 | RP50WW45 MBK O.  | XROPE PROFIL APARENT/SUSPENDAT 44.10W 220-240V AC 3000K CRI 80 120° 1710mm MBK OSRAM (4.1.2)                    | 495.87 lb. | pc  | OSRAM included    | 6422103056177 |     | 4.92 | 4.77 | 138 |
| 430 | RP50WW45 MBK T.  | XROPE SURF./SUSP. LIGHT FITTING 44.10W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 1710mm MBK (4.1.2)      | 522.14 lb. | pc  | TRIDONIC included | 6422103058742 |     | 4.92 | 4.77 | 138 |
| 431 | RP50WW45 MWH O.  | XROPE PROFIL APARENT/SUSPENDAT 44.10W 220-240V AC 3000K CRI 80 120° 1710mm MWH OSRAM (4.1.2)                    | 495.87 lb. | pc  | OSRAM included    | 6422103038355 |     | 4.92 | 4.77 | 138 |
| 432 | RP50WW45 MWH T.  | XROPE SURF./SUSP. LIGHT FITTING 44.10W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 1710mm MWH (4.1.2)      | 522.14 lb. | pc  | TRIDONIC included | 6422103058735 |     | 4.92 | 4.77 | 138 |
| 433 | RP50WW45DALI MBK | XROPE SURF./SUSP. DALI LIGHT FITTING 44.10W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 1710mm MBK (4.1.2) | 637.33 lb. | pc  | TRIDONIC included | 6422103092975 | 4   | 4.92 | 4.77 | 138 |
| 434 | RP50WW45DALI MWH | XROPE SURF./SUSP. DALI LIGHT FITTING 44.10W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 1710mm MWH (4.1.2) | 637.33 lb. | pc  | TRIDONIC included | 6422103092982 | 4   | 4.92 | 4.77 | 138 |
| 435 | RP50WW60 MBK O.  | XROPE PROFIL APARENT/SUSPENDAT 58.8W 220-240V AC 3000K CRI 80 120° 2280mm MBK OSRAM (4.1.2)                     | 643.31 lb. | pc  | OSRAM included    | 6422103056179 |     | 6.67 | 6.46 | 138 |
| 436 | RP50WW60 MBK T.  | XROPE SURF./SUSP. LIGHT FITTING 58.8W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 2280mm MBK (4.1.2)       | 687.72 lb. | pc  | TRIDONIC included | 6422103058766 |     | 6.67 | 6.46 | 138 |
| 437 | RP50WW60 MWH O.  | XROPE PROFIL APARENT/SUSPENDAT 58.8W 220-240V AC 3000K CRI 80 120° 2280mm MWH OSRAM (4.1.2)                     | 643.31 lb. | pc  | OSRAM included    | 6422103038379 |     | 6.67 | 6.46 | 138 |
| 438 | RP50WW60 MWH T.  | XROPE SURF./SUSP. LIGHT FITTING 58.8W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 2280mm MWH (4.1.2)       | 687.72 lb. | pc  | TRIDONIC included | 6422103058759 |     | 6.67 | 6.46 | 138 |
| 439 | RP50WW60DALI MBK | XROPE SURF./SUSP. DALI LIGHT FITTING 58.8W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 2280mm MBK (4.1.2)  | 771.93 lb. | pc  | TRIDONIC included | 6422103092999 | 4   | 6.67 | 6.46 | 138 |
| 440 | RP50WW60DALI MWH | XROPE SURF./SUSP. LIGHT FITTING 58.8W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 2280mm MWH (4.1.2)       | 771.93 lb. | pc  | TRIDONIC included | 6422103090346 | 4   | 6.67 | 6.46 | 138 |
| 441 | RP50NW12TC MBK   | XROPE T-shape CONNECTOR 3X4W 220-240V AC 4000K CRI.80 IP40 120° MBK (5.1.2)                                     | 348.81 lb. | pc  | OSRAM included    | 6422103056184 |     | 0.68 | 0.65 | 139 |
| 442 | RP50NW12TC MWH   | XROPE T-shape CONNECTOR 3X4W 220-240V AC 4000K CRI.80 IP40 120° MWH (5.1.2)                                     | 348.81 lb. | pc  | OSRAM included    | 6422103038423 |     | 0.68 | 0.65 | 139 |
| 443 | RP50NW16XC MBK   | XROPE X-shape CONNECTOR 4X4W 220-240V AC 4000K CRI.80 IP40 120° MBK (5.1.2)                                     | 476.00 lb. | pc  | OSRAM included    | 6422103056186 |     | 0.82 | 0.79 | 139 |
| 444 | RP50NW16XC MWH   | XROPE X-shape CONNECTOR 4X4W 220-240V AC 4000K CRI.80 IP40 120° MWH (5.1.2)                                     | 476.00 lb. | pc  | OSRAM included    | 6422103038447 |     | 0.82 | 0.79 | 139 |
| 445 | RP50NW8LC MBK    | XROPE 90° CONNECTOR 2X4W 220-240V AC 4000K CRI.80 IP40 120° MBK (5.1.2)   | 279.80 lb. | pc  | OSRAM included    | 6422103056182 |     | 0.48 | 0.46 | 139 |
| 446 | RP50NW8LC MWH    | XROPE 90° CONNECTOR 2X4W 220-240V AC 4000K CRI.80 IP40 120° MWH (5.1.2)   | 279.80 lb. | pc  | OSRAM included    | 6422103038409 |     | 0.48 | 0.46 | 139 |
| 447 | RP50WW12TC MBK   | XROPE T-shape CONNECTOR 3X4W 220-240V AC 3000K CRI.80 IP40 120° MBK (5.1.2)                                     | 348.81 lb. | pc  | OSRAM included    | 6422103056183 |     | 0.68 | 0.65 | 139 |
| 448 | RP50WW12TC MWH   | XROPE T-shape CONNECTOR 3X4W 220-240V AC 3000K CRI.80 IP40 120° MWH (5.1.2)                                     | 348.81 lb. | pc  | OSRAM included    | 6422103038416 |     | 0.68 | 0.65 | 139 |
| 449 | RP50WW16XC MBK   | XROPE X-shape CONNECTOR 4X4W 220-240V AC 3000K CRI.80 IP40 120° MBK (5.1.2)                                     | 476.00 lb. | pc  | OSRAM included    | 6422103056185 |     | 0.82 | 0.79 | 139 |
| 450 | RP50WW16XC MWH   | XROPE X-shape CONNECTOR 4X4W 220-240V AC 3000K CRI.80 IP40 120° MWH (5.1.2)                                     | 476.00 lb. | pc  | OSRAM included    | 6422103038430 |     | 0.82 | 0.79 | 139 |
| 451 | RP50WW8LC MBK    | XROPE 90° CONNECTOR 2X4W 220-240V AC 3000K CRI.80 IP40 120° MBK (5.1.2)   | 279.80 lb. | pc  | OSRAM included    | 6422103056181 |     | 0.48 | 0.46 | 139 |
| 452 | RP50WW8LC MWH    | XROPE 90° CONNECTOR 2X4W 220-240V AC 3000K CRI.80 IP40 120° MWH (5.1.2)   | 279.80 lb. | pc  | OSRAM included    | 6422103038393 |     | 0.48 | 0.46 | 139 |
| 453 | PRF080CK01       | XROPE SET OF 4 STEEL CLAMPS for LINEAR CONNECTION OF 2 PRF080/200 PROFILES                                      | 26.80 lb.  | set |                   | 6422103031394 |     | 0.06 | 0.05 | 141 |
| 454 | PRF080PK MBK     | XROPE CEILING CUP for ELECTRICAL CONNECTIONS MASKING with POWER SUPPLY CBL. With L=1.5 m MBK                    | 88.52 lb.  | pc  |                   | 6422103053150 | 60  | 0.40 | 0.38 | 141 |
| 455 | PRF080PK MWH     | XROPE CEILING CUP for ELECTRICAL CONNECTIONS MASKING with POWER SUPPLY CBL. With L=1.5 m MWH                    | 88.52 lb.  | pc  |                   | 6422103031400 | 60  | 0.40 | 0.38 | 141 |
| 456 | PRF080SK01       | XROPE SUSPENSION KIT, with MAX. LENGTH 1.5 m  | 45.81 lb.  | set |                   | 6422103031387 | 200 | 0.05 | 0.04 | 141 |
| 457 | PRF080TP02 MBK   | XROPE SET OF 2 END CAPS MBK   | 13.78 lb.  | set |                   | 6422103053143 | 400 | 0.01 | 0.01 | 141 |
| 458 | PRF080TP02 MWH   | XROPE SET OF 2 END CAPS MWH   | 13.78 lb.  | set |                   | 6422103031349 | 400 | 0.01 | 0.01 | 141 |
| 459 | RP50A300         | XROPE OPAL POLYCARBONATE DIFFUSER with LEGTH=3 m  | 62.42 lb.  | pc  |                   | 6422103032230 | 30  | 0.37 | 0.35 | 141 |
| 460 | TE60NW15 MWH     | XTRACE RECESSED LIGHT FITTING 14.7W 220-240V AC 4000K CRI.80 IP40 120° 570mm MWH (4.1.2)                        | 133.09 lb. | pc  | OSRAM included    | 6422103038461 |     | 0.96 | 0.93 | 144 |
| 461 | TE60NW15DALI MWH | XTRACE RECESSED LIGHT FITTING 14.7W 220-240V AC 4000K TRIDONIC DALI CRI.80 IP40 120° 570mm MWH (4.1.2)          | 225.49 lb. | pc  | TRIDONIC included | 6422103093002 | 4   | 0.96 | 0.93 | 144 |
| 462 | TE60NW30 MWH     | XTRACE RECESSED LIGHT FITTING 29.4W 220-240V AC 4000K CRI.80 IP40 120° 1140mm MWH (4.1.2)                       | 232.31 lb. | pc  | OSRAM included    | 6422103038485 |     | 1.80 | 1.74 | 144 |
| 463 | TE60NW30DALI MWH | XTRACE RECESSED LIGHT FITTING 29.4W 220-240V AC 4000K TRIDONIC DALI CRI.80 IP40 120° 1140mm MWH (4.1.2)         | 312.99 lb. | pc  | TRIDONIC included | 6422103093019 | 4   | 1.80 | 1.74 | 144 |
| 464 | TE60NW45 MWH     | XTRACE RECESSED LIGHT FITTING 44.10W 220-240V AC 4000K CRI.80 IP40 120° 1710mm MWH (4.1.2)                      | 336.36 lb. | pc  | OSRAM included    | 6422103038508 |     | 2.65 | 2.57 | 144 |
| 465 | TE60NW45DALI MWH | XTRACE RECESSED LIGHT FITTING 44.10W 220-240V AC 4000K TRIDONIC DALI CRI.80 IP40 120° 1710mm MWH (4.1.2)        | 437.81 lb. | pc  | TRIDONIC included | 6422103093026 | 4   | 2.65 | 2.57 | 144 |
| 466 | TE60NW60 MWH     | XTRACE RECESSED LIGHT FITTING 58.8W 220-240V AC 4000K CRI.80 IP40 120° 2280mm MWH (4.1.2)                       | 422.41 lb. | pc  | OSRAM included    | 6422103038522 |     | 3.46 | 3.35 | 144 |
| 467 | TE60NW60DALI MWH | XTRACE RECESSED LIGHT FITTING 58.8W 220-240V AC 4000K TRIDONIC DALI CRI.80 IP40 120° 2280mm MWH (4.1.2)         | 514.56 lb. | pc  | TRIDONIC included | 6422103093033 | 4   | 3.46 | 3.35 | 144 |
| 468 | TE60WW15 MWH     | XTRACE RECESSED LIGHT FITTING 14.7W 220-240V AC 3000K CRI.80 IP40 120° 570mm MWH (4.1.2)                        | 133.09 lb. | pc  | OSRAM included    | 6422103038454 |     | 0.96 | 0.93 | 144 |
| 469 | TE60WW15DALI MWH | XTRACE RECESSED LIGHT FITTING 14.7W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 570mm MWH (4.1.2)          | 225.49 lb. | pc  | TRIDONIC included | 6422103093040 | 4   | 0.96 | 0.93 | 144 |
| 470 | TE60WW30 MWH     | XTRACE RECESSED LIGHT FITTING 29.4W 220-240V AC 3000K CRI.80 IP40 120° 1140mm MWH (4.1.2)                       | 232.31 lb. | pc  | OSRAM included    | 6422103038478 |     | 1.80 | 1.74 | 144 |
| 471 | TE60WW30DALI MWH | XTRACE RECESSED LIGHT FITTING 29.4W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 1140mm MWH (4.1.2)         | 312.99 lb. | pc  | TRIDONIC included | 6422103093057 | 4   | 1.80 | 1.74 | 144 |
| 472 | TE60WW45 MWH     | XTRACE RECESSED LIGHT FITTING 44.10W 220-240V AC 3000K CRI.80 IP40 120° 1710mm MWH (4.1.2)                      | 336.36 lb. | pc  | OSRAM included    | 6422103038492 |     | 2.65 | 2.57 | 144 |
| 473 | TE60WW45DALI MWH | XTRACE RECESSED LIGHT FITTING 44.10W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 1710mm MWH (4.1.2)        | 437.81 lb. | pc  | TRIDONIC included | 6422103093064 | 4   | 2.65 | 2.57 | 144 |
| 474 | TE60WW60 MWH     | XTRACE RECESSED LIGHT FITTING 58.8W 220-240V AC 3000K CRI.80 IP40 120° 2280mm MWH (4.1.2)                       | 422.41 lb. | pc  | OSRAM included    | 6422103038515 |     | 3.46 | 3.35 | 144 |
| 475 | TE60WW60DALI MWH | XTRACE RECESSED LIGHT FITTING 58.8W 220-240V AC 3000K TRIDONIC DALI CRI.80 IP40 120° 2280mm MWH (4.1.2)         | 514.56 lb. | pc  | TRIDONIC included | 6422103093071 | 4   | 3.46 | 3.35 | 144 |
| 476 | TE60NW12TC MWH   | XTRACE T-shape CONNECTOR 3X4W 220-240V AC 4000K CRI.80 IP40 120° MWH (5.1.2)                                    | 299.08 lb. | pc  | OSRAM included    | 6422103038560 |     | 0.56 | 0.54 | 145 |
| 477 | TE60NW16XC MWH   | XTRACE X-shape CONNECTOR 4X4W 220-240V AC 4000K CRI.80 IP40 120° MWH (5.1.2)                                    | 373.29 lb. | pc  | OSRAM included    | 6422103038584 |     | 0.68 | 0.65 | 145 |
| 478 | TE60NW8LC MWH    | XTRACE 90° CONNECTOR 2X4W 220-240V AC 4000K CRI.80 IP40 120° MWH (5.1.2)  | 199.21 lb. | pc  | OSRAM included    | 6422103038564 |     | 0.40 | 0.38 | 145 |
| 479 | TE60WW12TC MWH   | XTRACE T-shape CONNECTOR 3X4W 220-240V AC 3000K CRI.80 IP40 120° MWH (5.1.2)                                    | 299.08 lb. | pc  | OSRAM included    | 6422103038553 |     | 0.56 | 0.54 | 145 |



|                                    |                |   |              |     |                |               |     |       |      |            |
|------------------------------------|----------------|---|--------------|-----|----------------|---------------|-----|-------|------|------------|
| 480                                | TE60WW16XC MWH | XTRACE X-shape CONNECTOR 4X4W 220-240V AC 3000K CRI.80 IP40 120° MWH (5.1.2)                    | 373.29 лв.   | pc  | OSRAM included | 6422103038577 |     | 0.68  | 0.65 | 145        |
| 481                                | TE60WW8LC MWH  | XTRACE 90° CONNECTOR 2X4W 220-240V AC 3000K CRI.80 IP40 120° MWH (5.1.2)                        | 199.21 лв.   | pc  | OSRAM included | 6422103038539 |     | 0.40  | 0.38 | 145        |
| 482                                | PRF063AR01     | XTRACE REFLECTOR (SET OF 2 AL. PROFILES with 0.5 m)   | 2.97 лв.     | pc  |                | 6422103031554 |     | 0.10  | 0.09 | 146        |
| 483                                | PRF063CK01     | XTRACE SET OF 4 STEEL CLAMPS for LINEAR CONNECTION OF 2 PRF063/200 PROFILES                     | 26.74 лв.    | set |                | 6422103031561 |     | 0.06  | 0.05 | 146        |
| 484                                | PRF063ST01     | XTRACE FIXING CLIPS for REC. MOUNTING (SET of 4 pcs)  | 54.46 лв.    | set |                | 6422103031578 |     | 0.04  | 0.03 | 146        |
| 485                                | PRF063TP02     | XTRACE SET OF 2 END CAPS MWH  | 10.93 лв.    | set |                | 6422103031516 | 400 | 0.01  | 0.01 | 146        |
| 486                                | TE60A300       | XTRACE OPAL POLYCARBONATE DIFFUSER with LEGTH=3 m   | 59.53 лв.    | pc  |                | 6422103033329 | 30  | 0.37  | 0.35 | 146        |
| <b>2. SUSPENDED LIGHT FITTINGS</b> |                |   |              |     |                |               |     |       |      | <b>149</b> |
| 487                                | AM01NW SBK     | XAMBIT SURF./SUSP. LIGHT FITING 38W 220-240V AC 4000K ext. diameter 600 IP20 105° SBK (4.1.2)   | 1 022.26 лв. | pc  | Included       | 6422103049528 | 1   | 2.80  | 2.71 | 152        |
| 488                                | AM01NW SGD     | XAMBIT SURF./SUSP. LIGHT FITING 38W 220-240V AC 4000K ext. diameter 600 IP20 105° SGD (4.1.2)   | 1 138.80 лв. | pc  | Included       | 6422103073844 | 1   | 2.80  | 2.71 | 152        |
| 489                                | AM01NW SWH     | XAMBIT SURF./SUSP. LIGHT FITING 38W 220-240V AC 4000K ext. diameter 600 IP20 105° SWH (4.1.2)   | 1 022.26 лв. | pc  | Included       | 6422103049511 | 1   | 2.80  | 2.71 | 152        |
| 490                                | AM01WW SBK     | XAMBIT SURF./SUSP. LIGHT FITING 38W 220-240V AC 3000K ext. diameter 600 IP20 105° SBK (4.1.2)   | 1 022.26 лв. | pc  | Included       | 6422103049504 | 1   | 2.80  | 2.71 | 152        |
| 491                                | AM01WW SGD     | XAMBIT SURF./SUSP. LIGHT FITING 38W 220-240V AC 3000K ext. diameter 600 IP20 105° SGD (4.1.2)   | 1 138.80 лв. | pc  | Included       | 6422103073837 | 1   | 2.80  | 2.71 | 152        |
| 492                                | AM01WW SWH     | XAMBIT SURF./SUSP. LIGHT FITING 38W 220-240V AC 3000K ext. diameter 600 IP20 105° SWH (4.1.2)   | 1 022.26 лв. | pc  | Included       | 6422103049498 | 1   | 2.80  | 2.71 | 152        |
| 493                                | AM02NW SBK     | XAMBIT SURF./SUSP. LIGHT FITING 57W 220-240V AC 4000K ext. diameter 900 IP20 105° SBK (4.1.2)   | 1 444.76 лв. | pc  | Included       | 6422103049566 | 1   | 4.20  | 4.07 | 152        |
| 494                                | AM02NW SGD     | XAMBIT SURF./SUSP. LIGHT FITING 57W 220-240V AC 4000K ext. diameter 900 IP20 105° SGD (4.1.2)   | 1 561.30 лв. | pc  | Included       | 6422103073868 | 1   | 4.20  | 4.07 | 152        |
| 495                                | AM02NW SWH     | XAMBIT SURF./SUSP. LIGHT FITING 57W 220-240V AC 4000K ext. diameter 900 IP20 105° SWH (4.1.2)   | 1 444.76 лв. | pc  | Included       | 6422103049559 | 1   | 4.20  | 4.07 | 152        |
| 496                                | AM02WW SBK     | XAMBIT SURF./SUSP. LIGHT FITING 57W 220-240V AC 3000K ext. diameter 900 IP20 105° SBK (4.1.2)   | 1 444.76 лв. | pc  | Included       | 6422103049542 | 1   | 4.20  | 4.07 | 152        |
| 497                                | AM02WW SGD     | XAMBIT SURF./SUSP. LIGHT FITING 57W 220-240V AC 3000K ext. diameter 900 IP20 105° SGD (4.1.2)   | 1 561.30 лв. | pc  | Included       | 6422103073851 | 1   | 4.20  | 4.07 | 152        |
| 498                                | AM02WW SWH     | XAMBIT SURF./SUSP. LIGHT FITING 57W 220-240V AC 3000K ext. diameter 900 IP20 105° SWH (4.1.2)   | 1 444.76 лв. | pc  | Included       | 6422103049535 | 1   | 4.20  | 4.07 | 152        |
| 499                                | AM03NW SBK     | XAMBIT SURF./SUSP. LIGHT FITING 75W 220-240V AC 4000K ext. diameter 1200 IP20 105° SBK (4.1.2)  | 1 855.98 лв. | pc  | Included       | 6422103049603 | 1   | 5.60  | 5.43 | 152        |
| 500                                | AM03NW SGD     | XAMBIT SURF./SUSP. LIGHT FITING 75W 220-240V AC 4000K ext. diameter 1200 IP20 105° SGD (4.1.2)  | 2 089.05 лв. | pc  | Included       | 6422103073882 | 1   | 5.60  | 5.43 | 152        |
| 501                                | AM03NW SWH     | XAMBIT SURF./SUSP. LIGHT FITING 75W 220-240V AC 4000K ext. diameter 1200 IP20 105° SWH (4.1.2)  | 1 855.98 лв. | pc  | Included       | 6422103049597 | 1   | 5.60  | 5.43 | 152        |
| 502                                | AM03WW SBK     | XAMBIT SURF./SUSP. LIGHT FITING 75W 220-240V AC 3000K ext. diameter 1200 IP20 105° SBK (4.1.2)  | 1 855.98 лв. | pc  | Included       | 6422103049580 | 1   | 5.60  | 5.43 | 152        |
| 503                                | AM03WW SGD     | XAMBIT SURF./SUSP. LIGHT FITING 75W 220-240V AC 3000K ext. diameter 1200 IP20 105° SGD (4.1.2)  | 2 089.05 лв. | pc  | Included       | 6422103073875 | 1   | 5.60  | 5.43 | 152        |
| 504                                | AM03WW SWH     | XAMBIT SURF./SUSP. LIGHT FITING 75W 220-240V AC 3000K ext. diameter 1200 IP20 105° SWH (4.1.2)  | 1 855.98 лв. | pc  | Included       | 6422103049573 | 1   | 5.60  | 5.43 | 152        |
| 505                                | AM04NW SBK     | XAMBIT SURF./SUSP. LIGHT FITING 97W 220-240V AC 4000K ext. diameter 1540 IP20 105° SBK (4.1.2)  | 2 278.48 лв. | pc  | Included       | 6422103049641 | 1   | 7.23  | 7.01 | 152        |
| 506                                | AM04NW SGD     | XAMBIT SURF./SUSP. LIGHT FITING 97W 220-240V AC 4000K ext. diameter 1540 IP20 105° SGD (4.1.2)  | 2 569.90 лв. | pc  | Included       | 6422103073905 | 1   | 7.23  | 7.01 | 152        |
| 507                                | AM04NW SWH     | XAMBIT SURF./SUSP. LIGHT FITING 97W 220-240V AC 4000K ext. diameter 1540 IP20 105° SWH (4.1.2)  | 2 278.48 лв. | pc  | Included       | 6422103049634 | 1   | 7.23  | 7.01 | 152        |
| 508                                | AM04WW SBK     | XAMBIT SURF./SUSP. LIGHT FITING 97W 220-240V AC 3000K ext. diameter 1540 IP20 105° SBK (4.1.2)  | 2 278.48 лв. | pc  | Included       | 6422103049627 | 1   | 7.23  | 7.01 | 152        |
| 509                                | AM04WW SGD     | XAMBIT SURF./SUSP. LIGHT FITING 97W 220-240V AC 3000K ext. diameter 1540 IP20 105° SGD (4.1.2)  | 2 569.90 лв. | pc  | Included       | 6422103073899 | 1   | 7.23  | 7.01 | 152        |
| 510                                | AM04WW SWH     | XAMBIT SURF./SUSP. LIGHT FITING 97W 220-240V AC 3000K ext. diameter 1540 IP20 105° SWH (4.1.2)  | 2 278.48 лв. | pc  | Included       | 6422103049610 | 1   | 7.23  | 7.01 | 152        |
| 511                                | AM01CBDALI SBK | XAMBIT CANOPY with DALI DRIVER for AM01 SBK   | 390.10 лв.   | pc  | Included       | 6422103049702 |     | 0.55  | 0.53 | 153        |
| 512                                | AM01CBDALI SGD | XAMBIT CANOPY with DALI DRIVER for AM01 SGD   | 430.31 лв.   | pc  | Included       | 6422103073936 |     | 0.55  | 0.53 | 153        |
| 513                                | AM01CBDALI SWH | XAMBIT CANOPY with DALI DRIVER for AM01 SWH   | 390.10 лв.   | pc  | Included       | 6422103049696 |     | 0.55  | 0.53 | 153        |
| 514                                | AM02CBDALI SBK | XAMBIT CANOPY with DALI DRIVER for AM02 SBK   | 425.84 лв.   | pc  | Included       | 6422103049726 |     | 1.10  | 1.06 | 153        |
| 515                                | AM02CBDALI SGD | XAMBIT CANOPY with DALI DRIVER for AM02 SGD   | 466.79 лв.   | pc  | Included       | 6422103073943 |     | 1.10  | 1.06 | 153        |
| 516                                | AM02CBDALI SWH | XAMBIT CANOPY with DALI DRIVER for AM02 SWH   | 425.84 лв.   | pc  | Included       | 6422103049719 |     | 1.10  | 1.06 | 153        |
| 517                                | AM03CBDALI SBK | XAMBIT CANOPY with DALI DRIVER for AM03 SBK   | 543.47 лв.   | pc  | Included       | 6422103051910 |     | 1.70  | 1.64 | 153        |
| 518                                | AM03CBDALI SGD | XAMBIT CANOPY with DALI DRIVER for AM03 SGD   | 598.56 лв.   | pc  | Included       | 6422103073950 |     | 1.70  | 1.64 | 153        |
| 519                                | AM03CBDALI SWH | XAMBIT CANOPY with DALI DRIVER for AM03 SWH   | 543.47 лв.   | pc  | Included       | 6422103051903 |     | 1.70  | 1.64 | 153        |
| 520                                | AM04CBDALI SBK | XAMBIT CANOPY with DALI DRIVER for AM04 SBK   | 556.87 лв.   | pc  | Included       | 6422103049740 |     | 1.70  | 1.64 | 153        |
| 521                                | AM04CBDALI SGD | XAMBIT CANOPY with DALI DRIVER for AM04 SGD   | 611.96 лв.   | pc  | Included       | 6422103073912 |     | 1.70  | 1.64 | 153        |
| 522                                | AM04CBDALI SWH | XAMBIT CANOPY with DALI DRIVER for AM04 SWH   | 556.87 лв.   | pc  | Included       | 6422103049733 |     | 1.70  | 1.64 | 153        |
| 523                                | AM05CBDALI SBK | XAMBIT CANOPY with DALI DRIVER for AM05 SBK   | 587.39 лв.   | pc  | Included       | 6422103051934 |     | 1.70  | 1.64 | 153        |
| 524                                | AM05CBDALI SGD | XAMBIT CANOPY with DALI DRIVER for AM05 SGD   | 641.74 лв.   | pc  | Included       | 6422103073967 |     | 1.70  | 1.64 | 153        |
| 525                                | AM05CBDALI SWH | XAMBIT CANOPY with DALI DRIVER for AM05 SWH   | 587.39 лв.   | pc  | Included       | 6422103051927 |     | 1.70  | 1.64 | 153        |
| 526                                | AM05NW SBK     | XAMBIT SURF./SUSP. LIGHT FITING 120W 220-240V AC 4000K ext. diameter 2040 IP20 105° SBK (4.1.2) | 2 964.05 лв. | pc  | Included       | 6422103049689 | 1   | 9.58  | 9.29 | 153        |
| 527                                | AM05NW SGD     | XAMBIT SURF./SUSP. LIGHT FITING 120W 220-240V AC 4000K ext. diameter 2040 IP20 105° SGD (4.1.2) | 3 352.55 лв. | pc  | Included       | 6422103073929 | 1   | 9.58  | 9.29 | 153        |
| 528                                | AM05NW SWH     | XAMBIT SURF./SUSP. LIGHT FITING 120W 220-240V AC 4000K ext. diameter 2040 IP20 105° SWH (4.1.2) | 2 964.05 лв. | pc  | Included       | 6422103049672 | 1   | 9.58  | 9.29 | 153        |
| 529                                | AM05WW SBK     | XAMBIT SURF./SUSP. LIGHT FITING 120W 220-240V AC 3000K ext. diameter 2040 IP20 105° SBK (4.1.2) | 2 964.05 лв. | pc  | Included       | 6422103049665 | 1   | 9.58  | 9.29 | 153        |
| 530                                | AM05WW SGD     | XAMBIT SURF./SUSP. LIGHT FITING 120W 220-240V AC 3000K ext. diameter 2040 IP20 105° SGD (4.1.2) | 3 352.55 лв. | pc  | Included       | 6422103073974 | 1   | 9.58  | 9.29 | 153        |
| 531                                | AM05WW SWH     | XAMBIT SURF./SUSP. LIGHT FITING 120W 220-240V AC 3000K ext. diameter 2040 IP20 105° SWH (4.1.2) | 2 964.05 лв. | pc  | Included       | 6422103049658 | 1   | 9.58  | 9.29 | 153        |
| 532                                | PXR01CCCT SBK  | XPILL RND PANEL 40W 220-240V AC CCT(3/4/6000K) CRI.80 fi.400 mm IP20 110° SBK (5.1.2)           | 455.95 лв.   | pc  | Included       | 6422103047715 | 4   | 2.30  | 2.23 | 158        |
| 533                                | PXR01CCCT SWH  | XPILL RND PANEL 40W 220-240V AC CCT(3/4/6000K) CRI.80 fi.400 mm IP20 110° SWH (5.1.2)           | 455.95 лв.   | pc  | Included       | 6422103047708 | 4   | 2.30  | 2.23 | 158        |
| 534                                | PXR02CCCT SBK  | XPILL RND PANEL 50W 220-240V AC CCT(3/4/6000K) CRI.80 fi.500 mm IP20 110° SBK (4.1.2)           | 695.18 лв.   | pc  | Included       | 6422103047739 | 2   | 3.65  | 3.54 | 158        |
| 535                                | PXR02CCCT SWH  | XPILL RND PANEL 50W 220-240V AC CCT(3/4/6000K) CRI.80 fi.500 mm IP20 110° SWH (4.1.2)           | 695.18 лв.   | pc  | Included       | 6422103047722 | 2   | 3.65  | 3.54 | 158        |
| 536                                | PXR03CCCT SBK  | XPILL RND PANEL 60W 220-240V AC CCT(3/4/6000K) CRI.80 fi.600 mm IP20 110° SBK (4.1.2)           | 913.43 лв.   | pc  | Included       | 6422103047753 | 2   | 5.09  | 4.93 | 158        |
| 537                                | PXR03CCCT SWH  | XPILL RND PANEL 60W 220-240V AC CCT(3/4/6000K) CRI.80 fi.600 mm IP20 110° SWH (4.1.2)           | 913.43 лв.   | pc  | Included       | 6422103047746 | 2   | 5.09  | 4.93 | 158        |
| 538                                | PXR04NW SBK    | XPILL RND PANEL 80W 220-240V AC 4000K CRI.80 fi.800 mm IP20 110° SBK (4.1.2)                    | 1 330.14 лв. | pc  | Included       | 6422103052221 | 1   | 10.00 | 9.70 | 158        |
| 539                                | PXR04NW SWH    | XPILL RND PANEL 80W 220-240V AC 4000K CRI.80 fi.800 mm IP20 110° SWH (4.1.2)                    | 1 330.14 лв. | pc  | Included       | 6422103052214 | 1   | 10.00 | 9.70 | 158        |

|  |                |  |              |    |          |               |    |       |       |            |
|--|----------------|--|--------------|----|----------|---------------|----|-------|-------|------------|
| 540  | PXR04WW SBK    | XPILL RND PANEL 80W 220-240V AC 3000K CRI.80 fi.800 mm IP20 110° SBK (4.1.2)                 | 1 330.14 lb. | pc | Included | 6422103052207 | 1  | 10.00 | 9.70  | 158        |
| 541  | PXR04WW SWH    | XPILL RND PANEL 80W 220-240V AC 3000K CRI.80 fi.800 mm IP20 110° SWH (4.1.2)                 | 1 330.14 lb. | pc | Included | 6422103052191 | 1  | 10.00 | 9.70  | 158        |
| 542  | PXR0123SU SBK  | XPILL RND SUS. SYSTEM for PXR01/02/03 fi.175 mm with 3 TWISTED STEEL WIRES MAX. L=2.5 m SBK  | 144.33 lb.   | pc | Included | 6422103047814 | 16 | 0.61  | 0.59  | 159        |
| 543  | PXR0123SU SWH  | XPILL RND SUS. SYSTEM for PXR01/02/03 fi.175 mm with 3 TWISTED STEEL WIRES MAX. L=2.5 m SWH  | 144.33 lb.   | pc | Included | 6422103047807 | 16 | 0.61  | 0.59  | 159        |
| 544  | PXR045SU SBK   | XPILL RND SUS. SYSTEM for PXR04 fi.210 mm with 3 TWISTED STEEL WIRES MAX. L=2.5 m SBK        | 157.69 lb.   | pc | Included | 6422103047838 | 12 | 0.76  | 0.73  | 159        |
| 545  | PXR045SU SWH   | XPILL RND SUS. SYSTEM for PXR04 fi.210 mm with 3 TWISTED STEEL WIRES MAX. L=2.5 m SWH        | 157.69 lb.   | pc | Included | 6422103047821 | 12 | 0.76  | 0.73  | 159        |
| 546  | PXR05NW SBK    | XPILL RND PANEL 100W 220-240V AC 4000K CRI.80 fi.1000 mm IP20 110° SBK (4.1.2)               | 2 109.49 lb. | pc | Included | 6422103052269 | 1  | 14.20 | 13.77 | 159        |
| 547  | PXR05NW SWH    | XPILL RND PANEL 100W 220-240V AC 4000K CRI.80 fi.1000 mm IP20 110° SWH (4.1.2)               | 2 109.49 lb. | pc | Included | 6422103052252 | 1  | 14.20 | 13.77 | 159        |
| 548  | PXR05WW SBK    | XPILL RND PANEL 100W 220-240V AC 3000K CRI.80 fi.1000 mm IP20 110° SBK (4.1.2)               | 2 109.49 lb. | pc | Included | 6422103052245 | 1  | 14.20 | 13.77 | 159        |
| 549  | PXR05WW SWH    | XPILL RND PANEL 100W 220-240V AC 3000K CRI.80 fi.1000 mm IP20 110° SWH (4.1.2)               | 2 109.49 lb. | pc | Included | 6422103052238 | 1  | 14.20 | 13.77 | 159        |
| 550  | PXQ0123SU SBK  | XPILL SQ. SUS. SYSTEM for PXR01/02/03 175x175 mm with 4 TWISTED STEEL WIRES MAX. L=2.5 m SBK | 142.93 lb.   | pc | Included | 6422103047937 |    | 0.75  | 0.72  | 162        |
| 551  | PXQ0123SU SWH  | XPILL SQ. SUS. SYSTEM for PXR01/02/03 175x175 mm with 4 TWISTED STEEL WIRES MAX. L=2.5 m SWH | 142.93 lb.   | pc | Included | 6422103047920 |    | 0.75  | 0.72  | 162        |
| 552  | PXQ01CCT SBK   | XPILL SQ. PANEL 40W 220-240V AC CCT(3/4/6000K) CRI.80 400X400 mm IP20 110° SBK (5.1.2)       | 506.77 lb.   | pc | Included | 6422103047852 | 4  | 2.30  | 2.23  | 162        |
| 553  | PXQ01CCT SWH   | XPILL SQ. PANEL 40W 220-240V AC CCT(3/4/6000K) CRI.80 400X400 mm IP20 110° SWH (5.1.2)       | 506.77 lb.   | pc | Included | 6422103047845 | 4  | 2.30  | 2.23  | 162        |
| 554  | PXQ02CCT SBK   | XPILL SQ. PANEL 50W 220-240V AC CCT(3/4/6000K) CRI.80 500X500 mm IP20 110° SBK (4.1.2)       | 746.21 lb.   | pc | Included | 6422103047876 | 2  | 3.65  | 3.54  | 162        |
| 555  | PXQ02CCT SWH   | XPILL SQ. PANEL 50W 220-240V AC CCT(3/4/6000K) CRI.80 500X500 mm IP20 110° SWH (4.1.2)       | 746.21 lb.   | pc | Included | 6422103047869 | 2  | 3.65  | 3.54  | 162        |
| 556  | PXQ04SU SBK    | XPILL SQ. SUS. SYSTEM for PXR04 210x210 mm with 4 TWISTED STEEL WIRES MAX. L=2.5 m SBK       | 142.93 lb.   | pc | Included | 6422103047951 |    | 0.84  | 0.81  | 162        |
| 557  | PXQ04SU SWH    | XPILL SQ. SUS. SYSTEM for PXR04 210x210 mm with 4 TWISTED STEEL WIRES MAX. L=2.5 m SWH       | 142.93 lb.   | pc | Included | 6422103047944 |    | 0.84  | 0.81  | 162        |
| 558  | PXQ03CCT SBK   | XPILL SQ. PANEL 60W 220-240V AC CCT(3/4/6000K) CRI.80 600X600 mm IP20 110° SBK (4.1.2)       | 933.27 lb.   | pc | Included | 6422103047890 | 2  | 5.09  | 4.93  | 163        |
| 559  | PXQ03CCT SWH   | XPILL SQ. PANEL 60W 220-240V AC CCT(3/4/6000K) CRI.80 600X600 mm IP20 110° SWH (4.1.2)       | 933.27 lb.   | pc | Included | 6422103047883 | 2  | 5.09  | 4.93  | 163        |
| 560  | PXQ04NW SBK    | XPILL SQ. PANEL 80W 220-240V AC 4000K CRI.80 800X800 mm IP20 110° SBK (4.1.2)                | 1 373.14 lb. | pc | Included | 6422103052306 | 1  | 10.00 | 9.70  | 163        |
| 561  | PXQ04NW SWH    | XPILL SQ. PANEL 80W 220-240V AC 4000K CRI.80 800X800 mm IP20 110° SWH (4.1.2)                | 1 373.14 lb. | pc | Included | 6422103052290 | 1  | 10.00 | 9.70  | 163        |
| 562  | PXQ04WW SBK    | XPILL SQ. PANEL 80W 220-240V AC 3000K CRI.80 800X800 mm IP20 110° SBK (4.1.2)                | 1 373.14 lb. | pc | Included | 6422103052283 | 1  | 10.00 | 9.70  | 163        |
| 563  | PXQ04WW SWH    | XPILL SQ. PANEL 80W 220-240V AC 3000K CRI.80 800X800 mm IP20 110° SWH (4.1.2)                | 1 373.14 lb. | pc | Included | 6422103052276 | 1  | 10.00 | 9.70  | 163        |
| 564  | FS30NW SBK     | XFOCUS SUSPENDED 1x10W 220-240V AC 4000K CRI.90 IP20 36° UGR<16 SWH (5.1.2)                  | 269.66 lb.   | pc | Included | 6422103052498 | 12 | 0.87  | 0.84  | 165        |
| 565  | FS30NW SWH     | XFOCUS SUSPENDED 1x10W 220-240V AC 4000K CRI.90 IP20 36° UGR<16 SWH (5.1.2)                  | 269.66 lb.   | pc | Included | 6422103052481 | 12 | 0.87  | 0.84  | 165        |
| 566  | FS30REF15      | XFOCUS SUSPENDED OPTICAL SYSTEM 15° for FS30   | 16.38 lb.    | pc | Included | 6422103052542 |    | 0.10  | 0.09  | 165        |
| 567  | FS30WW SBK     | XFOCUS SUSPENDED 1x10W 220-240V AC 3000K CRI.90 IP20 36° UGR<16 SBK (5.1.2)                  | 269.66 lb.   | pc | Included | 6422103052474 | 12 | 0.87  | 0.84  | 165        |
| 568  | FS30WW SWH     | XFOCUS SUSPENDED 1x10W 220-240V AC 3000K CRI.90 IP20 36° UGR<16 SWH (5.1.2)                  | 269.66 lb.   | pc | Included | 6422103052467 | 12 | 0.87  | 0.84  | 165        |
| 569  | FS31NW SBK     | XFOCUS SUSPENDED 1x20W 220-240V AC 4000K CRI.90 IP20 36° UGR<16 SBK (5.1.2)                  | 340.60 lb.   | pc | Included | 6422103052535 | 12 | 1.18  | 1.14  | 165        |
| 570  | FS31NW SWH     | XFOCUS SUSPENDED 1x20W 220-240V AC 4000K CRI.90 IP20 36° UGR<16 SWH (5.1.2)                  | 340.60 lb.   | pc | Included | 6422103052528 | 12 | 1.18  | 1.14  | 165        |
| 571  | FS31REF15      | XFOCUS SUSPENDED OPTICAL SYSTEM 15° for FS31   | 17.08 lb.    | pc | Included | 6422103052559 |    | 0.10  | 0.09  | 165        |
| 572  | FS31WW SBK     | XFOCUS SUSPENDED 1x20W 220-240V AC 3000K CRI.90 IP20 36° UGR<16 SBK (5.1.2)                  | 340.60 lb.   | pc | Included | 6422103052511 | 12 | 1.18  | 1.14  | 165        |
| 573  | FS31WW SWH     | XFOCUS SUSPENDED 1x20W 220-240V AC 3000K CRI.90 IP20 36° UGR<16 SWH (5.1.2)                  | 340.60 lb.   | pc | Included | 6422103052504 | 12 | 1.18  | 1.14  | 165        |
| <b>3. SURFACE AND WALL RECESSED LIGHT FITTINGS</b> |                |  |              |    |          |               |    |       |       | <b>167</b> |
| 574  | CSQ30120NW MWH | XCASE LED PANEL 40W 220-240V AC 4000K CRI.82 300x1200 mm IP40 110° MWH (4.1.2)               | 418.77 lb.   | pc | Included | 6422103016681 | 5  | 6.10  | 5.91  | 180        |
| 575  | CSQ30120WW MWH | XCASE LED PANEL 40W 220-240V AC 3000K CRI.83 300x1200 mm IP40 110° MWH (4.1.2)               | 418.77 lb.   | pc | Included | 6422103016674 | 5  | 6.10  | 5.91  | 180        |
| 576  | CSQ3060NW MWH  | XCASE LED PANEL 30W 220-240V AC 4000K CRI.82 300x600 mm IP40 110° MWH (4.1.2)                | 268.01 lb.   | pc | Included | 6422103016650 | 5  | 3.68  | 3.56  | 180        |
| 577  | CSQ3060WW MWH  | XCASE LED PANEL 30W 220-240V AC 3000K CRI.83 300x600 mm IP40 110° MWH (4.1.2)                | 268.01 lb.   | pc | Included | 6422103016643 | 5  | 3.68  | 3.56  | 180        |
| 578  | CSQ6060NW MWH  | XCASE LED PANEL 40W 220-240V AC 4000K CRI.82 600x600 mm IP40 110° MWH (4.1.2)                | 376.89 lb.   | pc | Included | 6422103016711 | 5  | 5.85  | 5.67  | 180        |
| 579  | CSQ6060WW MWH  | XCASE LED PANEL 40W 220-240V AC 3000K CRI.83 600x600 mm IP40 110° MWH (4.1.2)                | 376.89 lb.   | pc | Included | 6422103016704 | 5  | 5.85  | 5.67  | 180        |
| 580  | ENO1NW         | XEON RND. CEILING FITTING 24W 180-250V AC 4000K CRI.80 fi.300 mm IP43 160° WH (5.1.2)        | 100.78 lb.   | pc | Included | 6422103026291 | 8  | 1.55  | 1.50  | 186        |
| 581  | ENO1WW         | XEON RND. CEILING FITTING 24W 180-250V AC 3000K CRI.80 fi.300 mm IP43 160° WH (5.1.2)        | 100.78 lb.   | pc | Included | 6422103026284 | 8  | 1.55  | 1.50  | 186        |
| 582  | ENO2NW         | XEON RND. CEILING FITTING 36W 180-250V AC 4000K CRI.80 fi.440 mm IP43 160° WH (5.1.2)        | 188.97 lb.   | pc | Included | 6422103029735 | 8  | 1.95  | 1.89  | 186        |
| 583  | ENO2WW         | XEON RND. CEILING FITTING 36W 180-250V AC 3000K CRI.80 fi.440 mm IP43 160° WH (5.1.2)        | 188.97 lb.   | pc | Included | 6422103026314 | 8  | 1.95  | 1.89  | 186        |
| 584  | ENO3NW         | XEON RND. CEILING FITTING 56W 180-250V AC 4000K CRI.80 fi.540 mm IP43 160° WH (4.1.2)        | 229.56 lb.   | pc | Included | 6422103026475 | 5  | 2.15  | 2.08  | 186        |
| 585  | ENO3WW         | XEON RND. CEILING FITTING 56W 180-250V AC 3000K CRI.80 fi.540 mm IP43 160° WH (4.1.2)        | 229.56 lb.   | pc | Included | 6422103026468 | 5  | 2.15  | 2.08  | 186        |
| 586  | ENO4NW         | XEON SQ. CEILING FITTING 24W 180-250V AC 4000K CRI.80 330x330 mm IP43 160° WH (5.1.2)        | 104.98 lb.   | pc | Included | 6422103026765 | 8  | 1.60  | 1.55  | 186        |
| 587  | ENO4WW         | XEON SQ. CEILING FITTING 24W 180-250V AC 3000K CRI.80 330x330 mm IP43 160° WH (5.1.2)        | 104.98 lb.   | pc | Included | 6422103026789 | 8  | 1.60  | 1.55  | 186        |
| 588  | ENO5NW         | XEON SQ. CEILING FITTING 36W 180-250V AC 4000K CRI.80 430x430 mm IP43 160° WH (5.1.2)        | 194.57 lb.   | pc | Included | 6422103026819 | 8  | 2.05  | 1.98  | 186        |
| 589  | ENO5WW         | XEON SQ. CEILING FITTING 36W 180-250V AC 3000K CRI.80 430x430 mm IP43 160° WH (5.1.2)        | 194.57 lb.   | pc | Included | 6422103026796 | 8  | 2.05  | 1.98  | 186        |
| 590  | ENO6NW         | XEON SQ. CEILING FITTING 56W 180-250V AC 4000K CRI.80 530x530 mm IP43 160° WH (4.1.2)        | 244.96 lb.   | pc | Included | 6422103026970 | 5  | 2.30  | 2.23  | 186        |
| 591  | ENO6WW         | XEON SQ. CEILING FITTING 56W 180-250V AC 3000K CRI.80 530x530 mm IP43 160° WH (4.1.2)        | 244.96 lb.   | pc | Included | 6422103026949 | 5  | 2.30  | 2.23  | 186        |
| 592  | DCO1NW MWH     | XDECO SURF. FITTING 25W 220-240V AC 4000K CRI.80 600x120 mm IP20 110° MWH (4.1.2)            | 169.06 lb.   | pc | Included | 6422103042208 | 4  | 1.20  | 1.16  | 189        |
| 593  | DCO1WW MWH     | XDECO SURF. FITTING 25W 220-240V AC 3000K CRI.80 600x120 mm IP20 110° MWH (4.1.2)            | 169.06 lb.   | pc | Included | 6422103042192 | 4  | 1.20  | 1.16  | 189        |
| 594  | DCO2NW MWH     | XDECO SURF. FITTING 48W 220-240V AC 4000K CRI.80 1200x120 mm IP20 110° MWH (4.1.2)           | 270.49 lb.   | pc | Included | 6422103042222 | 4  | 1.80  | 1.74  | 189        |
| 595  | DCO2WW MWH     | XDECO SURF. FITTING 48W 220-240V AC 3000K CRI.80 1200x120 mm IP20 110° MWH (4.1.2)           | 270.49 lb.   | pc | Included | 6422103042215 | 4  | 1.80  | 1.74  | 189        |
| 596  | KFO1NW MWH     | XKRAFT SURF. FITTING 25W 220-240V AC 4000K CRI.80 540x145 mm IP20 110° MWH (4.1.2)           | 118.34 lb.   | pc | Included | 6422103042246 | 6  | 0.74  | 0.71  | 191        |
| 597  | KFO1WW MWH     | XKRAFT SURF. FITTING 25W 220-240V AC 3000K CRI.80 540x145 mm IP20 110° MWH (4.1.2)           | 118.34 lb.   | pc | Included | 6422103042239 | 6  | 0.74  | 0.71  | 191        |
| 598  | KFO2NW MWH     | XKRAFT SURF. FITTING 48W 220-240V AC 4000K CRI.80 1140x145 mm IP20 110° MWH (4.1.2)          | 219.78 lb.   | pc | Included | 6422103042260 | 6  | 1.48  | 1.43  | 191        |
| 599  | KFO2WW MWH     | XKRAFT SURF. FITTING 48W 220-240V AC 3000K CRI.80 1140x145 mm IP20 110° MWH (4.1.2)          | 219.78 lb.   | pc | Included | 6422103042253 | 6  | 1.48  | 1.43  | 191        |

|     |                 |   |            |    |          |               |     |      |      |     |
|-----|-----------------|---|------------|----|----------|---------------|-----|------|------|-----|
| 600 | BA01NW SBK      | XBOARD CEILING FITTING 10W 220-240V AC 4000K IP20 38° SBK (5.1.2)                   | 167.83 лв. | pc | Included | 6422103071543 | 20  | 0.68 | 0.65 | 197 |
| 601 | BA01NW SWH      | XBOARD CEILING FITTING 10W 220-240V AC 4000K IP20 38° SWH (5.1.2)                   | 167.83 лв. | pc | Included | 6422103071529 | 20  | 0.68 | 0.65 | 197 |
| 602 | BA01WW SBK      | XBOARD CEILING FITTING 10W 220-240V AC 3000K IP20 38° SBK (5.1.2)                   | 167.83 лв. | pc | Included | 6422103071536 | 20  | 0.68 | 0.65 | 197 |
| 603 | BA01WW SWH      | XBOARD CEILING FITTING 10W 220-240V AC 3000K IP20 38° SWH (5.1.2)                   | 167.83 лв. | pc | Included | 6422103071512 | 20  | 0.68 | 0.65 | 197 |
| 604 | BA02NW SBK      | XBOARD CEILING FITTING 18W 220-240V AC 4000K IP20 38° SBK (5.1.2)                   | 192.59 лв. | pc | Included | 6422103071581 | 20  | 0.88 | 0.85 | 197 |
| 605 | BA02NW SWH      | XBOARD CEILING FITTING 18W 220-240V AC 4000K IP20 38° SWH (5.1.2)                   | 192.59 лв. | pc | Included | 6422103071567 | 20  | 0.88 | 0.85 | 197 |
| 606 | BA02WW SBK      | XBOARD CEILING FITTING 18W 220-240V AC 3000K IP20 38° SBK (5.1.2)                   | 192.59 лв. | pc | Included | 6422103071574 | 20  | 0.88 | 0.85 | 197 |
| 607 | BA02WW SWH      | XBOARD CEILING FITTING 18W 220-240V AC 3000K IP20 38° SWH (5.1.2)                   | 192.59 лв. | pc | Included | 6422103071550 | 20  | 0.88 | 0.85 | 197 |
| 608 | RX02NW MBK      | XROLL RND. CEILING FITTING 9W 220-240V AC 4000K CRI.80 IP44 120° MBK (5.1.2)        | 97.82 лв.  | pc | Included | 6422103049153 | 60  | 0.29 | 0.28 | 199 |
| 609 | RX02NW MWH      | XROLL RND. CEILING FITTING 9W 220-240V AC 4000K CRI.80 IP44 120° MWH (5.1.2)        | 97.82 лв.  | pc | Included | 6422103021265 | 60  | 0.29 | 0.28 | 199 |
| 610 | RX02NW SGD      | XROLL RND. CEILING FITTING 9W 220-240V AC 4000K CRI.80 IP44 120° SGD (5.1.2)        | 103.26 лв. | pc | Included | 6422103073998 | 60  | 0.29 | 0.28 | 199 |
| 611 | RX02WW MBK      | XROLL RND. CEILING FITTING 9W 220-240V AC 3000K CRI.80 IP44 120° MBK (5.1.2)        | 97.82 лв.  | pc | Included | 6422103049146 | 60  | 0.29 | 0.28 | 199 |
| 612 | RX02WW MWH      | XROLL RND. CEILING FITTING 9W 220-240V AC 3000K CRI.80 IP44 120° MWH (5.1.2)        | 97.82 лв.  | pc | Included | 6422103021258 | 60  | 0.29 | 0.28 | 199 |
| 613 | RX02WW SGD      | XROLL RND. CEILING FITTING 9W 220-240V AC 3000K CRI.80 IP44 120° SGD (5.1.2)        | 103.26 лв. | pc | Included | 6422103073981 | 60  | 0.29 | 0.28 | 199 |
| 614 | RX03NW MBK      | XROLL RND. CEILING FITTING 18W 220-240V AC 4000K CRI.80 IP40 120° MBK (5.1.2)       | 164.31 лв. | pc | Included | 6422103049177 | 16  | 0.50 | 0.48 | 199 |
| 615 | RX03NW MWH      | XROLL RND. CEILING FITTING 18W 220-240V AC 4000K CRI.80 IP40 120° MWH (5.1.2)       | 164.31 лв. | pc | Included | 6422103043151 | 16  | 0.50 | 0.48 | 199 |
| 616 | RX03NW SGD      | XROLL RND. CEILING FITTING 18W 220-240V AC 4000K CRI.80 IP40 120° SGD (5.1.2)       | 178.42 лв. | pc | Included | 6422103074018 | 16  | 0.50 | 0.48 | 199 |
| 617 | RX03WW MBK      | XROLL RND. CEILING FITTING 18W 220-240V AC 3000K CRI.80 IP40 120° MBK (5.1.2)       | 164.31 лв. | pc | Included | 6422103049160 | 16  | 0.50 | 0.48 | 199 |
| 618 | RX03WW MWH      | XROLL RND. CEILING FITTING 18W 220-240V AC 3000K CRI.80 IP40 120° MWH (5.1.2)       | 164.31 лв. | pc | Included | 6422103043144 | 16  | 0.50 | 0.48 | 199 |
| 619 | RX03WW SGD      | XROLL RND. CEILING FITTING 18W 220-240V AC 3000K CRI.80 IP40 120° SGD (5.1.2)       | 178.42 лв. | pc | Included | 6422103074001 | 16  | 0.50 | 0.48 | 199 |
| 620 | SM01NW SBK      | XSMOOTH SQ. CEILING FITTING 10W 110-240V AC 4000K CRI.80 IP20 120° SBK (5.1.2)      | 153.69 лв. | pc | Included | 6422103056069 | 10  | 1.00 | 0.97 | 201 |
| 621 | SM01NW SWH      | XSMOOTH SQ. CEILING FITTING 10W 110-240V AC 4000K CRI.80 IP20 120° SWH (5.1.2)      | 153.69 лв. | pc | Included | 6422103056076 | 10  | 1.00 | 0.97 | 201 |
| 622 | SM01WW SBK      | XSMOOTH SQ. CEILING FITTING 10W 110-240V AC 3000K CRI.80 IP20 120° SBK (5.1.2)      | 153.69 лв. | pc | Included | 6422103056052 | 10  | 1.00 | 0.97 | 201 |
| 623 | SM01WW SWH      | XSMOOTH SQ. CEILING FITTING 10W 110-240V AC 3000K CRI.80 IP20 120° SWH (5.1.2)      | 153.69 лв. | pc | Included | 6422103056045 | 10  | 1.00 | 0.97 | 201 |
| 624 | SM02NW SBK      | XSMOOTH RECTANG. CEILING FITTING 20W 220-240V AC 4000K CRI.80 IP20 120° SBK (5.1.2) | 265.83 лв. | pc | Included | 6422103056090 | 10  | 2.10 | 2.03 | 201 |
| 625 | SM02NW SWH      | XSMOOTH RECTANG. CEILING FITTING 20W 220-240V AC 4000K CRI.80 IP20 120° SWH (5.1.2) | 265.83 лв. | pc | Included | 6422103056083 | 10  | 2.10 | 2.03 | 201 |
| 626 | SM02WW SBK      | XSMOOTH RECTANG. CEILING FITTING 20W 220-240V AC 3000K CRI.80 IP20 120° SBK (5.1.2) | 265.83 лв. | pc | Included | 6422103056106 | 10  | 2.10 | 2.03 | 201 |
| 627 | SM02WW SWH      | XSMOOTH RECTANG. CEILING FITTING 20W 220-240V AC 3000K CRI.80 IP20 120° SWH (5.1.2) | 265.83 лв. | pc | Included | 6422103056113 | 10  | 2.10 | 2.03 | 201 |
| 628 | VS01UWW MBK     | XVOSS SQ. CEILING FITTING 10W 220-240V AC 2700K CRI.90 IP20 110° MBK (5.1.2)        | 162.03 лв. | pc | Included | 6422103048064 | 12  | 0.70 | 0.67 | 203 |
| 629 | VS01UWW MWH     | XVOSS SQ. CEILING FITTING 10W 220-240V AC 2700K CRI.90 IP20 110° MWH (5.1.2)        | 162.03 лв. | pc | Included | 6422103048057 | 12  | 0.70 | 0.67 | 203 |
| 630 | VS01WW MBK      | XVOSS SQ. CEILING FITTING 10W 220-240V AC 3000K CRI.90 IP20 110° MBK (5.1.2)        | 162.03 лв. | pc | Included | 6422103040877 | 12  | 0.70 | 0.67 | 203 |
| 631 | VS01WW MWH      | XVOSS SQ. CEILING FITTING 10W 220-240V AC 3000K CRI.90 IP20 110° MWH (5.1.2)        | 162.03 лв. | pc | Included | 6422103040860 | 12  | 0.70 | 0.67 | 203 |
| 632 | AR07NW SBK      | XARTE SURF. 18W 220-240V AC 4000K CRI.90 IP40 15-45° SBK (5.1.2)                    | 177.41 лв. | pc | Included | 6422103091756 | 40  | 0.55 | 0.53 | 205 |
| 633 | AR07NW SWH      | XARTE SURF. 18W 220-240V AC 4000K CRI.90 IP40 15-45° SWH (5.1.2)                    | 177.41 лв. | pc | Included | 6422103091749 | 40  | 0.55 | 0.53 | 205 |
| 634 | AR07WW SBK      | XARTE SURF. 18W 220-240V AC 3000K CRI.90 IP40 15-45° SBK (5.1.2)                    | 177.41 лв. | pc | Included | 6422103091732 | 40  | 0.55 | 0.53 | 205 |
| 635 | AR07WW SWH      | XARTE SURF. 18W 220-240V AC 3000K CRI.90 IP40 15-45° SWH (5.1.2)                    | 177.41 лв. | pc | Included | 6422103091725 | 40  | 0.55 | 0.53 | 205 |
| 636 | AR08NW SBK      | XARTE SURF. 28W 220-240V AC 4000K CRI.90 IP40 15-45° SBK (5.1.2)                    | 231.53 лв. | pc | Included | 6422103091794 | 27  | 0.86 | 0.83 | 205 |
| 637 | AR08NW SWH      | XARTE SURF. 28W 220-240V AC 4000K CRI.90 IP40 15-45° SWH (5.1.2)                    | 231.53 лв. | pc | Included | 6422103091787 | 27  | 0.86 | 0.83 | 205 |
| 638 | AR08WW SBK      | XARTE SURF. 28W 220-240V AC 3000K CRI.90 IP40 15-45° SBK (5.1.2)                    | 231.53 лв. | pc | Included | 6422103091770 | 27  | 0.86 | 0.83 | 205 |
| 639 | AR08WW SWH      | XARTE SURF. 28W 220-240V AC 3000K CRI.90 IP40 15-45° SWH (5.1.2)                    | 231.53 лв. | pc | Included | 6422103091763 | 27  | 0.86 | 0.83 | 205 |
| 640 | ARS012HC        | XARNO SURF HONEY COMB REFL  | 8.81 лв.   | pc |          | 6422103072380 |     | 0.01 | 0.01 | 207 |
| 641 | ARS012LN18      | XARNO SURF 18grd LENS   | 7.34 лв.   | pc |          | 6422103072373 |     | 0.01 | 0.01 | 207 |
| 642 | ARS012SF        | XARNO SURF RECT REFL  | 8.81 лв.   | pc |          | 6422103072397 |     | 0.01 | 0.01 | 207 |
| 643 | ARS01UWW SBK    | XARNO SURF. ROUND 13W 2700K SBK (5.1.2)   | 234.10 лв. | pc | Included | 6422103072328 | 45  | 0.32 | 0.31 | 207 |
| 644 | ARS01UWW SWH    | XARNO SURF. ROUND 13W 2700K SWH (5.1.2)   | 234.10 лв. | pc | Included | 6422103072304 | 45  | 0.32 | 0.31 | 207 |
| 645 | ARS01WW SBK     | XARNO SURF. ROUND 13W 3000K SBK (5.1.2)   | 234.10 лв. | pc | Included | 6422103072335 | 45  | 0.32 | 0.31 | 207 |
| 646 | ARS01WW SWH     | XARNO SURF. ROUND 13W 3000K SWH (5.1.2)   | 234.10 лв. | pc | Included | 6422103072311 | 45  | 0.32 | 0.31 | 207 |
| 647 | RSBK            | XARNO SURFACE BK REFLECTOR  | 24.97 лв.  | pc |          | 6422103072359 | 150 | 0.04 | 0.03 | 207 |
| 648 | RSGD            | XARNO SURFACE SGD REFLECTOR   | 31.82 лв.  | pc |          | 6422103072366 | 150 | 0.10 | 0.09 | 207 |
| 649 | RSWH            | XARNO SURFACE WH REFLECTOR  | 24.97 лв.  | pc |          | 6422103072342 | 150 | 0.10 | 0.09 | 207 |
| 650 | ARS02UWW SBK/BK | XARNO SURF. SQUARE 13W 2700K SBK/BK (5.1.2)   | 255.38 лв. | pc | Included | 6422103072465 | 24  | 0.63 | 0.61 | 209 |
| 651 | ARS02UWW SBK/GD | XARNO SURF. SQUARE 13W 2700K SBK/GD (5.1.2)   | 255.38 лв. | pc | Included | 6422103072489 | 24  | 0.63 | 0.61 | 209 |
| 652 | ARS02UWW SWH/BK | XARNO SURF. SQUARE 13W 2700K SWH/BK (5.1.2)   | 255.38 лв. | pc | Included | 6422103072427 | 24  | 0.63 | 0.61 | 209 |
| 653 | ARS02UWW SWH/GD | XARNO SURF. SQUARE 13W 2700K SWH/GD (5.1.2)   | 255.38 лв. | pc | Included | 6422103072441 | 24  | 0.63 | 0.61 | 209 |
| 654 | ARS02UWW SWH/WH | XARNO SURF. SQUARE 13W 2700K SWH/WH (5.1.2)   | 255.38 лв. | pc | Included | 6422103072403 | 24  | 0.63 | 0.61 | 209 |
| 655 | ARS02WW SBK/BK  | XARNO SURF. SQUARE 13W 3000K SBK/BK (5.1.2)   | 255.38 лв. | pc | Included | 6422103072472 | 24  | 0.63 | 0.61 | 209 |
| 656 | ARS02WW SBK/GD  | XARNO SURF. SQUARE 13W 3000K SBK/GD (5.1.2)   | 255.38 лв. | pc | Included | 6422103072496 | 24  | 0.63 | 0.61 | 209 |
| 657 | ARS02WW SWH/BK  | XARNO SURF. SQUARE 13W 3000K SWH/BK (5.1.2)   | 255.38 лв. | pc | Included | 6422103072434 | 24  | 0.63 | 0.61 | 209 |
| 658 | ARS02WW SWH/GD  | XARNO SURF. SQUARE 13W 3000K SWH/GD (5.1.2)   | 255.38 лв. | pc | Included | 6422103072458 | 24  | 0.63 | 0.61 | 209 |
| 659 | ARS02WW SWH/WH  | XARNO SURF. SQUARE 13W 3000K SWH/WH (5.1.2)   | 255.38 лв. | pc | Included | 6422103072410 | 24  | 0.63 | 0.61 | 209 |
| 660 | CRQ01NW MBK     | XCORE SQ. CEILING FITTING 6W 220-240V AC 4000K CRI.80 IP20 38° UGR<10 MBK (5.1.2)   | 92.41 лв.  | pc | Included | 6422103043229 | 50  | 0.19 | 0.18 | 211 |

|     |              |   |            |    |          |               |     |      |      |     |
|-----|--------------|---|------------|----|----------|---------------|-----|------|------|-----|
| 661 | CRQ01NW MWH  | XCORE SQ. CEILING FITTING 6W 220-240V AC 4000K CRI.80 IP20 38° UGR<10 MWH (5.1.2)     | 92.41 lb.  | pc | Included | 6422103043182 | 50  | 0.19 | 0.18 | 211 |
| 662 | CRQ01UWV MBK | XCORE SQ. CEILING FITTING 6W 220-240V AC 2700K CRI.80 IP20 38° UGR<10 MBK (5.1.2)     | 92.41 lb.  | pc | Included | 6422103048101 | 50  | 0.19 | 0.18 | 211 |
| 663 | CRQ01UWV MWH | XCORE SQ. CEILING FITTING 6W 220-240V AC 2700K CRI.80 IP20 38° UGR<10 MWH (5.1.2)     | 92.41 lb.  | pc | Included | 6422103048118 | 50  | 0.19 | 0.18 | 211 |
| 664 | CRQ01WV MBK  | XCORE SQ. CEILING FITTING 6W 220-240V AC 3000K CRI.80 IP20 38° UGR<10 MBK (5.1.2)     | 92.41 lb.  | pc | Included | 6422103043205 | 50  | 0.19 | 0.18 | 211 |
| 665 | CRQ01WV MWH  | XCORE SQ. CEILING FITTING 6W 220-240V AC 3000K CRI.80 IP20 38° UGR<10 MWH (5.1.2)     | 92.41 lb.  | pc | Included | 6422103043175 | 50  | 0.19 | 0.18 | 211 |
| 666 | CRQ02NV MBK  | XCORE SQ. CEILING FITTING 18W 220-240V AC 4000K CRI.80 IP20 38° UGR<10 MBK (5.1.2)    | 172.81 lb. | pc | Included | 6422103043328 | 20  | 0.56 | 0.54 | 211 |
| 667 | CRQ02NV MWH  | XCORE SQ. CEILING FITTING 18W 220-240V AC 4000K CRI.80 IP20 38° UGR<10 MWH (5.1.2)    | 172.81 lb. | pc | Included | 6422103043298 | 20  | 0.56 | 0.54 | 211 |
| 668 | CRQ02UWV MBK | XCORE SQ. CEILING FITTING 18W 220-240V AC 2700K CRI.80 IP20 38° UGR<10 MBK (5.1.2)    | 172.81 lb. | pc | Included | 6422103048132 | 20  | 0.56 | 0.54 | 211 |
| 669 | CRQ02UWV MWH | XCORE SQ. CEILING FITTING 18W 220-240V AC 2700K CRI.80 IP20 38° UGR<10 MWH (5.1.2)    | 172.81 lb. | pc | Included | 6422103048125 | 20  | 0.56 | 0.54 | 211 |
| 670 | CRQ02WV MBK  | XCORE SQ. CEILING FITTING 18W 220-240V AC 3000K CRI.80 IP20 38° UGR<10 MBK (5.1.2)    | 172.81 lb. | pc | Included | 6422103043311 | 20  | 0.56 | 0.54 | 211 |
| 671 | CRQ02WV MWH  | XCORE SQ. CEILING FITTING 18W 220-240V AC 3000K CRI.80 IP20 38° UGR<10 MWH (5.1.2)    | 172.81 lb. | pc | Included | 6422103043267 | 20  | 0.56 | 0.54 | 211 |
| 672 | CRR01NV MBK  | XCORE RND. CEILING FITTING 6W 220-240V AC 4000K CRI.80 IP20 38° UGR<10 MBK (5.1.2)    | 102.74 lb. | pc | Included | 6422103043380 | 50  | 0.25 | 0.24 | 211 |
| 673 | CRR01NV MWH  | XCORE RND. CEILING FITTING 6W 220-240V AC 4000K CRI.80 IP20 38° UGR<10 MWH (5.1.2)    | 102.74 lb. | pc | Included | 6422103043342 | 50  | 0.25 | 0.24 | 211 |
| 674 | CRR01UWV MBK | XCORE RND. CEILING FITTING 6W 220-240V AC 2700K CRI.80 IP20 38° UGR<10 MBK (5.1.2)    | 102.74 lb. | pc | Included | 6422103048071 | 50  | 0.25 | 0.24 | 211 |
| 675 | CRR01UWV MWH | XCORE RND. CEILING FITTING 6W 220-240V AC 2700K CRI.80 IP20 38° UGR<10 MWH (5.1.2)    | 102.74 lb. | pc | Included | 6422103048088 | 50  | 0.25 | 0.24 | 211 |
| 676 | CRR01WV MBK  | XCORE RND. CEILING FITTING 6W 220-240V AC 3000K CRI.80 IP20 38° UGR<10 MBK (5.1.2)    | 102.74 lb. | pc | Included | 6422103043366 | 50  | 0.25 | 0.24 | 211 |
| 677 | CRR01WV MWH  | XCORE RND. CEILING FITTING 6W 220-240V AC 3000K CRI.80 IP20 38° UGR<10 MWH (5.1.2)    | 102.74 lb. | pc | Included | 6422103043335 | 50  | 0.25 | 0.24 | 211 |
| 678 | CRR02NV MBK  | XCORE RND. CEILING FITTING 18W 220-240V AC 4000K CRI.80 IP20 38° UGR<10 MBK (5.1.2)   | 200.03 lb. | pc | Included | 6422103043441 | 20  | 0.52 | 0.50 | 211 |
| 679 | CRR02NV MWH  | XCORE RND. CEILING FITTING 18W 220-240V AC 4000K CRI.80 IP20 38° UGR<10 MWH (5.1.2)   | 200.03 lb. | pc | Included | 6422103043403 | 20  | 0.52 | 0.50 | 211 |
| 680 | CRR02UWV MBK | XCORE RND. CEILING FITTING 18W 220-240V AC 2700K CRI.80 IP20 38° UGR<10 MBK (5.1.2)   | 200.03 lb. | pc | Included | 6422103048149 | 20  | 0.52 | 0.50 | 211 |
| 681 | CRR02UWV MWH | XCORE RND. CEILING FITTING 18W 220-240V AC 2700K CRI.80 IP20 38° UGR<10 MWH (5.1.2)   | 200.03 lb. | pc | Included | 6422103048095 | 20  | 0.52 | 0.50 | 211 |
| 682 | CRR02WV MBK  | XCORE RND. CEILING FITTING 18W 220-240V AC 3000K CRI.80 IP20 38° UGR<10 MBK (5.1.2)   | 200.03 lb. | pc | Included | 6422103043434 | 20  | 0.52 | 0.50 | 211 |
| 683 | CRR02WV MWH  | XCORE RND. CEILING FITTING 18W 220-240V AC 3000K CRI.80 IP20 38° UGR<10 MWH (5.1.2)   | 200.03 lb. | pc | Included | 6422103043397 | 20  | 0.52 | 0.50 | 211 |
| 684 | PE01UWV MBK  | XPIPE ADJ. SEMI-REC. PROJ. 1x11W 220-240V AC 2700K CRI.80 IP20 24° UGR<19 MBK (5.1.2) | 221.17 lb. | pc | Included | 6422103049191 | 20  | 0.24 | 0.23 | 214 |
| 685 | PE01UWV MWH  | XPIPE ADJ. SEMI-REC. PROJ. 1x11W 220-240V AC 2700K CRI.80 IP20 24° UGR<19 MWH (5.1.2) | 221.17 lb. | pc | Included | 6422103049184 | 20  | 0.24 | 0.23 | 214 |
| 686 | PE01UWV SGD  | XPIPE ADJ. SEMI-REC. PROJ. 1x11W 220-240V AC 2700K CRI.80 IP20 24° UGR<19 SGD (5.1.2) | 226.64 lb. | pc | Included | 6422103074087 | 20  | 0.24 | 0.23 | 214 |
| 687 | PE01WV MBK   | XPIPE ADJ. SEMI-REC. PROJ. 1x11W 220-240V AC 3000K CRI.80 IP20 24° UGR<19 MBK (5.1.2) | 221.21 lb. | pc | Included | 6422103040020 | 20  | 0.24 | 0.23 | 214 |
| 688 | PE01WV MWH   | XPIPE ADJ. SEMI-REC. PROJ. 1x11W 220-240V AC 3000K CRI.80 IP20 24° UGR<19 MWH (5.1.2) | 221.21 lb. | pc | Included | 6422103040013 | 20  | 0.24 | 0.23 | 214 |
| 689 | PE01WV SGD   | XPIPE ADJ. SEMI-REC. PROJ. 1x11W 220-240V AC 3000K CRI.80 IP20 24° UGR<19 SGD (5.1.2) | 226.64 lb. | pc | Included | 6422103074094 | 20  | 0.24 | 0.23 | 214 |
| 690 | PE02UWV MBK  | XPIPE ADJ. SEMI-REC. PROJ. 1x15W 220-240V AC 2700K CRI.80 IP20 24° UGR<19 MBK (5.1.2) | 273.04 lb. | pc | Included | 6422103049214 | 30  | 0.30 | 0.29 | 214 |
| 691 | PE02UWV MWH  | XPIPE ADJ. SEMI-REC. PROJ. 1x15W 220-240V AC 2700K CRI.80 IP20 24° UGR<19 MWH (5.1.2) | 273.04 lb. | pc | Included | 6422103049207 | 30  | 0.30 | 0.29 | 214 |
| 692 | PE02UWV SGD  | XPIPE ADJ. SEMI-REC. PROJ. 1x15W 220-240V AC 2700K CRI.80 IP20 24° UGR<19 SGD (5.1.2) | 289.60 lb. | pc | Included | 6422103074100 | 30  | 0.30 | 0.29 | 214 |
| 693 | PE02WV MBK   | XPIPE ADJ. SEMI-REC. PROJ. 1x15W 220-240V AC 3000K CRI.80 IP20 24° UGR<19 MBK (5.1.2) | 273.08 lb. | pc | Included | 6422103040044 | 30  | 0.30 | 0.29 | 214 |
| 694 | PE02WV MWH   | XPIPE ADJ. SEMI-REC. PROJ. 1x15W 220-240V AC 3000K CRI.80 IP20 24° UGR<19 MWH (5.1.2) | 273.04 lb. | pc | Included | 6422103040037 | 30  | 0.30 | 0.29 | 214 |
| 695 | PE02WV SGD   | XPIPE ADJ. SEMI-REC. PROJ. 1x15W 220-240V AC 3000K CRI.80 IP20 24° UGR<19 SGD (5.1.2) | 289.60 lb. | pc | Included | 6422103074117 | 30  | 0.30 | 0.29 | 214 |
| 696 | PE03UWV MBK  | XPIPE ADJ. SURF. PROJ. 1x8W 220-240V AC 2700K CRI.80 IP20 24° UGR<19 MBK (5.1.2)      | 288.88 lb. | pc | Included | 6422103049238 | 20  | 0.28 | 0.27 | 214 |
| 697 | PE03UWV MWH  | XPIPE ADJ. SURF. PROJ. 1x8W 220-240V AC 2700K CRI.80 IP20 24° UGR<19 MWH (5.1.2)      | 288.88 lb. | pc | Included | 6422103049221 | 20  | 0.28 | 0.27 | 214 |
| 698 | PE03UWV SGD  | XPIPE ADJ. SURF. PROJ. 1x8W 220-240V AC 2700K CRI.80 IP20 24° UGR<19 SGD (5.1.2)      | 315.54 lb. | pc | Included | 6422103074124 | 20  | 0.28 | 0.27 | 214 |
| 699 | PE03WV MBK   | XPIPE ADJ. SURF. PROJ. 1x8W 220-240V AC 3000K CRI.80 IP20 24° UGR<19 MBK (5.1.2)      | 288.82 lb. | pc | Included | 6422103040068 | 20  | 0.28 | 0.27 | 214 |
| 700 | PE03WV MWH   | XPIPE ADJ. SURF. PROJ. 1x8W 220-240V AC 3000K CRI.80 IP20 24° UGR<19 MWH (5.1.2)      | 288.88 lb. | pc | Included | 6422103040051 | 20  | 0.28 | 0.27 | 214 |
| 701 | PE03WV SGD   | XPIPE ADJ. SURF. PROJ. 1x8W 220-240V AC 3000K CRI.80 IP20 24° UGR<19 SGD (5.1.2)      | 315.54 lb. | pc | Included | 6422103074131 | 20  | 0.28 | 0.27 | 214 |
| 702 | PE04UWV MBK  | XPIPE ADJ. SURF. PROJ. 1x15W 220-240V AC 2700K CRI.80 IP20 24° UGR<19 MBK (5.1.2)     | 391.02 lb. | pc | Included | 6422103049252 | 30  | 0.36 | 0.34 | 214 |
| 703 | PE04UWV MWH  | XPIPE ADJ. SURF. PROJ. 1x15W 220-240V AC 2700K CRI.80 IP20 24° UGR<19 MWH (5.1.2)     | 391.02 lb. | pc | Included | 6422103049245 | 30  | 0.36 | 0.34 | 214 |
| 704 | PE04UWV SGD  | XPIPE ADJ. SURF. PROJ. 1x15W 220-240V AC 2700K CRI.80 IP20 24° UGR<19 SGD (5.1.2)     | 425.04 lb. | pc | Included | 6422103074186 | 30  | 0.36 | 0.34 | 214 |
| 705 | PE04WV MBK   | XPIPE ADJ. SURF. PROJ. 1x15W 220-240V AC 3000K CRI.80 IP20 24° UGR<19 MBK (5.1.2)     | 391.04 lb. | pc | Included | 6422103040082 | 30  | 0.36 | 0.34 | 214 |
| 706 | PE04WV MWH   | XPIPE ADJ. SURF. PROJ. 1x15W 220-240V AC 3000K CRI.80 IP20 24° UGR<19 MWH (5.1.2)     | 391.04 lb. | pc | Included | 6422103040075 | 30  | 0.36 | 0.34 | 214 |
| 707 | PE04WV SGD   | XPIPE ADJ. SURF. PROJ. 1x15W 220-240V AC 3000K CRI.80 IP20 24° UGR<19 SGD (5.1.2)     | 425.04 lb. | pc | Included | 6422103074193 | 30  | 0.36 | 0.34 | 214 |
| 708 | PE05UWV MBK  | XPIPE ADJ. SURF. PROJ. 2x11W 200-240V AC 2700K CRI.80 IP20 24° UGR<19 MBK (5.1.2)     | 518.49 lb. | pc | Included | 6422103049276 | 105 | 1.05 | 1.01 | 215 |
| 709 | PE05UWV MWH  | XPIPE ADJ. SURF. PROJ. 2x11W 200-240V AC 2700K CRI.80 IP20 24° UGR<19 MWH (5.1.2)     | 518.49 lb. | pc | Included | 6422103049269 | 105 | 1.05 | 1.01 | 215 |
| 710 | PE05UWV SGD  | XPIPE ADJ. SURF. PROJ. 2x11W 200-240V AC 2700K CRI.80 IP20 24° UGR<19 SGD (5.1.2)     | 544.90 lb. | pc | Included | 6422103074209 | 105 | 1.05 | 1.01 | 215 |
| 711 | PE05WV MBK   | XPIPE ADJ. SURF. PROJ. 2x11W 200-240V AC 3000K CRI.80 IP20 24° UGR<19 MBK (5.1.2)     | 518.46 lb. | pc | Included | 6422103040105 | 105 | 1.05 | 1.01 | 215 |
| 712 | PE05WV MWH   | XPIPE ADJ. SURF. PROJ. 2x11W 200-240V AC 3000K CRI.80 IP20 24° UGR<19 MWH (5.1.2)     | 518.46 lb. | pc | Included | 6422103040099 | 105 | 1.05 | 1.01 | 215 |
| 713 | PE05WV SGD   | XPIPE ADJ. SURF. PROJ. 2x11W 200-240V AC 3000K CRI.80 IP20 24° UGR<19 SGD (5.1.2)     | 544.90 lb. | pc | Included | 6422103074216 | 105 | 1.05 | 1.01 | 215 |
| 714 | PE06UWV MBK  | XPIPE ADJ. SURF. PROJ. 2x15W 200-240V AC 2700K CRI.80 IP20 24° UGR<19 MBK (5.1.2)     | 644.24 lb. | pc | Included | 6422103049290 | 152 | 1.52 | 1.47 | 215 |
| 715 | PE06UWV MWH  | XPIPE ADJ. SURF. PROJ. 2x15W 200-240V AC 2700K CRI.80 IP20 24° UGR<19 MWH (5.1.2)     | 644.24 lb. | pc | Included | 6422103049283 | 152 | 1.52 | 1.47 | 215 |
| 716 | PE06UWV SGD  | XPIPE ADJ. SURF. PROJ. 2x15W 200-240V AC 2700K CRI.80 IP20 24° UGR<19 SGD (5.1.2)     | 679.03 lb. | pc | Included | 6422103074223 | 152 | 1.52 | 1.47 | 215 |
| 717 | PE06WV MBK   | XPIPE ADJ. SURF. PROJ. 2x15W 200-240V AC 3000K CRI.80 IP20 24° UGR<19 MBK (5.1.2)     | 644.31 lb. | pc | Included | 6422103040129 | 152 | 1.52 | 1.47 | 215 |
| 718 | PE06WV MWH   | XPIPE ADJ. SURF. PROJ. 2x15W 200-240V AC 3000K CRI.80 IP20 24° UGR<19 MWH (5.1.2)     | 644.31 lb. | pc | Included | 6422103040112 | 152 | 1.52 | 1.47 | 215 |
| 719 | PE06WV SGD   | XPIPE ADJ. SURF. PROJ. 2x15W 200-240V AC 3000K CRI.80 IP20 24° UGR<19 SGD (5.1.2)     | 679.03 lb. | pc | Included | 6422103074230 | 152 | 1.52 | 1.47 | 215 |
| 720 | FS20NV SBK   | XFOCUS SURFACE ADJ. PROJ. 1x32W 220-240V AC 4000K CRI.90 IP20 36° UGR<13 SBK (5.1.2)  | 327.22 lb. | pc | Included | 6422103052597 | 12  | 1.16 | 1.12 | 217 |
| 721 | FS20NV SWH   | XFOCUS SURFACE ADJ. PROJ. 1x32W 220-240V AC 4000K CRI.90 IP20 36° UGR<13 SWH (5.1.2)  | 327.22 lb. | pc | Included | 6422103052580 | 12  | 1.16 | 1.12 | 217 |





|                                   |                |  |            |    |          |               |    |      |      |     |            |
|-----------------------------------|----------------|--|------------|----|----------|---------------|----|------|------|-----|------------|
| 783                               | FMR420NW MWH   | XFORM RND. SURF. FITTING 40W 220-240V AC 4000K CRI.82 fi.420 mm IP40 110° MWH (5.1.2)          | 339.21 lb. | pc | Included | 6422103017640 | 10 | 2.62 | 2.54 | 193 |            |
| 784                               | FMR420WW MWH   | XFORM RND. SURF. FITTING 40W 220-240V AC 3000K CRI.83 fi.420 mm IP40 110° MWH (5.1.2)          | 339.21 lb. | pc | Included | 6422103017626 | 10 | 2.62 | 2.54 | 193 |            |
| 785                               | FMQ168NW MWH   | XFORM SQ. SURF. FITTING 15W 220-240V AC 4000K CRI.82 168x168 mm IP40 110° MWH (5.1.2)          | 121.44 lb. | pc | Included | 6422103017480 | 20 | 0.86 | 0.83 | 195 |            |
| 786                               | FMQ168WW MWH   | XFORM SQ. SURF. FITTING 15W 220-240V AC 3000K CRI.83 168x168 mm IP40 110° MWH (5.1.2)          | 121.44 lb. | pc | Included | 6422103017497 | 20 | 0.86 | 0.83 | 195 |            |
| 787                               | FMQ220NW MWH   | XFORM SQ. SURF. FITTING 22W 220-240V AC 4000K CRI.82 220x220 mm IP40 110° MWH (5.1.2)          | 145.17 lb. | pc | Included | 6422103017510 | 10 | 1.25 | 1.21 | 195 |            |
| 788                               | FMQ220WW MWH   | XFORM SQ. SURF. FITTING 22W 220-240V AC 3000K CRI.83 220x220 mm IP40 110° MWH (5.1.2)          | 145.17 lb. | pc | Included | 6422103017503 | 10 | 1.25 | 1.21 | 195 |            |
| 789                               | FMQ300NW MWH   | XFORM SQ. SURF. FITTING 30W 220-240V AC 4000K CRI.82 300x300 mm IP40 110° MWH (5.1.2)          | 216.37 lb. | pc | Included | 6422103017671 | 10 | 1.97 | 1.91 | 195 |            |
| 790                               | FMQ300WW MWH   | XFORM SQ. SURF. FITTING 30W 220-240V AC 3000K CRI.83 300x300 mm IP40 110° MWH (5.1.2)          | 216.37 lb. | pc | Included | 6422103017657 | 10 | 1.97 | 1.91 | 195 |            |
| 791                               | GLS01NW MBK/BK | XGLOW SURFACE FITTING 1x13W 220-240V AC 4000K CRI.90 IP54 20° UGR<16 MBK/BK (5.1.2)            | 272.31 lb. | pc | Included | 6422103042505 | 24 | 0.31 | 0.30 | 233 |            |
| 792                               | GLS01NW MWH/WH | XGLOW SURFACE FITTING 1x13W 220-240V AC 4000K CRI.90 IP54 20° UGR<16 MWH/WH (5.1.2)            | 272.31 lb. | pc | Included | 6422103042499 | 24 | 0.31 | 0.30 | 233 |            |
| 793                               | GLS01WW MBK/BK | XGLOW SURFACE FITTING 1x13W 220-240V AC 3000K CRI.90 IP54 20° UGR<16 MBK/BK (5.1.2)            | 272.31 lb. | pc | Included | 6422103041942 | 24 | 0.31 | 0.30 | 233 |            |
| 794                               | GLS01WW MWH/WH | XGLOW SURFACE FITTING 1x13W 220-240V AC 3000K CRI.90 IP54 20° UGR<16 MWH/WH (5.1.2)            | 272.31 lb. | pc | Included | 6422103041935 | 24 | 0.31 | 0.30 | 233 |            |
| 795                               | MIO1NW MWH     | XMIRO SURFACE LINEAR FITTING 10W 220-240V AC 4000K CRI.80 IP44 180° MWH (4.1.2)                | 121.26 lb. | pc | Included | 6422103022545 | 6  | 0.75 | 0.72 | 235 |            |
| 796                               | MIO1WW MWH     | XMIRO SURFACE LINEAR FITTING 10W 220-240V AC 3000K CRI.80 IP44 180° MWH (4.1.2)                | 121.26 lb. | pc | Included | 6422103022538 | 6  | 0.75 | 0.72 | 235 |            |
| 797                               | MIO2NW MWH     | XMIRO SURFACE LINEAR FITTING 14W 220-240V AC 4000K CRI.80 IP44 180° MWH (4.1.2)                | 167.15 lb. | pc | Included | 6422103022507 | 6  | 1.03 | 0.99 | 235 |            |
| 798                               | MIO2WW MWH     | XMIRO SURFACE LINEAR FITTING 14W 220-240V AC 3000K CRI.80 IP44 180° MWH (4.1.2)                | 167.13 lb. | pc | Included | 6422103022491 | 6  | 1.03 | 0.99 | 235 |            |
| 799                               | MIO3NW MWH     | XMIRO SURFACE LINEAR FITTING 18W 220-240V AC 4000K CRI.80 IP44 180° MWH (4.1.2)                | 188.45 lb. | pc | Included | 6422103022521 | 6  | 1.38 | 1.33 | 235 |            |
| 800                               | MIO3WW MWH     | XMIRO SURFACE LINEAR FITTING 18W 220-240V AC 3000K CRI.80 IP44 180° MWH (4.1.2)                | 188.41 lb. | pc | Included | 6422103022514 | 6  | 1.38 | 1.33 | 235 |            |
| 801                               | MN01NWIP MWH   | XMINI LED IP44 SURFACE LINEAR FITTING 15W 220-240V AC 4000K CRI.80 160° MWH (4.1.2)            | 122.90 lb. | pc | Included | 6422103043137 | 12 | 0.52 | 0.50 | 237 |            |
| 802                               | MN01WWIP MWH   | XMINI LED IP44 SURFACE LINEAR FITTING 15W 220-240V AC 3000K CRI.80 160° MWH (4.1.2)            | 122.90 lb. | pc | Included | 6422103043120 | 12 | 0.52 | 0.50 | 237 |            |
| 803                               | SG01NW SBK     | XSIGN WALL RECESSED LIGHT FITTING 3W 4000K SBK (5.1.2)   | 126.79 lb. | pc | Included | 6422103072724 | 48 | 0.12 | 0.11 | 239 |            |
| 804                               | SG01NW SWH     | XSIGN WALL RECESSED LIGHT FITTING 3W 4000K SWH (5.1.2)   | 126.79 lb. | pc | Included | 6422103072700 | 48 | 0.12 | 0.11 | 239 |            |
| 805                               | SG01WW SBK     | XSIGN WALL RECESSED SG01RB INCLUDED 3W 3000K SBK (5.1.2)                                       | 126.79 lb. | pc | Included | 6422103072717 | 48 | 0.12 | 0.11 | 239 |            |
| 806                               | SG01WW SWH     | XSIGN WALL RECESSED SG01RB INCLUDED 3W 3000K SWH (5.1.2)                                       | 126.79 lb. | pc | Included | 6422103072694 | 48 | 0.12 | 0.11 | 239 |            |
| 807                               | CSS01NW SBK    | XCROSS WALL RECESSED LIGHT FITTING 3W 4000K SBK (5.1.2)  | 126.79 lb. | pc | Included | 6422103072779 | 48 | 0.12 | 0.11 | 241 |            |
| 808                               | CSS01NW SWH    | XCROSS WALL RECESSED LIGHT FITTING 3W 4000K SWH (5.1.2)  | 126.79 lb. | pc | Included | 6422103072755 | 48 | 0.12 | 0.11 | 241 |            |
| 809                               | CSS01WW SBK    | XCROSS WALL RECESSED CSS01RB INCLUDED 3W 3000K SBK (5.1.2)                                     | 126.79 lb. | pc | Included | 6422103072762 | 48 | 0.12 | 0.11 | 241 |            |
| 810                               | CSS01WW SWH    | XCROSS WALL RECESSED CSS01RB INCLUDED 3W 3000K SWH (5.1.2)                                     | 126.79 lb. | pc | Included | 6422103072748 | 48 | 0.12 | 0.11 | 241 |            |
| 811                               | GS01NWIP20 BK  | XGHOST IP20 WALL REC. FITTING 2W 100-240V AC 4000K CRI.80 MBK (5.1.2)                          | 49.52 lb.  | pc | Included | 6422103026703 | 50 | 0.20 | 0.19 | 243 |            |
| 812                               | GS01NWIP20 MWH | XGHOST IP20 WALL REC. FITTING 2W 100-240V AC 4000K CRI.80 MWH (5.1.2)                          | 49.52 lb.  | pc | Included | 6422103026710 | 50 | 0.20 | 0.19 | 243 |            |
| 813                               | GS01WWIP20 BK  | XGHOST IP20 WALL REC. FITTING 2W 100-240V AC 3000K CRI.80 MBK (5.1.2)                          | 49.52 lb.  | pc | Included | 6422103026680 | 50 | 0.20 | 0.19 | 243 |            |
| 814                               | GS01WWIP20 MWH | XGHOST IP20 WALL REC. FITTING 2W 100-240V AC 3000K CRI.80 MWH (5.1.2)                          | 49.52 lb.  | pc | Included | 6422103026697 | 50 | 0.20 | 0.19 | 243 |            |
| <b>4. RECESSED LIGHT FITTINGS</b> |                |  |            |    |          |               |    |      |      |     | <b>245</b> |
| 815                               | WDU30120NW MWH | XWIDE UGR<19 LED PANEL 40W 220-240V AC 4000K CRI.90 295x1195 mm IP40 120° MWH (4.1.2)          | 195.83 lb. | pc | Included | 6422103029926 | 5  | 2.50 | 2.42 | 247 |            |
| 816                               | WDU30120WW MWH | XWIDE UGR<19 LED PANEL 40W 220-240V AC 3000K CRI.90 295x1195 mm IP40 120° MWH (4.1.2)          | 195.83 lb. | pc | Included | 6422103029919 | 5  | 2.50 | 2.42 | 247 |            |
| 817                               | WDU3060NW MWH  | XWIDE UGR<19 LED PANEL 24W 220-240V AC 4000K CRI.90 295x595 mm IP40 120° MWH (4.1.2)           | 126.13 lb. | pc | Included | 6422103029957 | 10 | 1.20 | 1.16 | 247 |            |
| 818                               | WDU3060WW MWH  | XWIDE UGR<19 LED PANEL 24W 220-240V AC 3000K CRI.90 295x595 mm IP40 120° MWH (4.1.2)           | 126.13 lb. | pc | Included | 6422103029940 | 10 | 1.20 | 1.16 | 247 |            |
| 819                               | WDU6060NW MWH  | XWIDE UGR<19 LED PANEL 40W 220-240V AC 4000K CRI.90 595x595 mm IP40 120° MWH (4.1.2)           | 176.30 lb. | pc | Included | 6422103029773 | 5  | 2.30 | 2.23 | 247 |            |
| 820                               | WDU6060WW MWH  | XWIDE UGR<19 LED PANEL 40W 220-240V AC 3000K CRI.90 595x595 mm IP40 120° MWH (4.1.2)           | 176.30 lb. | pc | Included | 6422103029896 | 5  | 2.30 | 2.23 | 247 |            |
| 821                               | WD30120NW MWH  | XWIDE LED PANEL 40W 220-240V AC 4000K CRI.90 295x1195 mm IP40 120° MWH (4.1.2)                 | 170.74 lb. | pc | Included | 6422103044301 | 5  | 2.50 | 2.42 | 249 |            |
| 822                               | WD30120WW MWH  | XWIDE LED PANEL 40W 220-240V AC 3000K CRI.90 295x1195 mm IP40 120° MWH (4.1.2)                 | 170.86 lb. | pc | Included | 6422103044318 | 5  | 2.50 | 2.42 | 249 |            |
| 823                               | WD3060NW MWH   | XWIDE LED PANEL 24W 220-240V AC 4000K CRI.90 295x595 mm IP40 120° MWH (4.1.2)                  | 119.54 lb. | pc | Included | 6422103044332 | 10 | 1.10 | 1.06 | 249 |            |
| 824                               | WD3060WW MWH   | XWIDE LED PANEL 24W 220-240V AC 3000K CRI.90 295x595 mm IP40 120° MWH (4.1.2)                  | 119.54 lb. | pc | Included | 6422103044349 | 10 | 1.10 | 1.06 | 249 |            |
| 825                               | WD6060NW MWH   | XWIDE LED PANEL 40W 220-240V AC 4000K CRI.90 595x595 mm IP40 120° MWH (4.1.2)                  | 158.14 lb. | pc | Included | 6422103044363 | 5  | 2.30 | 2.23 | 249 |            |
| 826                               | WD6060WW MWH   | XWIDE LED PANEL 40W 220-240V AC 3000K CRI.90 595x595 mm IP40 120° MWH (4.1.2)                  | 158.14 lb. | pc | Included | 6422103017404 | 5  | 2.30 | 2.23 | 249 |            |
| 827                               | WDR30120NW MWH | XWIDE RIM LED PANEL 40W 220-240V AC 4000K CRI.82 300x1200 mm IP40 110° MWH (4.1.2)             | 357.35 lb. | pc | Included | 6422103016933 | 5  | 4.50 | 4.36 | 251 |            |
| 828                               | WDR30120WW MWH | XWIDE RIM LED PANEL 40W 220-240V AC 3000K CRI.83 300x1200 mm IP40 110° MWH (4.1.2)             | 357.35 lb. | pc | Included | 6422103016926 | 5  | 4.50 | 4.36 | 251 |            |
| 829                               | WDR3060NW MWH  | XWIDE RIM LED PANEL 30W 220-240V AC 4000K CRI.82 300x600 mm IP40 110° MWH (4.1.2)              | 217.06 lb. | pc | Included | 6422103017350 | 5  | 2.34 | 2.26 | 251 |            |
| 830                               | WDR3060WW MWH  | XWIDE RIM LED PANEL 30W 220-240V AC 3000K CRI.83 300x600 mm IP40 110° MWH (4.1.2)              | 217.06 lb. | pc | Included | 6422103017343 | 5  | 2.34 | 2.26 | 251 |            |
| 831                               | WDR6060NW MWH  | XWIDE RIM LED PANEL 40W 220-240V AC 4000K CRI.82 600x600 mm IP40 110° MWH (4.1.2)              | 316.03 lb. | pc | Included | 6422103017374 | 5  | 4.35 | 4.21 | 251 |            |
| 832                               | WDR6060WW MWH  | XWIDE RIM LED PANEL 40W 220-240V AC 3000K CRI.83 600x600 mm IP40 110° MWH (4.1.2)              | 316.03 lb. | pc | Included | 6422103017367 | 5  | 4.35 | 4.21 | 251 |            |
| 833                               | PT30120NW      | XPLANET REC. LED PANEL 40W 220-240V AC 4000K CRI.80 295x1195 mm IP40 120° MWH (4.1.2)          | 148.53 lb. | pc | Included | 6422103040426 | 6  | 1.74 | 1.68 | 253 |            |
| 834                               | PT30120WW      | XPLANET REC. LED PANEL 40W 220-240V AC 3000K CRI.80 295x1195 mm IP40 120° MWH (4.1.2)          | 148.53 lb. | pc | Included | 6422103040419 | 6  | 1.74 | 1.68 | 253 |            |
| 835                               | PT3060NW       | XPLANET REC. LED PANEL 24W 220-240V AC 4000K CRI.80 295x595 mm IP40 120° MWH (4.1.2)           | 92.50 lb.  | pc | Included | 6422103040396 | 10 | 0.81 | 0.78 | 253 |            |
| 836                               | PT3060WW       | XPLANET REC. LED PANEL 24W 220-240V AC 3000K CRI.80 295x595 mm IP40 120° MWH (4.1.2)           | 92.50 lb.  | pc | Included | 6422103040389 | 10 | 0.81 | 0.78 | 253 |            |
| 837                               | PT6060NW       | XPLANET REC. LED PANEL 40W 220-240V AC 4000K CRI.80 595x595 mm IP40 120° MWH (4.1.2)           | 121.17 lb. | pc | Included | 6422103040457 | 6  | 1.74 | 1.68 | 253 |            |
| 838                               | PT6060WW       | XPLANET REC. LED PANEL 40W 220-240V AC 3000K CRI.80 595x595 mm IP40 120° MWH (4.1.2)           | 121.17 lb. | pc | Included | 6422103040440 | 6  | 1.74 | 1.68 | 253 |            |
| 839                               | PT6060ABFR MWH | XPLANET ANTIBACT. REC. IP65 for SURFACE MOUNTING in PLASTERBOARD CEILING MWH                   | 137.03 lb. | pc | Included | 6422103066426 | 5  | 0.90 | 0.87 | 255 |            |
| 840                               | PT6060ABFR MWH | XPLANET REC. IP65 AL. ANTIBACT. FRAME for REC. MOUNTING in FALSE CEILING                       | 164.44 lb. | pc | Included | 6422103074247 | 5  | 0.90 | 0.87 | 255 |            |
| 841                               | PT6060NWIP65   | XPLANET REC. LED PANEL 36W 220-240V AC 4000K CRI.80 600x600 mm IP65 120° MWH (4.1.2)           | 285.60 lb. | pc | Included | 6422103066396 | 6  | 2.00 | 1.94 | 255 |            |
| 842                               | PT6060NWIP65AB | XPLANET ANTIBACT. REC. LED PANEL 36W 220-240V AC 4000K CRI.80 600x600 mm IP65 120° MWH (4.1.2) | 429.84 lb. | pc | Included | 6422103066419 | 6  | 2.00 | 1.94 | 255 |            |

|                               |                |  |            |    |          |               |    |      |      |            |
|-------------------------------|----------------|--|------------|----|----------|---------------|----|------|------|------------|
| 843                           | PT6060WWIP65   | XPLANET REC. LED PANEL 36W 220-240V AC 3000K CRI.80 600x600 mm IP65 120° MWH (4.1.2)           | 285.60 лв. | pc | Included | 6422103066389 | 6  | 2.00 | 1.94 | 255        |
| 844                           | PT6060WWIP65AB | XPLANET ANTIBACT. REC. LED PANEL 36W 220-240V AC 3000K CRI.80 600x600 mm IP65 120° MWH (4.1.2) | 429.84 лв. | pc | Included | 6422103066402 | 6  | 2.00 | 1.94 | 255        |
| <b>5. RECESSED DOWNLIGHTS</b> |                |  |            |    |          |               |    |      |      | <b>257</b> |
| 845                           | EV01NW         | XEVO REC. RND. FITTING 8W 200-240V AC 4000K CRI.80 IP20/IP44 90° MWH (5.1.2)                   | 68.31 лв.  | pc | Included | 6422103013673 | 48 | 0.17 | 0.16 | 287        |
| 846                           | EV01WW         | XEVO REC. RND. FITTING 8W 200-240V AC 3000K CRI.82 IP20/IP44 90° MWH (5.1.2)                   | 68.31 лв.  | pc | Included | 6422103013666 | 48 | 0.17 | 0.16 | 287        |
| 847                           | EV02NW         | XEVO REC. RND. FITTING 12W 200-240V AC 4000K CRI.80 IP20/IP44 90° MWH (5.1.2)                  | 79.64 лв.  | pc | Included | 6422103013703 | 48 | 0.21 | 0.20 | 287        |
| 848                           | EV02WW         | XEVO REC. RND. FITTING 12W 200-240V AC 3000K CRI.82 IP20/IP44 90° MWH (5.1.2)                  | 79.64 лв.  | pc | Included | 6422103013727 | 48 | 0.21 | 0.20 | 287        |
| 849                           | EV03NW         | XEVO REC. RND. FITTING 15W 200-240V AC 4000K CRI.80 IP20/IP44 90° MWH (5.1.2)                  | 93.87 лв.  | pc | Included | 6422103013734 | 36 | 0.26 | 0.25 | 287        |
| 850                           | EV03WW         | XEVO REC. RND. FITTING 15W 200-240V AC 3000K CRI.82 IP20/IP44 90° MWH (5.1.2)                  | 93.87 лв.  | pc | Included | 6422103013697 | 36 | 0.26 | 0.25 | 287        |
| 851                           | EV04NW         | XEVO REC. RND. FITTING 18W 200-240V AC 4000K CRI.80 IP20/IP44 90° MWH (5.1.2)                  | 131.75 лв. | pc | Included | 6422103013765 | 36 | 0.35 | 0.33 | 287        |
| 852                           | EV04WW         | XEVO REC. RND. FITTING 18W 200-240V AC 3000K CRI.82 IP20/IP44 90° MWH (5.1.2)                  | 131.75 лв. | pc | Included | 6422103013758 | 36 | 0.35 | 0.33 | 287        |
| 853                           | EV05NW         | XEVO REC. RND. FITTING 22W 200-240V AC 4000K CRI.80 IP20/IP44 90° MWH (5.1.2)                  | 152.89 лв. | pc | Included | 6422103013802 | 16 | 0.67 | 0.64 | 287        |
| 854                           | EV05WW         | XEVO REC. RND. FITTING 22W 200-240V AC 3000K CRI.82 IP20/IP44 90° MWH (5.1.2)                  | 152.89 лв. | pc | Included | 6422103013796 | 16 | 0.67 | 0.64 | 287        |
| 855                           | EVS01NW        | XEVO REC. SQ. FITTING 12W 220-240V AC 4000K CRI.82 IP20/IP44 90° MWH (5.1.2)                   | 135.25 лв. | pc | Included | 6422103022095 | 24 | 0.29 | 0.28 | 289        |
| 856                           | EVS01WW        | XEVO REC. SQ. FITTING 12W 220-240V AC 3000K CRI.82 IP20/IP44 90° MWH (5.1.2)                   | 135.25 лв. | pc | Included | 6422103022552 | 24 | 0.29 | 0.28 | 289        |
| 857                           | EVS02NW        | XEVO REC. SQ. FITTING 18W 220-240V AC 4000K CRI.82 IP20/IP44 90° MWH (5.1.2)                   | 180.88 лв. | pc | Included | 6422103022101 | 18 | 0.45 | 0.43 | 289        |
| 858                           | EVS02WW        | XEVO REC. SQ. FITTING 18W 220-240V AC 3000K CRI.82 IP20/IP44 90° MWH (5.1.2)                   | 180.88 лв. | pc | Included | 6422103022569 | 18 | 0.45 | 0.43 | 289        |
| 859                           | EVS03NW        | XEVO REC. SQ. FITTING 22W 220-240V AC 4000K CRI.82 IP20/IP44 90° MWH (5.1.2)                   | 219.78 лв. | pc | Included | 6422103022118 | 12 | 0.92 | 0.89 | 289        |
| 860                           | EVS03WW        | XEVO REC. SQ. FITTING 22W 220-240V AC 3000K CRI.82 IP20/IP44 90° MWH (5.1.2)                   | 219.78 лв. | pc | Included | 6422103022576 | 12 | 0.92 | 0.89 | 289        |
| 861                           | FCR01NW MWH    | XFACE REC. RND. PANEL 6W 100-240V AC 4000K CRI.80 IP40 120° MWH (5.1.2)                        | 42.10 лв.  | pc | Included | 6422103026338 | 50 | 0.13 | 0.12 | 291        |
| 862                           | FCR01WW MWH    | XFACE REC. RND. PANEL 6W 100-240V AC 3000K CRI.80 IP40 120° MWH (5.1.2)                        | 42.10 лв.  | pc | Included | 6422103026345 | 50 | 0.13 | 0.12 | 291        |
| 863                           | FCR02NW MWH    | XFACE REC. RND. PANEL 12W 100-240V AC 4000K CRI.80 IP40 120° MWH (5.1.2)                       | 55.05 лв.  | pc | Included | 6422103026369 | 20 | 0.23 | 0.22 | 291        |
| 864                           | FCR02WW MWH    | XFACE REC. RND. PANEL 12W 100-240V AC 3000K CRI.80 IP40 120° MWH (5.1.2)                       | 55.05 лв.  | pc | Included | 6422103026383 | 20 | 0.23 | 0.22 | 291        |
| 865                           | FCR03NW MWH    | XFACE REC. RND. PANEL 18W 100-240V AC 4000K CRI.80 IP40 120° MWH (5.1.2)                       | 87.84 лв.  | pc | Included | 6422103026406 | 20 | 0.35 | 0.33 | 291        |
| 866                           | FCR03WW MWH    | XFACE REC. RND. PANEL 18W 100-240V AC 3000K CRI.80 IP40 120° MWH (5.1.2)                       | 87.84 лв.  | pc | Included | 6422103026413 | 20 | 0.35 | 0.33 | 291        |
| 867                           | FCR04NW MWH    | XFACE REC. RND. PANEL 24W 100-240V AC 4000K CRI.80 IP40 120° MWH (5.1.2)                       | 133.18 лв. | pc | Included | 6422103026437 | 20 | 0.55 | 0.53 | 291        |
| 868                           | FCR04WW MWH    | XFACE REC. RND. PANEL 24W 100-240V AC 3000K CRI.80 IP40 120° MWH (5.1.2)                       | 133.18 лв. | pc | Included | 6422103026444 | 20 | 0.55 | 0.53 | 291        |
| 869                           | FCQ01NW MWH    | XFACE REC. SQ. PANEL 6W 100-240V AC 4000K CRI.80 IP40 120° MWH (5.1.2)                         | 43.72 лв.  | pc | Included | 6422103026499 | 50 | 0.18 | 0.17 | 293        |
| 870                           | FCQ01WW MWH    | XFACE REC. SQ. PANEL 6W 100-240V AC 3000K CRI.80 IP40 120° MWH (5.1.2)                         | 43.72 лв.  | pc | Included | 6422103026505 | 50 | 0.18 | 0.17 | 293        |
| 871                           | FCQ02NW MWH    | XFACE REC. SQ. PANEL 12W 100-240V AC 4000K CRI.80 IP40 120° MWH (5.1.2)                        | 58.29 лв.  | pc | Included | 6422103026529 | 20 | 0.30 | 0.29 | 293        |
| 872                           | FCQ02WW MWH    | XFACE REC. SQ. PANEL 12W 100-240V AC 3000K CRI.80 IP40 120° MWH (5.1.2)                        | 58.29 лв.  | pc | Included | 6422103026536 | 20 | 0.30 | 0.29 | 293        |
| 873                           | FCQ03NW MWH    | XFACE REC. SQ. PANEL 18W 100-240V AC 4000K CRI.80 IP40 120° MWH (5.1.2)                        | 92.70 лв.  | pc | Included | 6422103026550 | 20 | 0.43 | 0.41 | 293        |
| 874                           | FCQ03WW MWH    | XFACE REC. SQ. PANEL 18W 100-240V AC 3000K CRI.80 IP40 120° MWH (5.1.2)                        | 92.70 лв.  | pc | Included | 6422103026567 | 20 | 0.43 | 0.41 | 293        |
| 875                           | FCQ04NW MWH    | XFACE REC. SQ. PANEL 24W 100-240V AC 4000K CRI.80 IP40 120° MWH (5.1.2)                        | 138.04 лв. | pc | Included | 6422103026581 | 20 | 0.66 | 0.64 | 293        |
| 876                           | FCQ04WW MWH    | XFACE REC. SQ. PANEL 24W 100-240V AC 3000K CRI.80 IP40 120° MWH (5.1.2)                        | 138.04 лв. | pc | Included | 6422103026598 | 20 | 0.66 | 0.64 | 293        |
| 877                           | FTR180NW MWH   | XFLAT REC. RND. PANEL 11W 220-240V AC 4000K CRI.82 IP40 110° MWH (5.1.2)                       | 90.73 лв.  | pc | Included | 6422103017107 | 20 | 0.37 | 0.35 | 295        |
| 878                           | FTR180WW MWH   | XFLAT REC. RND. PANEL 11W 220-240V AC 3000K CRI.83 IP40 110° MWH (5.1.2)                       | 90.73 лв.  | pc | Included | 6422103017091 | 20 | 0.37 | 0.35 | 295        |
| 879                           | FTR240NW MWH   | XFLAT REC. RND. PANEL 15W 220-240V AC 4000K CRI.82 IP40 110° MWH (5.1.2)                       | 108.88 лв. | pc | Included | 6422103017138 | 10 | 0.58 | 0.56 | 295        |
| 880                           | FTR240WW MWH   | XFLAT REC. RND. PANEL 15W 220-240V AC 3000K CRI.83 IP40 110° MWH (5.1.2)                       | 108.88 лв. | pc | Included | 6422103017121 | 10 | 0.58 | 0.56 | 295        |
| 881                           | FTR300NW MWH   | XFLAT REC. RND. PANEL 30W 220-240V AC 4000K CRI.82 IP40 110° MWH (5.1.2)                       | 168.90 лв. | pc | Included | 6422103017169 | 10 | 0.87 | 0.84 | 295        |
| 882                           | FTR300WW MWH   | XFLAT REC. RND. PANEL 30W 220-240V AC 3000K CRI.83 IP40 110° MWH (5.1.2)                       | 168.90 лв. | pc | Included | 6422103017152 | 10 | 0.87 | 0.84 | 295        |
| 883                           | FTR420NW MWH   | XFLAT REC. RND. PANEL 40W 220-240V AC 4000K CRI.82 IP40 110° MWH (5.1.2)                       | 261.03 лв. | pc | Included | 6422103017190 | 10 | 1.70 | 1.64 | 295        |
| 884                           | FTR420WW MWH   | XFLAT REC. RND. PANEL 40W 220-240V AC 3000K CRI.83 IP40 110° MWH (5.1.2)                       | 261.03 лв. | pc | Included | 6422103017183 | 10 | 1.70 | 1.64 | 295        |
| 885                           | FTQ168NW MWH   | XFLAT REC. SQ. PANEL 15W 220-240V AC 4000K CRI.82 IP40 110° MWH (5.1.2)                        | 96.32 лв.  | pc | Included | 6422103017251 | 20 | 0.44 | 0.42 | 297        |
| 886                           | FTQ168WW MWH   | XFLAT REC. SQ. PANEL 15W 220-240V AC 3000K CRI.83 IP40 110° MWH (5.1.2)                        | 96.32 лв.  | pc | Included | 6422103017244 | 20 | 0.44 | 0.42 | 297        |
| 887                           | FTQ220NW MWH   | XFLAT REC. SQ. PANEL 22W 220-240V AC 4000K CRI.82 IP40 110° MWH (5.1.2)                        | 111.67 лв. | pc | Included | 6422103017282 | 10 | 0.68 | 0.65 | 297        |
| 888                           | FTQ220WW MWH   | XFLAT REC. SQ. PANEL 22W 220-240V AC 3000K CRI.83 IP40 110° MWH (5.1.2)                        | 111.67 лв. | pc | Included | 6422103017275 | 10 | 0.68 | 0.65 | 297        |
| 889                           | FTQ300NW MWH   | XFLAT REC. SQ. PANEL 30W 220-240V AC 4000K CRI.82 IP40 110° MWH (5.1.2)                        | 163.32 лв. | pc | Included | 6422103017312 | 10 | 1.08 | 1.04 | 297        |
| 890                           | FTQ300WW MWH   | XFLAT REC. SQ. PANEL 30W 220-240V AC 3000K CRI.83 IP40 110° MWH (5.1.2)                        | 163.32 лв. | pc | Included | 6422103017305 | 10 | 1.08 | 1.04 | 297        |
| 891                           | TM01CM MWH     | XTHEMA RND. BOX with ACCESSORIES for SURFACE MOUNTING for TM01 MWH                             | 52.53 лв.  | pc | Included | 6422103024617 | 10 | 0.34 | 0.32 | 263        |
| 892                           | TM01RF MWH     | XTHEMA RND. STEEL FRAME for REC. MOUNTING of TM01 MWH  | 7.74 лв.   | pc | Included | 6422103024532 | 20 | 0.04 | 0.03 | 263        |
| 893                           | TM01SF MWH     | XTHEMA SQ. STEEL FRAME for REC. MOUNTING of TM01 MWH   | 9.68 лв.   | pc | Included | 6422103024549 | 20 | 0.06 | 0.05 | 263        |
| 894                           | TM01SM MWH     | XTHEMA RND. BOX with ACCESSORIES for SUSPENDED MOUNTING for TM01 MWH                           | 80.18 лв.  | pc | Included | 6422103024655 | 10 | 0.65 | 0.63 | 263        |
| 895                           | TM02CM MWH     | XTHEMA RND. BOX with ACCESSORIES for SURFACE MOUNTING for TM02 MWH                             | 58.06 лв.  | pc | Included | 6422103024624 | 8  | 0.58 | 0.56 | 263        |
| 896                           | TM02RF MWH     | XTHEMA RND. STEEL FRAME for REC. MOUNTING of TM02 MWH  | 9.68 лв.   | pc | Included | 6422103024556 | 10 | 0.05 | 0.04 | 263        |
| 897                           | TM02SF MWH     | XTHEMA SQ. STEEL FRAME for REC. MOUNTING of TM02 MWH   | 11.75 лв.  | pc | Included | 6422103024563 | 10 | 0.07 | 0.06 | 263        |
| 898                           | TM02SM MWH     | XTHEMA RND. BOX with ACCESSORIES for SUSPENDED MOUNTING for TM02 MWH                           | 85.71 лв.  | pc | Included | 6422103024662 | 8  | 0.95 | 0.92 | 263        |
| 899                           | TM03CM MWH     | XTHEMA RND. BOX with ACCESSORIES for SURFACE MOUNTING for TM03 MWH                             | 67.74 лв.  | pc | Included | 6422103024631 | 4  | 1.10 | 1.06 | 263        |
| 900                           | TM03RF MWH     | XTHEMA RND. STEEL FRAME for REC. MOUNTING of TM03 MWH  | 11.75 лв.  | pc | Included | 6422103024570 | 8  | 0.12 | 0.11 | 263        |
| 901                           | TM03SF MWH     | XTHEMA SQ. STEEL FRAME for REC. MOUNTING of TM03 MWH   | 13.82 лв.  | pc | Included | 6422103024587 | 8  | 0.22 | 0.21 | 263        |
| 902                           | TM03SM MWH     | XTHEMA RND. BOX with ACCESSORIES for SUSPENDED MOUNTING for TM03 MWH                           | 95.38 лв.  | pc | Included | 6422103024679 | 4  | 1.54 | 1.49 | 263        |

|     |                |  |            |    |          |               |     |      |      |     |
|-----|----------------|--|------------|----|----------|---------------|-----|------|------|-----|
| 903 | TM04CM MWH     | XTHEMA RND. BOX with ACCESSORIES for SURFACE MOUNTING for TM04/05 MWH        | 77.41 лв.  | pc |          | 6422103024648 | 1   | 1.54 | 1.49 | 263 |
| 904 | TM04RF MWH     | XTHEMA RND. STEEL FRAME for REC. MOUNTING of TM04/05 MWH                     | 15.21 лв.  | pc |          | 6422103024594 | 4   | 0.15 | 0.14 | 263 |
| 905 | TM04SF MWH     | XTHEMA SQ. STEEL FRAME for REC. MOUNTING of TM04/05 MWH                      | 17.28 лв.  | pc |          | 6422103024600 | 4   | 0.27 | 0.26 | 263 |
| 906 | TM04SM MWH     | XTHEMA RND. BOX with ACCESSORIES for SUSPENDED MOUNTING for TM04/05 MWH      | 105.06 лв. | pc |          | 6422103024686 | 1   | 2.60 | 2.52 | 263 |
| 907 | TM01NW         | XTHEMA 1x12,7W 350mA 36-38V DC 4000K CRI.80 IP20 75° MWH (5.1.2)             | 82.25 лв.  | pc | Excluded | 6422103024259 | 12  | 0.18 | 0.17 | 264 |
| 908 | TM01WW         | XTHEMA 1x12,7W 350mA 36-38V DC 3000K CRI.80 IP20 75° MWH (5.1.2)             | 82.25 лв.  | pc | Excluded | 6422103024266 | 12  | 0.18 | 0.17 | 264 |
| 909 | TM02NW         | XTHEMA 1x18,3W 500mA 36-38V DC 4000K CRI.80 IP20 70° MWH (5.1.2)             | 100.22 лв. | pc | Excluded | 6422103024280 | 8   | 0.28 | 0.27 | 264 |
| 910 | TM02WW         | XTHEMA 1x18,3W 500mA 36-38V DC 3000K CRI.80 IP20 70° MWH (5.1.2)             | 100.22 лв. | pc | Excluded | 6422103024303 | 8   | 0.28 | 0.27 | 264 |
| 911 | TM03NW         | XTHEMA 1x25W 700mA 36-38V DC 4000K CRI.80 IP20 70° MWH (5.1.2)               | 116.12 лв. | pc | Excluded | 6422103024327 | 8   | 0.44 | 0.42 | 265 |
| 912 | TM03WW         | XTHEMA 1x25W 700mA 36-38V DC 3000K CRI.80 IP20 70° MWH (5.1.2)               | 116.12 лв. | pc | Excluded | 6422103024310 | 8   | 0.44 | 0.42 | 265 |
| 913 | TM04NW         | XTHEMA 1x36,8W 1050mA 36-38V DC 4000K CRI.80 IP20 70° MWH (5.1.2)            | 152.06 лв. | pc | Excluded | 6422103024471 | 4   | 0.76 | 0.73 | 265 |
| 914 | TM04WW         | XTHEMA 1x36,8W 1050mA 36-38V DC 3000K CRI.80 IP20 70° MWH (5.1.2)            | 152.06 лв. | pc | Excluded | 6422103024488 | 4   | 0.76 | 0.73 | 265 |
| 915 | TM05NW         | XTHEMA 1x52W 1400mA 36-38V DC 4000K CRI.80 IP20 70° MWH (5.1.2)              | 241.91 лв. | pc | Excluded | 6422103024518 | 4   | 1.01 | 0.97 | 265 |
| 916 | TM05WW         | XTHEMA 1x52W 1400mA 36-38V DC 3000K CRI.80 IP20 70° MWH (5.1.2)              | 241.91 лв. | pc | Excluded | 6422103024501 | 4   | 1.01 | 0.97 | 265 |
| 917 | MKS01CCT MWH   | XMASK REC. SPOT 1x15W 220-240V AC 3000-6000K CRI.90 IP54 60° UGR SWH (5.1.2) | 114.03 лв. | pc | Included | 6422103066433 | 30  | 0.28 | 0.27 | 267 |
| 918 | MKS02CCT MWH   | XMASK REC. SPOT 1x20W 220-240V AC 3000-6000K CRI.90 IP54 60° UGR SWH (5.1.2) | 128.27 лв. | pc | Included | 6422103066440 | 30  | 0.42 | 0.40 | 267 |
| 919 | MKS03CCT MWH   | XMASK REC. SPOT 1x28W 220-240V AC 3000-6000K CRI.90 IP54 60° UGR SWH (5.1.2) | 153.50 лв. | pc | Included | 6422103066457 | 10  | 0.65 | 0.63 | 267 |
| 920 | MKS04CCT MWH   | XMASK REC. SPOT 1x35W 220-240V AC 3000-6000K CRI.90 IP54 60° UGR SWH (5.1.2) | 157.21 лв. | pc | Included | 6422103066464 | 10  | 0.65 | 0.63 | 267 |
| 921 | GX01NW MWH/CH  | XGALAXY REC. SPOT 1x24W 220-240V AC 4000K CRI.80 IP40 36° MWH/CH (5.1.2)     | 173.25 лв. | pc | Included | 6422103038867 |     | 0.56 | 0.54 | 269 |
| 922 | GX01NW MWH/MBK | XGALAXY REC. SPOT 1x24W 220-240V AC 4000K CRI.80 IP40 36° MWH/MBK (5.1.2)    | 173.25 лв. | pc | Included | 6422103038850 |     | 0.56 | 0.54 | 269 |
| 923 | GX01NW MWH/MWH | XGALAXY REC. SPOT 1x24W 220-240V AC 4000K CRI.80 IP40 36° MWH/MWH (5.1.2)    | 173.25 лв. | pc | Included | 6422103038843 |     | 0.56 | 0.54 | 269 |
| 924 | GX01NW MWH/SGD | XGALAXY REC. SPOT 1x24W 220-240V AC 4000K CRI.80 IP40 36° MWH/SGD (5.1.2)    | 173.25 лв. | pc | Included | 6422103038874 |     | 0.56 | 0.54 | 269 |
| 925 | GX01WW MWH/CH  | XGALAXY REC. SPOT 1x24W 220-240V AC 3000K CRI.80 IP40 36° MWH/CH (5.1.2)     | 173.25 лв. | pc | Included | 6422103038829 |     | 0.56 | 0.54 | 269 |
| 926 | GX01WW MWH/MBK | XGALAXY REC. SPOT 1x24W 220-240V AC 3000K CRI.80 IP40 36° MWH/MBK (5.1.2)    | 173.25 лв. | pc | Included | 6422103038812 |     | 0.56 | 0.54 | 269 |
| 927 | GX01WW MWH/MWH | XGALAXY REC. SPOT 1x24W 220-240V AC 3000K CRI.80 IP40 36° MWH/MWH (5.1.2)    | 173.25 лв. | pc | Included | 6422103038805 |     | 0.56 | 0.54 | 269 |
| 928 | GX01WW MWH/SGD | XGALAXY REC. SPOT 1x24W 220-240V AC 3000K CRI.80 IP40 36° MWH/SGD (5.1.2)    | 173.25 лв. | pc | Included | 6422103038836 |     | 0.56 | 0.54 | 269 |
| 929 | KA01NW SBK     | XKAPPA REC. SPOT 1x5W 220-240V AC 4000K CRI.90 IP20 24° UGR<17 SBK (5.1.2)   | 103.30 лв. | pc | Included | 6422103050319 | 100 | 0.18 | 0.17 | 271 |
| 930 | KA01NW SWH     | XKAPPA REC. SPOT 1x5W 220-240V AC 4000K CRI.90 IP20 24° UGR<17 SWH (5.1.2)   | 103.30 лв. | pc | Included | 6422103050302 | 100 | 0.18 | 0.17 | 271 |
| 931 | KA01UWW SBK    | XKAPPA REC. SPOT 1x5W 220-240V AC 2700K CRI.90 IP20 24° UGR<17 SBK (5.1.2)   | 103.30 лв. | pc | Included | 6422103051576 | 100 | 0.18 | 0.17 | 271 |
| 932 | KA01UWW SWH    | XKAPPA REC. SPOT 1x5W 220-240V AC 2700K CRI.90 IP20 24° UGR<17 SWH (5.1.2)   | 103.30 лв. | pc | Included | 6422103051569 | 100 | 0.18 | 0.17 | 271 |
| 933 | KA01WW SBK     | XKAPPA REC. SPOT 1x5W 220-240V AC 3000K CRI.90 IP20 24° UGR<17 SBK (5.1.2)   | 103.30 лв. | pc | Included | 6422103050296 | 100 | 0.18 | 0.17 | 271 |
| 934 | KA01WW SWH     | XKAPPA REC. SPOT 1x5W 220-240V AC 3000K CRI.90 IP20 24° UGR<17 SWH (5.1.2)   | 103.30 лв. | pc | Included | 6422103050289 | 100 | 0.18 | 0.17 | 271 |
| 935 | KA02NW SBK     | XKAPPA REC. SPOT 1x10W 220-240V AC 4000K CRI.90 IP20 24° UGR<17 SBK (5.1.2)  | 118.65 лв. | pc | Included | 6422103050357 | 50  | 0.29 | 0.28 | 271 |
| 936 | KA02NW SWH     | XKAPPA REC. SPOT 1x10W 220-240V AC 4000K CRI.90 IP20 24° UGR<17 SWH (5.1.2)  | 118.65 лв. | pc | Included | 6422103050340 | 50  | 0.29 | 0.28 | 271 |
| 937 | KA02UWW SBK    | XKAPPA REC. SPOT 1x10W 220-240V AC 2700K CRI.90 IP20 24° UGR<17 SBK (5.1.2)  | 118.65 лв. | pc | Included | 6422103051590 | 50  | 0.29 | 0.28 | 271 |
| 938 | KA02UWW SWH    | XKAPPA REC. SPOT 1x10W 220-240V AC 2700K CRI.90 IP20 24° UGR<17 SWH (5.1.2)  | 118.65 лв. | pc | Included | 6422103051583 | 50  | 0.29 | 0.28 | 271 |
| 939 | KA02WW SBK     | XKAPPA REC. SPOT 1x10W 220-240V AC 3000K CRI.90 IP20 24° UGR<17 SBK (5.1.2)  | 118.65 лв. | pc | Included | 6422103050333 | 50  | 0.29 | 0.28 | 271 |
| 940 | KA02WW SWH     | XKAPPA REC. SPOT 1x10W 220-240V AC 3000K CRI.90 IP20 24° UGR<17 SWH (5.1.2)  | 118.65 лв. | pc | Included | 6422103050326 | 50  | 0.29 | 0.28 | 271 |
| 941 | KA03NW SBK     | XKAPPA REC. SPOT 1x15W 220-240V AC 4000K CRI.90 IP20 24° UGR<17 SBK (5.1.2)  | 161.93 лв. | pc | Included | 6422103050395 | 50  | 0.36 | 0.34 | 271 |
| 942 | KA03NW SWH     | XKAPPA REC. SPOT 1x15W 220-240V AC 4000K CRI.90 IP20 24° UGR<17 SWH (5.1.2)  | 161.93 лв. | pc | Included | 6422103050388 | 50  | 0.36 | 0.34 | 271 |
| 943 | KA03UWW SBK    | XKAPPA REC. SPOT 1x15W 220-240V AC 2700K CRI.90 IP20 24° UGR<17 SBK (5.1.2)  | 161.93 лв. | pc | Included | 6422103051613 | 50  | 0.36 | 0.34 | 271 |
| 944 | KA03UWW SWH    | XKAPPA REC. SPOT 1x15W 220-240V AC 2700K CRI.90 IP20 24° UGR<17 SWH (5.1.2)  | 161.93 лв. | pc | Included | 6422103051606 | 50  | 0.36 | 0.34 | 271 |
| 945 | KA03WW SBK     | XKAPPA REC. SPOT 1x15W 220-240V AC 3000K CRI.90 IP20 24° UGR<17 SBK (5.1.2)  | 161.93 лв. | pc | Included | 6422103050371 | 50  | 0.36 | 0.34 | 271 |
| 946 | KA03WW SWH     | XKAPPA REC. SPOT 1x15W 220-240V AC 3000K CRI.90 IP20 24° UGR<17 SWH (5.1.2)  | 161.93 лв. | pc | Included | 6422103050364 | 50  | 0.36 | 0.34 | 271 |
| 947 | KA04NW SBK     | XKAPPA REC. SPOT 1x25W 220-240V AC 4000K CRI.90 IP20 24° UGR<17 SBK (5.1.2)  | 230.32 лв. | pc | Included | 6422103050432 | 50  | 0.49 | 0.47 | 271 |
| 948 | KA04NW SWH     | XKAPPA REC. SPOT 1x25W 220-240V AC 4000K CRI.90 IP20 24° UGR<17 SWH (5.1.2)  | 230.32 лв. | pc | Included | 6422103050425 | 50  | 0.49 | 0.47 | 271 |
| 949 | KA04UWW SBK    | XKAPPA REC. SPOT 1x25W 220-240V AC 2700K CRI.90 IP20 24° UGR<17 SBK (5.1.2)  | 230.32 лв. | pc | Included | 6422103051637 | 50  | 0.49 | 0.47 | 271 |
| 950 | KA04UWW SWH    | XKAPPA REC. SPOT 1x25W 220-240V AC 2700K CRI.90 IP20 24° UGR<17 SWH (5.1.2)  | 230.32 лв. | pc | Included | 6422103051620 | 50  | 0.49 | 0.47 | 271 |
| 951 | KA04WW SBK     | XKAPPA REC. SPOT 1x25W 220-240V AC 3000K CRI.90 IP20 24° UGR<17 SBK (5.1.2)  | 230.32 лв. | pc | Included | 6422103050418 | 50  | 0.49 | 0.47 | 271 |
| 952 | KA04WW SWH     | XKAPPA REC. SPOT 1x25W 220-240V AC 3000K CRI.90 IP20 24° UGR<17 SWH (5.1.2)  | 230.32 лв. | pc | Included | 6422103050401 | 50  | 0.49 | 0.47 | 271 |
| 953 | AR03NW SBK     | XARTE REC. RND. 18W 220-240V AC 4000K CRI.90 IP40 15-45° SBK (5.1.2)         | 157.86 лв. | pc | Included | 6422103091831 | 40  | 0.30 | 0.29 | 274 |
| 954 | AR03NW SWH     | XARTE REC. RND. 18W 220-240V AC 4000K CRI.90 IP40 15-45° SWH (5.1.2)         | 157.86 лв. | pc | Included | 6422103091824 | 40  | 0.30 | 0.29 | 274 |
| 955 | AR03WW SBK     | XARTE REC. RND. 18W 220-240V AC 3000K CRI.90 IP40 15-45° SBK (5.1.2)         | 157.86 лв. | pc | Included | 6422103091817 | 40  | 0.30 | 0.29 | 274 |
| 956 | AR03WW SWH     | XARTE REC. RND. 18W 220-240V AC 3000K CRI.90 IP40 15-45° SWH (5.1.2)         | 157.86 лв. | pc | Included | 6422103091800 | 40  | 0.30 | 0.29 | 274 |
| 957 | AR04NW SBK     | XARTE REC. RND. 28W 220-240V AC 4000K CRI.90 IP40 15-45° SBK (5.1.2)         | 218.00 лв. | pc | Included | 6422103091879 | 24  | 0.60 | 0.58 | 274 |
| 958 | AR04NW SWH     | XARTE REC. RND. 28W 220-240V AC 4000K CRI.90 IP40 15-45° SWH (5.1.2)         | 218.00 лв. | pc | Included | 6422103091862 | 24  | 0.60 | 0.58 | 274 |
| 959 | AR04WW SBK     | XARTE REC. RND. 28W 220-240V AC 3000K CRI.90 IP40 15-45° SBK (5.1.2)         | 218.00 лв. | pc | Included | 6422103091855 | 24  | 0.60 | 0.58 | 274 |
| 960 | AR04WW SWH     | XARTE REC. RND. 28W 220-240V AC 3000K CRI.90 IP40 15-45° SWH (5.1.2)         | 218.00 лв. | pc | Included | 6422103091848 | 24  | 0.60 | 0.58 | 274 |
| 961 | AR056MC        | XARTE REC. ACC. For LINEAR MONTING 2 LIGHT FITINGS                           | 4.51 лв.   | pc |          | 6422103091961 |     | 0.01 | 0.01 | 275 |
| 962 | AR05NW SBK     | XARTE REC. SQ. 18W 220-240V AC 4000K CRI.90 IP40 15-45° SBK (5.1.2)          | 172.90 лв. | pc | Included | 6422103091916 | 27  | 0.30 | 0.29 | 275 |
| 963 | AR05NW SWH     | XARTE REC. SQ. 18W 220-240V AC 4000K CRI.90 IP40 15-45° SWH (5.1.2)          | 172.90 лв. | pc | Included | 6422103091909 | 27  | 0.30 | 0.29 | 275 |



|      |                 |  |            |    |          |               |     |      |      |     |
|------|-----------------|--|------------|----|----------|---------------|-----|------|------|-----|
| 964  | AR05WW SBK      | XARTE REC. SQ. 18W 220-240V AC 3000K CRI.90 IP40 15-45° SBK (5.1.2)                | 172.90 lb. | pc | Included | 6422103091893 | 27  | 0.30 | 0.29 | 275 |
| 965  | AR05WW SWH      | XARTE REC. SQ. 18W 220-240V AC 3000K CRI.90 IP40 15-45° SWH (5.1.2)                | 172.90 lb. | pc | Included | 6422103091886 | 27  | 0.30 | 0.29 | 275 |
| 966  | AR06NW SBK      | XARTE REC. SQ. 28W 220-240V AC 4000K CRI.90 IP40 15-45° SBK (5.1.2)                | 228.52 lb. | pc | Included | 6422103091954 | 16  | 0.60 | 0.58 | 275 |
| 967  | AR06NW SWH      | XARTE REC. SQ. 28W 220-240V AC 4000K CRI.90 IP40 15-45° SWH (5.1.2)                | 228.52 lb. | pc | Included | 6422103091947 | 16  | 0.60 | 0.58 | 275 |
| 968  | AR06WW SBK      | XARTE REC. SQ. 28W 220-240V AC 3000K CRI.90 IP40 15-45° SBK (5.1.2)                | 228.52 lb. | pc | Included | 6422103091930 | 16  | 0.60 | 0.58 | 275 |
| 969  | AR06WW SWH      | XARTE REC. SQ. 28W 220-240V AC 3000K CRI.90 IP40 15-45° SWH (5.1.2)                | 228.52 lb. | pc | Included | 6422103091923 | 16  | 0.60 | 0.58 | 275 |
| 970  | SI012REF12      | XSLIDE OPTICAL SYSTEM 12° for SI01/SI02  | 14.96 lb.  | pc |          | 6422103049887 |     | 0.01 | 0.01 | 278 |
| 971  | SI012REF24      | XSLIDE OPTICAL SYSTEM 24° for SI01/SI02  | 14.96 lb.  | pc |          | 6422103049894 |     | 0.01 | 0.01 | 278 |
| 972  | SI01NW SWH      | XSLIDE REC. FITTING 1x12W 220-240V AC 4000K CRI.90 IP20 UGR<10 38° SWH (5.1.2)     | 209.39 lb. | pc | Included | 6422103049856 | 30  | 0.52 | 0.50 | 278 |
| 973  | SI01WW SWH      | XSLIDE REC. FITTING 1x12W 220-240V AC 3000K CRI.90 IP20 UGR<10 38° SWH (5.1.2)     | 209.39 lb. | pc | Included | 6422103049849 | 30  | 0.52 | 0.50 | 278 |
| 974  | SI02NW SWH      | XSLIDE REC. FITTING 2x12W 220-240V AC 4000K CRI.90 IP20 UGR<10 38° SWH (5.1.2)     | 403.42 lb. | pc | Included | 6422103049870 | 10  | 1.35 | 1.30 | 278 |
| 975  | SI02WW SWH      | XSLIDE REC. FITTING 2x12W 220-240V AC 3000K CRI.90 IP20 UGR<10 38° SWH (5.1.2)     | 403.42 lb. | pc | Included | 6422103049863 | 10  | 1.35 | 1.30 | 278 |
| 976  | SI034REF12      | XSLIDE OPTICAL SYSTEM 12° for SI03/SI04  | 16.38 lb.  | pc |          | 6422103049948 |     | 0.02 | 0.01 | 279 |
| 977  | SI034REF24      | XSLIDE OPTICAL SYSTEM 24° for SI03/SI04  | 16.38 lb.  | pc |          | 6422103049955 |     | 0.02 | 0.01 | 279 |
| 978  | SI03NW SWH      | XSLIDE REC. FITTING 1x25W 220-240V AC 4000K CRI.90 IP20 UGR<10 38° SWH (5.1.2)     | 334.32 lb. | pc | Included | 6422103049917 | 16  | 0.99 | 0.96 | 279 |
| 979  | SI03WW SWH      | XSLIDE REC. FITTING 1x25W 220-240V AC 3000K CRI.90 IP20 UGR<10 38° SWH (5.1.2)     | 334.32 lb. | pc | Included | 6422103049900 | 16  | 0.99 | 0.96 | 279 |
| 980  | SI04NW SWH      | XSLIDE REC. FITTING 2x25W 220-240V AC 4000K CRI.90 IP20 UGR<10 38° SWH (5.1.2)     | 629.55 lb. | pc | Included | 6422103049931 | 10  | 1.91 | 1.85 | 279 |
| 981  | SI04WW SWH      | XSLIDE REC. FITTING 2x25W 220-240V AC 3000K CRI.90 IP20 UGR<10 38° SWH (5.1.2)     | 629.55 lb. | pc | Included | 6422103049924 | 10  | 1.91 | 1.85 | 279 |
| 982  | DN04NW SWH      | XDOWN REC. ADJ. FITTING 1x15W 220-240V AC 4000K CRI.90 IP20 UGR<16 38° SWH (5.1.2) | 131.56 lb. | pc | Included | 6422103049061 | 36  | 0.30 | 0.29 | 282 |
| 983  | DN04REF 15      | XDOWN OPTICAL SYSTEM 15° for DN04  | 12.48 lb.  | pc |          | 6422103049092 |     | 0.13 | 0.12 | 282 |
| 984  | DN04WW SWH      | XDOWN REC. ADJ. FITTING 1x15W 220-240V AC 3000K CRI.90 IP20 UGR<16 38° SWH (5.1.2) | 131.56 lb. | pc | Included | 6422103049030 | 36  | 0.30 | 0.29 | 282 |
| 985  | DN05NW SWH      | XDOWN REC. ADJ. FITTING 1x33W 220-240V AC 4000K CRI.90 IP20 UGR<16 38° SWH (5.1.2) | 219.70 lb. | pc | Included | 6422103049078 | 12  | 0.88 | 0.85 | 282 |
| 986  | DN05REF 15      | XDOWN OPTICAL SYSTEM 15° for DN05  | 16.84 lb.  | pc |          | 6422103049108 |     | 0.13 | 0.12 | 282 |
| 987  | DN05REF 60      | XDOWN OPTICAL SYSTEM 60° for DN05  | 16.84 lb.  | pc |          | 6422103049115 |     | 0.13 | 0.12 | 282 |
| 988  | DN05WW SWH      | XDOWN REC. ADJ. FITTING 1x33W 220-240V AC 3000K CRI.90 IP20 UGR<16 38° SWH (5.1.2) | 219.70 lb. | pc | Included | 6422103049047 | 12  | 0.88 | 0.85 | 282 |
| 989  | DN06NW SWH      | XDOWN REC. ADJ. FITTING 1x42W 220-240V AC 4000K CRI.90 IP20 UGR<16 38° SWH (5.1.2) | 282.51 lb. | pc | Included | 6422103049085 | 8   | 1.20 | 1.16 | 283 |
| 990  | DN06REF 15      | XDOWN OPTICAL SYSTEM 15° for DN06  | 19.89 lb.  | pc |          | 6422103049139 |     | 0.13 | 0.12 | 283 |
| 991  | DN06REF 60      | XDOWN OPTICAL SYSTEM 60° for DN06  | 19.89 lb.  | pc |          | 6422103049122 |     | 0.13 | 0.12 | 283 |
| 992  | DN06WW SWH      | XDOWN REC. ADJ. FITTING 1x42W 220-240V AC 3000K CRI.90 IP20 UGR<16 38° SWH (5.1.2) | 282.51 lb. | pc | Included | 6422103049054 | 8   | 1.20 | 1.16 | 283 |
| 993  | CLS01NW MBK     | XCLASS REC. FITTING 21W 500mA 25-40V DC 4000K CRI.80 IP54 MBK (5.1.2)              | 156.76 lb. | pc | Excluded | 6422103036047 | 8   | 0.65 | 0.63 | 285 |
| 994  | CLS01NW MWH     | XCLASS REC. FITTING 21W 500mA 25-40V DC 4000K CRI.80 IP54 MWH (5.1.2)              | 156.76 lb. | pc | Excluded | 6422103036054 | 8   | 0.65 | 0.63 | 285 |
| 995  | CLS01WW MBK     | XCLASS REC. FITTING 21W 500mA 25-40V DC 3000K CRI.80 IP54 MBK (5.1.2)              | 156.76 lb. | pc | Excluded | 6422103036061 | 8   | 0.65 | 0.63 | 285 |
| 996  | CLS01WW MWH     | XCLASS REC. FITTING 21W 500mA 25-40V DC 3000K CRI.80 IP54 MWH (5.1.2)              | 156.76 lb. | pc | Excluded | 6422103036078 | 8   | 0.65 | 0.63 | 285 |
| 997  | CLS02NW MBK     | XCLASS REC. FITTING 40W 900mA 33-40V DC 4000K CRI.80 IP54 MBK (5.1.2)              | 196.72 lb. | pc | Excluded | 6422103036085 | 8   | 1.30 | 1.26 | 285 |
| 998  | CLS02NW MWH     | XCLASS REC. FITTING 40W 900mA 33-40V DC 4000K CRI.80 IP54 MWH (5.1.2)              | 196.72 lb. | pc | Excluded | 6422103036092 | 8   | 1.30 | 1.26 | 285 |
| 999  | CLS02WW MBK     | XCLASS REC. FITTING 40W 900mA 33-40V DC 3000K CRI.80 IP54 MBK (5.1.2)              | 196.72 lb. | pc | Excluded | 6422103036108 | 8   | 1.30 | 1.26 | 285 |
| 1000 | CLS02WW MWH     | XCLASS REC. FITTING 40W 900mA 33-40V DC 3000K CRI.80 IP54 MWH (5.1.2)              | 196.72 lb. | pc | Excluded | 6422103036115 | 8   | 1.30 | 1.26 | 285 |
| 1001 | ARR01UWW18 SBK  | XARNO RND. RECESSED 13W 2700K 18grd SBK (5.1.2)                                    | 212.11 lb. | pc | Included | 6422103072830 | 36  | 0.32 | 0.31 | 299 |
| 1002 | ARR01UWW18 SWH  | XARNO RND. RECESSED 13W 2700K 18grd SWH (5.1.2)                                    | 212.11 lb. | pc | Included | 6422103072793 | 36  | 0.32 | 0.31 | 299 |
| 1003 | ARR01UWW18T SWH | XARNO RND. TRIM. RECESSED 13W 2700K 18grd SWH (5.1.2)                              | 223.46 lb. | pc | Included | 6422103072878 | 48  | 0.23 | 0.22 | 299 |
| 1004 | ARR01UWW36 SBK  | XARNO RND. RECESSED 13W 2700K 36grd SBK (5.1.2)                                    | 212.11 lb. | pc | Included | 6422103072847 | 36  | 0.32 | 0.31 | 299 |
| 1005 | ARR01UWW36 SWH  | XARNO RND. RECESSED 13W 2700K 36grd SWH (5.1.2)                                    | 212.11 lb. | pc | Included | 6422103072809 | 36  | 0.32 | 0.31 | 299 |
| 1006 | ARR01UWW36T SWH | XARNO RND. TRIM. RECESSED 13W 2700K 36grd SWH (5.1.2)                              | 223.46 lb. | pc | Included | 6422103072885 | 48  | 0.23 | 0.22 | 299 |
| 1007 | ARR01WW18 SBK   | XARNO RND. RECESSED 13W 3000K 18grd SBK (5.1.2)                                    | 212.11 lb. | pc | Included | 6422103072854 | 36  | 0.32 | 0.31 | 299 |
| 1008 | ARR01WW18 SWH   | XARNO RND. RECESSED 13W 3000K 18grd SWH (5.1.2)                                    | 212.11 lb. | pc | Included | 6422103072816 | 36  | 0.32 | 0.31 | 299 |
| 1009 | ARR01WW18T SWH  | XARNO RND. TRIM. RECESSED 13W 3000K 18grd SWH (5.1.2)                              | 223.46 lb. | pc | Included | 6422103072892 | 48  | 0.23 | 0.22 | 299 |
| 1010 | ARR01WW36 SBK   | XARNO RND. RECESSED 13W 3000K 36grd SBK (5.1.2)                                    | 212.11 lb. | pc | Included | 6422103072861 | 36  | 0.32 | 0.31 | 299 |
| 1011 | ARR01WW36 SWH   | XARNO RND. RECESSED 13W 3000K 36grd SWH (5.1.2)                                    | 212.11 lb. | pc | Included | 6422103072823 | 36  | 0.32 | 0.31 | 299 |
| 1012 | ARR01WW36T SWH  | XARNO RND. TRIM. RECESSED 13W 3000K 36grd SWH (5.1.2)                              | 223.46 lb. | pc | Included | 6422103072908 | 48  | 0.23 | 0.22 | 299 |
| 1013 | ARR012HC        | XARNO RECESSED DIRECT REDUCTON DEVICE "HONEY COMB" for ARR01/02                    | 7.23 lb.   | pc |          | 6422103072946 |     | 0.01 | 0.01 | 300 |
| 1014 | ARR012SF        | XARNO RECESSED ACC. for RECTANGULAR ANGLE for ARR01/02                             | 7.23 lb.   | pc |          | 6422103072953 |     | 0.01 | 0.01 | 300 |
| 1015 | RRBK            | XARNO RECESSED BK REFLECTOR  | 21.70 lb.  | pc |          | 6422103072922 | 180 | 0.10 | 0.09 | 300 |
| 1016 | RRBKN           | XARNO RECESSED BK REFLECTOR WITHOUT GAP  | 21.70 lb.  | pc |          | 6422103091985 | 180 | 0.10 | 0.09 | 300 |
| 1017 | RRGD            | XARNO RECESSED SGD REFLECTOR   | 30.37 lb.  | pc |          | 6422103072939 | 180 | 0.10 | 0.09 | 300 |
| 1018 | RRGDN           | XARNO RECESSED SGD REFLECTOR WITHOUT GAP   | 30.37 lb.  | pc |          | 6422103091992 | 180 | 0.10 | 0.09 | 300 |
| 1019 | RRWH            | XARNO RECESSED WH REFLECTOR  | 21.70 lb.  | pc |          | 6422103072915 | 180 | 0.10 | 0.09 | 300 |
| 1020 | RRWHN           | XARNO RECESSED WH REFLECTOR WITHOUT GAP  | 21.70 lb.  | pc |          | 6422103091978 | 180 | 0.10 | 0.09 | 300 |
| 1021 | ARR02LN18       | XARNO RECESSED LENS 18grd  | 7.23 lb.   | pc |          | 6422103074315 |     | 0.10 | 0.09 | 303 |
| 1022 | ARR02NFR SBK    | XARNO STANDARD RECESSED MOUNTING FRAME SBK   | 23.14 lb.  | pc |          | 6422103074339 | 72  | 0.10 | 0.09 | 303 |
| 1023 | ARR02NFR SWH    | XARNO STANDARD RECESSED MOUNTING FRAME SWH   | 23.14 lb.  | pc |          | 6422103074322 | 72  | 0.10 | 0.09 | 303 |
| 1024 | ARR02TFR WH     | XARNO TRIM. RECESSED MOUNTING FRAME WH   | 34.71 lb.  | pc |          | 6422103074346 | 48  | 0.07 | 0.06 | 303 |

|      |               |   |            |    |          |               |    |      |      |     |
|------|---------------|---|------------|----|----------|---------------|----|------|------|-----|
| 1025 | ARR02UWW36 BK | XARNO SQ. RECESSED 13W 2700K 36grd BK (5.1.2)   | 212.11 lb. | pc | Included | 6422103074261 | 36 | 0.30 | 0.29 | 303 |
| 1026 | ARR02UWW36 GD | XARNO SQ. RECESSED 13W 2700K 36grd GD (5.1.2)   | 212.11 lb. | pc | Included | 6422103074278 | 36 | 0.30 | 0.29 | 303 |
| 1027 | ARR02UWW36 WH | XARNO SQ. RECESSED 13W 2700K 36grd WH (5.1.2)   | 212.11 lb. | pc | Included | 6422103074254 | 36 | 0.30 | 0.29 | 303 |
| 1028 | ARR02WW36 BK  | XARNO SQ. RECESSED 13W 3000K 36grd BK (5.1.2)   | 212.11 lb. | pc | Included | 6422103074292 | 36 | 0.30 | 0.29 | 303 |
| 1029 | ARR02WW36 GD  | XARNO SQ. RECESSED 13W 3000K 36grd GD (5.1.2)   | 212.11 lb. | pc | Included | 6422103074308 | 36 | 0.30 | 0.29 | 303 |
| 1030 | ARR02WW36 WH  | XARNO SQ. RECESSED 13W 3000K 36grd WH (5.1.2)   | 212.11 lb. | pc | Included | 6422103074285 | 36 | 0.30 | 0.29 | 303 |
| 1031 | DLR01NW MBK   | XDRILL RIM REC. FITTING 1x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18" MBK (5.1.2)           | 180.84 lb. | pc | Included | 6422103042543 | 12 | 0.54 | 0.52 | 306 |
| 1032 | DLR01NW MWH   | XDRILL RIM REC. FITTING 1x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18" MWH (5.1.2)           | 180.84 lb. | pc | Included | 6422103042529 | 12 | 0.54 | 0.52 | 306 |
| 1033 | DLR01UWW MBK  | XDRILL RIM REC. FITTING 1x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18" MBK (5.1.2)           | 180.84 lb. | pc | Included | 6422103049979 | 12 | 0.54 | 0.52 | 306 |
| 1034 | DLR01UWW MWH  | XDRILL RIM REC. FITTING 1x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18" MWH (5.1.2)           | 180.84 lb. | pc | Included | 6422103049962 | 12 | 0.54 | 0.52 | 306 |
| 1035 | DLR01WW MBK   | XDRILL RIM REC. FITTING 1x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18" MBK (5.1.2)           | 180.84 lb. | pc | Included | 6422103042536 | 12 | 0.54 | 0.52 | 306 |
| 1036 | DLR01WW MWH   | XDRILL RIM REC. FITTING 1x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18" MWH (5.1.2)           | 180.84 lb. | pc | Included | 6422103042512 | 12 | 0.54 | 0.52 | 306 |
| 1037 | DLR02NW MBK   | XDRILL RIM REC. FITTING 2x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18" MBK (5.1.2)           | 314.88 lb. | pc | Included | 6422103042581 | 12 | 0.72 | 0.69 | 306 |
| 1038 | DLR02NW MWH   | XDRILL RIM REC. FITTING 2x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18" MWH (5.1.2)           | 314.88 lb. | pc | Included | 6422103042567 | 12 | 0.72 | 0.69 | 306 |
| 1039 | DLR02UWW MBK  | XDRILL RIM REC. FITTING 2x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18" MBK (5.1.2)           | 314.88 lb. | pc | Included | 6422103049993 | 12 | 0.72 | 0.69 | 306 |
| 1040 | DLR02UWW MWH  | XDRILL RIM REC. FITTING 2x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18" MWH (5.1.2)           | 314.88 lb. | pc | Included | 6422103049986 | 12 | 0.72 | 0.69 | 306 |
| 1041 | DLR02WW MBK   | XDRILL RIM REC. FITTING 2x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18" MBK (5.1.2)           | 314.88 lb. | pc | Included | 6422103042574 | 12 | 0.72 | 0.69 | 306 |
| 1042 | DLR02WW MWH   | XDRILL RIM REC. FITTING 2x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18" MWH (5.1.2)           | 314.88 lb. | pc | Included | 6422103042550 | 12 | 0.72 | 0.69 | 306 |
| 1043 | DLR03NW MBK   | XDRILL RIM REC. FITTING 3x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18" MBK (5.1.2)           | 447.39 lb. | pc | Included | 6422103042628 | 8  | 0.93 | 0.90 | 306 |
| 1044 | DLR03NW MWH   | XDRILL RIM REC. FITTING 3x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18" MWH (5.1.2)           | 447.39 lb. | pc | Included | 6422103042604 | 8  | 0.93 | 0.90 | 306 |
| 1045 | DLR03UWW MBK  | XDRILL RIM REC. FITTING 3x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18" MBK (5.1.2)           | 447.39 lb. | pc | Included | 6422103050012 | 8  | 0.93 | 0.90 | 306 |
| 1046 | DLR03UWW MWH  | XDRILL RIM REC. FITTING 3x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18" MWH (5.1.2)           | 447.39 lb. | pc | Included | 6422103050005 | 8  | 0.93 | 0.90 | 306 |
| 1047 | DLR03WW MBK   | XDRILL RIM REC. FITTING 3x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18" MBK (5.1.2)           | 447.39 lb. | pc | Included | 6422103042611 | 8  | 0.93 | 0.90 | 306 |
| 1048 | DLR03WW MWH   | XDRILL RIM REC. FITTING 3x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18" MWH (5.1.2)           | 447.39 lb. | pc | Included | 6422103042598 | 8  | 0.93 | 0.90 | 306 |
| 1049 | DLR04NW MBK   | XDRILL RIM REC. FITTING 1x9W CENTRAL 220-240V AC 4000K CRI.90 IP20 UGR<10 18" MBK (5.1.2)   | 172.35 lb. | pc | Included | 6422103042666 | 16 | 0.41 | 0.39 | 306 |
| 1050 | DLR04NW MWH   | XDRILL RIM REC. FITTING 1x9W CENTRAL 220-240V AC 4000K CRI.90 IP20 UGR<10 18" MWH (5.1.2)   | 172.35 lb. | pc | Included | 6422103042642 | 16 | 0.41 | 0.39 | 306 |
| 1051 | DLR04UWW MBK  | XDRILL RIM REC. FITTING 1x9W CENTRAL 220-240V AC 2700K CRI.90 IP20 UGR<10 18" MBK (5.1.2)   | 172.35 lb. | pc | Included | 6422103050036 | 16 | 0.41 | 0.39 | 306 |
| 1052 | DLR04UWW MWH  | XDRILL RIM REC. FITTING 1x9W CENTRAL 220-240V AC 2700K CRI.90 IP20 UGR<10 18" MWH (5.1.2)   | 172.35 lb. | pc | Included | 6422103050029 | 16 | 0.41 | 0.39 | 306 |
| 1053 | DLR04WW MBK   | XDRILL RIM REC. FITTING 1x9W CENTRAL 220-240V AC 3000K CRI.90 IP20 UGR<10 18" MBK (5.1.2)   | 172.35 lb. | pc | Included | 6422103042659 | 16 | 0.41 | 0.39 | 306 |
| 1054 | DLR04WW MWH   | XDRILL RIM REC. FITTING 1x9W CENTRAL 220-240V AC 3000K CRI.90 IP20 UGR<10 18" MWH (5.1.2)   | 172.35 lb. | pc | Included | 6422103042635 | 16 | 0.41 | 0.39 | 306 |
| 1055 | DLT01NW MBK   | XDRILL TRIM. REC. FITTING 1x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18" MBK (5.1.2)         | 176.01 lb. | pc | Included | 6422103042703 | 12 | 0.65 | 0.63 | 307 |
| 1056 | DLT01NW MWH   | XDRILL TRIM. REC. FITTING 1x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18" MWH (5.1.2)         | 176.01 lb. | pc | Included | 6422103042680 | 12 | 0.65 | 0.63 | 307 |
| 1057 | DLT01UWW MBK  | XDRILL TRIM. REC. FITTING 1x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18" MBK (5.1.2)         | 176.01 lb. | pc | Included | 6422103050050 | 12 | 0.65 | 0.63 | 307 |
| 1058 | DLT01UWW MWH  | XDRILL TRIM. REC. FITTING 1x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18" MWH (5.1.2)         | 176.01 lb. | pc | Included | 6422103050043 | 12 | 0.65 | 0.63 | 307 |
| 1059 | DLT01WW MBK   | XDRILL TRIM. REC. FITTING 1x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18" MBK (5.1.2)         | 176.01 lb. | pc | Included | 6422103042697 | 12 | 0.65 | 0.63 | 307 |
| 1060 | DLT01WW MWH   | XDRILL TRIM. REC. FITTING 1x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18" MWH (5.1.2)         | 176.01 lb. | pc | Included | 6422103042673 | 12 | 0.65 | 0.63 | 307 |
| 1061 | DLT02NW MBK   | XDRILL TRIM. REC. FITTING 2x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18" MBK (5.1.2)         | 314.41 lb. | pc | Included | 6422103042741 | 12 | 0.81 | 0.78 | 307 |
| 1062 | DLT02NW MWH   | XDRILL TRIM. REC. FITTING 2x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18" MWH (5.1.2)         | 314.41 lb. | pc | Included | 6422103042727 | 12 | 0.81 | 0.78 | 307 |
| 1063 | DLT02UWW MBK  | XDRILL TRIM. REC. FITTING 2x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18" MBK (5.1.2)         | 314.41 lb. | pc | Included | 6422103050074 | 12 | 0.81 | 0.78 | 307 |
| 1064 | DLT02UWW MWH  | XDRILL TRIM. REC. FITTING 2x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18" MWH (5.1.2)         | 314.41 lb. | pc | Included | 6422103050067 | 12 | 0.81 | 0.78 | 307 |
| 1065 | DLT02WW MBK   | XDRILL TRIM. REC. FITTING 2x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18" MBK (5.1.2)         | 314.41 lb. | pc | Included | 6422103042734 | 12 | 0.81 | 0.78 | 307 |
| 1066 | DLT02WW MWH   | XDRILL TRIM. REC. FITTING 2x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18" MWH (5.1.2)         | 314.41 lb. | pc | Included | 6422103042710 | 12 | 0.81 | 0.78 | 307 |
| 1067 | DLT03NW MBK   | XDRILL TRIM. REC. FITTING 3x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18" MBK (5.1.2)         | 446.09 lb. | pc | Included | 6422103042789 | 8  | 1.05 | 1.01 | 307 |
| 1068 | DLT03NW MWH   | XDRILL TRIM. REC. FITTING 3x9W 220-240V AC 4000K CRI.90 IP20 UGR<10 18" MWH (5.1.2)         | 446.09 lb. | pc | Included | 6422103042765 | 8  | 1.05 | 1.01 | 307 |
| 1069 | DLT03UWW MBK  | XDRILL TRIM. REC. FITTING 3x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18" MBK (5.1.2)         | 446.09 lb. | pc | Included | 6422103050098 | 8  | 1.05 | 1.01 | 307 |
| 1070 | DLT03UWW MWH  | XDRILL TRIM. REC. FITTING 3x9W 220-240V AC 2700K CRI.90 IP20 UGR<10 18" MWH (5.1.2)         | 446.09 lb. | pc | Included | 6422103050081 | 8  | 1.05 | 1.01 | 307 |
| 1071 | DLT03WW MBK   | XDRILL TRIM. REC. FITTING 3x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18" MBK (5.1.2)         | 446.09 lb. | pc | Included | 6422103042772 | 8  | 1.05 | 1.01 | 307 |
| 1072 | DLT03WW MWH   | XDRILL TRIM. REC. FITTING 3x9W 220-240V AC 3000K CRI.90 IP20 UGR<10 18" MWH (5.1.2)         | 446.09 lb. | pc | Included | 6422103042758 | 8  | 1.05 | 1.01 | 307 |
| 1073 | DLT04NW MBK   | XDRILL TRIM. REC. FITTING 1x9W CENTRAL 220-240V AC 4000K CRI.90 IP20 UGR<10 18" MBK (5.1.2) | 161.63 lb. | pc | Included | 6422103042826 | 16 | 0.46 | 0.44 | 307 |
| 1074 | DLT04NW MWH   | XDRILL TRIM. REC. FITTING 1x9W CENTRAL 220-240V AC 4000K CRI.90 IP20 UGR<10 18" MWH (5.1.2) | 161.63 lb. | pc | Included | 6422103042802 | 16 | 0.46 | 0.44 | 307 |
| 1075 | DLT04UWW MBK  | XDRILL TRIM. REC. FITTING 1x9W CENTRAL 220-240V AC 2700K CRI.90 IP20 UGR<10 18" MBK (5.1.2) | 161.63 lb. | pc | Included | 6422103050111 | 16 | 0.46 | 0.44 | 307 |
| 1076 | DLT04UWW MWH  | XDRILL TRIM. REC. FITTING 1x9W CENTRAL 220-240V AC 2700K CRI.90 IP20 UGR<10 18" MWH (5.1.2) | 161.63 lb. | pc | Included | 6422103050104 | 16 | 0.46 | 0.44 | 307 |
| 1077 | DLT04WW MBK   | XDRILL TRIM. REC. FITTING 1x9W CENTRAL 220-240V AC 3000K CRI.90 IP20 UGR<10 18" MBK (5.1.2) | 161.63 lb. | pc | Included | 6422103042819 | 16 | 0.46 | 0.44 | 307 |
| 1078 | DLT04WW MWH   | XDRILL TRIM. REC. FITTING 1x9W CENTRAL 220-240V AC 3000K CRI.90 IP20 UGR<10 18" MWH (5.1.2) | 161.63 lb. | pc | Included | 6422103042796 | 16 | 0.46 | 0.44 | 307 |
| 1079 | VT01WW MBK    | XVECTOR TRIM. REC. ADJ. PROJECTOR 9W 220-240V AC 3000K CRI.90 L=250 mm IP20 18" MBK (5.1.2) | 378.69 lb. | pc | Included | 6422103038737 | 18 | 0.57 | 0.55 | 309 |
| 1080 | VT01WW MWH    | XVECTOR TRIM. REC. ADJ. PROJECTOR 9W 220-240V AC 3000K CRI.90 L=250 mm IP20 18" MWH (5.1.2) | 378.69 lb. | pc | Included | 6422103038720 | 18 | 0.57 | 0.55 | 309 |
| 1081 | VT02WW MBK    | XVECTOR TRIM. REC. ADJ. PROJECTOR 9W 220-240V AC 3000K CRI.90 L=450 mm IP20 18" MBK (5.1.2) | 400.06 lb. | pc | Included | 6422103038751 | 16 | 0.64 | 0.62 | 309 |
| 1082 | VT02WW MWH    | XVECTOR TRIM. REC. ADJ. PROJECTOR 9W 220-240V AC 3000K CRI.90 L=450 mm IP20 18" MWH (5.1.2) | 400.06 lb. | pc | Included | 6422103038744 | 16 | 0.64 | 0.62 | 309 |
| 1083 | VT03UWW MBK   | XVECTOR REC. ADJ. PROJECTOR 9W 220-240V AC 2700K CRI.90 L=250 mm IP20 30" MBK (5.1.2)       | 245.18 lb. | pc | Included | 6422103050234 | 18 | 0.55 | 0.53 | 309 |
| 1084 | VT03UWW MWH   | XVECTOR REC. ADJ. PROJECTOR 9W 220-240V AC 2700K CRI.90 L=250 mm IP20 30" MWH (5.1.2)       | 245.18 lb. | pc | Included | 6422103050227 | 18 | 0.55 | 0.53 | 309 |
| 1085 | VT03WW MBK    | XVECTOR REC. ADJ. PROJECTOR 9W 220-240V AC 3000K CRI.90 L=250 mm IP20 30" MBK (5.1.2)       | 245.18 lb. | pc | Included | 6422103045513 | 18 | 0.55 | 0.53 | 309 |

|      |               |   |            |    |          |               |     |      |      |     |
|------|---------------|---|------------|----|----------|---------------|-----|------|------|-----|
| 1086 | VT03WW MWH    | XVECTOR REC. ADJ. PROJECTOR 9W 220-240V AC 3000K CRI.90 L=250 mm IP20 30° MWH (5.1.2)     | 245.18 lb. | pc | Included | 6422103045506 | 18  | 0.55 | 0.53 | 309 |
| 1087 | VT04UWW MBK   | XVECTOR REC. ADJ. PROJECTOR 9W 220-240V AC 2700K CRI.90 L=450 mm IP20 30° MBK (5.1.2)     | 278.17 lb. | pc | Included | 6422103050258 | 16  | 0.62 | 0.60 | 309 |
| 1088 | VT04UWW MWH   | XVECTOR REC. ADJ. PROJECTOR 9W 220-240V AC 2700K CRI.90 L=450 mm IP20 30° MWH (5.1.2)     | 278.17 lb. | pc | Included | 6422103050241 | 16  | 0.62 | 0.60 | 309 |
| 1089 | VT04WW MBK    | XVECTOR REC. ADJ. PROJECTOR 9W 220-240V AC 3000K CRI.90 L=450 mm IP20 30° MBK (5.1.2)     | 278.17 lb. | pc | Included | 6422103045537 | 16  | 0.62 | 0.60 | 309 |
| 1090 | VT04WW MWH    | XVECTOR REC. ADJ. PROJECTOR 9W 220-240V AC 3000K CRI.90 L=450 mm IP20 30° MWH (5.1.2)     | 278.17 lb. | pc | Included | 6422103045520 | 16  | 0.62 | 0.60 | 309 |
| 1091 | CU01NW36 BK   | XCLUB REC. SPOT 1x7/10W 350/500mA 2-20V DC 4000K CRI.80 IP20 UGR<19 36° MBK (5.1.2)       | 137.30 lb. | pc | Excluded | 6422103016216 | 60  | 0.14 | 0.13 | 312 |
| 1092 | CU01NW36 GD   | XCLUB REC. SPOT 1x7/10W 350/500mA 2-20V DC 4000K CRI.80 IP20 UGR<19 36° GD (5.1.2)        | 137.30 lb. | pc | Excluded | 6422103017695 | 60  | 0.14 | 0.13 | 312 |
| 1093 | CU01NW36 MWH  | XCLUB REC. SPOT 1x7/10W 350/500mA 2-20V DC 4000K CRI.80 IP20 UGR<19 36° MWH (5.1.2)       | 137.30 lb. | pc | Excluded | 6422103016193 | 60  | 0.14 | 0.13 | 312 |
| 1094 | CU01UWW36 BK  | XCLUB REC. SPOT 1x7/10W 350/500mA 2-20V DC 2700K CRI.90 IP20 UGR<19 36° MBK (5.1.2)       | 137.30 lb. | pc | Excluded | 6422103048668 | 60  | 0.14 | 0.13 | 312 |
| 1095 | CU01UWW36 GD  | XCLUB REC. SPOT 1x7/10W 350/500mA 2-20V DC 2700K CRI.90 IP20 UGR<19 36° GD (5.1.2)        | 137.30 lb. | pc | Excluded | 6422103048675 | 60  | 0.14 | 0.13 | 312 |
| 1096 | CU01UWW36 MWH | XCLUB REC. SPOT 1x7/10W 350/500mA 2-20V DC 2700K CRI.90 IP20 UGR<19 36° MWH (5.1.2)       | 137.30 lb. | pc | Excluded | 6422103048682 | 60  | 0.14 | 0.13 | 312 |
| 1097 | CU01WW36 BK   | XCLUB REC. SPOT 1x7/10W 350/500mA 2-20V DC 3000K CRI.90 IP20 UGR<19 36° MBK (5.1.2)       | 137.30 lb. | pc | Excluded | 6422103016209 | 60  | 0.14 | 0.13 | 312 |
| 1098 | CU01WW36 GD   | XCLUB REC. SPOT 1x7/10W 350/500mA 2-20V DC 3000K CRI.90 IP20 UGR<19 36° GD (5.1.2)        | 137.30 lb. | pc | Excluded | 6422103017688 | 60  | 0.14 | 0.13 | 312 |
| 1099 | CU01WW36 MWH  | XCLUB REC. SPOT 1x7/10W 350/500mA 2-20V DC 3000K CRI.90 IP20 UGR<19 36° MWH (5.1.2)       | 137.30 lb. | pc | Excluded | 6422103016186 | 60  | 0.14 | 0.13 | 312 |
| 1100 | CUS1 BK       | XCLUB FRAME for 1 LED module for CU01 BK  | 28.83 lb.  | pc |          | 6422103016254 |     | 0.02 | 0.01 | 312 |
| 1101 | CUS1 MWH      | XCLUB FRAME for 1 LED module for CU01 MWH   | 28.83 lb.  | pc |          | 6422103016223 |     | 0.02 | 0.01 | 312 |
| 1102 | CUS2 BK       | XCLUB FRAME for 2 LED module for CU01 BK  | 42.56 lb.  | pc |          | 6422103016261 |     | 0.03 | 0.02 | 312 |
| 1103 | CUS2 MWH      | XCLUB FRAME for 2 LED module for CU01 MWH   | 42.56 lb.  | pc |          | 6422103017749 |     | 0.03 | 0.02 | 312 |
| 1104 | CUS3 BK       | XCLUB FRAME for 3 LED module for CU01 BK  | 57.67 lb.  | pc |          | 6422103016278 |     | 0.05 | 0.04 | 312 |
| 1105 | CUS3 MWH      | XCLUB FRAME for 3 LED module for CU01 MWH   | 57.67 lb.  | pc |          | 6422103016247 |     | 0.05 | 0.04 | 312 |
| 1106 | CU02NW50 BK   | XCLUB REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 4000K CRI.80 IP20 UGR<19 50° MBK (5.1.2)   | 205.27 lb. | pc | Excluded | 6422103016315 | 18  | 0.27 | 0.26 | 313 |
| 1107 | CU02NW50 GD   | XCLUB REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 4000K CRI.80 IP20 UGR<19 50° GD (5.1.2)    | 205.27 lb. | pc | Excluded | 6422103017718 | 18  | 0.27 | 0.26 | 313 |
| 1108 | CU02NW50 MWH  | XCLUB REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 4000K CRI.80 IP20 UGR<19 50° MWH (5.1.2)   | 205.27 lb. | pc | Excluded | 6422103016292 | 18  | 0.27 | 0.26 | 313 |
| 1109 | CU02UWW50 BK  | XCLUB REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 2700K CRI.90 IP20 UGR<19 50° MBK (5.1.2)   | 205.27 lb. | pc | Excluded | 6422103048699 | 18  | 0.27 | 0.26 | 313 |
| 1110 | CU02UWW50 GD  | XCLUB REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 2700K CRI.90 IP20 UGR<19 50° GD (5.1.2)    | 205.27 lb. | pc | Excluded | 6422103048705 | 18  | 0.27 | 0.26 | 313 |
| 1111 | CU02UWW50 MWH | XCLUB REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 2700K CRI.90 IP20 UGR<19 50° MWH (5.1.2)   | 205.27 lb. | pc | Excluded | 6422103048712 | 18  | 0.27 | 0.26 | 313 |
| 1112 | CU02WW50 BK   | XCLUB REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 3000K CRI.90 IP20 UGR<19 50° MBK (5.1.2)   | 205.27 lb. | pc | Excluded | 6422103016308 | 18  | 0.27 | 0.26 | 313 |
| 1113 | CU02WW50 GD   | XCLUB REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 3000K CRI.90 IP20 UGR<19 50° GD (5.1.2)    | 205.27 lb. | pc | Excluded | 6422103017701 | 18  | 0.27 | 0.26 | 313 |
| 1114 | CU02WW50 MWH  | XCLUB REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 3000K CRI.90 IP20 UGR<19 50° MWH (5.1.2)   | 205.27 lb. | pc | Excluded | 6422103016285 | 18  | 0.27 | 0.26 | 313 |
| 1115 | CUM1 BK       | XCLUB FRAME for 1 LED module for CU02 BK  | 28.83 lb.  | pc |          | 6422103016353 |     | 0.06 | 0.05 | 313 |
| 1116 | CUM1 MWH      | XCLUB FRAME for 1 LED module for CU02 MWH   | 28.83 lb.  | pc |          | 6422103016322 |     | 0.06 | 0.05 | 313 |
| 1117 | CUM2 BK       | XCLUB FRAME for 2 LED module for CU02 BK  | 42.56 lb.  | pc |          | 6422103016360 |     | 0.11 | 0.10 | 313 |
| 1118 | CUM2 MWH      | XCLUB FRAME for 2 LED module for CU02 MWH   | 42.56 lb.  | pc |          | 6422103016339 |     | 0.11 | 0.10 | 313 |
| 1119 | CUM3 BK       | XCLUB FRAME for 3 LED module for CU02 BK  | 57.67 lb.  | pc |          | 6422103016377 |     | 0.14 | 0.13 | 313 |
| 1120 | CUM3 MWH      | XCLUB FRAME for 3 LED module for CU02 MWH   | 57.67 lb.  | pc |          | 6422103016346 |     | 0.14 | 0.13 | 313 |
| 1121 | DM01NW50 BK   | XDOMINO REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 4000K CRI.80 IP20 UGR<19 50° MBK (5.1.2) | 195.61 lb. | pc | Excluded | 6422103015677 | 36  | 0.27 | 0.26 | 316 |
| 1122 | DM01NW50 GD   | XDOMINO REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 4000K CRI.80 IP20 UGR<19 50° GD (5.1.2)  | 195.61 lb. | pc | Excluded | 6422103017732 | 36  | 0.27 | 0.26 | 316 |
| 1123 | DM01NW50 MWH  | XDOMINO REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 4000K CRI.80 IP20 UGR<19 50° MWH (5.1.2) | 195.61 lb. | pc | Excluded | 6422103015653 | 36  | 0.27 | 0.26 | 316 |
| 1124 | DM01UWW50 BK  | XDOMINO REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 2700K CRI.90 IP20 UGR<19 50° MBK (5.1.2) | 195.61 lb. | pc | Excluded | 6422103050272 | 36  | 0.27 | 0.26 | 316 |
| 1125 | DM01UWW50 GD  | XDOMINO REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 2700K CRI.90 IP20 UGR<19 50° GD (5.1.2)  | 195.61 lb. | pc | Excluded | 6422103048613 | 36  | 0.27 | 0.26 | 316 |
| 1126 | DM01UWW50 MWH | XDOMINO REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 2700K CRI.90 IP20 UGR<19 50° MWH (5.1.2) | 195.61 lb. | pc | Excluded | 6422103048620 | 36  | 0.27 | 0.26 | 316 |
| 1127 | DM01WW50 BK   | XDOMINO REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 3000K CRI.90 IP20 UGR<19 50° MBK (5.1.2) | 195.61 lb. | pc | Excluded | 6422103015660 | 36  | 0.27 | 0.26 | 316 |
| 1128 | DM01WW50 GD   | XDOMINO REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 3000K CRI.90 IP20 UGR<19 50° GD (5.1.2)  | 195.61 lb. | pc | Excluded | 6422103017725 | 36  | 0.27 | 0.26 | 316 |
| 1129 | DM01WW50 MWH  | XDOMINO REC. SPOT 1x11/15W 500/700mA 2-22/24V DC 3000K CRI.90 IP20 UGR<19 50° MWH (5.1.2) | 195.61 lb. | pc | Excluded | 6422103015646 | 36  | 0.27 | 0.26 | 316 |
| 1130 | DMM1 BK       | XDOMINO FRAME for 1 LED module for DM01 BK  | 26.28 lb.  | pc |          | 6422103015714 |     | 0.03 | 0.02 | 316 |
| 1131 | DMM1 MWH      | XDOMINO FRAME for 1 LED module for DM01 MWH   | 26.28 lb.  | pc |          | 6422103015684 |     | 0.03 | 0.02 | 316 |
| 1132 | DMM2 BK       | XDOMINO FRAME for 2 LED module for DM01 BK  | 42.56 lb.  | pc |          | 6422103015721 |     | 0.05 | 0.04 | 316 |
| 1133 | DMM2 MWH      | XDOMINO FRAME for 2 LED module for DM01 MWH   | 42.56 lb.  | pc |          | 6422103015691 |     | 0.05 | 0.04 | 316 |
| 1134 | DMM3 BK       | XDOMINO FRAME for 3 LED module for DM01 BK  | 65.22 lb.  | pc |          | 6422103015738 |     | 0.08 | 0.07 | 316 |
| 1135 | DMM3 MWH      | XDOMINO FRAME for 3 LED module for DM01 MWH   | 65.22 lb.  | pc |          | 6422103015707 |     | 0.08 | 0.07 | 316 |
| 1136 | DM02NW36 BK   | XDOMINO REC. SPOT 1x6,2/8,9W 350/500mA 2-20V DC 4000K CRI.90 IP20 UGR<19 36° MBK (5.1.2)  | 130.44 lb. | pc | Excluded | 6422103030373 | 100 | 0.15 | 0.14 | 317 |
| 1137 | DM02NW36 GD   | XDOMINO REC. SPOT 1x6,2/8,9W 350/500mA 2-20V DC 4000K CRI.90 IP20 UGR<19 36° GD (5.1.2)   | 130.44 lb. | pc | Excluded | 6422103030380 | 100 | 0.15 | 0.14 | 317 |
| 1138 | DM02NW36 MWH  | XDOMINO REC. SPOT 1x6,2/8,9W 350/500mA 2-20V DC 4000K CRI.90 IP20 UGR<19 36° MWH (5.1.2)  | 130.44 lb. | pc | Excluded | 6422103030366 | 100 | 0.15 | 0.14 | 317 |
| 1139 | DM02UWW36 BK  | XDOMINO REC. SPOT 1x6,2/8,9W 350/500mA 2-20V DC 2700K CRI.90 IP20 UGR<19 36° MBK (5.1.2)  | 130.44 lb. | pc | Excluded | 6422103048637 | 100 | 0.15 | 0.14 | 317 |
| 1140 | DM02UWW36 GD  | XDOMINO REC. SPOT 1x6,2/8,9W 350/500mA 2-20V DC 2700K CRI.90 IP20 UGR<19 36° GD (5.1.2)   | 130.44 lb. | pc | Excluded | 6422103048644 | 100 | 0.15 | 0.14 | 317 |
| 1141 | DM02UWW36 MWH | XDOMINO REC. SPOT 1x6,2/8,9W 350/500mA 2-20V DC 2700K CRI.90 IP20 UGR<19 36° MWH (5.1.2)  | 130.44 lb. | pc | Excluded | 6422103048651 | 100 | 0.15 | 0.14 | 317 |
| 1142 | DM02WW36 BK   | XDOMINO REC. SPOT 1x6,2/8,9W 350/500mA 2-20V DC 3000K CRI.90 IP20 UGR<19 36° MBK (5.1.2)  | 130.44 lb. | pc | Excluded | 6422103029810 | 100 | 0.15 | 0.14 | 317 |
| 1143 | DM02WW36 GD   | XDOMINO REC. SPOT 1x6,2/8,9W 350/500mA 2-20V DC 3000K CRI.90 IP20 UGR<19 36° GD (5.1.2)   | 130.44 lb. | pc | Excluded | 6422103029827 | 100 | 0.15 | 0.14 | 317 |
| 1144 | DM02WW36 MWH  | XDOMINO REC. SPOT 1x6,2/8,9W 350/500mA 2-20V DC 3000K CRI.90 IP20 UGR<19 36° MWH (5.1.2)  | 130.44 lb. | pc | Excluded | 6422103029803 | 100 | 0.15 | 0.14 | 317 |
| 1145 | DMS1 BK       | XDOMINO FRAME for 1 LED module for DM02 BK  | 31.58 lb.  | pc |          | 6422103029841 |     | 0.01 | 0.01 | 317 |
| 1146 | DMS1 MWH      | XDOMINO FRAME for 1 LED module for DM02 MWH   | 31.58 lb.  | pc |          | 6422103029834 |     | 0.01 | 0.01 | 317 |

|      |                 |  |            |    |          |               |    |      |      |     |
|------|-----------------|--|------------|----|----------|---------------|----|------|------|-----|
| 1147 | DMS2 BK         | XDOMINO FRAME for 2 LED module for DM02 BK   | 48.06 лв.  | pc |          | 6422103029865 |    | 0.02 | 0.01 | 317 |
| 1148 | DMS2 MWH        | XDOMINO FRAME for 2 LED module for DM02 MWH  | 48.06 лв.  | pc |          | 6422103029858 |    | 0.02 | 0.01 | 317 |
| 1149 | DMS3 BK         | XDOMINO FRAME for 3 LED module for DM02 BK   | 63.85 лв.  | pc |          | 6422103029889 |    | 0.04 | 0.03 | 317 |
| 1150 | DMS3 MWH        | XDOMINO FRAME for 3 LED module for DM02 MWH  | 63.85 лв.  | pc |          | 6422103029872 |    | 0.04 | 0.03 | 317 |
| 1151 | AGR01NW MBK/BK  | XARGO REC. ADJ. RND. FITTING 1x10W 220-240V AC 4000K CRI.90 IP20 UGR<16 38° MBK/BK (5.1.2) | 149.42 лв. | pc | Included | 6422103042864 | 40 | 0.39 | 0.37 | 319 |
| 1152 | AGR01NW MWH/BK  | XARGO REC. ADJ. RND. FITTING 1x10W 220-240V AC 4000K CRI.90 IP20 UGR<16 38° MWH/BK (5.1.2) | 149.42 лв. | pc | Included | 6422103042840 | 40 | 0.39 | 0.37 | 319 |
| 1153 | AGR01UWW MBK/BK | XARGO REC. ADJ. RND. FITTING 1x10W 220-240V AC 2700K CRI.90 IP20 UGR<16 38° MBK/BK (5.1.2) | 149.42 лв. | pc | Included | 6422103050135 | 40 | 0.39 | 0.37 | 319 |
| 1154 | AGR01UWW MWH/BK | XARGO REC. ADJ. RND. FITTING 1x10W 220-240V AC 2700K CRI.90 IP20 UGR<16 38° MWH/BK (5.1.2) | 149.42 лв. | pc | Included | 6422103050128 | 40 | 0.39 | 0.37 | 319 |
| 1155 | AGR01WW MBK/BK  | XARGO REC. ADJ. RND. FITTING 1x10W 220-240V AC 3000K CRI.90 IP20 UGR<16 38° MBK/BK (5.1.2) | 149.42 лв. | pc | Included | 6422103042857 | 40 | 0.39 | 0.37 | 319 |
| 1156 | AGR01WW MWH/BK  | XARGO REC. ADJ. RND. FITTING 1x10W 220-240V AC 3000K CRI.90 IP20 UGR<16 38° MWH/BK (5.1.2) | 149.42 лв. | pc | Included | 6422103042833 | 40 | 0.39 | 0.37 | 319 |
| 1157 | AGR02NW MBK/BK  | XARGO REC. ADJ. SQ. FITTING 1x10W 220-240V AC 4000K CRI.90 IP20 UGR<16 38° MBK/BK (5.1.2)  | 160.81 лв. | pc | Included | 6422103042932 | 40 | 0.40 | 0.38 | 319 |
| 1158 | AGR02NW MWH/BK  | XARGO REC. ADJ. SQ. FITTING 1x10W 220-240V AC 4000K CRI.90 IP20 UGR<16 38° MWH/BK (5.1.2)  | 160.81 лв. | pc | Included | 6422103042901 | 40 | 0.40 | 0.38 | 319 |
| 1159 | AGR02UWW MBK/BK | XARGO REC. ADJ. SQ. FITTING 1x10W 220-240V AC 2700K CRI.90 IP20 UGR<16 38° MBK/BK (5.1.2)  | 160.81 лв. | pc | Included | 6422103050159 | 40 | 0.40 | 0.38 | 319 |
| 1160 | AGR02UWW MWH/BK | XARGO REC. ADJ. SQ. FITTING 1x10W 220-240V AC 2700K CRI.90 IP20 UGR<16 38° MWH/BK (5.1.2)  | 160.81 лв. | pc | Included | 6422103050142 | 40 | 0.40 | 0.38 | 319 |
| 1161 | AGR02WW MBK/BK  | XARGO REC. ADJ. SQ. FITTING 1x10W 220-240V AC 3000K CRI.90 IP20 UGR<16 38° MBK/BK (5.1.2)  | 160.81 лв. | pc | Included | 6422103042925 | 40 | 0.40 | 0.38 | 319 |
| 1162 | AGR02WW MWH/BK  | XARGO REC. ADJ. SQ. FITTING 1x10W 220-240V AC 3000K CRI.90 IP20 UGR<16 38° MWH/BK (5.1.2)  | 160.81 лв. | pc | Included | 6422103042895 | 40 | 0.40 | 0.38 | 319 |
| 1163 | AGR03NW MBK/BK  | XARGO REC. ADJ. FITTING 2x10W 220-240V AC 4000K CRI.90 IP20 UGR<16 38° MBK/BK (5.1.2)      | 283.19 лв. | pc | Included | 6422103043014 | 20 | 0.69 | 0.66 | 319 |
| 1164 | AGR03NW MWH/BK  | XARGO REC. ADJ. FITTING 2x10W 220-240V AC 4000K CRI.90 IP20 UGR<16 38° MWH/BK (5.1.2)      | 283.19 лв. | pc | Included | 6422103042970 | 20 | 0.69 | 0.66 | 319 |
| 1165 | AGR03UWW MBK/BK | XARGO REC. ADJ. FITTING 2x10W 220-240V AC 2700K CRI.90 IP20 UGR<16 38° MBK/BK (5.1.2)      | 283.19 лв. | pc | Included | 6422103050173 | 20 | 0.69 | 0.66 | 319 |
| 1166 | AGR03UWW MWH/BK | XARGO REC. ADJ. FITTING 2x10W 220-240V AC 2700K CRI.90 IP20 UGR<16 38° MWH/BK (5.1.2)      | 283.19 лв. | pc | Included | 6422103050166 | 20 | 0.69 | 0.66 | 319 |
| 1167 | AGR03WW MBK/BK  | XARGO REC. ADJ. FITTING 2x10W 220-240V AC 3000K CRI.90 IP20 UGR<16 38° MBK/BK (5.1.2)      | 283.19 лв. | pc | Included | 6422103042994 | 20 | 0.69 | 0.66 | 319 |
| 1168 | AGR03WW MWH/BK  | XARGO REC. ADJ. FITTING 2x10W 220-240V AC 3000K CRI.90 IP20 UGR<16 38° MWH/BK (5.1.2)      | 283.19 лв. | pc | Included | 6422103042956 | 20 | 0.69 | 0.66 | 319 |
| 1169 | DP01NW MBK      | XDEEP REC. FITTING 1x10,5W 220-240V AC 4000K CRI.90 IP20 UGR<19 36° MBK (5.1.2)            | 186.47 лв. | pc | Included | 6422103038799 | 20 | 0.40 | 0.38 | 321 |
| 1170 | DP01NW MWH      | XDEEP REC. FITTING 1x10,5W 220-240V AC 4000K CRI.90 IP20 UGR<19 36° MWH (5.1.2)            | 186.47 лв. | pc | Included | 6422103038782 | 20 | 0.40 | 0.38 | 321 |
| 1171 | DP01UWW MBK     | XDEEP REC. FITTING 1x10,5W 220-240V AC 2700K CRI.90 IP20 UGR<19 36° MBK (5.1.2)            | 186.47 лв. | pc | Included | 6422103058827 | 20 | 0.55 | 0.53 | 321 |
| 1172 | DP01UWW MWH     | XDEEP REC. FITTING 1x10,5W 220-240V AC 2700K CRI.90 IP20 UGR<19 36° MWH (5.1.2)            | 186.47 лв. | pc | Included | 6422103050265 | 20 | 0.55 | 0.53 | 321 |
| 1173 | DP01WW MBK      | XDEEP REC. FITTING 1x10,5W 220-240V AC 3000K CRI.90 IP20 UGR<19 36° MBK (5.1.2)            | 186.47 лв. | pc | Included | 6422103038775 | 20 | 0.40 | 0.38 | 321 |
| 1174 | DP01WW MWH      | XDEEP REC. FITTING 1x10,5W 220-240V AC 3000K CRI.90 IP20 UGR<19 36° MWH (5.1.2)            | 186.47 лв. | pc | Included | 6422103038768 | 20 | 0.40 | 0.38 | 321 |
| 1175 | WK01NW SBK      | XWOK REC. ADJ. DOWNLIGHT 1x12W 220-240V AC 4000K CRI.90 IP20 UGR<16 38° SBK (5.1.2)        | 156.34 лв. | pc | Included | 6422103050470 | 48 | 0.39 | 0.37 | 323 |
| 1176 | WK01NW SWH      | XWOK REC. ADJ. DOWNLIGHT 1x12W 220-240V AC 4000K CRI.90 IP20 UGR<16 38° SWH (5.1.2)        | 156.34 лв. | pc | Included | 6422103050463 | 48 | 0.39 | 0.37 | 323 |
| 1177 | WK01REF15       | XWOK OPTICAL SYSTEM 15° for WK01   | 13.53 лв.  | pc |          | 6422103050487 |    | 0.01 | 0.01 | 323 |
| 1178 | WK01REF60       | XWOK OPTICAL SYSTEM 60° for WK01   | 13.53 лв.  | pc |          | 6422103050494 |    | 0.01 | 0.01 | 323 |
| 1179 | WK01WW SBK      | XWOK REC. ADJ. DOWNLIGHT 1x12W 220-240V AC 3000K CRI.90 IP20 UGR<16 38° SBK (5.1.2)        | 156.34 лв. | pc | Included | 6422103050456 | 48 | 0.39 | 0.37 | 323 |
| 1180 | WK01WW SWH      | XWOK REC. ADJ. DOWNLIGHT 1x12W 220-240V AC 3000K CRI.90 IP20 UGR<16 38° SWH (5.1.2)        | 156.34 лв. | pc | Included | 6422103050449 | 48 | 0.39 | 0.37 | 323 |
| 1181 | XK01LN18        | XPIKO LENS 18grd for PK01  | 5.14 лв.   | pc | Included | 6422103073233 |    | 0.01 | 0.01 | 326 |
| 1182 | XK01UWW SBK/BK  | XPIKO RECESSED FIX DOWNLIGHT 5W 2700K SBK/BK (5.1.2)                                       | 152.64 лв. | pc | Included | 6422103073196 | 40 | 0.12 | 0.11 | 326 |
| 1183 | XK01UWW SBK/GD  | XPIKO RECESSED FIX DOWNLIGHT 5W 2700K SBK/GD (5.1.2)                                       | 152.64 лв. | pc | Included | 6422103073219 | 40 | 0.12 | 0.11 | 326 |
| 1184 | XK01UWW SWH/BK  | XPIKO RECESSED FIX DOWNLIGHT 5W 2700K SWH/BK (5.1.2)                                       | 152.64 лв. | pc | Included | 6422103073158 | 40 | 0.12 | 0.11 | 326 |
| 1185 | XK01UWW SWH/GD  | XPIKO RECESSED FIX DOWNLIGHT 5W 2700K SWH/GD (5.1.2)                                       | 152.64 лв. | pc | Included | 6422103073172 | 40 | 0.12 | 0.11 | 326 |
| 1186 | XK01UWW SWH/WH  | XPIKO RECESSED FIX DOWNLIGHT 5W 2700K SWH/WH (5.1.2)                                       | 152.64 лв. | pc | Included | 6422103073134 | 40 | 0.12 | 0.11 | 326 |
| 1187 | XK01WW SBK/BK   | XPIKO RECESSED FIX DOWNLIGHT 5W 3000K SBK/BK (5.1.2)                                       | 152.64 лв. | pc | Included | 6422103073202 | 40 | 0.12 | 0.11 | 326 |
| 1188 | XK01WW SBK/GD   | XPIKO RECESSED FIX DOWNLIGHT 5W 3000K SBK/GD (5.1.2)                                       | 152.64 лв. | pc | Included | 6422103073226 | 40 | 0.12 | 0.11 | 326 |
| 1189 | XK01WW SWH/BK   | XPIKO RECESSED FIX DOWNLIGHT 5W 3000K SWH/BK (5.1.2)                                       | 152.64 лв. | pc | Included | 6422103073165 | 40 | 0.12 | 0.11 | 326 |
| 1190 | XK01WW SWH/GD   | XPIKO RECESSED FIX DOWNLIGHT 5W 3000K SWH/GD (5.1.2)                                       | 152.64 лв. | pc | Included | 6422103073189 | 40 | 0.12 | 0.11 | 326 |
| 1191 | XK01WW SWH/WH   | XPIKO RECESSED FIX DOWNLIGHT 5W 3000K SWH/WH (5.1.2)                                       | 152.64 лв. | pc | Included | 6422103073141 | 40 | 0.12 | 0.11 | 326 |
| 1192 | XK02LN15        | XPIKO LENS 15grd for PK02  | 5.88 лв.   | pc |          | 6422103073349 |    | 0.01 | 0.01 | 327 |
| 1193 | XK02UWW SBK/BK  | XPIKO RECESSED FIX DOWNLIGHT 8W 2700K SBK/BK (5.1.2)                                       | 232.27 лв. | pc | Included | 6422103073301 | 40 | 0.27 | 0.26 | 327 |
| 1194 | XK02UWW SBK/GD  | XPIKO RECESSED FIX DOWNLIGHT 8W 2700K SBK/GD (5.1.2)                                       | 232.27 лв. | pc | Included | 6422103073325 | 40 | 0.27 | 0.26 | 327 |
| 1195 | XK02UWW SWH/BK  | XPIKO RECESSED FIX DOWNLIGHT 8W 2700K SWH/BK (5.1.2)                                       | 232.27 лв. | pc | Included | 6422103073264 | 40 | 0.27 | 0.26 | 327 |
| 1196 | XK02UWW SWH/GD  | XPIKO RECESSED FIX DOWNLIGHT 8W 2700K SWH/GD (5.1.2)                                       | 232.27 лв. | pc | Included | 6422103073288 | 40 | 0.27 | 0.26 | 327 |
| 1197 | XK02UWW SWH/WH  | XPIKO RECESSED FIX DOWNLIGHT 8W 2700K SWH/WH (5.1.2)                                       | 232.27 лв. | pc | Included | 6422103073240 | 40 | 0.27 | 0.26 | 327 |
| 1198 | XK02WW SBK/BK   | XPIKO RECESSED FIX DOWNLIGHT 8W 3000K SBK/BK (5.1.2)                                       | 232.27 лв. | pc | Included | 6422103073318 | 40 | 0.27 | 0.26 | 327 |
| 1199 | XK02WW SBK/GD   | XPIKO RECESSED FIX DOWNLIGHT 8W 3000K SBK/GD (5.1.2)                                       | 232.27 лв. | pc | Included | 6422103073332 | 40 | 0.27 | 0.26 | 327 |
| 1200 | XK02WW SWH/BK   | XPIKO RECESSED FIX DOWNLIGHT 8W 3000K SWH/BK (5.1.2)                                       | 232.27 лв. | pc | Included | 6422103073271 | 40 | 0.27 | 0.26 | 327 |
| 1201 | XK02WW SWH/GD   | XPIKO RECESSED FIX DOWNLIGHT 8W 3000K SWH/GD (5.1.2)                                       | 232.27 лв. | pc | Included | 6422103073295 | 40 | 0.27 | 0.26 | 327 |
| 1202 | XK02WW SWH/WH   | XPIKO RECESSED FIX DOWNLIGHT 8W 3000K SWH/WH (5.1.2)                                       | 232.27 лв. | pc | Included | 6422103073257 | 40 | 0.27 | 0.26 | 327 |
| 1203 | PX01NW MBK/BK   | XPIXEL REC. DOWNLIGHT 7W 220-240V AC 4000K CRI.90 IP20 UGR<16 30° MBK/BK (5.1.2)           | 149.42 лв. | pc | Included | 6422103043168 | 50 | 0.20 | 0.19 | 329 |
| 1204 | PX01NW MWH/BK   | XPIXEL REC. DOWNLIGHT 7W 220-240V AC 4000K CRI.90 IP20 UGR<16 30° MWH/BK (5.1.2)           | 149.42 лв. | pc | Included | 6422103043069 | 50 | 0.20 | 0.19 | 329 |
| 1205 | PX01UWW MBK/BK  | XPIXEL REC. DOWNLIGHT 7W 220-240V AC 2700K CRI.90 IP20 UGR<16 30° MBK/BK (5.1.2)           | 149.42 лв. | pc | Included | 6422103050548 | 50 | 0.20 | 0.19 | 329 |
| 1206 | PX01UWW MWH/BK  | XPIXEL REC. DOWNLIGHT 7W 220-240V AC 2700K CRI.90 IP20 UGR<16 30° MWH/BK (5.1.2)           | 149.42 лв. | pc | Included | 6422103050531 | 50 | 0.20 | 0.19 | 329 |
| 1207 | PX01WW MBK/BK   | XPIXEL REC. DOWNLIGHT 7W 220-240V AC 3000K CRI.90 IP20 UGR<16 30° MBK/BK (5.1.2)           | 149.42 лв. | pc | Included | 6422103043083 | 50 | 0.20 | 0.19 | 329 |



|      |                 |   |            |    |          |               |     |      |      |     |
|------|-----------------|---|------------|----|----------|---------------|-----|------|------|-----|
| 1208 | PX01WW MWH/BK   | XPIXEL REC. DOWNLIGHT 7W 220-240V AC 3000K CRI.90 IP20 UGR<16 30° MWH/BK (5.1.2)      | 149.42 lb. | pc | Included | 6422103043045 | 50  | 0.20 | 0.19 | 329 |
| 1209 | PX02NW MBK/BK   | XPIXEL REC. ADJ. DOWNLIGHT 7W 220-240V AC 4000K CRI.90 IP20 UGR<16 30° MBK/BK (5.1.2) | 156.54 lb. | pc | Included | 6422103043243 | 50  | 0.20 | 0.19 | 329 |
| 1210 | PX02NW MWH/BK   | XPIXEL REC. ADJ. DOWNLIGHT 7W 220-240V AC 4000K CRI.90 IP20 UGR<16 30° MWH/BK (5.1.2) | 156.54 lb. | pc | Included | 6422103043212 | 50  | 0.20 | 0.19 | 329 |
| 1211 | PX02UWW MBK/BK  | XPIXEL REC. ADJ. DOWNLIGHT 7W 220-240V AC 2700K CRI.90 IP20 UGR<16 30° MBK/BK (5.1.2) | 156.54 lb. | pc | Included | 6422103050562 | 50  | 0.20 | 0.19 | 329 |
| 1212 | PX02UWW MWH/BK  | XPIXEL REC. ADJ. DOWNLIGHT 7W 220-240V AC 2700K CRI.90 IP20 UGR<16 30° MWH/BK (5.1.2) | 156.54 lb. | pc | Included | 6422103050555 | 50  | 0.20 | 0.19 | 329 |
| 1213 | PX02WW MBK/BK   | XPIXEL REC. ADJ. DOWNLIGHT 7W 220-240V AC 3000K CRI.90 IP20 UGR<16 30° MBK/BK (5.1.2) | 156.54 lb. | pc | Included | 6422103043236 | 50  | 0.20 | 0.19 | 329 |
| 1214 | PX02WW MWH/BK   | XPIXEL REC. ADJ. DOWNLIGHT 7W 220-240V AC 3000K CRI.90 IP20 UGR<16 30° MWH/BK (5.1.2) | 156.54 lb. | pc | Included | 6422103043199 | 50  | 0.20 | 0.19 | 329 |
| 1215 | KP01UWW MBK     | XKEEP REC. DOWNLIGHT 1x3W 2700K CRI.90 IP20 UGR<16 30° MBK (5.1.2)                    | 106.44 lb. | pc | Included | 6422103050586 | 100 | 0.09 | 0.08 | 331 |
| 1216 | KP01UWW MWH     | XKEEP REC. DOWNLIGHT 1x3W 2700K CRI.90 IP20 UGR<16 30° MWH (5.1.2)                    | 106.44 lb. | pc | Included | 6422103050579 | 100 | 0.09 | 0.08 | 331 |
| 1217 | KP01WW MBK      | XKEEP REC. DOWNLIGHT 1x3W 3000K CRI.90 IP20 UGR<16 30° MBK (5.1.2)                    | 106.44 lb. | pc | Included | 6422103043281 | 100 | 0.09 | 0.08 | 331 |
| 1218 | KP01WW MWH      | XKEEP REC. DOWNLIGHT 1x3W 3000K CRI.90 IP20 UGR<16 30° MWH (5.1.2)                    | 106.44 lb. | pc | Included | 6422103043250 | 100 | 0.09 | 0.08 | 331 |
| 1219 | TW01NW40 BA     | XTWIST REC. RND. SPOT 1x3W 700mA 2-4V DC 4000K CRI.80 IP40 40° BA (5.1.2)             | 44.43 lb.  | pc | Excluded | 6422103006347 | 100 | 0.05 | 0.04 | 333 |
| 1220 | TW01NW40 MWH    | XTWIST REC. RND. SPOT 1x3W 700mA 2-4V DC 4000K CRI.80 IP40 40° MWH (5.1.2)            | 44.43 lb.  | pc | Excluded | 6422103006361 | 100 | 0.05 | 0.04 | 333 |
| 1221 | TW01WW40 BA     | XTWIST REC. RND. SPOT 1x3W 700mA 2-4V DC 3000K CRI.80 IP40 40° BA (5.1.2)             | 44.43 lb.  | pc | Excluded | 6422103006330 | 100 | 0.05 | 0.04 | 333 |
| 1222 | TW01WW40 MWH    | XTWIST REC. RND. SPOT 1x3W 700mA 2-4V DC 3000K CRI.80 IP40 40° MWH (5.1.2)            | 44.43 lb.  | pc | Excluded | 6422103006354 | 100 | 0.05 | 0.04 | 333 |
| 1223 | TW02NW40 BA     | XTWIST REC. SQ. SPOT 1x3W 700mA 2-4V DC 4000K CRI.80 IP40 40° BA (5.1.2)              | 46.58 lb.  | pc | Excluded | 6422103006378 | 100 | 0.06 | 0.05 | 333 |
| 1224 | TW02NW40 MWH    | XTWIST REC. SQ. SPOT 1x3W 700mA 2-4V DC 4000K CRI.80 IP40 40° MWH (5.1.2)             | 46.58 lb.  | pc | Excluded | 6422103006521 | 100 | 0.06 | 0.05 | 333 |
| 1225 | TW02WW40 BA     | XTWIST REC. SQ. SPOT 1x3W 700mA 2-4V DC 3000K CRI.80 IP40 40° BA (5.1.2)              | 46.58 lb.  | pc | Excluded | 6422103006514 | 100 | 0.06 | 0.05 | 333 |
| 1226 | TW02WW40 MWH    | XTWIST REC. SQ. SPOT 1x3W 700mA 2-4V DC 3000K CRI.80 IP40 40° MWH (5.1.2)             | 46.58 lb.  | pc | Excluded | 6422103006385 | 100 | 0.06 | 0.05 | 333 |
| 1227 | SK01NW45 AL     | XSKY REC. RND. SPOT 1W 350mA 2-4V DC 4000K CRI.80 IP40 45° AL-AN (5.1.2)              | 56.87 lb.  | pc | Excluded | 6422103045407 | 100 | 0.03 | 0.02 | 335 |
| 1228 | SK01NW45 MBK    | XSKY REC. RND. SPOT 1W 350mA 2-4V DC 4000K CRI.80 IP40 45° MBK (5.1.2)                | 56.85 lb.  | pc | Excluded | 6422103092371 | 100 | 0.03 | 0.02 | 335 |
| 1229 | SK01NW45 MWH    | XSKY REC. RND. SPOT 1W 350mA 2-4V DC 4000K CRI.80 IP40 45° MWH (5.1.2)                | 56.87 lb.  | pc | Excluded | 6422103045391 | 100 | 0.03 | 0.02 | 335 |
| 1230 | SK01WW45 AL     | XSKY REC. RND. SPOT 1W 350mA 2-4V DC 3000K CRI.80 IP40 45° AL-AN (5.1.2)              | 56.87 lb.  | pc | Excluded | 6422103006545 | 100 | 0.03 | 0.02 | 335 |
| 1231 | SK01WW45 MBK    | XSKY REC. RND. SPOT 1W 350mA 2-4V DC 3000K CRI.80 IP40 45° MBK (5.1.2)                | 56.85 lb.  | pc | Excluded | 6422103092364 | 100 | 0.03 | 0.02 | 335 |
| 1232 | SK01WW45 MWH    | XSKY REC. RND. SPOT 1W 350mA 2-4V DC 3000K CRI.80 IP40 45° MWH (5.1.2)                | 56.87 lb.  | pc | Excluded | 6422103006453 | 100 | 0.03 | 0.02 | 335 |
| 1233 | SK02NW45 AL     | XSKY REC. SQ. SPOT 1W 350mA 2-4V DC 4000K CRI.80 IP40 45° AL-AN (5.1.2)               | 59.94 lb.  | pc | Excluded | 6422103045421 | 100 | 0.03 | 0.02 | 335 |
| 1234 | SK02NW45 MBK    | XSKY REC. SQ. SPOT 1W 350mA 2-4V DC 4000K CRI.80 IP40 45° MBK (5.1.2)                 | 59.94 lb.  | pc | Excluded | 6422103092401 | 100 | 0.03 | 0.02 | 335 |
| 1235 | SK02NW45 MWH    | XSKY REC. SQ. SPOT 1W 350mA 2-4V DC 4000K CRI.80 IP40 45° MWH (5.1.2)                 | 59.94 lb.  | pc | Excluded | 6422103045414 | 100 | 0.03 | 0.02 | 335 |
| 1236 | SK02WW45 AL     | XSKY REC. SQ. SPOT 1W 350mA 2-4V DC 3000K CRI.80 IP40 45° AL-AN (5.1.2)               | 59.94 lb.  | pc | Excluded | 6422103006422 | 100 | 0.03 | 0.02 | 335 |
| 1237 | SK02WW45 MBK    | XSKY REC. SQ. SPOT 1W 350mA 2-4V DC 3000K CRI.80 IP40 45° MBK (5.1.2)                 | 59.94 lb.  | pc | Excluded | 6422103092395 | 100 | 0.03 | 0.02 | 335 |
| 1238 | SK02WW45 MWH    | XSKY REC. SQ. SPOT 1W 350mA 2-4V DC 3000K CRI.80 IP40 45° MWH (5.1.2)                 | 59.94 lb.  | pc | Excluded | 6422103006439 | 100 | 0.03 | 0.02 | 335 |
| 1239 | MC02NW BK       | XMICRO REC. ADJ. RND. SPOT 3W 700mA 2-26V DC 4000K CRI.80 IP20 UGR<17 36° BK (5.1.2)  | 153.51 lb. | pc | Excluded | 6422103028547 | 100 | 0.11 | 0.10 | 337 |
| 1240 | MC02NW MWH      | XMICRO REC. ADJ. RND. SPOT 3W 700mA 2-26V DC 4000K CRI.80 IP20 UGR<17 36° MWH (5.1.2) | 153.51 lb. | pc | Excluded | 6422103028554 | 100 | 0.11 | 0.10 | 337 |
| 1241 | MC02UWW BK      | XMICRO REC. ADJ. RND. SPOT 3W 700mA 2-26V DC 2700K CRI.80 IP20 UGR<17 36° BK (5.1.2)  | 153.51 lb. | pc | Excluded | 6422103050517 | 100 | 0.11 | 0.10 | 337 |
| 1242 | MC02UWW MWH     | XMICRO REC. ADJ. RND. SPOT 3W 700mA 2-26V DC 2700K CRI.80 IP20 UGR<17 36° MWH (5.1.2) | 153.51 lb. | pc | Excluded | 6422103050500 | 100 | 0.11 | 0.10 | 337 |
| 1243 | MC02WW BK       | XMICRO REC. ADJ. RND. SPOT 3W 700mA 2-26V DC 3000K CRI.80 IP20 UGR<17 36° BK (5.1.2)  | 153.51 lb. | pc | Excluded | 6422103028455 | 100 | 0.11 | 0.10 | 337 |
| 1244 | MC02WW MWH      | XMICRO REC. ADJ. RND. SPOT 3W 700mA 2-26V DC 3000K CRI.80 IP20 UGR<17 36° MWH (5.1.2) | 153.51 lb. | pc | Excluded | 6422103028448 | 100 | 0.11 | 0.10 | 337 |
| 1245 | MC03NW BK       | XMICRO REC. ADJ. SQ. SPOT 3W 700mA 2-26V DC 4000K CRI.80 IP20 UGR<17 36° BK (5.1.2)   | 157.20 lb. | pc | Excluded | 6422103028530 | 100 | 0.11 | 0.10 | 337 |
| 1246 | MC03NW MWH      | XMICRO REC. ADJ. SQ. SPOT 3W 700mA 2-26V DC 4000K CRI.80 IP20 UGR<17 36° MWH (5.1.2)  | 157.20 lb. | pc | Excluded | 6422103028523 | 100 | 0.11 | 0.10 | 337 |
| 1247 | MC03UWW BK      | XMICRO REC. ADJ. SQ. SPOT 3W 700mA 2-26V DC 2700K CRI.80 IP20 UGR<17 36° BK (5.1.2)   | 157.20 lb. | pc | Excluded | 6422103056120 | 100 | 0.11 | 0.10 | 337 |
| 1248 | MC03UWW MWH     | XMICRO REC. ADJ. SQ. SPOT 3W 700mA 2-26V DC 2700K CRI.80 IP20 UGR<17 36° MWH (5.1.2)  | 157.20 lb. | pc | Excluded | 6422103050524 | 100 | 0.11 | 0.10 | 337 |
| 1249 | MC03WW BK       | XMICRO REC. ADJ. SQ. SPOT 3W 700mA 2-26V DC 3000K CRI.80 IP20 UGR<17 36° BK (5.1.2)   | 157.20 lb. | pc | Excluded | 6422103028479 | 100 | 0.11 | 0.10 | 337 |
| 1250 | MC03WW MWH      | XMICRO REC. ADJ. SQ. SPOT 3W 700mA 2-26V DC 3000K CRI.80 IP20 UGR<17 36° MWH (5.1.2)  | 157.20 lb. | pc | Excluded | 6422103028462 | 100 | 0.11 | 0.10 | 337 |
| 1251 | PTD01NW SBK/SBK | XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 6.8W 4000K SBK/SBK (5.1.2)                    | 211.31 lb. | pc | Included | 6422103071789 | 27  | 0.39 | 0.37 | 340 |
| 1252 | PTD01NW SWH/SBK | XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 6.8W 4000K SWH/SBK (5.1.2)                    | 211.31 lb. | pc | Included | 6422103071765 | 27  | 0.39 | 0.37 | 340 |
| 1253 | PTD01NW SWH/SWH | XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 6.8W 4000K SWH/SWH (5.1.2)                    | 211.31 lb. | pc | Included | 6422103071741 | 27  | 0.39 | 0.37 | 340 |
| 1254 | PTD01WW SBK/SBK | XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 6.8W 3000K SBK/SBK (5.1.2)                    | 211.31 lb. | pc | Included | 6422103071772 | 27  | 0.39 | 0.37 | 340 |
| 1255 | PTD01WW SWH/SBK | XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 6.8W 3000K SWH/SBK (5.1.2)                    | 211.31 lb. | pc | Included | 6422103071758 | 27  | 0.39 | 0.37 | 340 |
| 1256 | PTD01WW SWH/SWH | XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 6.8W 3000K SWH/SWH (5.1.2)                    | 211.31 lb. | pc | Included | 6422103071635 | 27  | 0.39 | 0.37 | 340 |
| 1257 | PTD02NW SBK/SBK | XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 6.8W 4000K SBK/SBK (5.1.2)                      | 211.31 lb. | pc | Included | 6422103071901 | 27  | 0.40 | 0.38 | 340 |
| 1258 | PTD02NW SWH/SBK | XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 6.8W 4000K SWH/SBK (5.1.2)                      | 211.31 lb. | pc | Included | 6422103071888 | 27  | 0.40 | 0.38 | 340 |
| 1259 | PTD02NW SWH/SWH | XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 6.8W 4000K SWH/SWH (5.1.2)                      | 211.31 lb. | pc | Included | 6422103071864 | 27  | 0.40 | 0.38 | 340 |
| 1260 | PTD02WW SBK/SBK | XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 6.8W 3000K SBK/SBK (5.1.2)                      | 211.31 lb. | pc | Included | 6422103071895 | 27  | 0.40 | 0.38 | 340 |
| 1261 | PTD02WW SWH/SBK | XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 6.8W 3000K SWH/SBK (5.1.2)                      | 211.31 lb. | pc | Included | 6422103071871 | 27  | 0.40 | 0.38 | 340 |
| 1262 | PTD02WW SWH/SWH | XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 6.8W 3000K SWH/SWH (5.1.2)                      | 211.31 lb. | pc | Included | 6422103071857 | 27  | 0.40 | 0.38 | 340 |
| 1263 | PTD03NW SBK/SBK | XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 12W 4000K SBK/SBK (5.1.2)                     | 255.11 lb. | pc | Included | 6422103071840 | 8   | 0.41 | 0.39 | 341 |
| 1264 | PTD03NW SWH/SBK | XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 12W 4000K SWH/SBK (5.1.2)                     | 255.11 lb. | pc | Included | 6422103071826 | 8   | 0.41 | 0.39 | 341 |
| 1265 | PTD03NW SWH/SWH | XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 12W 4000K SWH/SWH (5.1.2)                     | 255.11 lb. | pc | Included | 6422103071802 | 8   | 0.41 | 0.39 | 341 |
| 1266 | PTD03WW SBK/SBK | XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 12W 3000K SBK/SBK (5.1.2)                     | 255.11 lb. | pc | Included | 6422103071833 | 8   | 0.41 | 0.39 | 341 |
| 1267 | PTD03WW SWH/SBK | XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 12W 3000K SWH/SBK (5.1.2)                     | 255.11 lb. | pc | Included | 6422103071819 | 8   | 0.41 | 0.39 | 341 |
| 1268 | PTD03WW SWH/SWH | XPIT RND. ADJ. RECESSED RND. SPOT LIGHT 12W 3000K SWH/SWH (5.1.2)                     | 255.11 lb. | pc | Included | 6422103071796 | 8   | 0.41 | 0.39 | 341 |

|      |                 |  |            |    |          |               |     |      |      |     |
|------|-----------------|--|------------|----|----------|---------------|-----|------|------|-----|
| 1269 | PTD04NW SBK/SBK | XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 12W 4000K SBK/SBK (5.1.2)                            | 255.11 lb. | pc | Included | 6422103071963 | 8   | 0.42 | 0.40 | 341 |
| 1270 | PTD04NW SWH/SBK | XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 12W 4000K SWH/SBK (5.1.2)                            | 255.11 lb. | pc | Included | 6422103071949 | 8   | 0.42 | 0.40 | 341 |
| 1271 | PTD04NW SWH/SWH | XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 12W 4000K SWH/SWH (5.1.2)                            | 255.11 lb. | pc | Included | 6422103071925 | 8   | 0.42 | 0.40 | 341 |
| 1272 | PTD04WW SBK/SBK | XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 12W 3000K SBK/SBK (5.1.2)                            | 255.11 lb. | pc | Included | 6422103071956 | 8   | 0.42 | 0.40 | 341 |
| 1273 | PTD04WW SWH/SBK | XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 12W 3000K SWH/SBK (5.1.2)                            | 255.11 lb. | pc | Included | 6422103071932 | 8   | 0.42 | 0.40 | 341 |
| 1274 | PTD04WW SWH/SWH | XPIT SQ. ADJ. RECESSED SQ. SPOT LIGHT 12W 3000K SWH/SWH (5.1.2)                            | 255.11 lb. | pc | Included | 6422103071918 | 8   | 0.42 | 0.40 | 341 |
| 1275 | XS01NW MBK      | XSPA RECESSED FIX SPOT LIGHT 12W 4000K MBK (5.1.2)   | 69.18 lb.  | pc | Included | 6422103073387 | 30  | 0.32 | 0.31 | 343 |
| 1276 | XS01NW MWH      | XSPA RECESSED FIX SPOT LIGHT 12W 4000K MWH (5.1.2)   | 69.18 lb.  | pc | Included | 6422103073363 | 30  | 0.32 | 0.31 | 343 |
| 1277 | XS01NWTD MBK    | XSPA RECESSED DIM. TRIAC FIX SPOT LIGHT 12W 4000K MBK (5.1.2)                              | 108.38 lb. | pc | Included | 6422103073424 | 30  | 0.32 | 0.31 | 343 |
| 1278 | XS01NWTD MWH    | XSPA RECESSED DIM. TRIAC FIX SPOT LIGHT 12W 4000K MWH (5.1.2)                              | 108.38 lb. | pc | Included | 6422103073400 | 30  | 0.32 | 0.31 | 343 |
| 1279 | XS01WW MBK      | XSPA RECESSED FIX SPOT LIGHT 12W 3000K MBK (5.1.2)   | 69.18 lb.  | pc | Included | 6422103073370 | 30  | 0.32 | 0.31 | 343 |
| 1280 | XS01WW MWH      | XSPA RECESSED FIX SPOT LIGHT 12W 3000K MWH (5.1.2)   | 69.18 lb.  | pc | Included | 6422103073356 | 30  | 0.32 | 0.31 | 343 |
| 1281 | XS01WWTD MBK    | XSPA RECESSED DIM. TRIAC FIX SPOT LIGHT 12W 3000K MBK (5.1.2)                              | 108.38 lb. | pc | Included | 6422103073417 | 30  | 0.32 | 0.31 | 343 |
| 1282 | XS01WWTD MWH    | XSPA RECESSED DIM. TRIAC FIX SPOT LIGHT 12W 3000K MWH (5.1.2)                              | 108.38 lb. | pc | Included | 6422103073394 | 30  | 0.32 | 0.31 | 343 |
| 1283 | GLR01NW MBK/BK  | XGLOW REC. FITTING 1x13W 220-240V AC 4000K CRI.90 IP54 UGR<16 20° MBK/BK (5.1.2)           | 214.68 lb. | pc | Included | 6422103042468 | 30  | 0.19 | 0.18 | 345 |
| 1284 | GLR01NW MWH/WH  | XGLOW REC. FITTING 1x13W 220-240V AC 4000K CRI.90 IP54 UGR<16 20° MWH/WH (5.1.2)           | 214.68 lb. | pc | Included | 6422103042451 | 30  | 0.19 | 0.18 | 345 |
| 1285 | GLR01WW MBK/BK  | XGLOW REC. FITTING 1x13W 220-240V AC 3000K CRI.90 IP54 UGR<16 20° MBK/BK (5.1.2)           | 214.74 lb. | pc | Included | 6422103041904 | 30  | 0.19 | 0.18 | 345 |
| 1286 | GLR01WW MWH/WH  | XGLOW REC. FITTING 1x13W 220-240V AC 3000K CRI.90 IP54 UGR<16 20° MWH/WH (5.1.2)           | 214.74 lb. | pc | Included | 6422103041898 | 30  | 0.19 | 0.18 | 345 |
| 1287 | GLR02NW BK      | XGLOW TRIM. REC. FITTING 1x13W 220-240V AC 4000K CRI.90 IP54 UGR<16 20° BK (5.1.2)         | 215.28 lb. | pc | Included | 6422103042482 | 30  | 0.23 | 0.22 | 345 |
| 1288 | GLR02NW WH      | XGLOW TRIM. REC. FITTING 1x13W 220-240V AC 4000K CRI.90 IP54 UGR<16 20° WH (5.1.2)         | 215.28 lb. | pc | Included | 6422103042475 | 30  | 0.23 | 0.22 | 345 |
| 1289 | GLR02WW BK      | XGLOW TRIM. REC. FITTING 1x13W 220-240V AC 3000K CRI.90 IP54 UGR<16 20° BK (5.1.2)         | 215.28 lb. | pc | Included | 6422103041928 | 30  | 0.23 | 0.22 | 345 |
| 1290 | GLR02WW WH      | XGLOW TRIM. REC. FITTING 1x13W 220-240V AC 3000K CRI.90 IP54 UGR<16 20° WH (5.1.2)         | 215.28 lb. | pc | Included | 6422103041911 | 30  | 0.23 | 0.22 | 345 |
| 1291 | LM01NW SBK      | XLUMO DOWNLIGHT 5W 220-240V AC 4000K SBK (5.1.2)   | 91.65 lb.  | pc | Included | 6422103068727 | 40  | 0.12 | 0.11 | 347 |
| 1292 | LM01NW SWH      | XLUMO DOWNLIGHT 5W 220-240V AC 4000K SWH (5.1.2)   | 91.65 lb.  | pc | Included | 6422103068710 | 40  | 0.12 | 0.11 | 347 |
| 1293 | LM01WW SBK      | XLUMO DOWNLIGHT 5W 220-240V AC 3000K SBK (5.1.2)   | 91.65 lb.  | pc | Included | 6422103068703 | 40  | 0.12 | 0.11 | 347 |
| 1294 | LM01WW SWH      | XLUMO DOWNLIGHT 5W 220-240V AC 3000K SWH (5.1.2)   | 91.65 lb.  | pc | Included | 6422103068697 | 40  | 0.12 | 0.11 | 347 |
| 1295 | LM02NW SBK      | XLUMO DOWNLIGHT 10W 220-240V AC 4000K SBK (5.1.2)  | 110.52 lb. | pc | Included | 6422103068765 | 40  | 0.17 | 0.16 | 347 |
| 1296 | LM02NW SWH      | XLUMO DOWNLIGHT 10W 220-240V AC 4000K SWH (5.1.2)  | 110.52 lb. | pc | Included | 6422103068758 | 40  | 0.17 | 0.16 | 347 |
| 1297 | LM02WW SBK      | XLUMO DOWNLIGHT 10W 220-240V AC 3000K SBK (5.1.2)  | 110.52 lb. | pc | Included | 6422103068741 | 40  | 0.17 | 0.16 | 347 |
| 1298 | LM02WW SWH      | XLUMO DOWNLIGHT 10W 220-240V AC 3000K SWH (5.1.2)  | 110.52 lb. | pc | Included | 6422103068734 | 40  | 0.17 | 0.16 | 347 |
| 1299 | LM03NW SBK      | XLUMO DOWNLIGHT 15W 220-240V AC 4000K SBK (5.1.2)  | 143.77 lb. | pc | Included | 6422103068802 | 40  | 0.27 | 0.26 | 347 |
| 1300 | LM03NW SWH      | XLUMO DOWNLIGHT 15W 220-240V AC 4000K SWH (5.1.2)  | 143.77 lb. | pc | Included | 6422103068796 | 40  | 0.27 | 0.26 | 347 |
| 1301 | LM03WW SBK      | XLUMO DOWNLIGHT 15W 220-240V AC 3000K SBK (5.1.2)  | 143.77 lb. | pc | Included | 6422103068789 | 40  | 0.27 | 0.26 | 347 |
| 1302 | LM03WW SWH      | XLUMO DOWNLIGHT 15W 220-240V AC 3000K SWH (5.1.2)  | 143.77 lb. | pc | Included | 6422103068772 | 40  | 0.27 | 0.26 | 347 |
| 1303 | LM04NW SBK      | XLUMO DOWNLIGHT 20W 220-240V AC 4000K SBK (5.1.2)  | 160.54 lb. | pc | Included | 6422103068840 | 40  | 0.34 | 0.32 | 347 |
| 1304 | LM04NW SWH      | XLUMO DOWNLIGHT 20W 220-240V AC 4000K SWH (5.1.2)  | 160.54 lb. | pc | Included | 6422103068833 | 40  | 0.34 | 0.32 | 347 |
| 1305 | LM04WW SBK      | XLUMO DOWNLIGHT 20W 220-240V AC 3000K SBK (5.1.2)  | 160.54 lb. | pc | Included | 6422103068826 | 40  | 0.34 | 0.32 | 347 |
| 1306 | LM04WW SWH      | XLUMO DOWNLIGHT 20W 220-240V AC 3000K SWH (5.1.2)  | 160.54 lb. | pc | Included | 6422103068819 | 40  | 0.34 | 0.32 | 347 |
| 1307 | PO01 SWH/MBK    | XPOLI REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/MBK (5.1.1)             | 20.72 lb.  | pc | Included | 6422103090421 | 100 | 0.05 | 0.04 | 350 |
| 1308 | PO01 SWH/MWH    | XPOLI REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/MWH (5.1.1)             | 20.72 lb.  | pc | Included | 6422103090414 | 100 | 0.05 | 0.04 | 350 |
| 1309 | PO01 SWH/SGD    | XPOLI REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/SGD (5.1.1)             | 20.72 lb.  | pc | Included | 6422103090438 | 100 | 0.05 | 0.04 | 350 |
| 1310 | PO02 SWH/MBK    | XPOLI REC. ADJ. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/MBK (5.1.1)             | 20.72 lb.  | pc | Included | 6422103090452 | 100 | 0.05 | 0.04 | 350 |
| 1311 | PO02 SWH/MWH    | XPOLI REC. ADJ. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/MWH (5.1.1)             | 20.72 lb.  | pc | Included | 6422103090445 | 100 | 0.05 | 0.04 | 350 |
| 1312 | PO02 SWH/SGD    | XPOLI REC. ADJ. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/SGD (5.1.1)             | 20.72 lb.  | pc | Included | 6422103090469 | 100 | 0.05 | 0.04 | 350 |
| 1313 | PO03 MWH/MBK    | XPOLI REC. ADJ. SPOT WALL WASHER GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 MWH/MBK (5.1.1) | 20.71 lb.  | pc | Included | 6422103039215 | 50  | 0.05 | 0.04 | 350 |
| 1314 | PO03 MWH/MWH    | XPOLI REC. ADJ. SPOT WALL WASHER GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 MWH/MWH (5.1.1) | 20.71 lb.  | pc | Included | 6422103039208 | 50  | 0.05 | 0.04 | 350 |
| 1315 | PO03 MWH/SGD    | XPOLI REC. ADJ. SPOT WALL WASHER GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 MWH/SGD (5.1.1) | 20.71 lb.  | pc | Included | 6422103039222 | 50  | 0.05 | 0.04 | 350 |
| 1316 | PO04 SWH/MBK    | XPOLI REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/MBK (5.1.1)              | 23.46 lb.  | pc | Included | 6422103090483 | 100 | 0.07 | 0.06 | 350 |
| 1317 | PO04 SWH/MWH    | XPOLI REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/MWH (5.1.1)              | 23.46 lb.  | pc | Included | 6422103090476 | 100 | 0.07 | 0.06 | 350 |
| 1318 | PO04 SWH/SGD    | XPOLI REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/SGD (5.1.1)              | 23.46 lb.  | pc | Included | 6422103090490 | 100 | 0.07 | 0.06 | 350 |
| 1319 | PO05 MWH/MBK    | XPOLI REC. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 MWH/MBK (5.1.1)                  | 23.47 lb.  | pc | Included | 6422103039338 | 50  | 0.07 | 0.06 | 351 |
| 1320 | PO05 MWH/MWH    | XPOLI REC. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 MWH/MWH (5.1.1)                  | 23.47 lb.  | pc | Included | 6422103039321 | 50  | 0.07 | 0.06 | 351 |
| 1321 | PO05 MWH/SGD    | XPOLI REC. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 MWH/SGD (5.1.1)                  | 23.47 lb.  | pc | Included | 6422103039345 | 50  | 0.07 | 0.06 | 351 |
| 1322 | PO06 SWH/MBK    | XPOLI TRIM. REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/MBK (5.1.1)       | 45.58 lb.  | pc | Included | 6422103039390 | 50  | 0.10 | 0.09 | 351 |
| 1323 | PO06 SWH/MWH    | XPOLI TRIM. REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/MWH (5.1.1)       | 45.58 lb.  | pc | Included | 6422103039383 | 50  | 0.10 | 0.09 | 351 |
| 1324 | PO06 SWH/SGD    | XPOLI TRIM. REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/SGD (5.1.1)       | 45.58 lb.  | pc | Included | 6422103039406 | 50  | 0.10 | 0.09 | 351 |
| 1325 | PO07 SWH/MBK    | XPOLI TRIM. REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/MBK (5.1.1)        | 45.58 lb.  | pc | Included | 6422103090544 | 50  | 0.11 | 0.10 | 351 |
| 1326 | PO07 SWH/MWH    | XPOLI TRIM. REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/MWH (5.1.1)        | 45.58 lb.  | pc | Included | 6422103090537 | 50  | 0.11 | 0.10 | 351 |
| 1327 | PO07 SWH/SGD    | XPOLI TRIM. REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP40 UGR<16 SWH/SGD (5.1.1)        | 45.58 lb.  | pc | Included | 6422103090551 | 50  | 0.11 | 0.10 | 351 |
| 1328 | NO01 SBK/SBK    | XNOTE REC. ADJ. FITTING GU10/PAR16 1x50W max. 230V AC IP20 UGR<10 SBK/SBK (5.1.1)          | 46.96 lb.  | pc | Included | 6422103050715 | 36  | 0.17 | 0.16 | 353 |
| 1329 | NO01 SWH/SBK    | XNOTE REC. ADJ. FITTING GU10/PAR16 1x50W max. 230V AC IP20 UGR<10 SWH/SBK (5.1.1)          | 46.96 lb.  | pc | Included | 6422103050708 | 36  | 0.17 | 0.16 | 353 |

|                                 |               |   |            |    |          |               |    |      |      |            |
|---------------------------------|---------------|---|------------|----|----------|---------------|----|------|------|------------|
| 1330                            | TON01 SBK/SBK | XTON REC. FITTING GU10/PAR16 1x50W max. 230V AC IP20 SBK/SBK (5.1.1)                          | 24.85 лв.  | pc |          | 6422103050692 | 24 | 0.11 | 0.10 | 355        |
| 1331                            | TON01 SWH/SBK | XTON REC. FITTING GU10/PAR16 1x50W max. 230V AC IP20 SWH/SBK (5.1.1)                          | 24.85 лв.  | pc |          | 6422103050685 | 24 | 0.11 | 0.10 | 355        |
| 1332                            | TON01 SWH/SWH | XTON REC. FITTING GU10/PAR16 1x50W max. 230V AC IP20 SWH/SWH (5.1.1)                          | 24.85 лв.  | pc |          | 6422103050678 | 24 | 0.11 | 0.10 | 355        |
| 1333                            | CV01 BK       | XCOVER REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP20 BK (5.1.1)                           | 18.39 лв.  | pc |          | 6422103027779 | 50 | 0.08 | 0.07 | 357        |
| 1334                            | CV01 MWH      | XCOVER REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP20 WH (5.1.1)                           | 18.39 лв.  | pc |          | 6422103027762 | 50 | 0.08 | 0.07 | 357        |
| 1335                            | CV02 BK       | XCOVER REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP20 BK (5.1.1)                            | 18.39 лв.  | pc |          | 6422103027793 | 50 | 0.10 | 0.09 | 357        |
| 1336                            | CV02 MWH      | XCOVER REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP20 WH (5.1.1)                            | 18.39 лв.  | pc |          | 6422103027786 | 50 | 0.10 | 0.09 | 357        |
| 1337                            | KN01 BK       | XKONE REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP20 MBK (5.1.1)                           | 21.92 лв.  | pc |          | 6422103027816 | 50 | 0.07 | 0.06 | 359        |
| 1338                            | KN01 MWH      | XKONE REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC IP20 MWH (5.1.1)                           | 21.92 лв.  | pc |          | 6422103027809 | 50 | 0.07 | 0.06 | 359        |
| 1339                            | KN02 BK       | XKONE REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP20 MBK (5.1.1)                            | 21.92 лв.  | pc |          | 6422103027830 | 50 | 0.09 | 0.08 | 359        |
| 1340                            | KN02 MWH      | XKONE REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC IP20 MWH (5.1.1)                            | 21.92 лв.  | pc |          | 6422103027823 | 50 | 0.09 | 0.08 | 359        |
| 1341                            | FR01 MWH      | XFRAME REC. SPOT GU10/PAR16 1x50W max. 230V AC IP20 MWH (5.1.1)                               | 38.95 лв.  | pc |          | 6422103022187 | 50 | 0.12 | 0.11 | 361        |
| 1342                            | FR02 MWH      | XFRAME REC. SPOT GU10/PAR16 2x50W max. 230V AC IP20 MWH (5.1.1)                               | 76.30 лв.  | pc |          | 6422103022194 | 20 | 0.26 | 0.25 | 361        |
| <b>6. GYPSUM LIGHT FITTINGS</b> |               |   |            |    |          |               |    |      |      | <b>363</b> |
| 1343                            | GSS07         | XGESS MAXI REC. ADJ. SPOT G53/AR111 1x50W max. 230V AC IP20 GP WH (5.1.1)                     | 114.43 лв. | pc |          | 6422103039932 |    | 1.72 | 1.66 | 365        |
| 1344                            | GSS01         | XGESS MINI TRIM. REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC fi.100 IP20 GP WH (5.1.1)       | 17.60 лв.  | pc |          | 6422103039819 |    | 0.20 | 0.19 | 367        |
| 1345                            | GSS02         | XGESS MINI TRIM. REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC 100x100 mm IP20 GP WH (5.1.1)    | 17.60 лв.  | pc |          | 6422103039826 |    | 0.26 | 0.25 | 367        |
| 1346                            | GSS03         | XGESS MINI TRIM. REC. RND. SPOT GU10/PAR16 1x50W max. 230V AC fi.130 IP20 GP WH (5.1.1)       | 23.47 лв.  | pc |          | 6422103039833 |    | 0.50 | 0.48 | 367        |
| 1347                            | GSS04         | XGESS MINI TRIM. REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC 130x130 mm IP20 GP WH (5.1.1)    | 23.47 лв.  | pc |          | 6422103039840 |    | 0.39 | 0.37 | 367        |
| 1348                            | GSS05         | XGESS MINI TRIM. REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC 120x120 mm IP20 GP WH (5.1.1)    | 23.47 лв.  | pc |          | 6422103039857 |    | 0.55 | 0.53 | 367        |
| 1349                            | GSS06         | XGESS MINI TRIM. REC. SQ. SPOT with DIFFUSER GU10/PAR16 1x50W max. 230V AC IP20 GP WH (5.1.1) | 26.41 лв.  | pc |          | 6422103039864 |    | 0.54 | 0.52 | 367        |
| 1350                            | GSS11RD       | XGESS MINI TRIM. REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC 80x80 mm RND. IP20 GP WH (5.1.1) | 22.08 лв.  | pc |          | 6422103039871 |    | 0.37 | 0.35 | 368        |
| 1351                            | GSS11SQ       | XGESS MINI TRIM. REC. SQ. SPOT GU10/PAR16 1x50W max. 230V AC 80x80 mm SQ. IP20 GP WH (5.1.1)  | 22.08 лв.  | pc |          | 6422103039901 |    | 0.30 | 0.29 | 369        |
| 1352                            | GSS12RD       | XGESS MINI TRIM. REC. SQ. SPOT GU10/PAR16 2x50W max. 230V AC 80x80 mm RND. IP20 GP WH (5.1.1) | 38.14 лв.  | pc |          | 6422103039888 |    | 0.64 | 0.62 | 369        |
| 1353                            | GSS12SQ       | XGESS MINI TRIM. REC. SQ. SPOT GU10/PAR16 2x50W max. 230V AC 80x80 mm SQ. IP20 GP WH (5.1.1)  | 38.14 лв.  | pc |          | 6422103039918 |    | 0.55 | 0.53 | 369        |
| <b>7. TRACKS AND PROJECTORS</b> |               |   |            |    |          |               |    |      |      | <b>371</b> |
| 1354                            | TL02NW MBK    | XTILT PROJECTOR for TKN 1x10W 220-240V AC 4000K CRI.80 IP40 40° MBK UGR<19 (5.1.2)            | 116.22 лв. | pc | Included | 6422103089999 | 20 | 0.45 | 0.43 | 383        |
| 1355                            | TL02NW MGD    | XTILT PROJECTOR for TKN 1x10W 220-240V AC 4000K CRI.80 IP40 40° MGD UGR<19 (5.1.2)            | 116.22 лв. | pc | Included | 6422103090001 | 20 | 0.45 | 0.43 | 383        |
| 1356                            | TL02NW MWH    | XTILT PROJECTOR for TKN 1x10W 220-240V AC 4000K CRI.80 IP40 40° MWH UGR<19 (5.1.2)            | 102.08 лв. | pc | Included | 6422103089982 | 20 | 0.45 | 0.43 | 383        |
| 1357                            | TL02WW MBK    | XTILT PROJECTOR for TKN 1x10W 220-240V AC 3000K CRI.80 IP40 40° MBK UGR<19 (5.1.2)            | 116.22 лв. | pc | Included | 6422103089968 | 20 | 0.45 | 0.43 | 383        |
| 1358                            | TL02WW MGD    | XTILT PROJECTOR for TKN 1x10W 220-240V AC 3000K CRI.80 IP40 40° MGD UGR<19 (5.1.2)            | 116.22 лв. | pc | Included | 6422103089975 | 20 | 0.45 | 0.43 | 383        |
| 1359                            | TL02WW MWH    | XTILT PROJECTOR for TKN 1x10W 220-240V AC 3000K CRI.80 IP40 40° MWH UGR<19 (5.1.2)            | 102.08 лв. | pc | Included | 6422103089951 | 20 | 0.45 | 0.43 | 383        |
| 1360                            | TL03NW MBK    | XTILT PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.80 IP40 40° MBK UGR<19 (5.1.2)            | 161.47 лв. | pc | Included | 6422103090056 | 15 | 0.73 | 0.70 | 383        |
| 1361                            | TL03NW MGD    | XTILT PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.80 IP40 40° MGD UGR<19 (5.1.2)            | 161.47 лв. | pc | Included | 6422103090063 | 15 | 0.73 | 0.70 | 383        |
| 1362                            | TL03NW MWH    | XTILT PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.80 IP40 40° MWH UGR<19 (5.1.2)            | 144.03 лв. | pc | Included | 6422103090049 | 15 | 0.73 | 0.70 | 383        |
| 1363                            | TL03WW MBK    | XTILT PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.80 IP40 40° MBK UGR<19 (5.1.2)            | 161.47 лв. | pc | Included | 6422103090025 | 15 | 0.73 | 0.70 | 383        |
| 1364                            | TL03WW MGD    | XTILT PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.80 IP40 40° MGD UGR<19 (5.1.2)            | 161.47 лв. | pc | Included | 6422103090032 | 15 | 0.73 | 0.70 | 383        |
| 1365                            | TL03WW MWH    | XTILT PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.80 IP40 40° MWH UGR<19 (5.1.2)            | 144.03 лв. | pc | Included | 6422103090018 | 15 | 0.73 | 0.70 | 383        |
| 1366                            | TL04NW MBK    | XTILT PROJECTOR for TKN 1x30W 220-240V AC 4000K CRI.80 IP40 40° MBK UGR<19 (5.1.2)            | 202.66 лв. | pc | Included | 6422103090117 | 15 | 1.06 | 1.02 | 383        |
| 1367                            | TL04NW MGD    | XTILT PROJECTOR for TKN 1x30W 220-240V AC 4000K CRI.80 IP40 40° MGD UGR<19 (5.1.2)            | 202.66 лв. | pc | Included | 6422103090124 | 15 | 1.06 | 1.02 | 383        |
| 1368                            | TL04NW MWH    | XTILT PROJECTOR for TKN 1x30W 220-240V AC 4000K CRI.80 IP40 40° MWH UGR<19 (5.1.2)            | 182.22 лв. | pc | Included | 6422103090100 | 15 | 1.06 | 1.02 | 383        |
| 1369                            | TL04WW MBK    | XTILT PROJECTOR for TKN 1x30W 220-240V AC 3000K CRI.80 IP40 40° MBK UGR<19 (5.1.2)            | 202.66 лв. | pc | Included | 6422103090087 | 15 | 1.06 | 1.02 | 383        |
| 1370                            | TL04WW MGD    | XTILT PROJECTOR for TKN 1x30W 220-240V AC 3000K CRI.80 IP40 40° MGD UGR<19 (5.1.2)            | 202.66 лв. | pc | Included | 6422103090094 | 15 | 1.06 | 1.02 | 383        |
| 1371                            | TL04WW MWH    | XTILT PROJECTOR for TKN 1x30W 220-240V AC 3000K CRI.80 IP40 40° MWH UGR<19 (5.1.2)            | 182.22 лв. | pc | Included | 6422103090070 | 15 | 1.06 | 1.02 | 383        |
| 1372                            | TL01NW MBK    | XTILT MT PROJECTOR 1x7W 220-240V AC 4000K CRI.80 IP40 40° MBK UGR<16 (5.1.2)                  | 98.78 лв.  | pc | Included | 6422103090179 | 20 | 0.40 | 0.38 | 399        |
| 1373                            | TL01NW MGD    | XTILT MT PROJECTOR 1x7W 220-240V AC 4000K CRI.80 IP40 40° MGD UGR<16 (5.1.2)                  | 98.78 лв.  | pc | Included | 6422103090186 | 20 | 0.40 | 0.38 | 399        |
| 1374                            | TL01NW MWH    | XTILT MT PROJECTOR 1x7W 220-240V AC 4000K CRI.80 IP40 40° MWH UGR<16 (5.1.2)                  | 88.40 лв.  | pc | Included | 6422103090162 | 20 | 0.40 | 0.38 | 399        |
| 1375                            | TL01WW MBK    | XTILT MT PROJECTOR 1x7W 220-240V AC 3000K CRI.80 IP40 40° MBK UGR<16 (5.1.2)                  | 98.78 лв.  | pc | Included | 6422103090148 | 20 | 0.40 | 0.38 | 399        |
| 1376                            | TL01WW MGD    | XTILT MT PROJECTOR 1x7W 220-240V AC 3000K CRI.80 IP40 40° MGD UGR<16 (5.1.2)                  | 98.78 лв.  | pc | Included | 6422103090155 | 20 | 0.40 | 0.38 | 399        |
| 1377                            | TL01WW MWH    | XTILT MT PROJECTOR 1x7W 220-240V AC 3000K CRI.80 IP40 40° MWH UGR<16 (5.1.2)                  | 88.40 лв.  | pc | Included | 6422103090131 | 20 | 0.40 | 0.38 | 399        |
| 1378                            | SX04NW MBK    | XSPOT MT PROJECTOR 1x7W 220-240V AC 4000K CRI.80 IP40 40° BK (5.1.2)                          | 97.72 лв.  | pc | Included | 6422103090230 | 40 | 0.30 | 0.29 | 401        |
| 1379                            | SX04NW MGD    | XSPOT MT PROJECTOR 1x7W 220-240V AC 4000K CRI.80 IP40 40° MGD (5.1.2)                         | 97.72 лв.  | pc | Included | 6422103090247 | 40 | 0.30 | 0.29 | 401        |
| 1380                            | SX04NW MWH    | XSPOT MT PROJECTOR 1x7W 220-240V AC 4000K CRI.80 IP40 40° MWH (5.1.2)                         | 88.70 лв.  | pc | Included | 6422103090223 | 40 | 0.30 | 0.29 | 401        |
| 1381                            | SX04WW MBK    | XSPOT MT PROJECTOR 1x7W 220-240V AC 3000K CRI.80 IP40 40° BK (5.1.2)                          | 97.72 лв.  | pc | Included | 6422103090209 | 40 | 0.30 | 0.29 | 401        |
| 1382                            | SX04WW MGD    | XSPOT MT PROJECTOR 1x7W 220-240V AC 3000K CRI.80 IP40 40° MGD (5.1.2)                         | 97.72 лв.  | pc | Included | 6422103090216 | 40 | 0.30 | 0.29 | 401        |
| 1383                            | SX04WW MWH    | XSPOT MT PROJECTOR 1x7W 220-240V AC 3000K CRI.80 IP40 40° MWH (5.1.2)                         | 88.70 лв.  | pc | Included | 6422103090193 | 40 | 0.30 | 0.29 | 401        |
| 1384                            | AR01NW SBK    | XARTE ADJ. PROJECTOR for TKN 28W 220-240V AC 4000K CRI.90 IP40 15-45° SBK (5.1.2)             | 246.57 лв. | pc | Included | 6422103092036 | 20 | 0.60 | 0.58 | 373        |
| 1385                            | AR01NW SWH    | XARTE ADJ. PROJECTOR for TKN 28W 220-240V AC 4000K CRI.90 IP40 15-45° SWH (5.1.2)             | 246.57 лв. | pc | Included | 6422103092029 | 20 | 0.60 | 0.58 | 373        |
| 1386                            | AR01WW SBK    | XARTE ADJ. PROJECTOR for TKN 28W 220-240V AC 3000K CRI.90 IP40 15-45° SBK (5.1.2)             | 246.57 лв. | pc | Included | 6422103092012 | 20 | 0.60 | 0.58 | 373        |
| 1387                            | AR01WW SWH    | XARTE ADJ. PROJECTOR for TKN 28W 220-240V AC 3000K CRI.90 IP40 15-45° SWH (5.1.2)             | 246.57 лв. | pc | Included | 6422103092005 | 20 | 0.60 | 0.58 | 373        |
| 1388                            | AR02NW SBK    | XARTE ADJ. PROJECTOR for TKN 38W 220-240V AC 4000K CRI.90 IP40 15-45° SBK (5.1.2)             | 291.67 лв. | pc | Included | 6422103092074 | 12 | 0.80 | 0.77 | 373        |

|      |                 |   |            |    |          |               |    |      |      |     |
|------|-----------------|---|------------|----|----------|---------------|----|------|------|-----|
| 1389 | AR02NW SWH      | XARTE ADJ. PROJECTOR for TKN 38W 220-240V AC 4000K CRI.90 IP40 15-45° SWH (5.1.2)             | 291.67 lb. | pc | Included | 6422103092067 | 12 | 0.80 | 0.77 | 373 |
| 1390 | AR02WW SBK      | XARTE ADJ. PROJECTOR for TKN 38W 220-240V AC 3000K CRI.90 IP40 15-45° SBK (5.1.2)             | 291.67 lb. | pc | Included | 6422103092050 | 12 | 0.80 | 0.77 | 373 |
| 1391 | AR02WWW SWH     | XARTE ADJ. PROJECTOR for TKN 38W 220-240V AC 3000K CRI.90 IP40 15-45° SWH (5.1.2)             | 291.67 lb. | pc | Included | 6422103092043 | 12 | 0.80 | 0.77 | 373 |
| 1392 | TCH01NW SBK     | XTORCH ADJ. PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.92 IP20 UGR<10 36° SBK (5.1.2)      | 275.36 lb. | pc | Included | 6422103050753 | 12 | 0.54 | 0.52 | 375 |
| 1393 | TCH01NW SWH     | XTORCH ADJ. PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.92 IP20 UGR<10 36° SWH (5.1.2)      | 275.36 lb. | pc | Included | 6422103050746 | 12 | 0.54 | 0.52 | 375 |
| 1394 | TCH01REF15      | XTORCH OPTICAL SYSTEM 15° for TCH01   | 16.01 lb.  | pc |          | 6422103050807 |    | 0.54 | 0.52 | 375 |
| 1395 | TCH01WW SBK     | XTORCH ADJ. PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.92 IP20 UGR<10 36° SBK (5.1.2)      | 275.36 lb. | pc | Included | 6422103050739 | 12 | 0.54 | 0.52 | 375 |
| 1396 | TCH01WWW SWH    | XTORCH ADJ. PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.92 IP20 UGR<10 36° SWH (5.1.2)      | 275.36 lb. | pc | Included | 6422103050722 | 12 | 0.54 | 0.52 | 375 |
| 1397 | TCH02NW SBK     | XTORCH ADJ. PROJECTOR for TKN 1x28W 220-240V AC 4000K CRI.92 IP20 UGR<10 36° SBK (5.1.2)      | 289.32 lb. | pc | Included | 6422103050791 | 12 | 0.54 | 0.52 | 375 |
| 1398 | TCH02NW SWH     | XTORCH ADJ. PROJECTOR for TKN 1x28W 220-240V AC 4000K CRI.92 IP20 UGR<10 36° SWH (5.1.2)      | 289.32 lb. | pc | Included | 6422103050784 | 12 | 0.54 | 0.52 | 375 |
| 1399 | TCH02NWDALI SBK | XTORCH ADJ. DALI PROJECTOR for TKN 1x28W 220-240V AC 4000K CRI.92 IP20 UGR<10 36° SBK (5.1.2) | 505.92 lb. | pc | Included | 6422103050852 | 30 | 0.54 | 0.52 | 375 |
| 1400 | TCH02NWDALI SWH | XTORCH ADJ. DALI PROJECTOR for TKN 1x28W 220-240V AC 4000K CRI.92 IP20 UGR<10 36° SWH (5.1.2) | 505.92 lb. | pc | Included | 6422103050845 | 30 | 0.54 | 0.52 | 375 |
| 1401 | TCH02REF15      | XTORCH OPTICAL SYSTEM 15° for TCH02   | 16.01 lb.  | pc |          | 6422103050814 |    | 0.01 | 0.01 | 375 |
| 1402 | TCH02WW SBK     | XTORCH ADJ. PROJECTOR for TKN 1x28W 220-240V AC 3000K CRI.92 IP20 UGR<10 36° SBK (5.1.2)      | 289.32 lb. | pc | Included | 6422103050777 | 12 | 0.54 | 0.52 | 375 |
| 1403 | TCH02WWW SWH    | XTORCH ADJ. PROJECTOR for TKN 1x28W 220-240V AC 3000K CRI.92 IP20 UGR<10 36° SWH (5.1.2)      | 289.32 lb. | pc | Included | 6422103050760 | 12 | 0.54 | 0.52 | 375 |
| 1404 | TCH02WWDALI SBK | XTORCH ADJ. DALI PROJECTOR for TKN 1x28W 220-240V AC 3000K CRI.92 IP20 UGR<10 36° SBK (5.1.2) | 505.92 lb. | pc | Included | 6422103050838 | 30 | 0.54 | 0.52 | 375 |
| 1405 | TCH02WWDALI SWH | XTORCH ADJ. DALI PROJECTOR for TKN 1x28W 220-240V AC 3000K CRI.92 IP20 UGR<10 36° SWH (5.1.2) | 505.92 lb. | pc | Included | 6422103050821 | 30 | 0.54 | 0.52 | 375 |
| 1406 | ZM01NW MBK      | XZOOM ADJ. PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.90 IP20 6°-60° MBK (5.1.2)           | 511.75 lb. | pc | Included | 6422103040853 | 16 | 1.60 | 1.55 | 377 |
| 1407 | ZM01NW MWH      | XZOOM ADJ. PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.90 IP20 6°-60° MWH (5.1.2)           | 511.75 lb. | pc | Included | 6422103040846 | 16 | 1.60 | 1.55 | 377 |
| 1408 | ZM01WW MBK      | XZOOM ADJ. PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.90 IP20 6°-60° MBK (5.1.2)           | 511.75 lb. | pc | Included | 6422103040839 | 16 | 1.60 | 1.55 | 377 |
| 1409 | ZM01WWW MWH     | XZOOM ADJ. PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.90 IP20 6°-60° MWH (5.1.2)           | 511.75 lb. | pc | Included | 6422103040822 | 16 | 1.60 | 1.55 | 377 |
| 1410 | FS10NW SBK      | XFOCUS ADJ. PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.90 IP20 UGR<13 36° SBK (5.1.2)      | 250.13 lb. | pc | Included | 6422103052641 | 12 | 0.82 | 0.79 | 379 |
| 1411 | FS10NW SWH      | XFOCUS ADJ. PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.90 IP20 UGR<13 36° SWH (5.1.2)      | 250.13 lb. | pc | Included | 6422103052634 | 12 | 0.82 | 0.79 | 379 |
| 1412 | FS10REF15       | XFOCUS OPTICAL SYSTEM 15° pt FS10   | 17.09 lb.  | pc |          | 6422103052733 |    | 0.10 | 0.09 | 379 |
| 1413 | FS10WW SBK      | XFOCUS ADJ. PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.90 IP20 UGR<13 36° SBK (5.1.2)      | 250.13 lb. | pc | Included | 6422103052627 | 12 | 0.82 | 0.79 | 379 |
| 1414 | FS10WW SWH      | XFOCUS ADJ. PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.90 IP20 UGR<13 36° SWH (5.1.2)      | 250.13 lb. | pc | Included | 6422103052610 | 12 | 0.82 | 0.79 | 379 |
| 1415 | FS11NW SBK      | XFOCUS ADJ. PROJECTOR for TKN 1x30W 220-240V AC 4000K CRI.90 IP20 UGR<13 36° SBK (5.1.2)      | 308.26 lb. | pc | Included | 6422103052689 | 12 | 1.25 | 1.21 | 379 |
| 1416 | FS11NW SWH      | XFOCUS ADJ. PROJECTOR for TKN 1x30W 220-240V AC 4000K CRI.90 IP20 UGR<13 36° SWH (5.1.2)      | 308.26 lb. | pc | Included | 6422103052672 | 12 | 1.25 | 1.21 | 379 |
| 1417 | FS11REF15       | XFOCUS OPTICAL SYSTEM 15° pt FS11   | 17.80 lb.  | pc |          | 6422103052740 |    | 0.10 | 0.09 | 379 |
| 1418 | FS11WW SBK      | XFOCUS ADJ. PROJECTOR for TKN 1x30W 220-240V AC 3000K CRI.90 IP20 UGR<13 36° SBK (5.1.2)      | 308.26 lb. | pc | Included | 6422103052665 | 12 | 1.25 | 1.21 | 379 |
| 1419 | FS11WWW SWH     | XFOCUS ADJ. PROJECTOR for TKN 1x30W 220-240V AC 3000K CRI.90 IP20 UGR<13 36° SWH (5.1.2)      | 308.26 lb. | pc | Included | 6422103052658 | 12 | 1.25 | 1.21 | 379 |
| 1420 | FS12NW SBK      | XFOCUS ADJ. PROJECTOR for TKN 1x40W 220-240V AC 4000K CRI.90 IP20 UGR<13 36° SBK (5.1.2)      | 351.96 lb. | pc | Included | 6422103052726 | 12 | 1.63 | 1.58 | 379 |
| 1421 | FS12NW SWH      | XFOCUS ADJ. PROJECTOR for TKN 1x40W 220-240V AC 4000K CRI.90 IP20 UGR<13 36° SWH (5.1.2)      | 351.96 lb. | pc | Included | 6422103052719 | 12 | 1.63 | 1.58 | 379 |
| 1422 | FS12REF15       | XFOCUS OPTICAL SYSTEM 15° pt FS12   | 18.50 lb.  | pc |          | 6422103052757 |    | 0.10 | 0.09 | 379 |
| 1423 | FS12WW SBK      | XFOCUS ADJ. PROJECTOR for TKN 1x40W 220-240V AC 3000K CRI.90 IP20 UGR<13 36° SBK (5.1.2)      | 351.96 lb. | pc | Included | 6422103052702 | 12 | 1.63 | 1.58 | 379 |
| 1424 | FS12WWW SWH     | XFOCUS ADJ. PROJECTOR for TKN 1x40W 220-240V AC 3000K CRI.90 IP20 UGR<13 36° SWH (5.1.2)      | 351.96 lb. | pc | Included | 6422103052696 | 12 | 1.63 | 1.58 | 379 |
| 1425 | GM03NW SBK      | XGAMMA ADJ. PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.90 IP20 UGR<19 38° SBK (5.1.2)      | 222.50 lb. | pc | Included | 6422103048880 | 18 | 0.65 | 0.63 | 381 |
| 1426 | GM03NW SWH      | XGAMMA ADJ. PROJECTOR for TKN 1x20W 220-240V AC 4000K CRI.90 IP20 UGR<19 38° SWH (5.1.2)      | 222.50 lb. | pc | Included | 6422103048873 | 18 | 0.65 | 0.63 | 381 |
| 1427 | GM03REF15       | XGAMMA OPTICAL SYSTEM 15° for GM03  | 12.22 lb.  | pc |          | 6422103048934 |    | 0.04 | 0.03 | 381 |
| 1428 | GM03WW SBK      | XGAMMA ADJ. PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.90 IP20 UGR<19 38° SBK (5.1.2)      | 222.50 lb. | pc | Included | 6422103048866 | 18 | 0.65 | 0.63 | 381 |
| 1429 | GM03WWW SWH     | XGAMMA ADJ. PROJECTOR for TKN 1x20W 220-240V AC 3000K CRI.90 IP20 UGR<19 38° SWH (5.1.2)      | 222.50 lb. | pc | Included | 6422103048859 | 18 | 0.65 | 0.63 | 381 |
| 1430 | GM04NW SBK      | XGAMMA ADJ. PROJECTOR for TKN 1x30W 220-240V AC 4000K CRI.90 IP20 UGR<19 38° SBK (5.1.2)      | 241.82 lb. | pc | Included | 6422103048927 | 12 | 0.75 | 0.72 | 381 |
| 1431 | GM04NW SWH      | XGAMMA ADJ. PROJECTOR for TKN 1x30W 220-240V AC 4000K CRI.90 IP20 UGR<19 38° SWH (5.1.2)      | 241.82 lb. | pc | Included | 6422103048910 | 12 | 0.75 | 0.72 | 381 |
| 1432 | GM04REF15       | XGAMMA OPTICAL SYSTEM 16° for GM04  | 15.28 lb.  | pc |          | 6422103048941 |    | 0.04 | 0.03 | 381 |
| 1433 | GM04WW SBK      | XGAMMA ADJ. PROJECTOR for TKN 1x30W 220-240V AC 3000K CRI.90 IP20 UGR<19 38° SBK (5.1.2)      | 241.82 lb. | pc | Included | 6422103048903 | 12 | 0.75 | 0.72 | 381 |
| 1434 | GM04WWW SWH     | XGAMMA ADJ. PROJECTOR for TKN 1x30W 220-240V AC 3000K CRI.90 IP20 UGR<19 38° SWH (5.1.2)      | 241.82 lb. | pc | Included | 6422103048897 | 12 | 0.75 | 0.72 | 381 |
| 1435 | LTO1NW SBK      | XLINE TRACK for TKN 28W 180-240V AC 4000K 110 degr. 605mm SBK (4.1.2)                         | 252.87 lb. | pc | Included | 6422103090599 | 15 | 0.64 | 0.62 | 385 |
| 1436 | LTO1NW SWH      | XLINE TRACK for TKN 28W 180-240V AC 4000K 110 degr. 605mm SWH (4.1.2)                         | 252.87 lb. | pc | Included | 6422103090582 | 15 | 0.64 | 0.62 | 385 |
| 1437 | LTO1WW SBK      | XLINE TRACK for TKN 28W 180-240V AC 3000K 110 degr. 605mm SBK (4.1.2)                         | 252.87 lb. | pc | Included | 6422103090575 | 15 | 0.64 | 0.62 | 385 |
| 1438 | LTO1WW SWH      | XLINE TRACK for TKN 28W 180-240V AC 3000K 110 degr. 605mm SWH (4.1.2)                         | 252.87 lb. | pc | Included | 6422103090568 | 15 | 0.64 | 0.62 | 385 |
| 1439 | LTO2NW SBK      | XLINE TRACK for TKN 36W 180-240V AC 4000K 110 degr. 605mm SBK (4.1.2)                         | 311.44 lb. | pc | Included | 6422103090636 | 12 | 0.92 | 0.89 | 385 |
| 1440 | LTO2NW SWH      | XLINE TRACK for TKN 36W 180-240V AC 4000K 110 degr. 605mm SWH (4.1.2)                         | 311.44 lb. | pc | Included | 6422103090629 | 12 | 0.92 | 0.89 | 385 |
| 1441 | LTO2WW SBK      | XLINE TRACK for TKN 36W 180-240V AC 3000K 110 degr. 605mm SBK (4.1.2)                         | 311.44 lb. | pc | Included | 6422103090612 | 12 | 0.92 | 0.89 | 385 |
| 1442 | LTO2WWW SWH     | XLINE TRACK for TKN 36W 180-240V AC 3000K 110 degr. 605mm SWH (4.1.2)                         | 311.44 lb. | pc | Included | 6422103090605 | 12 | 0.92 | 0.89 | 385 |
| 1443 | TKN1001 BK      | TRACK N 3c TRACK 250V/16A max. 1 m IP20 MBK   | 72.49 lb.  | pc |          | 6422103035286 | 10 | 0.80 | 0.77 | 390 |
| 1444 | TKN1001 MWH     | TRACK N 3c TRACK 250V/16A max. 1 m IP20 MWH   | 72.34 lb.  | pc |          | 6422103035262 | 10 | 0.80 | 0.77 | 390 |
| 1445 | TKN1001 S       | TRACK N 3c TRACK 250V/16A max. 1 m IP20 S   | 80.72 lb.  | pc |          | 6422103035279 | 10 | 0.80 | 0.77 | 390 |
| 1446 | TKN1001DALI BK  | TRACK N DALI 3c TRACK 250V/16A max. 1 m IP20 MBK  | 98.81 lb.  | pc |          | 6422103054393 | 10 | 0.80 | 0.77 | 390 |
| 1447 | TKN1001DALI MWH | TRACK N DALI 3c TRACK 250V/16A max. 1 m IP20 MWH  | 98.81 lb.  | pc |          | 6422103054379 | 10 | 0.80 | 0.77 | 390 |
| 1448 | TKN1001DALI S   | TRACK N DALI 3c TRACK 250V/16A max. 1 m IP20 S  | 108.51 lb. | pc |          | 6422103054386 | 10 | 0.80 | 0.77 | 390 |
| 1449 | TKN1002 BK      | TRACK N 3c TRACK 250V/16A max. 2 m IP20 MBK   | 147.63 lb. | pc |          | 6422103035309 | 10 | 1.60 | 1.55 | 390 |



|      |                 |  |            |    |               |     |      |      |     |
|------|-----------------|--|------------|----|---------------|-----|------|------|-----|
| 1450 | TKN1002 MWH     | TRACK N 3c TRACK 250V/16A max. 2 m IP20 MWH                | 147.63 лв. | pc | 6422103035255 | 10  | 1.60 | 1.55 | 390 |
| 1451 | TKN1002 S       | TRACK N 3c TRACK 250V/16A max. 2 m IP20 S                  | 161.45 лв. | pc | 6422103035293 | 10  | 1.60 | 1.55 | 390 |
| 1452 | TKN1002DALI BK  | TRACK N DALI 3c TRACK 250V/16A max. 2 m IP20 MBK           | 197.62 лв. | pc | 6422103054423 | 10  | 1.60 | 1.55 | 390 |
| 1453 | TKN1002DALI MWH | TRACK N DALI 3c TRACK 250V/16A max. 2 m IP20 MWH           | 197.62 лв. | pc | 6422103054409 | 10  | 1.60 | 1.55 | 390 |
| 1454 | TKN1002DALI S   | TRACK N DALI 3c TRACK 250V/16A max. 2 m IP20 S             | 217.03 лв. | pc | 6422103054416 | 10  | 1.60 | 1.55 | 390 |
| 1455 | TKN1003 BK      | TRACK N 3c TRACK 250V/16A max. 3 m IP20 MBK                | 221.29 лв. | pc | 6422103035330 | 10  | 2.40 | 2.32 | 390 |
| 1456 | TKN1003 MWH     | TRACK N 3c TRACK 250V/16A max. 3 m IP20 MWH                | 221.29 лв. | pc | 6422103035316 | 10  | 2.40 | 2.32 | 390 |
| 1457 | TKN1003 S       | TRACK N 3c TRACK 250V/16A max. 3 m IP20 S                  | 242.17 лв. | pc | 6422103035323 | 10  | 2.40 | 2.32 | 390 |
| 1458 | TKN1003DALI BK  | TRACK N DALI 3c TRACK 250V/16A max. 3 m IP20 MBK           | 296.43 лв. | pc | 6422103054454 | 10  | 2.40 | 2.32 | 390 |
| 1459 | TKN1003DALI MWH | TRACK N DALI 3c TRACK 250V/16A max. 3 m IP20 MWH           | 296.43 лв. | pc | 6422103054430 | 10  | 2.40 | 2.32 | 390 |
| 1460 | TKN1003DALI S   | TRACK N DALI 3c TRACK 250V/16A max. 3 m IP20 S             | 325.54 лв. | pc | 6422103054447 | 10  | 2.40 | 2.32 | 390 |
| 1461 | TKN1004 BK      | TRACK N 3c LINEAR CONNECTOR BK                             | 11.03 лв.  | pc | 6422103035361 | 200 | 0.03 | 0.02 | 390 |
| 1462 | TKN1004 MWH     | TRACK N 3c LINEAR CONNECTOR WH                             | 11.03 лв.  | pc | 6422103035347 |     | 0.03 | 0.02 | 390 |
| 1463 | TKN1004 S       | TRACK N 3c LINEAR CONNECTOR S                              | 12.35 лв.  | pc | 6422103035354 | 200 | 0.03 | 0.02 | 390 |
| 1464 | TKN1004DALI BK  | TRACK N DALI 3c LINEAR CONNECTOR BK                        | 24.26 лв.  | pc | 6422103054485 | 200 | 0.03 | 0.02 | 390 |
| 1465 | TKN1004DALI MWH | TRACK N DALI 3c LINEAR CONNECTOR WH                        | 24.26 лв.  | pc | 6422103054461 |     | 0.04 | 0.03 | 390 |
| 1466 | TKN1004DALI S   | TRACK N DALI 3c LINEAR CONNECTOR S                         | 27.20 лв.  | pc | 6422103054478 | 200 | 0.03 | 0.02 | 390 |
| 1467 | TKN1005 BK      | TRACK N 3c RIGHT-HAND POWER SUPPLY MBK                     | 13.53 лв.  | pc | 6422103035392 | 100 | 0.06 | 0.05 | 390 |
| 1468 | TKN1005 MWH     | TRACK N 3c RIGHT-HAND POWER SUPPLY MWH                     | 13.53 лв.  | pc | 6422103035378 | 100 | 0.06 | 0.05 | 390 |
| 1469 | TKN1005 S       | TRACK N 3c RIGHT-HAND POWER SUPPLY S                       | 15.29 лв.  | pc | 6422103035385 | 100 | 0.06 | 0.05 | 390 |
| 1470 | TKN1005DALI BK  | TRACK N DALI 3c RIGHT-HAND POWER SUPPLY MBK                | 30.88 лв.  | pc | 6422103054515 | 100 | 0.06 | 0.05 | 390 |
| 1471 | TKN1005DALI MWH | TRACK N DALI 3c RIGHT-HAND POWER SUPPLY MWH                | 30.88 лв.  | pc | 6422103054492 | 100 | 0.06 | 0.05 | 390 |
| 1472 | TKN1005DALI S   | TRACK N DALI 3c RIGHT-HAND POWER SUPPLY S                  | 34.85 лв.  | pc | 6422103054508 | 100 | 0.06 | 0.05 | 390 |
| 1473 | TKN1006 BK      | TRACK N 3c LEFT-HAND POWER SUPPLY MBK                      | 13.53 лв.  | pc | 6422103035422 | 100 | 0.06 | 0.05 | 390 |
| 1474 | TKN1006 MWH     | TRACK N 3c LEFT-HAND POWER SUPPLY MWH                      | 13.53 лв.  | pc | 6422103035408 | 100 | 0.06 | 0.05 | 390 |
| 1475 | TKN1006 S       | TRACK N 3c LEFT-HAND POWER SUPPLY S                        | 15.29 лв.  | pc | 6422103035415 | 100 | 0.06 | 0.05 | 390 |
| 1476 | TKN1006DALI BK  | TRACK N DALI 3c LEFT-HAND POWER SUPPLY MBK                 | 30.88 лв.  | pc | 6422103054546 | 100 | 0.06 | 0.05 | 390 |
| 1477 | TKN1006DALI MWH | TRACK N DALI 3c LEFT-HAND POWER SUPPLY MWH                 | 30.88 лв.  | pc | 6422103054522 | 100 | 0.06 | 0.05 | 390 |
| 1478 | TKN1006DALI S   | TRACK N DALI 3c LEFT-HAND POWER SUPPLY S                   | 34.85 лв.  | pc | 6422103054539 | 100 | 0.06 | 0.05 | 390 |
| 1479 | TKN1007 BK      | TRACK N 3c L CONNECTION & RIGHT-HAND POWER SUPPLY MBK      | 26.17 лв.  | pc | 6422103035453 | 100 | 0.11 | 0.10 | 390 |
| 1480 | TKN1007 MWH     | TRACK N 3c L CONNECTION & RIGHT-HAND POWER SUPPLY MWH      | 26.17 лв.  | pc | 6422103035439 | 100 | 0.11 | 0.10 | 390 |
| 1481 | TKN1007 S       | TRACK N 3c L CONNECTION & RIGHT-HAND POWER SUPPLY S        | 30.14 лв.  | pc | 6422103035446 | 100 | 0.11 | 0.10 | 390 |
| 1482 | TKN1007DALI BK  | TRACK N DALI 3c L CONNECTION & RIGHT-HAND POWER SUPPLY MBK | 48.38 лв.  | pc | 6422103054577 | 100 | 0.11 | 0.10 | 390 |
| 1483 | TKN1007DALI MWH | TRACK N DALI 3c L CONNECTION & RIGHT-HAND POWER SUPPLY MWH | 48.38 лв.  | pc | 6422103054553 | 100 | 0.11 | 0.10 | 390 |
| 1484 | TKN1007DALI S   | TRACK N DALI 3c L CONNECTION & RIGHT-HAND POWER SUPPLY S   | 55.73 лв.  | pc | 6422103054560 | 100 | 0.11 | 0.10 | 390 |
| 1485 | TKN1008 BK      | TRACK N 3c L CONNECTION & LEFT-HAND POWER SUPPLY MBK       | 26.17 лв.  | pc | 6422103035484 | 100 | 0.11 | 0.10 | 390 |
| 1486 | TKN1008 MWH     | TRACK N 3c L CONNECTION & LEFT-HAND POWER SUPPLY MWH       | 26.17 лв.  | pc | 6422103035460 | 100 | 0.11 | 0.10 | 390 |
| 1487 | TKN1008 S       | TRACK N 3c L CONNECTION & LEFT-HAND POWER SUPPLY S         | 30.14 лв.  | pc | 6422103035477 | 100 | 0.11 | 0.10 | 390 |
| 1488 | TKN1008DALI BK  | TRACK N DALI 3c L CONNECTION & LEFT-HAND POWER SUPPLY MBK  | 48.38 лв.  | pc | 6422103054607 | 100 | 0.11 | 0.10 | 390 |
| 1489 | TKN1008DALI MWH | TRACK N DALI 3c L CONNECTION & LEFT-HAND POWER SUPPLY MWH  | 48.38 лв.  | pc | 6422103054584 | 100 | 0.11 | 0.10 | 390 |
| 1490 | TKN1008DALI S   | TRACK N DALI 3c L CONNECTION & LEFT-HAND POWER SUPPLY S    | 55.73 лв.  | pc | 6422103054591 | 100 | 0.11 | 0.10 | 390 |
| 1491 | TKN1009 BK      | TRACK N 3c T CONNECTION & RIGHT-HAND POWER SUPPLY BK       | 38.67 лв.  | pc | 6422103035514 | 50  | 0.16 | 0.15 | 391 |
| 1492 | TKN1009 MWH     | TRACK N 3c T CONNECTION & RIGHT-HAND POWER SUPPLY MWH      | 38.67 лв.  | pc | 6422103035491 | 50  | 0.16 | 0.15 | 391 |
| 1493 | TKN1009 S       | TRACK N 3c T CONNECTION & RIGHT-HAND POWER SUPPLY S        | 43.82 лв.  | pc | 6422103035507 | 50  | 0.16 | 0.15 | 391 |
| 1494 | TKN1009DALI BK  | TRACK N DALI 3c T CONNECTION & RIGHT-HAND POWER SUPPLY BK  | 67.64 лв.  | pc | 6422103054638 | 50  | 0.16 | 0.15 | 391 |
| 1495 | TKN1009DALI MWH | TRACK N DALI 3c T CONNECTION & RIGHT-HAND POWER SUPPLY MWH | 67.64 лв.  | pc | 6422103054614 | 50  | 0.16 | 0.15 | 391 |
| 1496 | TKN1009DALI S   | TRACK N DALI 3c T CONNECTION & RIGHT-HAND POWER SUPPLY S   | 79.70 лв.  | pc | 6422103054621 | 50  | 0.16 | 0.15 | 391 |
| 1497 | TKN1010 BK      | TRACK N 3c T CONNECTION & LEFT-HAND POWER SUPPLY BK        | 38.67 лв.  | pc | 6422103035545 | 50  | 0.16 | 0.15 | 391 |
| 1498 | TKN1010 MWH     | TRACK N 3c T CONNECTION & LEFT-HAND POWER SUPPLY MWH       | 38.67 лв.  | pc | 6422103035521 | 50  | 0.16 | 0.15 | 391 |
| 1499 | TKN1010 S       | TRACK N 3c T CONNECTION & LEFT-HAND POWER SUPPLY S         | 43.82 лв.  | pc | 6422103035538 | 50  | 0.16 | 0.15 | 391 |
| 1500 | TKN1010DALI BK  | TRACK N DALI 3c T CONNECTION & LEFT-HAND POWER SUPPLY BK   | 67.64 лв.  | pc | 6422103054669 | 50  | 0.16 | 0.15 | 391 |
| 1501 | TKN1010DALI MWH | TRACK N DALI 3c T CONNECTION & LEFT-HAND POWER SUPPLY MWH  | 67.64 лв.  | pc | 6422103054645 | 50  | 0.16 | 0.15 | 391 |
| 1502 | TKN1010DALI S   | TRACK N DALI 3c T CONNECTION & LEFT-HAND POWER SUPPLY S    | 79.70 лв.  | pc | 6422103054652 | 50  | 0.16 | 0.15 | 391 |
| 1503 | TKN1011 BK      | TRACK N 3c X CONNECTION & POWER SUPPLY BK                  | 50.58 лв.  | pc | 6422103035576 | 40  | 0.21 | 0.20 | 391 |
| 1504 | TKN1011 MWH     | TRACK N 3c X CONNECTION & POWER SUPPLY MWH                 | 50.58 лв.  | pc | 6422103035552 | 40  | 0.21 | 0.20 | 391 |
| 1505 | TKN1011 S       | TRACK N 3c X CONNECTION & POWER SUPPLY S                   | 56.90 лв.  | pc | 6422103035569 | 40  | 0.21 | 0.20 | 391 |
| 1506 | TKN1011DALI BK  | TRACK N DALI 3c X CONNECTION & POWER SUPPLY BK             | 90.14 лв.  | pc | 6422103054690 | 40  | 0.21 | 0.20 | 391 |
| 1507 | TKN1011DALI MWH | TRACK N DALI 3c X CONNECTION & POWER SUPPLY MWH            | 90.14 лв.  | pc | 6422103054676 | 40  | 0.21 | 0.20 | 391 |
| 1508 | TKN1011DALI S   | TRACK N DALI 3c X CONNECTION & POWER SUPPLY S              | 102.49 лв. | pc | 6422103054683 | 40  | 0.21 | 0.20 | 391 |
| 1509 | TK1017 BK       | TRACK N 3c TRACK ADAPTER BK                                | 39.78 лв.  | pc | 6422103010719 | 100 | 0.06 | 0.05 | 392 |
| 1510 | TK1017 MWH      | TRACK N 3c TRACK ADAPTER MWH                               | 39.78 лв.  | pc | 6422103003339 | 100 | 0.06 | 0.05 | 392 |



|                                 |             |   |            |    |          |               |      |      |      |     |            |
|---------------------------------|-------------|---|------------|----|----------|---------------|------|------|------|-----|------------|
| 1572                            | MT1004 S    | MINITRACK 1c LINEAR CONNECTOR S   | 6.27 лв.   | pc |          | 6422103001533 | 150  | 0.02 | 0.01 | 406 |            |
| 1573                            | MT1005 BK   | MINITRACK 1c RIGHT-HAND POWER SUPPLY BK                                       | 9.56 лв.   | pc |          | 6422103015875 | 100  | 0.04 | 0.03 | 406 |            |
| 1574                            | MT1005 MWH  | MINITRACK 1c RIGHT-HAND POWER SUPPLY MWH                                      | 9.56 лв.   | pc |          | 6422103015868 | 100  | 0.04 | 0.03 | 406 |            |
| 1575                            | MT1005 S    | MINITRACK 1c RIGHT-HAND POWER SUPPLY S  | 11.35 лв.  | pc |          | 6422103001540 | 100  | 0.04 | 0.03 | 406 |            |
| 1576                            | MT1006 BK   | MINITRACK 1c LEFT-HAND POWER SUPPLY BK  | 9.56 лв.   | pc |          | 6422103015899 | 100  | 0.04 | 0.03 | 406 |            |
| 1577                            | MT1006 MWH  | MINITRACK 1c LEFT-HAND POWER SUPPLY MWH                                       | 9.56 лв.   | pc |          | 6422103015882 | 100  | 0.04 | 0.03 | 406 |            |
| 1578                            | MT1006 S    | MINITRACK 1c LEFT-HAND POWER SUPPLY S   | 11.35 лв.  | pc |          | 6422103001557 | 100  | 0.04 | 0.03 | 406 |            |
| 1579                            | MT1007 BK   | MINITRACK 1c L CONNECTION & RIGHT-HAND POWER SUPPLY BK                        | 15.08 лв.  | pc |          | 6422103015936 | 80   | 0.08 | 0.07 | 406 |            |
| 1580                            | MT1007 MWH  | MINITRACK 1c L CONNECTION & RIGHT-HAND POWER SUPPLY MWH                       | 15.08 лв.  | pc |          | 6422103015929 | 80   | 0.08 | 0.07 | 406 |            |
| 1581                            | MT1007 S    | MINITRACK 1c L CONNECTION & RIGHT-HAND POWER SUPPLY S                         | 17.77 лв.  | pc |          | 6422103001564 | 80   | 0.08 | 0.07 | 406 |            |
| 1582                            | MT1008 BK   | MINITRACK 1c L CONNECTION & LEFT-HAND POWER SUPPLY BK                         | 15.08 лв.  | pc |          | 6422103015950 | 80   | 0.08 | 0.07 | 406 |            |
| 1583                            | MT1008 MWH  | MINITRACK 1c L CONNECTION & LEFT-HAND POWER SUPPLY MWH                        | 15.08 лв.  | pc |          | 6422103015943 | 80   | 0.08 | 0.07 | 406 |            |
| 1584                            | MT1008 S    | MINITRACK 1c L CONNECTION & LEFT-HAND POWER SUPPLY S                          | 17.77 лв.  | pc |          | 6422103001571 | 80   | 0.08 | 0.07 | 406 |            |
| 1585                            | MT1009 BK   | MINITRACK 1c T CONNECTION & RIGHT-HAND POWER SUPPLY BK                        | 22.25 лв.  | pc |          | 6422103015837 | 50   | 0.10 | 0.09 | 407 |            |
| 1586                            | MT1009 MWH  | MINITRACK 1c T CONNECTION & RIGHT-HAND POWER SUPPLY MWH                       | 22.25 лв.  | pc |          | 6422103015820 | 50   | 0.10 | 0.09 | 407 |            |
| 1587                            | MT1009 S    | MINITRACK 1c T CONNECTION & RIGHT-HAND POWER SUPPLY S                         | 24.79 лв.  | pc |          | 6422103001588 | 50   | 0.10 | 0.09 | 407 |            |
| 1588                            | MT1010 BK   | MINITRACK 1c T CONNECTION & LEFT-HAND POWER SUPPLY BK                         | 22.25 лв.  | pc |          | 6422103015851 | 50   | 0.10 | 0.09 | 407 |            |
| 1589                            | MT1010 MWH  | MINITRACK 1c T CONNECTION & LEFT-HAND POWER SUPPLY MWH                        | 22.25 лв.  | pc |          | 6422103015844 | 50   | 0.10 | 0.09 | 407 |            |
| 1590                            | MT1010 S    | MINITRACK 1c T CONNECTION & LEFT-HAND POWER SUPPLY S                          | 24.79 лв.  | pc |          | 6422103001595 | 50   | 0.10 | 0.09 | 407 |            |
| 1591                            | MT1011 BK   | MINITRACK 1c X CONNECTION & POWER SUPPLY BK                                   | 29.27 лв.  | pc |          | 6422103015998 | 40   | 0.14 | 0.13 | 407 |            |
| 1592                            | MT1011 MWH  | MINITRACK 1c X CONNECTION & POWER SUPPLY MWH                                  | 29.27 лв.  | pc |          | 6422103015981 | 40   | 0.14 | 0.13 | 407 |            |
| 1593                            | MT1011 S    | MINITRACK 1c X CONNECTION & POWER SUPPLY S                                    | 32.85 лв.  | pc |          | 6422103001601 | 40   | 0.14 | 0.13 | 407 |            |
| 1594                            | MT1012 BK   | MINITRACK 1c FLEXIBLE CONNECTION ELEMENT BK                                   | 25.38 лв.  | pc |          | 6422103015974 | 80   | 0.11 | 0.10 | 407 |            |
| 1595                            | MT1012 MWH  | MINITRACK 1c FLEXIBLE CONNECTION ELEMENT MWH                                  | 25.38 лв.  | pc |          | 6422103015967 | 80   | 0.11 | 0.10 | 407 |            |
| 1596                            | MT1012 S    | MINITRACK 1c FLEXIBLE CONNECTION ELEMENT S                                    | 28.52 лв.  | pc |          | 6422103001618 | 80   | 0.11 | 0.10 | 407 |            |
| 1597                            | MT1013 BK   | MINITRACK 1c METALIC BEARING ROD BK   | 111.69 лв. | pc |          | 6422103016018 | 100  | 0.36 | 0.34 | 407 |            |
| 1598                            | MT1013 MWH  | MINITRACK 1c METALIC BEARING ROD MWH  | 111.69 лв. | pc |          | 6422103016001 | 100  | 0.36 | 0.34 | 407 |            |
| 1599                            | MT1013 S    | MINITRACK 1c METALIC BEARING ROD S  | 111.69 лв. | pc |          | 6422103001625 | 100  | 0.36 | 0.34 | 407 |            |
| 1600                            | MT1014 MWH  | MINITRACK 1c SUSPENSION KIT SILVER  | 14.78 лв.  | pc |          | 6422103016025 | 100  | 0.65 | 0.63 | 407 |            |
| 1601                            | MT1015 BK   | MINITRACK 1c END CAP BK   | 1.05 лв.   | pc |          | 6422103016056 | 200  | 0.01 | 0.01 | 407 |            |
| 1602                            | MT1015 MWH  | MINITRACK 1c END CAP MWH  | 1.05 лв.   | pc |          | 6422103016049 | 200  | 0.01 | 0.01 | 407 |            |
| 1603                            | MT1015 S    | MINITRACK 1c END CAP S  | 1.94 лв.   | pc |          | 6422103001649 | 200  | 0.01 | 0.01 | 407 |            |
| 1604                            | MT1016 BK   | MINITRACK 1c CEILING ADAPTER BK   | 62.57 лв.  | pc |          | 6422103016094 | 100  | 0.11 | 0.10 | 408 |            |
| 1605                            | MT1016 MWH  | MINITRACK 1c CEILING ADAPTER WH   | 62.57 лв.  | pc |          | 6422103016063 | 100  | 0.11 | 0.10 | 408 |            |
| 1606                            | MT1016 S    | MINITRACK 1c CEILING ADAPTER S  | 66.00 лв.  | pc |          | 6422103001656 | 100  | 0.11 | 0.10 | 408 |            |
| 1607                            | MT1017 BK   | MINITRACK 1c TRACK ADAPTER BK   | 13.89 лв.  | pc |          | 6422103016087 | 100  | 0.04 | 0.03 | 408 |            |
| 1608                            | MT1017 MWH  | MINITRACK 1c TRACK ADAPTER MWH  | 13.89 лв.  | pc |          | 6422103016070 | 100  | 0.04 | 0.03 | 408 |            |
| 1609                            | MT1017 S    | MINITRACK 1c TRACK ADAPTER S  | 15.53 лв.  | pc |          | 6422103001663 | 100  | 0.04 | 0.03 | 408 |            |
| 1610                            | MT1018 BK   | MINITRACK 1c LINEAR CONNECTOR & POWER SUPPLY BK                               | 15.08 лв.  | pc |          | 6422103015912 | 80   | 0.07 | 0.06 | 408 |            |
| 1611                            | MT1018 MWH  | MINITRACK 1c LINEAR CONNECTOR & POWER SUPPLY MWH                              | 15.08 лв.  | pc |          | 6422103015905 | 80   | 0.07 | 0.06 | 408 |            |
| 1612                            | MT1018 S    | MINITRACK 1c LINEAR CONNECTOR & POWER SUPPLY S                                | 17.77 лв.  | pc |          | 6422103002042 | 80   | 0.07 | 0.06 | 408 |            |
| 1613                            | MC01NW BK   | XMICRO ADJ. MICRO PROJECTOR 1,5W 12V DC 4000K CRI.80 IP20 36° BK (5.1.2)      | 175.49 лв. | pc | Excluded | 6422103004473 | 200  | 0.05 | 0.04 | 413 |            |
| 1614                            | MC01WW BK   | XMICRO ADJ. MICRO PROJECTOR 1,5W 12V DC 3000K CRI.80 IP20 36° BK (5.1.2)      | 175.49 лв. | pc | Excluded | 6422103004466 | 200  | 0.05 | 0.04 | 413 |            |
| 1615                            | MC04CW BK   | XMICRO ADJ. MICRO PROJECTOR 8W 24V DC 5000K CRI.80 IP20 UGR<16 25° BK (5.1.2) | 254.14 лв. | pc | Excluded | 6422103052764 | 50   | 0.12 | 0.11 | 413 |            |
| 1616                            | MC04REF40   | XMICRO OPTICAL SYSTEM 40° for MC04  | 25.73 лв.  | pc |          | 6422103052788 |      | 0.01 | 0.01 | 413 |            |
| 1617                            | MC04WW BK   | XMICRO ADJ. MICRO PROJECTOR 8W 24V DC 3000K CRI.80 IP20 UGR<16 25° BK (5.1.2) | 254.15 лв. | pc | Excluded | 6422103052771 | 50   | 0.12 | 0.11 | 413 |            |
| 1618                            | MC05CW BK   | XMICRO ADJ. MICRO PROJECTOR 7,7W 24V DC 5000K CRI.90 IP20 10°-40° BK (5.1.2)  | 258.29 лв. | pc | Excluded | 6422103054027 | 50   | 0.14 | 0.13 | 413 |            |
| 1619                            | MC05WW BK   | XMICRO ADJ. MICRO PROJECTOR 7,7W 24V DC 3000K CRI.90 IP20 10°-40° BK (5.1.2)  | 258.29 лв. | pc | Excluded | 6422103054010 | 50   | 0.14 | 0.13 | 413 |            |
| 1620                            | MC01CC BK   | MICROTRACK 1c L CONNECTOR BK  | 37.46 лв.  | pc |          | 6422103028509 | 300  | 0.01 | 0.01 | 414 |            |
| 1621                            | MC01EPC BK  | MICROTRACK 1c POWER SUPPLY BK   | 40.07 лв.  | pc |          | 6422103028400 | 480  | 0.01 | 0.01 | 414 |            |
| 1622                            | MC01LC BK   | MICROTRACK 1c LINEAR CONNECTOR BK   | 37.46 лв.  | pc |          | 6422103028394 | 420  | 0.01 | 0.01 | 414 |            |
| 1623                            | MC01TK03 BK | MICROTRACK 1c TRACK 12V or 24V, max. 6A, 300 mm IP20 BK                       | 62.28 лв.  | pc |          | 6422103028561 | 60   | 0.07 | 0.06 | 414 |            |
| 1624                            | MC01TK06 BK | MICROTRACK 1c TRACK 12V or 24V, max. 6A, 600 mm IP20 BK                       | 106.98 лв. | pc |          | 6422103028516 | 60   | 0.14 | 0.13 | 414 |            |
| 1625                            | MC01TK09 BK | MICROTRACK 1c TRACK 12V or 24V, max. 6A, 900 mm IP20 BK                       | 185.15 лв. | pc |          | 6422103028578 | 20   | 0.23 | 0.22 | 414 |            |
| 1626                            | MC01TK1 BK  | MICROTRACK 1c TRACK 12V or 24V, max. 6A, 1000 mm IP20 BK                      | 173.09 лв. | pc |          | 6422103028387 | 20   | 0.25 | 0.24 | 414 |            |
| 1627                            | MC01AC BK   | MICROTRACK 1c FLEXIBLE CONNECTION ELEMENT BK                                  | 33.85 лв.  | pc |          | 6422103028493 | 375  | 0.01 | 0.01 | 415 |            |
| 1628                            | MC01EC BK   | MICROTRACK 1c END CAP BK  | 7.96 лв.   | pc |          | 6422103028417 | 1000 | 0.01 | 0.01 | 415 |            |
| 1629                            | MC01VM BK   | MICROTRACK 1c VERTICAL MOUNTING SYSTEM BK                                     | 30.23 лв.  | pc |          | 6422103028424 | 225  | 0.01 | 0.01 | 415 |            |
| <b>8. WATERPROOF LUMINAIRES</b> |             |   |            |    |          |               |      |      |      |     | <b>419</b> |
| 1629                            | BN01NW      | XBOND LED BATTEN 36W 4000K (5.1.2)  | 132.73 лв. | pc | Included | 6422103082181 | 20   | 0.47 | 0.45 | 421 |            |
| 1630                            | BN01PK      | XBOND POWER SUPPLY KIT 1.5 m  | 17.68 лв.  | pc |          | 6422103082198 |      | 0.15 | 0.14 | 421 |            |

|                                  |                  |  |  |            |    |                        |               |    |      |      |            |
|----------------------------------|------------------|--|--|------------|----|------------------------|---------------|----|------|------|------------|
| 1631                             | BN01SK           | XBOND SUSPENSION KIT   |  | 14.50 лв.  | pc |                        | 6422103082204 |    | 0.06 | 0.05 | 421        |
| 1632                             | BN01WW           | XBOND LED BATTEN 36W 3000K (5.1.2)   |  | 132.73 лв. | pc | Included               | 6422103082174 | 20 | 0.47 | 0.45 | 421        |
| 1633                             | PF01CW           | XPROOF LED WATERPROOF 10W 220-240V AC 6500K CRI.80 651 mm IP65 120° S (4.1.2)                        |  | 87.74 лв.  | pc | Included               | 6422103026031 | 12 | 0.96 | 0.93 | 424        |
| 1634                             | PF01NW           | XPROOF LED WATERPROOF 10W 220-240V AC 4000K CRI.80 651 mm IP65 120° S (4.1.2)                        |  | 87.74 лв.  | pc | Included               | 6422103026024 | 12 | 0.96 | 0.93 | 424        |
| 1635                             | PF02CW           | XPROOF LED WATERPROOF 20W 220-240V AC 6500K CRI.80 1260 mm IP65 120° S (4.1.2)                       |  | 129.80 лв. | pc | Included               | 6422103026055 | 8  | 1.75 | 1.69 | 424        |
| 1636                             | PF02NW           | XPROOF LED WATERPROOF 20W 220-240V AC 4000K CRI.80 1260 mm IP65 120° S (4.1.2)                       |  | 129.80 лв. | pc | Included               | 6422103026048 | 8  | 1.75 | 1.69 | 424        |
| 1637                             | PF03CW           | XPROOF LED WATERPROOF 40W 220-240V AC 6500K CRI.80 1560 mm IP65 120° S (4.1.2)                       |  | 165.25 лв. | pc | Included               | 6422103026079 | 8  | 2.00 | 1.94 | 424        |
| 1638                             | PF03NW           | XPROOF LED WATERPROOF 40W 220-240V AC 4000K CRI.80 1560 mm IP65 120° S (4.1.2)                       |  | 165.25 лв. | pc | Included               | 6422103026062 | 8  | 2.00 | 1.94 | 424        |
| 1639                             | PF04CW           | XPROOF LED WATERPROOF 20W 220-240V AC 6500K CRI.80 651 mm IP65 120° S (4.1.2)                        |  | 108.17 лв. | pc | Included               | 6422103026093 | 10 | 1.00 | 0.97 | 425        |
| 1640                             | PF04NW           | XPROOF LED WATERPROOF 20W 220-240V AC 4000K CRI.80 651 mm IP65 120° S (4.1.2)                        |  | 108.17 лв. | pc | Included               | 6422103026086 | 10 | 1.00 | 0.97 | 425        |
| 1641                             | PF05CW           | XPROOF LED WATERPROOF 40W 220-240V AC 6500K CRI.80 1260 mm IP65 120° S (4.1.2)                       |  | 156.24 лв. | pc | Included               | 6422103026116 | 6  | 2.17 | 2.10 | 425        |
| 1642                             | PF05NW           | XPROOF LED WATERPROOF 40W 220-240V AC 4000K CRI.80 1260 mm IP65 120° S (4.1.2)                       |  | 156.24 лв. | pc | Included               | 6422103026109 | 6  | 2.17 | 2.10 | 425        |
| 1643                             | PF06CW           | XPROOF LED WATERPROOF 50W 220-240V AC 6500K CRI.80 1560 mm IP65 120° S (4.1.2)                       |  | 209.12 лв. | pc | Included               | 6422103026130 | 6  | 2.34 | 2.26 | 425        |
| 1644                             | PF06NW           | XPROOF LED WATERPROOF 50W 220-240V AC 4000K CRI.80 1560 mm IP65 120° S (4.1.2)                       |  | 209.12 лв. | pc | Included               | 6422103026123 | 6  | 2.34 | 2.26 | 425        |
| 1645                             | DR01CW           | XDROP IP65 LIGHT FITTING SURF. Or SUSP. MOUNTING 18W 6000K (4.1.2)                                   |  | 93.49 лв.  | pc | Included               | 6422103070782 | 8  | 0.68 | 0.65 | 427        |
| 1646                             | DR01NW           | XDROP IP65 LIGHT FITTING SURF. Or SUSP. MOUNTING 18W 4000K (4.1.2)                                   |  | 93.49 лв.  | pc | Included               | 6422103070775 | 8  | 0.68 | 0.65 | 427        |
| 1647                             | DR02CW           | XDROP IP65 LIGHT FITTING SURF. Or SUSP. MOUNTING 36W 6000K (4.1.2)                                   |  | 139.74 лв. | pc | Included               | 6422103070805 | 8  | 1.23 | 1.19 | 427        |
| 1648                             | DR02NW           | XDROP IP65 LIGHT FITTING SURF. Or SUSP. MOUNTING 36W 4000K (4.1.2)                                   |  | 139.74 лв. | pc | Included               | 6422103070799 | 8  | 1.23 | 1.19 | 427        |
| 1649                             | DR03CW           | XDROP IP65 LIGHT FITTING SURF. Or SUSP. MOUNTING 50W 6000K (4.1.2)                                   |  | 193.57 лв. | pc | Included               | 6422103070829 | 8  | 1.55 | 1.50 | 427        |
| 1650                             | DR03NW           | XDROP IP65 LIGHT FITTING SURF. Or SUSP. MOUNTING 50W 4000K (4.1.2)                                   |  | 193.57 лв. | pc | Included               | 6422103070812 | 8  | 1.55 | 1.50 | 427        |
| 1651                             | PLN01234RC       | XPLANNER REMOTE CONTROL for MOTION SENSOR  |  | 21.00 лв.  | pc |                        | 6422103052313 |    | 0.25 | 0.24 | 428        |
| 1652                             | PLN01CCT         | XPLANNER RND. SURF. 18W 175-240V AC 3000K/4000K/6500K CRI.80 IP54 120° WH (5.1.2)                    |  | 138.58 лв. | pc | Included               | 6422103048729 | 10 | 0.68 | 0.65 | 430        |
| 1653                             | PLN01CCT EM      | XPLANNER RND. SURF. with EMERGENCY KIT 18W 175-240V AC 3000K/4000K/6500K CRI.80 IP54 120° WH (5.1.2) |  | 279.95 лв. | pc | Included               | 6422103048767 | 10 | 0.68 | 0.65 | 430        |
| 1654                             | PLN01CCT SZ      | XPLANNER RND. SURF. with MOTION SENSOR 18W 175-240V AC 3000K/4000K/6500K CRI.80 IP54 120° WH (5.1.2) |  | 183.37 лв. | pc | Included               | 6422103048743 | 10 | 0.68 | 0.65 | 430        |
| 1655                             | PLN02CCT         | XPLANNER RND. SURF. 24W 175-240V AC 3000K/4000K/6500K CRI.80 IP54 120° WH (5.1.2)                    |  | 167.97 лв. | pc | Included               | 6422103048736 | 10 | 0.87 | 0.84 | 430        |
| 1656                             | PLN02CCT EM      | XPLANNER RND. SURF. with EMERGENCY KIT 24W 175-240V AC 3000K/4000K/6500K CRI.80 IP54 120° WH (5.1.2) |  | 356.94 лв. | pc | Included               | 6422103048774 | 10 | 0.87 | 0.84 | 430        |
| 1657                             | PLN02CCT SZ      | XPLANNER RND. SURF. with MOTION SENSOR 24W 175-240V AC 3000K/4000K/6500K CRI.80 IP54 120° WH (5.1.2) |  | 212.76 лв. | pc | Included               | 6422103048750 | 10 | 0.87 | 0.84 | 430        |
| 1658                             | PLN03CCT         | XPLANNER SQ. SURF. 18W 175-240V AC 3000K/4000K/6500K CRI.80 IP54 120° WH (5.1.2)                     |  | 142.78 лв. | pc | Included               | 6422103048781 | 10 | 0.75 | 0.72 | 431        |
| 1659                             | PLN03CCT EM      | XPLANNER SQ. SURF. with EMERGENCY KIT 18W 175-240V AC 3000K/4000K/6500K CRI.80 IP54 120° WH (5.1.2)  |  | 286.95 лв. | pc | Included               | 6422103048828 | 10 | 0.75 | 0.72 | 431        |
| 1660                             | PLN03CCT SZ      | XPLANNER SQ. SURF. with MOTION SENSOR 18W 175-240V AC 3000K/4000K/6500K CRI.80 IP54 120° WH (5.1.2)  |  | 186.17 лв. | pc | Included               | 6422103048804 | 10 | 0.75 | 0.72 | 431        |
| 1661                             | PLN04CCT         | XPLANNER SQ. SURF. 24W 175-240V AC 3000K/4000K/6500K CRI.80 IP54 120° WH (5.1.2)                     |  | 167.97 лв. | pc | Included               | 6422103048798 | 10 | 1.09 | 1.05 | 431        |
| 1662                             | PLN04CCT EM      | XPLANNER SQ. SURF. with EMERGENCY KIT 24W 175-240V AC 3000K/4000K/6500K CRI.80 IP54 120° WH (5.1.2)  |  | 376.54 лв. | pc | Included               | 6422103048835 | 10 | 1.09 | 1.05 | 431        |
| 1663                             | PLN04CCT SZ      | XPLANNER SQ. SURF. with MOTION SENSOR 24W 175-240V AC 3000K/4000K/6500K CRI.80 IP54 120° WH (5.1.2)  |  | 216.96 лв. | pc | Included               | 6422103048811 | 10 | 1.09 | 1.05 | 431        |
| 1664                             | VR01CCT          | XVARIO SURF. 20W 220-240V AC 3000K/4000K/6500K CRI.80 IP44 135° WH dia. 307mm (5.1.2)                |  | 144.20 лв. | pc | Included               | 6422103090254 | 10 | 0.63 | 0.61 | 433        |
| 1665                             | VR02CCT          | XVARIO SURF. 30W 220-240V AC 3000K/4000K/6500K CRI.80 IP44 135° WH dia. 397mm (5.1.2)                |  | 192.78 лв. | pc | Included               | 6422103090261 | 5  | 1.04 | 1.00 | 433        |
| 1666                             | VR03CCT          | XVARIO SURF. 40W 220-240V AC 3000K/4000K/6500K CRI.80 IP44 135° WH dia. 505mm (5.1.2)                |  | 247.42 лв. | pc | Included               | 6422103090278 | 4  | 1.55 | 1.50 | 433        |
| 1667                             | EG03NW           | XEDGE RND. SURF. 20W 220-240V AC 4000K CRI.80 IP66 110° WH (5.1.2)                                   |  | 141.14 лв. | pc | Included               | 6422103041331 | 6  | 0.85 | 0.82 | 436        |
| 1668                             | EG03NW SZ        | XEDGE RND. SURF. with MOTION/DAYLIGHT SENSOR 20W 220-240V AC 4000K CRI.80 IP66 110° WH (5.1.2)       |  | 197.85 лв. | pc | Included+sensor        | 6422103041362 | 6  | 0.90 | 0.87 | 436        |
| 1669                             | EG03NW SZ+EM     | XEDGE RND. SURF. with SENSOR & EMERGENCY KIT 20W 220-240V AC 4000K CRI.80 IP66 110° WH (5.1.2)       |  | 380.57 лв. | pc | Included+sensor+EM KIT | 6422103041393 | 6  | 1.20 | 1.16 | 436        |
| 1670                             | EG03WW           | XEDGE RND. SURF. 20W 220-240V AC 3000K CRI.80 IP66 110° WH (5.1.2)                                   |  | 141.14 лв. | pc | Included               | 6422103041324 | 6  | 0.85 | 0.82 | 436        |
| 1671                             | EG03WW SZ        | XEDGE RND. SURF. with MOTION/DAYLIGHT SENSOR 20W 220-240V AC 3000K CRI.80 IP66 110° WH (5.1.2)       |  | 197.85 лв. | pc | Included+sensor        | 6422103041355 | 6  | 0.90 | 0.87 | 436        |
| 1672                             | EG03WW SZ+EM     | XEDGE RND. SURF. with SENSOR & EMERGENCY KIT 20W 220-240V AC 3000K CRI.80 IP66 110° WH (5.1.2)       |  | 380.57 лв. | pc | Included+sensor+EM KIT | 6422103041386 | 6  | 1.20 | 1.16 | 436        |
| 1673                             | EG04NW           | XEDGE SQ. SURF. 20W 220-240V AC 4000K CRI.80 IP66 110° WH (5.1.2)                                    |  | 152.48 лв. | pc | Included               | 6422103041423 | 6  | 1.02 | 0.98 | 437        |
| 1674                             | EG04NW SZ        | XEDGE SQ. SURF. with MOTION/DAYLIGHT SENSOR 20W 220-240V AC 4000K CRI.80 IP66 110° WH (5.1.2)        |  | 209.19 лв. | pc | Included+sensor        | 6422103041454 | 6  | 1.07 | 1.03 | 437        |
| 1675                             | EG04NW SZ+EM     | XEDGE SQ. SURF. with SENSOR & EMERGENCY KIT 20W 220-240V AC 4000K CRI.80 IP66 110° WH (5.1.2)        |  | 391.91 лв. | pc | Included+sensor+EM KIT | 6422103041485 | 6  | 1.37 | 1.32 | 437        |
| 1676                             | EG04WW           | XEDGE SQ. SURF. 20W 220-240V AC 3000K CRI.80 IP66 110° WH (5.1.2)                                    |  | 152.48 лв. | pc | Included               | 6422103041416 | 6  | 1.02 | 0.98 | 437        |
| 1677                             | EG04WW SZ        | XEDGE SQ. SURF. with MOTION/DAYLIGHT SENSOR 20W 220-240V AC 3000K CRI.80 IP66 110° WH (5.1.2)        |  | 209.19 лв. | pc | Included+sensor        | 6422103041447 | 6  | 1.07 | 1.03 | 437        |
| 1678                             | EG04WW SZ+EM     | XEDGE SQ. SURF. with SENSOR & EMERGENCY KIT 20W 220-240V AC 3000K CRI.80 IP66 110° WH (5.1.2)        |  | 391.91 лв. | pc | Included+sensor+EM KIT | 6422103041478 | 6  | 1.37 | 1.32 | 437        |
| <b>9. INDUSTRIAL SUSPENSIONS</b> |                  |  |  |            |    |                        |               |    |      |      | <b>439</b> |
| 1679                             | FXL31NW40X120    | XFACTORY LINE 288mm 50W 100-277V AC 4000K 40x120grd BK (4.1.2)                                       |  | 613.92 лв. | pc | Included               | 6422103093095 | 10 | 2.10 | 2.03 | 441        |
| 1680                             | FXL32NW40X120    | XFACTORY LINE 542mm 100W 100-305V AC 4000K 40x120grd BK (4.1.2)                                      |  | 799.52 лв. | pc | Included               | 6422103088886 | 10 | 2.80 | 2.71 | 441        |
| 1681                             | FXL33NW40X120    | XFACTORY LINE 542mm 150W 100-305V AC 4000K 40x120grd BK (4.1.2)                                      |  | 970.85 лв. | pc | Included               | 6422103087513 | 10 | 3.90 | 3.78 | 441        |
| 1682                             | FXL11CW30X70 AL  | XFACTORY LINE 1200mm 50W 100-277V AC 6000K 30x70grd (4.1.2)  |  | 801.25 лв. | pc | Included               | 6422103069731 | 10 | 3.50 | 3.39 | 443        |
| 1683                             | FXL11CW40X120 AL | XFACTORY LINE 1200mm 50W 100-277V AC 6000K 40x120grd (4.1.2)   |  | 801.25 лв. | pc | Included               | 6422103069694 | 10 | 3.50 | 3.39 | 443        |
| 1684                             | FXL11NW30X70 AL  | XFACTORY LINE 1200mm 50W 100-277V AC 4000K 30x70grd (4.1.2)  |  | 801.25 лв. | pc | Included               | 6422103069724 | 10 | 3.50 | 3.39 | 443        |
| 1685                             | FXL11NW40X120 AL | XFACTORY LINE 1200mm 50W 100-277V AC 4000K 40x120grd (4.1.2)   |  | 801.25 лв. | pc | Included               | 6422103069687 | 10 | 3.50 | 3.39 | 443        |
| 1686                             | FXL12CW30X70 AL  | XFACTORY LINE 1500mm 60W 100-277V AC 6000K 30x70grd (4.1.2)  |  | 881.37 лв. | pc | Included               | 6422103069755 | 10 | 4.40 | 4.26 | 443        |
| 1687                             | FXL12CW40X120 AL | XFACTORY LINE 1500mm 60W 100-277V AC 6000K 40x120grd (4.1.2)   |  | 881.37 лв. | pc | Included               | 6422103069717 | 10 | 4.40 | 4.26 | 443        |
| 1688                             | FXL12NW30X70 AL  | XFACTORY LINE 1500mm 60W 100-277V AC 4000K 30x70grd (4.1.2)  |  | 881.37 лв. | pc | Included               | 6422103069748 | 10 | 4.40 | 4.26 | 443        |
| 1689                             | FXL12NW40X120 AL | XFACTORY LINE 1500mm 60W 100-277V AC 4000K 40x120grd (4.1.2)   |  | 881.37 лв. | pc | Included               | 6422103069700 | 10 | 4.40 | 4.26 | 443        |
| 1690                             | FX20CW120        | XFACTORY SURF./SUSP. FITTING 100W 85-265V AC 6000K CRI.80 IP65 120° MBK (5.1.2)                      |  | 357.52 лв. | pc | Included               | 6422103050913 | 4  | 2.00 | 1.94 | 446        |



|  |               |  |            |    |          |               |     |      |      |     |            |
|--|---------------|--|------------|----|----------|---------------|-----|------|------|-----|------------|
| 1691                                     | FX20CW120DALI | XFACTORY SURF./SUSP. FITTING DALI 100W 85-265V AC 6000K CRI.80 IP65 120° MBK (5.1.2) | 539.84 лв. | pc | Included | 6422103071109 | 4   | 2.20 | 2.13 | 446 |            |
| 1692                                     | FX20CW60      | XFACTORY SURF./SUSP. FITTING 100W 85-265V AC 6000K CRI.80 IP65 60° MBK (5.1.2)       | 357.52 лв. | pc | Included | 6422103050975 | 4   | 2.00 | 1.94 | 446 |            |
| 1693                                     | FX20CW60DALI  | XFACTORY SURF./SUSP. FITTING DALI 100W 85-265V AC 6000K CRI.80 IP65 60° MBK (5.1.2)  | 539.84 лв. | pc | Included | 6422103071161 | 4   | 2.20 | 2.13 | 446 |            |
| 1694                                     | FX20CW90      | XFACTORY SURF./SUSP. FITTING 100W 85-265V AC 6000K CRI.80 IP65 90° MBK (5.1.2)       | 357.52 лв. | pc | Included | 6422103051033 | 4   | 2.00 | 1.94 | 446 |            |
| 1695                                     | FX20CW90DALI  | XFACTORY SURF./SUSP. FITTING DALI 100W 85-265V AC 6000K CRI.80 IP65 90° MBK (5.1.2)  | 539.84 лв. | pc | Included | 6422103071222 | 4   | 2.20 | 2.13 | 446 |            |
| 1696                                     | FX20NW120     | XFACTORY SURF./SUSP. FITTING 100W 85-265V AC 4000K CRI.80 IP65 120° MBK (5.1.2)      | 357.52 лв. | pc | Included | 6422103050906 | 4   | 2.00 | 1.94 | 446 |            |
| 1697                                     | FX20NW120DALI | XFACTORY SURF./SUSP. FITTING DALI 100W 85-265V AC 4000K CRI.80 IP65 120° MBK (5.1.2) | 539.84 лв. | pc | Included | 6422103071093 | 4   | 2.20 | 2.13 | 446 |            |
| 1698                                     | FX20NW60      | XFACTORY SURF./SUSP. FITTING 100W 85-265V AC 4000K CRI.80 IP65 60° MBK (5.1.2)       | 357.52 лв. | pc | Included | 6422103050968 | 4   | 2.00 | 1.94 | 446 |            |
| 1699                                     | FX20NW60DALI  | XFACTORY SURF./SUSP. FITTING DALI 100W 85-265V AC 4000K CRI.80 IP65 60° MBK (5.1.2)  | 539.84 лв. | pc | Included | 6422103071154 | 4   | 2.20 | 2.13 | 446 |            |
| 1700                                     | FX20NW90      | XFACTORY SURF./SUSP. FITTING 100W 85-265V AC 4000K CRI.80 IP65 90° MBK (5.1.2)       | 357.52 лв. | pc | Included | 6422103051026 | 4   | 2.00 | 1.94 | 446 |            |
| 1701                                     | FX20NW90DALI  | XFACTORY SURF./SUSP. FITTING DALI 100W 85-265V AC 4000K CRI.80 IP65 90° MBK (5.1.2)  | 539.84 лв. | pc | Included | 6422103071215 | 4   | 2.20 | 2.13 | 446 |            |
| 1702                                     | FX21CW120     | XFACTORY SURF./SUSP. FITTING 150W 85-265V AC 6000K CRI.80 IP65 120° MBK (5.1.2)      | 461.50 лв. | pc | Included | 6422103050937 | 4   | 2.70 | 2.61 | 446 |            |
| 1703                                     | FX21CW120DALI | XFACTORY SURF./SUSP. FITTING DALI 150W 85-265V AC 6000K CRI.80 IP65 120° MBK (5.1.2) | 646.67 лв. | pc | Included | 6422103071123 | 4   | 2.90 | 2.81 | 446 |            |
| 1704                                     | FX21CW60      | XFACTORY SURF./SUSP. FITTING 150W 85-265V AC 6000K CRI.80 IP65 60° MBK (5.1.2)       | 461.50 лв. | pc | Included | 6422103050999 | 4   | 2.70 | 2.61 | 446 |            |
| 1705                                     | FX21CW60DALI  | XFACTORY SURF./SUSP. FITTING DALI 150W 85-265V AC 6000K CRI.80 IP65 60° MBK (5.1.2)  | 646.67 лв. | pc | Included | 6422103071185 | 4   | 2.90 | 2.81 | 446 |            |
| 1706                                     | FX21CW90      | XFACTORY SURF./SUSP. FITTING 150W 85-265V AC 6000K CRI.80 IP65 90° MBK (5.1.2)       | 461.50 лв. | pc | Included | 6422103051057 | 4   | 2.70 | 2.61 | 446 |            |
| 1707                                     | FX21CW90DALI  | XFACTORY SURF./SUSP. FITTING DALI 150W 85-265V AC 6000K CRI.80 IP65 90° MBK (5.1.2)  | 646.67 лв. | pc | Included | 6422103071246 | 4   | 2.90 | 2.81 | 446 |            |
| 1708                                     | FX21NW120     | XFACTORY SURF./SUSP. FITTING 150W 85-265V AC 4000K CRI.80 IP65 120° MBK (5.1.2)      | 461.50 лв. | pc | Included | 6422103050920 | 4   | 2.70 | 2.61 | 446 |            |
| 1709                                     | FX21NW120DALI | XFACTORY SURF./SUSP. FITTING DALI 150W 85-265V AC 4000K CRI.80 IP65 120° MBK (5.1.2) | 646.67 лв. | pc | Included | 6422103071116 | 4   | 2.90 | 2.81 | 446 |            |
| 1710                                     | FX21NW60      | XFACTORY SURF./SUSP. FITTING 150W 85-265V AC 4000K CRI.80 IP65 60° MBK (5.1.2)       | 461.50 лв. | pc | Included | 6422103050982 | 4   | 2.70 | 2.61 | 446 |            |
| 1711                                     | FX21NW60DALI  | XFACTORY SURF./SUSP. FITTING DALI 150W 85-265V AC 4000K CRI.80 IP65 60° MBK (5.1.2)  | 646.67 лв. | pc | Included | 6422103071178 | 4   | 2.90 | 2.81 | 446 |            |
| 1712                                     | FX21NW90      | XFACTORY SURF./SUSP. FITTING 150W 85-265V AC 4000K CRI.80 IP65 90° MBK (5.1.2)       | 461.50 лв. | pc | Included | 6422103051040 | 4   | 2.70 | 2.61 | 446 |            |
| 1713                                     | FX21NW90DALI  | XFACTORY SURF./SUSP. FITTING DALI 150W 85-265V AC 4000K CRI.80 IP65 90° MBK (5.1.2)  | 646.67 лв. | pc | Included | 6422103071239 | 4   | 2.90 | 2.81 | 446 |            |
| 1714                                     | FX20EMK10     | XFACTORY SURF./SUSP. EMERGENCY KIT FOR FX20 10W 3h 4000mAh                           | 400.25 лв. | pc |          | 6422103071642 | 4   | 1.10 | 1.06 | 447 |            |
| 1715                                     | FX20EMK10DALI | XFACTORY SURF./SUSP. EMERGENCY KIT FOR FX20 DALI 10W 3h 4000mAh                      | 374.61 лв. | pc |          | 6422103071277 | 4   | 1.10 | 1.06 | 447 |            |
| 1716                                     | FX20LN60      | XFACTORY POLYCARBONATE LENS 60° for FX20   | 23.22 лв.  | pc |          | 6422103051118 | 210 | 0.11 | 0.10 | 447 |            |
| 1717                                     | FX20LN90      | XFACTORY POLYCARBONATE LENS 90° for FX20   | 23.22 лв.  | pc |          | 6422103051149 | 210 | 0.11 | 0.10 | 447 |            |
| 1718                                     | FX20MB        | XFACTORY CEILING, WALL MOUNTING ACCESSORY for FX20 MBK                               | 37.46 лв.  | pc |          | 6422103051088 |     | 0.40 | 0.38 | 447 |            |
| 1719                                     | FX21EMK15     | XFACTORY SURF./SUSP. EMERGENCY KIT FOR FX21 15W 3h 5200mAh                           | 478.59 лв. | pc |          | 6422103071659 | 4   | 1.30 | 1.26 | 447 |            |
| 1720                                     | FX21EMK15DALI | XFACTORY SURF./SUSP. EMERGENCY KIT FOR FX21 DALI 15W 3h 5200mAh                      | 452.96 лв. | pc |          | 6422103071284 | 4   | 1.30 | 1.26 | 447 |            |
| 1721                                     | FX21LN60      | XFACTORY POLYCARBONATE LENS 60° for FX21   | 26.92 лв.  | pc |          | 6422103051125 | 210 | 0.19 | 0.18 | 447 |            |
| 1722                                     | FX21LN90      | XFACTORY POLYCARBONATE LENS 90° for FX21   | 26.92 лв.  | pc |          | 6422103051156 | 210 | 0.19 | 0.18 | 447 |            |
| 1723                                     | FX21MB        | XFACTORY CEILING, WALL MOUNTING ACCESSORY for FX21 MBK                               | 46.44 лв.  | pc |          | 6422103051095 |     | 0.45 | 0.43 | 447 |            |
| 1724                                     | FX22CW120     | XFACTORY SURF./SUSP. FITTING 200W 85-265V AC 6000K CRI.80 IP65 120° MBK (5.1.2)      | 542.69 лв. | pc | Included | 6422103050951 | 4   | 3.70 | 3.58 | 447 |            |
| 1725                                     | FX22CW120DALI | XFACTORY SURF./SUSP. FITTING DALI 200W 85-265V AC 6000K CRI.80 IP65 120° MBK (5.1.2) | 720.74 лв. | pc | Included | 6422103071147 | 4   | 3.90 | 3.78 | 447 |            |
| 1726                                     | FX22CW60      | XFACTORY SURF./SUSP. FITTING 200W 85-265V AC 6000K CRI.80 IP65 60° MBK (5.1.2)       | 542.69 лв. | pc | Included | 6422103051019 | 4   | 3.70 | 3.58 | 447 |            |
| 1727                                     | FX22CW60DALI  | XFACTORY SURF./SUSP. FITTING DALI 200W 85-265V AC 6000K CRI.80 IP65 60° MBK (5.1.2)  | 720.74 лв. | pc | Included | 6422103071208 | 4   | 3.90 | 3.78 | 447 |            |
| 1728                                     | FX22CW90      | XFACTORY SURF./SUSP. FITTING 200W 85-265V AC 6000K CRI.80 IP65 90° MBK (5.1.2)       | 542.69 лв. | pc | Included | 6422103051071 | 4   | 3.70 | 3.58 | 447 |            |
| 1729                                     | FX22CW90DALI  | XFACTORY SURF./SUSP. FITTING DALI 200W 85-265V AC 6000K CRI.80 IP65 90° MBK (5.1.2)  | 720.74 лв. | pc | Included | 6422103071260 | 4   | 3.90 | 3.78 | 447 |            |
| 1730                                     | FX22EMK20     | XFACTORY SURF./SUSP. EMERGENCY KIT FOR FX22 20W 3h 6600mAh                           | 542.69 лв. | pc |          | 6422103071666 | 4   | 1.40 | 1.35 | 447 |            |
| 1731                                     | FX22EMK20DALI | XFACTORY SURF./SUSP. EMERGENCY KIT FOR FX22 DALI 20W 3h 6600mAh                      | 517.05 лв. | pc |          | 6422103071291 | 4   | 1.40 | 1.35 | 447 |            |
| 1732                                     | FX22LN60      | XFACTORY POLYCARBONATE LENS 60° for FX22   | 37.46 лв.  | pc |          | 6422103051132 | 210 | 0.25 | 0.24 | 447 |            |
| 1733                                     | FX22LN90      | XFACTORY POLYCARBONATE LENS 90° for FX22   | 37.46 лв.  | pc |          | 6422103051163 | 210 | 0.25 | 0.24 | 447 |            |
| 1734                                     | FX22MB        | XFACTORY CEILING, WALL MOUNTING ACCESSORY for FX22 MBK                               | 51.71 лв.  | pc |          | 6422103051101 |     | 0.52 | 0.50 | 447 |            |
| 1735                                     | FX22NW120     | XFACTORY SURF./SUSP. FITTING 200W 85-265V AC 4000K CRI.80 IP65 120° MBK (5.1.2)      | 542.69 лв. | pc | Included | 6422103050944 | 4   | 3.70 | 3.58 | 447 |            |
| 1736                                     | FX22NW120DALI | XFACTORY SURF./SUSP. FITTING DALI 200W 85-265V AC 4000K CRI.80 IP65 120° MBK (5.1.2) | 720.74 лв. | pc | Included | 6422103071130 | 4   | 3.90 | 3.78 | 447 |            |
| 1737                                     | FX22NW60      | XFACTORY SURF./SUSP. FITTING 200W 85-265V AC 4000K CRI.80 IP65 60° MBK (5.1.2)       | 542.69 лв. | pc | Included | 6422103051002 | 4   | 3.70 | 3.58 | 447 |            |
| 1738                                     | FX22NW60DALI  | XFACTORY SURF./SUSP. FITTING DALI 200W 85-265V AC 4000K CRI.80 IP65 60° MBK (5.1.2)  | 720.74 лв. | pc | Included | 6422103071192 | 4   | 3.90 | 3.78 | 447 |            |
| 1739                                     | FX22NW90      | XFACTORY SURF./SUSP. FITTING 200W 85-265V AC 4000K CRI.80 IP65 90° MBK (5.1.2)       | 542.69 лв. | pc | Included | 6422103051064 | 4   | 3.70 | 3.58 | 447 |            |
| 1740                                     | FX22NW90DALI  | XFACTORY SURF./SUSP. FITTING DALI 200W 85-265V AC 4000K CRI.80 IP65 90° MBK (5.1.2)  | 720.74 лв. | pc | Included | 6422103071253 | 4   | 3.90 | 3.78 | 447 |            |
| <b>10. ARCHITECTURAL FAÇADE LIGHTING</b> |               |  |            |    |          |               |     |      |      |     | <b>449</b> |
| 1741                                     | STK01NW       | XSTICK IP65 LINEAR FITTING 6W 24V DC 4000K CRI.80 494mm 120grd S (5.1.2)             | 217.64 лв. | pc | Excluded | 6422103073448 | 16  | 0.45 | 0.43 | 451 |            |
| 1742                                     | STK01RGBW/DMX | XSTICK IP65 LINEAR FITTING 6W 24V DC RGBW/DMX CRI.80 494mm 120grd S (5.1.2)          | 273.52 лв. | pc | Excluded | 6422103073479 | 16  | 0.45 | 0.43 | 451 |            |
| 1743                                     | STK01WWW      | XSTICK IP65 LINEAR FITTING 6W 24V DC 3000K CRI.80 494mm 120grd S (5.1.2)             | 217.64 лв. | pc | Excluded | 6422103073431 | 16  | 0.45 | 0.43 | 451 |            |
| 1744                                     | STK02NW       | XSTICK IP65 LINEAR FITTING 12W 24V DC 4000W CRI.80 986mm 120grd S (4.1.2)            | 273.52 лв. | pc | Excluded | 6422103073462 | 16  | 0.76 | 0.73 | 451 |            |
| 1745                                     | STK02RGBW/DMX | XSTICK IP65 LINEAR FITTING 12W 24V DC RGBW/DMX CRI.80 986mm 120grd S (4.1.2)         | 323.51 лв. | pc | Excluded | 6422103073486 | 16  | 0.76 | 0.73 | 451 |            |
| 1746                                     | STK02WWW      | XSTICK IP65 LINEAR FITTING 12W 24V DC 3000W CRI.80 986mm 120grd S (4.1.2)            | 273.52 лв. | pc | Excluded | 6422103073455 | 16  | 0.76 | 0.73 | 451 |            |
| 1747                                     | FO01RGB15X60  | XFLOW S LINEAR FITTING 3x3W 24V DC RGB 270 mm IP65 15°x60° S (5.1.2)                 | 198.83 лв. | pc | Excluded | 6422103046497 |     | 0.80 | 0.77 | 455 |            |
| 1748                                     | FO01RGB30     | XFLOW S LINEAR FITTING 3x3W 24V DC RGB 270 mm IP65 30° S (5.1.2)                     | 198.83 лв. | pc | Excluded | 6422103046480 |     | 0.80 | 0.77 | 455 |            |
| 1749                                     | FO02RGB15X60  | XFLOW S LINEAR FITTING 6x3W 24V DC RGB 500 mm IP65 15°x60° S (4.1.2)                 | 331.39 лв. | pc | Excluded | 6422103046503 |     | 1.60 | 1.55 | 455 |            |
| 1750                                     | FO02RGB30     | XFLOW S LINEAR FITTING 6x3W 24V DC RGB 500 mm IP65 30° S (4.1.2)                     | 331.39 лв. | pc | Excluded | 6422103046282 |     | 1.60 | 1.55 | 455 |            |

|      |              |  |            |    |          |               |    |      |      |     |
|------|--------------|--|------------|----|----------|---------------|----|------|------|-----|
| 1751 | FO03RGB15X60 | XFLOW S LINEAR FITTING 12x3W 24V DC RGB 1000 mm IP65 15°x60° S (4.1.2)                         | 432.25 lb. | pc | Excluded | 6422103046510 |    | 2.50 | 2.42 | 455 |
| 1752 | FO03RGB30    | XFLOW S LINEAR FITTING 12x3W 24V DC RGB 1000 mm IP65 30° S (4.1.2)                             | 432.25 lb. | pc | Excluded | 6422103046299 |    | 2.50 | 2.42 | 455 |
| 1753 | FO04NW15X60  | XFLOW S LINEAR FITTING 6W 220-240V AC 4000K CRI.80 270 mm IP65 UGR<16 15°x60° S (5.1.2)        | 172.90 lb. | pc | Included | 6422103046411 |    | 0.80 | 0.77 | 455 |
| 1754 | FO04NW30     | XFLOW S LINEAR FITTING 6W 220-240V AC 4000K CRI.80 270 mm IP65 UGR<7 30° S (5.1.2)             | 172.90 lb. | pc | Included | 6422103046329 |    | 0.80 | 0.77 | 455 |
| 1755 | FO04WW15X60  | XFLOW S LINEAR FITTING 6W 220-240V AC 3000K CRI.80 270 mm IP65 UGR<16 15°x60° S (5.1.2)        | 172.90 lb. | pc | Included | 6422103046404 |    | 0.80 | 0.77 | 455 |
| 1756 | FO04WW30     | XFLOW S LINEAR FITTING 6W 220-240V AC 3000K CRI.80 270 mm IP65 UGR<7 30° S (5.1.2)             | 172.90 lb. | pc | Included | 6422103046312 |    | 0.80 | 0.77 | 455 |
| 1757 | FO05NW15X60  | XFLOW S LINEAR FITTING 12W 220-240V AC 4000K CRI.80 500 mm IP65 UGR<16 15°x60° S (4.1.2)       | 270.15 lb. | pc | Included | 6422103046435 |    | 1.60 | 1.55 | 455 |
| 1758 | FO05NW30     | XFLOW S LINEAR FITTING 12W 220-240V AC 4000K CRI.80 500 mm IP65 UGR<7 30° S (4.1.2)            | 270.15 lb. | pc | Included | 6422103046350 |    | 1.60 | 1.55 | 455 |
| 1759 | FO05WW15X60  | XFLOW S LINEAR FITTING 12W 220-240V AC 3000K CRI.80 500 mm IP65 UGR<16 15°x60° S (4.1.2)       | 270.15 lb. | pc | Included | 6422103046305 |    | 1.60 | 1.55 | 455 |
| 1760 | FO05WW30     | XFLOW S LINEAR FITTING 12W 220-240V AC 3000K CRI.80 500 mm IP65 UGR<7 30° S (4.1.2)            | 270.15 lb. | pc | Included | 6422103046343 |    | 1.60 | 1.55 | 455 |
| 1761 | FO06NW15X60  | XFLOW S LINEAR FITTING 24W 220-240V AC 4000K CRI.80 1000 mm IP65 UGR<16 15°x60° S (4.1.2)      | 360.20 lb. | pc | Included | 6422103046466 |    | 2.50 | 2.42 | 455 |
| 1762 | FO06NW30     | XFLOW S LINEAR FITTING 24W 220-240V AC 4000K CRI.80 1000 mm IP65 UGR<7 30° S (4.1.2)           | 360.20 lb. | pc | Included | 6422103046381 |    | 2.50 | 2.42 | 455 |
| 1763 | FO06WW15X60  | XFLOW S LINEAR FITTING 24W 220-240V AC 3000K CRI.80 1000 mm IP65 UGR<16 15°x60° S (4.1.2)      | 360.20 lb. | pc | Included | 6422103046459 |    | 2.50 | 2.42 | 455 |
| 1764 | FO06WW30     | XFLOW S LINEAR FITTING 24W 220-240V AC 3000K CRI.80 1000 mm IP65 UGR<7 30° S (4.1.2)           | 360.20 lb. | pc | Included | 6422103046374 |    | 2.50 | 2.42 | 455 |
| 1765 | FO10NW10X60  | XFLOW L LINEAR FITTING 6W 220-240V AC 4000K CRI.80 300 mm IP65 UGR<10 10°x60° AL-AN (5.1.2)    | 277.54 lb. | pc | Included | 6422103051675 |    | 1.30 | 1.26 | 457 |
| 1766 | FO10NW30     | XFLOW L LINEAR FITTING 6W 220-240V AC 4000K CRI.80 300 mm IP65 UGR<7 30° AL-AN (5.1.2)         | 277.54 lb. | pc | Included | 6422103051651 |    | 1.30 | 1.26 | 457 |
| 1767 | FO10RGB10X60 | XFLOW L LINEAR FITTING 6x1W 24V DC RGB 300 mm IP65 10°x60° AL-AN (5.1.2)                       | 332.38 lb. | pc | Excluded | 6422103051774 |    | 1.40 | 1.35 | 457 |
| 1768 | FO10RGB30    | XFLOW L LINEAR FITTING 6x1W 24V DC RGB 300 mm IP65 30° AL-AN (5.1.2)                           | 332.38 lb. | pc | Excluded | 6422103051767 |    | 1.40 | 1.35 | 457 |
| 1769 | FO10WW10X60  | XFLOW L LINEAR FITTING 6W 220-240V AC 3000K CRI.80 300 mm IP65 UGR<10 10°x60° AL-AN (5.1.2)    | 277.54 lb. | pc | Included | 6422103051668 |    | 1.30 | 1.26 | 457 |
| 1770 | FO10WW30     | XFLOW L LINEAR FITTING 6W 220-240V AC 3000K CRI.80 300 mm IP65 UGR<7 30° AL-AN (5.1.2)         | 277.54 lb. | pc | Included | 6422103051644 |    | 1.30 | 1.26 | 457 |
| 1771 | FO11NW10X60  | XFLOW L LINEAR FITTING 12W 220-240V AC 4000K CRI.80 500 mm IP65 UGR<10 10°x60° AL-AN (4.1.2)   | 328.58 lb. | pc | Included | 6422103051712 |    | 2.00 | 1.94 | 457 |
| 1772 | FO11NW30     | XFLOW L LINEAR FITTING 12W 220-240V AC 4000K CRI.80 500 mm IP65 UGR<7 30° AL-AN (4.1.2)        | 328.58 lb. | pc | Included | 6422103051699 |    | 2.00 | 1.94 | 457 |
| 1773 | FO11RGB10X60 | XFLOW L LINEAR FITTING 12x1W 24V DC RGB 500 mm IP65 10°x60°. AL-AN (4.1.2)                     | 412.12 lb. | pc | Excluded | 6422103051798 |    | 2.10 | 2.03 | 457 |
| 1774 | FO11RGB30    | XFLOW L LINEAR FITTING 12x1W 24V DC RGB 500 mm IP65 30° AL-AN (4.1.2)                          | 412.12 lb. | pc | Excluded | 6422103051781 |    | 2.10 | 2.03 | 457 |
| 1775 | FO11WW10X60  | XFLOW L LINEAR FITTING 12W 220-240V AC 3000K CRI.80 500 mm IP65 UGR<10 10°x60° AL-AN (4.1.2)   | 328.58 lb. | pc | Included | 6422103051705 |    | 2.00 | 1.94 | 457 |
| 1776 | FO11WW30     | XFLOW L LINEAR FITTING 12W 220-240V AC 3000K CRI.80 500 mm IP65 UGR<7 30° AL-AN (4.1.2)        | 328.58 lb. | pc | Included | 6422103051682 |    | 2.00 | 1.94 | 457 |
| 1777 | FO12NW10X60  | XFLOW L LINEAR FITTING 24W 220-240V AC 4000K CRI.80 1000 mm IP65 UGR<10 10°x60° AL-AN (4.1.2)  | 502.14 lb. | pc | Included | 6422103051750 |    | 3.55 | 3.44 | 457 |
| 1778 | FO12NW30     | XFLOW L LINEAR FITTING 24W 220-240V AC 4000K CRI.80 1000 mm IP65 UGR<7 30° AL-AN (4.1.2)       | 502.14 lb. | pc | Included | 6422103051736 |    | 3.55 | 3.44 | 457 |
| 1779 | FO12RGB10X60 | XFLOW L LINEAR FITTING 24x1W 24V DC RGB 1000 mm IP65 10°x60°. AL-AN (4.1.2)                    | 562.79 lb. | pc | Excluded | 6422103051811 |    | 3.85 | 3.73 | 457 |
| 1780 | FO12RGB30    | XFLOW L LINEAR FITTING 24x1W 24V DC RGB 1000 mm IP65 30° AL-AN (4.1.2)                         | 562.79 lb. | pc | Excluded | 6422103051804 |    | 3.85 | 3.73 | 457 |
| 1781 | FO12WW10X60  | XFLOW L LINEAR FITTING 24W 220-240V AC 3000K CRI.80 1000 mm IP65 UGR<10 10°x60° AL-AN (4.1.2)  | 502.14 lb. | pc | Included | 6422103051743 |    | 3.55 | 3.44 | 457 |
| 1782 | FO12WW30     | XFLOW L LINEAR FITTING 24W 220-240V AC 3000K CRI.80 1000 mm IP65 UGR<7 30° AL-AN (4.1.2)       | 502.14 lb. | pc | Included | 6422103051729 |    | 3.55 | 3.44 | 457 |
| 1783 | WL05NW40 DG  | XWALL SQ. SURF. LAMP 2x9W 100-240V AC 4000K CRI.80 IP65 UGR<7 40° DG (5.1.2)                   | 447.59 lb. | pc | Included | 6422103047975 | 4  | 1.70 | 1.64 | 459 |
| 1784 | WL05WW40 DG  | XWALL SQ. SURF. LAMP 2x9W 100-240V AC 3000K CRI.80 IP65 UGR<7 40° DG (5.1.2)                   | 447.59 lb. | pc | Included | 6422103047968 | 4  | 1.70 | 1.64 | 459 |
| 1785 | WL06NW40 DG  | XWALL SQ. SURF. LAMP 2x20W 220-240V AC 4000K CRI.80 IP65 UGR<7 40° DG (5.1.2)                  | 756.26 lb. | pc | Included | 6422103047999 | 4  | 3.30 | 3.20 | 459 |
| 1786 | WL06WW40 DG  | XWALL SQ. SURF. LAMP 2x20W 220-240V AC 3000K CRI.80 IP65 UGR<7 40° DG (5.1.2)                  | 756.26 lb. | pc | Included | 6422103047982 | 4  | 3.30 | 3.20 | 459 |
| 1787 | LB01 DG      | XLOBBY WALL/CEILING FITTING UP LIGHT E27/PAR20 1x15W max. 220-240V AC IP54 90° DG (5.1.1)      | 174.53 lb. | pc |          | 6422103048002 | 6  | 0.98 | 0.95 | 461 |
| 1788 | LB02 DG      | XLOBBY WALL/CEILING FITTING UP/DOWN LIGHT E27/PAR20 2x15W max. 220-240V AC IP54 90° DG (5.1.1) | 238.00 lb. | pc |          | 6422103048019 | 6  | 1.37 | 1.32 | 461 |
| 1789 | LB03 DG      | XLOBBY WALL/CEILING FITTING DOWN LIGHT E27/PAR20 1x15W max. 220-240V AC IP54 90° DG (5.1.1)    | 142.80 lb. | pc |          | 6422103048026 | 8  | 0.80 | 0.77 | 461 |
| 1790 | BD01WW MBK   | XBLADE WALL/CEILING FITTING 7W 220-240V AC 3000K CRI.80 IP54 360° MBK (5.1.2)                  | 201.71 lb. | pc | Included | 6422103037938 | 20 | 0.92 | 0.89 | 467 |
| 1791 | BD01WW MWH   | XBLADE WALL/CEILING FITTING 7W 220-240V AC 3000K CRI.80 IP54 360° MWH (5.1.2)                  | 201.71 lb. | pc | Included | 6422103037914 | 20 | 0.92 | 0.89 | 467 |
| 1792 | NK02RGB      | XNETWORK SPOT 5W 24V DC RGB IP66 120° S (5.1.2)  | 364.69 lb. | pc | Excluded | 6422103051170 | 48 | 0.40 | 0.38 | 469 |

**11. SURFACE AND RECESSED LIGHT FITTINGS FOR EXTERIOR**

**471**

|      |                 |   |              |     |          |               |    |      |      |     |
|------|-----------------|---|--------------|-----|----------|---------------|----|------|------|-----|
| 1793 | ME03EC          | XMARKER GRND. LINEAR SET END CAPS (2PCS) for ME03                                 | 60.36 lb.    | set |          | 6422103067706 |    | 0.10 | 0.09 | 474 |
| 1794 | ME03NW120.05    | XMARKER GRND. LINEAR 15W/m 24V DC 4000K CRI.80 500x55.6x63.7 mm IP67 DG (4.1.2)   | 530.91 lb.   | pc  | Excluded | 6422103066167 | 8  | 0.85 | 0.82 | 474 |
| 1795 | ME03NW120.1     | XMARKER GRND. LINEAR 15W/m 24V DC 4000K CRI.80 1000x55.6x63.7 mm IP67 DG (4.1.2)  | 776.45 lb.   | pc  | Excluded | 6422103066181 | 4  | 1.58 | 1.53 | 474 |
| 1796 | ME03NW120.2     | XMARKER GRND. LINEAR 15W/m 24V DC 4000K CRI.80 2000x55.6x63.7 mm IP67 DG (4.1.2)  | 1 426.81 lb. | pc  | Excluded | 6422103066204 | 4  | 3.05 | 2.95 | 474 |
| 1797 | ME03RGBW120.05D | XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW DMX512 500x55.6x63.7 mm IP67 DG (4.1.2)  | 909.18 lb.   | pc  | Excluded | 6422103066259 | 8  | 0.94 | 0.91 | 474 |
| 1798 | ME03RGBW120.05N | XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW 500x55.6x63.7 mm IP67 DG (4.1.2)         | 663.63 lb.   | pc  | Excluded | 6422103066228 | 8  | 0.90 | 0.87 | 474 |
| 1799 | ME03RGBW120.1D  | XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW DMX512 1000x55.6x63.7 mm IP67 DG (4.1.2) | 1 486.53 lb. | pc  | Excluded | 6422103066266 | 4  | 1.75 | 1.69 | 474 |
| 1800 | ME03RGBW120.1N  | XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW 1000x55.6x63.7 mm IP67 DG (4.1.2)        | 955.63 lb.   | pc  | Excluded | 6422103066235 | 4  | 1.62 | 1.57 | 474 |
| 1801 | ME03RGBW120.2N  | XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW 2000x55.6x63.7 mm IP67 DG (4.1.2)        | 1 725.44 lb. | pc  | Excluded | 6422103066242 | 4  | 3.10 | 3.00 | 474 |
| 1802 | ME03WW120.05    | XMARKER GRND. LINEAR 15W/m 24V DC 3000K CRI.80 500x55.6x63.7 mm IP67 DG (4.1.2)   | 530.91 lb.   | pc  | Excluded | 6422103066174 | 8  | 0.85 | 0.82 | 474 |
| 1803 | ME03WW120.1     | XMARKER GRND. LINEAR 15W/m 24V DC 3000K CRI.80 1000x55.6x63.7 mm IP67 DG (4.1.2)  | 776.45 lb.   | pc  | Excluded | 6422103066198 | 4  | 1.58 | 1.53 | 474 |
| 1804 | ME03WW120.2     | XMARKER GRND. LINEAR 15W/m 24V DC 3000K CRI.80 2000x55.6x63.7 mm IP67 DG (4.1.2)  | 1 426.81 lb. | pc  | Excluded | 6422103066211 | 4  | 3.05 | 2.95 | 474 |
| 1805 | ME04EC          | XMARKER GRND. LINEAR SET END CAPS (2PCS) for ME04                                 | 60.36 lb.    | set |          | 6422103067713 |    | 0.10 | 0.09 | 475 |
| 1806 | ME04NW120.05    | XMARKER GRND. LINEAR 15W/m 24V DC 4000K CRI.80 500x30.6x45 mm IP67 DG (4.1.2)     | 491.09 lb.   | pc  | Excluded | 6422103066273 | 10 | 0.65 | 0.63 | 475 |
| 1807 | ME04NW120.1     | XMARKER GRND. LINEAR 15W/m 24V DC 4000K CRI.80 1000x30.6x45 mm IP67 DG (4.1.2)    | 683.54 lb.   | pc  | Excluded | 6422103066297 | 5  | 1.20 | 1.16 | 475 |
| 1808 | ME04NW120.2     | XMARKER GRND. LINEAR 15W/m 24V DC 4000K CRI.80 2000x30.6x45 mm IP67 DG (4.1.2)    | 1 234.35 lb. | pc  | Excluded | 6422103066310 | 5  | 2.30 | 2.23 | 475 |
| 1809 | ME04RGBW120.05D | XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW DMX512 500x30.6x45 mm IP67 DG (4.1.2)    | 796.36 lb.   | pc  | Excluded | 6422103066365 | 10 | 0.74 | 0.71 | 475 |
| 1810 | ME04RGBW120.05N | XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW 500x30.6x45 mm IP67 DG (4.1.2)           | 610.54 lb.   | pc  | Excluded | 6422103066334 | 10 | 0.70 | 0.67 | 475 |

|      |                |  |              |    |          |               |     |      |      |     |
|------|----------------|--|--------------|----|----------|---------------|-----|------|------|-----|
| 1811 | ME04RGBW120.1D | XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW DMX512 1000x30.6x45 mm IP67 DG (4.1.2)        | 1 393.63 lb. | pc | Excluded | 6422103066372 | 5   | 1.35 | 1.30 | 475 |
| 1812 | ME04RGBW120.1N | XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW 1000x30.6x45 mm IP67 DG (4.1.2)               | 875.99 lb.   | pc | Excluded | 6422103066341 | 5   | 1.25 | 1.21 | 475 |
| 1813 | ME04RGBW120.2N | XMARKER GRND. LINEAR 15W/m 24V DC RGB+WW 2000x30.6x45 mm IP67 DG (4.1.2)               | 1 546.26 lb. | pc | Excluded | 6422103066358 | 5   | 2.35 | 2.27 | 475 |
| 1814 | ME04WW120.05   | XMARKER GRND. LINEAR 15W/m 24V DC 3000K CRI.80 500x30.6x45 mm IP67 DG (4.1.2)          | 530.91 lb.   | pc | Excluded | 6422103066280 | 10  | 0.65 | 0.63 | 475 |
| 1815 | ME04WW120.1    | XMARKER GRND. LINEAR 15W/m 24V DC 3000K CRI.80 1000x30.6x45 mm IP67 DG (4.1.2)         | 683.54 lb.   | pc | Excluded | 6422103066303 | 5   | 1.20 | 1.16 | 475 |
| 1816 | ME04WW120.2    | XMARKER GRND. LINEAR 15W/m 24V DC 3000K CRI.80 2000x30.6x45 mm IP67 DG (4.1.2)         | 1 307.35 lb. | pc | Excluded | 6422103066327 | 5   | 2.30 | 2.23 | 475 |
| 1817 | ME01NW120      | XMARKER GRND./CEILING REC. LINEAR 12W 24V DC 4000K CRI.80 500 mm IP67 120° DG (4.1.2)  | 267.74 lb.   | pc | Excluded | 6422103032414 | 48  | 0.86 | 0.83 | 478 |
| 1818 | ME01WW120      | XMARKER GRND./CEILING REC. LINEAR 12W 24V DC 3000K CRI.80 500 mm IP67 120° DG (4.1.2)  | 267.74 lb.   | pc | Excluded | 6422103032391 | 48  | 0.86 | 0.83 | 478 |
| 1819 | ME012EC1m      | XMARKER 1Mr EXTENSIONS CABLE MALE-FEMALE CONNECTOR for ME01/ME02                       | 32.95 lb.    | pc |          | 6422103046660 |     | 0.10 | 0.09 | 479 |
| 1820 | ME012EC2m      | XMARKER 2Mr EXTENSIONS CABLE MALE-FEMALE CONNECTOR for ME01/ME02                       | 39.82 lb.    | pc |          | 6422103046657 |     | 0.18 | 0.17 | 479 |
| 1821 | ME02NW120      | XMARKER GRND./CEILING REC. LINEAR 24W 24V DC 4000K CRI.80 1000 mm IP67 120° DG (4.1.2) | 411.91 lb.   | pc | Excluded | 6422103032384 | 24  | 1.72 | 1.66 | 479 |
| 1822 | ME02WW120      | XMARKER GRND./CEILING REC. LINEAR 24W 24V DC 3000K CRI.80 1000 mm IP67 120° DG (4.1.2) | 411.91 lb.   | pc | Excluded | 6422103032377 | 24  | 1.72 | 1.66 | 479 |
| 1823 | GD112M5        | XGROUND RECESSED BOX for GD11/12   | 4.53 lb.     | pc |          | 6422103032087 | 160 | 0.10 | 0.09 | 482 |
| 1824 | GD11NW45       | XGROUND GRND. RND. REC. FITTING 1x1W 24V DC 4000K CRI.80 IP67 45° SS (5.1.2)           | 95.06 lb.    | pc | Excluded | 6422103032070 | 160 | 0.07 | 0.06 | 482 |
| 1825 | GD11WW45       | XGROUND GRND. RND. REC. FITTING 1x1W 24V DC 3000K CRI.80 IP67 45° SS (5.1.2)           | 95.06 lb.    | pc | Excluded | 6422103032063 | 160 | 0.07 | 0.06 | 482 |
| 1826 | GD12NW45       | XGROUND GRND. SQ. REC. FITTING 1x1W 24V DC 4000K CRI.80 IP67 45° SS (5.1.2)            | 102.49 lb.   | pc | Excluded | 6422103032100 | 160 | 0.08 | 0.07 | 482 |
| 1827 | GD12WW45       | XGROUND GRND. SQ. REC. FITTING 1x1W 24V DC 3000K CRI.80 IP67 45° SS (5.1.2)            | 102.49 lb.   | pc | Excluded | 6422103032094 | 160 | 0.08 | 0.07 | 482 |
| 1828 | GD134LN15      | XGROUND 15° LENS for GD13/GD14   | 6.06 lb.     | pc |          | 6422103032148 |     | 0.01 | 0.01 | 482 |
| 1829 | GD134M5        | XGROUND RECESSED BOX for GD13/14   | 14.85 lb.    | pc |          | 6422103032131 | 50  | 0.15 | 0.14 | 482 |
| 1830 | GD13NW45       | XGROUND GRND. RND. REC. FITTING 1x3W 24V DC 4000K CRI.80 IP67 45° SS (5.1.2)           | 153.06 lb.   | pc | Excluded | 6422103032124 | 50  | 0.21 | 0.20 | 482 |
| 1831 | GD13WW45       | XGROUND GRND. RND. REC. FITTING 1x3W 24V DC 3000K CRI.80 IP67 45° SS (5.1.2)           | 153.06 lb.   | pc | Excluded | 6422103032117 | 50  | 0.21 | 0.20 | 482 |
| 1832 | GD14NW45       | XGROUND GRND. SQ. REC. FITTING 1x3W 24V DC 4000K CRI.80 IP67 45° SS (5.1.2)            | 163.39 lb.   | pc | Excluded | 6422103032162 | 50  | 0.22 | 0.21 | 482 |
| 1833 | GD14WW45       | XGROUND GRND. SQ. REC. FITTING 1x3W 24V DC 3000K CRI.80 IP67 45° SS (5.1.2)            | 163.39 lb.   | pc | Excluded | 6422103032155 | 50  | 0.22 | 0.21 | 482 |
| 1834 | GD156LN23      | XGROUND 23° LENS for GD15/GD16   | 18.17 lb.    | pc |          | 6422103060073 |     | 0.03 | 0.02 | 483 |
| 1835 | GD156M5        | XGROUND RECESSED BOX for GD15/16   | 17.82 lb.    | pc |          | 6422103032193 |     | 0.18 | 0.17 | 483 |
| 1836 | GD15NW36       | XGROUND GRND. RND. REC. FITTING 1x6W 24V DC 4000K CRI.80 IP67 36° SS (5.1.2)           | 301.59 lb.   | pc | Excluded | 6422103032186 | 20  | 0.45 | 0.43 | 483 |
| 1837 | GD15WW36       | XGROUND GRND. RND. REC. FITTING 1x6W 24V DC 3000K CRI.80 IP67 36° SS (5.1.2)           | 301.59 lb.   | pc | Excluded | 6422103032179 | 20  | 0.45 | 0.43 | 483 |
| 1838 | GD16NW36       | XGROUND GRND. SQ. REC. FITTING 1x6W 24V DC 4000K CRI.80 IP67 36° SS (5.1.2)            | 316.45 lb.   | pc | Excluded | 6422103045469 | 20  | 0.47 | 0.45 | 483 |
| 1839 | GD16WW36       | XGROUND GRND. SQ. REC. FITTING 1x6W 24V DC 3000K CRI.80 IP67 36° SS (5.1.2)            | 316.45 lb.   | pc | Excluded | 6422103045476 | 20  | 0.47 | 0.45 | 483 |
| 1840 | GD178LN23      | XGROUND 23° LENS for GD17/GD18   | 12.11 lb.    | pc |          | 6422103060080 |     | 0.05 | 0.04 | 484 |
| 1841 | GD178M5        | XGROUND RECESSED BOX for GD17/18   | 11.88 lb.    | pc |          | 6422103032254 |     | 0.20 | 0.19 | 484 |
| 1842 | GD17NW40       | XGROUND GRND. RND. REC. FITTING 1x15W 100-245V AC 4000K CRI.80 IP67 40° SS (5.1.2)     | 490.87 lb.   | pc | Included | 6422103032247 | 16  | 0.96 | 0.93 | 484 |
| 1843 | GD17WW40       | XGROUND GRND. RND. REC. FITTING 1x15W 100-245V AC 3000K CRI.80 IP67 40° SS (5.1.2)     | 490.87 lb.   | pc | Included | 6422103032223 | 16  | 0.96 | 0.93 | 484 |
| 1844 | GD18NW40       | XGROUND GRND. SQ. REC. FITTING 1x15W 100-245V AC 4000K CRI.80 IP67 40° SS (5.1.2)      | 594.13 lb.   | pc | Included | 6422103045490 | 16  | 0.98 | 0.95 | 484 |
| 1845 | GD18WW40       | XGROUND GRND. SQ. REC. FITTING 1x15W 100-245V AC 3000K CRI.80 IP67 40° SS (5.1.2)      | 594.13 lb.   | pc | Included | 6422103045483 | 16  | 0.98 | 0.95 | 484 |
| 1846 | GD192LN23      | XGROUND 23° LENS for GD19/GD20   | 30.79 lb.    | pc |          | 6422103060097 |     | 0.08 | 0.07 | 485 |
| 1847 | GD192M5        | XGROUND RECESSED BOX for GD19/20   | 30.21 lb.    | pc |          | 6422103047623 |     | 0.22 | 0.21 | 485 |
| 1848 | GD19NW36       | XGROUND GRND. RND. REC. FITTING 1x25W 90-265V AC 4000K CRI.80 IP67 36° SS (5.1.2)      | 808.02 lb.   | pc | Included | 6422103047593 | 12  | 1.74 | 1.68 | 485 |
| 1849 | GD19WW36       | XGROUND GRND. RND. REC. FITTING 1x25W 90-265V AC 3000K CRI.80 IP67 36° SS (5.1.2)      | 808.02 lb.   | pc | Included | 6422103047586 | 12  | 1.74 | 1.68 | 485 |
| 1850 | GD20NW36       | XGROUND GRND. SQ. REC. FITTING 1x25W 90-265V AC 4000K CRI.80 IP67 36° SS (5.1.2)       | 793.17 lb.   | pc | Included | 6422103047616 | 12  | 1.77 | 1.71 | 485 |
| 1851 | GD20WW36       | XGROUND GRND. SQ. REC. FITTING 1x25W 90-265V AC 3000K CRI.80 IP67 36° SS (5.1.2)       | 793.17 lb.   | pc | Included | 6422103047609 | 12  | 1.77 | 1.71 | 485 |
| 1852 | GD25M5         | XGROUND RECESSED BOX for GD25  | 31.21 lb.    | pc |          | 6422103090292 |     | 0.15 | 0.14 | 485 |
| 1853 | GD25NW43       | XGROUND GRND. RND. REC. FITTING 6X1.5W 24 DC 4000K CRI.80 IP67 43grd (5.1.2)           | 496.51 lb.   | pc | Excluded | 6422103075022 | 12  | 0.72 | 0.69 | 485 |
| 1854 | GD25WW43       | XGROUND GRND. RND. REC. FITTING 6X1.5W 24 DC 3000K CRI.80 IP67 43grd (5.1.2)           | 496.51 lb.   | pc | Excluded | 6422103075015 | 12  | 0.72 | 0.69 | 485 |
| 1855 | GD21NW3        | XGROUND GRND. RND. REC. FITTING 10W 100-265V AC 4000K IP67 3° SS (5.1.2)               | 447.04 lb.   | pc | Included | 6422103069779 | 20  | 0.54 | 0.52 | 486 |
| 1856 | GD21WW3        | XGROUND GRND. RND. REC. FITTING 10W 100-265V AC 3000K IP67 3° SS (5.1.2)               | 447.04 lb.   | pc | Included | 6422103069762 | 20  | 0.54 | 0.52 | 486 |
| 1857 | GD23NW15-50    | XGROUND GRND. RND. REC. FITTING 8W 12/24V DC 4000K IP67 15-50° SS (5.1.2)              | 387.62 lb.   | pc | Excluded | 6422103069793 | 18  | 0.80 | 0.77 | 487 |
| 1858 | GD23WW15-50    | XGROUND GRND. RND. REC. FITTING 8W 12/24V DC 3000K IP67 15-50° SS (5.1.2)              | 387.62 lb.   | pc | Excluded | 6422103069786 | 18  | 0.80 | 0.77 | 487 |
| 1859 | GD01RGB40      | XGROUND RGB REC. FIXTURE 1x3W 12V DC RGB fi.40 mm IP67 40° SS (5.1.2)                  | 243.59 lb.   | pc | Excluded | 6422103039642 | 50  | 0.27 | 0.26 | 489 |
| 1860 | GD03RGB40      | XGROUND RGB REC. FIXTURE 1x3W 12V DC RGB fi.54 mm IP67 40° SS (5.1.2)                  | 248.05 lb.   | pc | Excluded | 6422103039659 | 30  | 0.42 | 0.40 | 489 |
| 1861 | GD07RGB60      | XGROUND RGB REC. FIXTURE 3x3W 12V DC RGB fi.116 mm IP67 60° SS (5.1.2)                 | 712.96 lb.   | pc | Excluded | 6422103039666 | 12  | 1.31 | 1.27 | 489 |
| 1862 | PK01NW         | XPUCK GROUND SURF. FIXTURE 1x6W 220-240V AC 4000K CRI.80 IP67 1 direction DG (5.1.2)   | 275.22 lb.   | pc | Included | 6422103047654 | 12  | 0.70 | 0.67 | 491 |
| 1863 | PK01WW         | XPUCK GROUND SURF. FIXTURE 1x6W 220-240V AC 3000K CRI.80 IP67 1 direction DG (5.1.2)   | 275.22 lb.   | pc | Included | 6422103047647 | 12  | 0.70 | 0.67 | 491 |
| 1864 | PK02NW         | XPUCK GROUND SURF. FIXTURE 1x6W 220-240V AC 4000K CRI.80 IP67 2 directions DG (5.1.2)  | 305.79 lb.   | pc | Included | 6422103047678 | 12  | 0.68 | 0.65 | 491 |
| 1865 | PK02WW         | XPUCK GROUND SURF. FIXTURE 1x6W 220-240V AC 3000K CRI.80 IP67 2 directions DG (5.1.2)  | 305.79 lb.   | pc | Included | 6422103047661 | 12  | 0.68 | 0.65 | 491 |
| 1866 | PK03NW         | XPUCK GROUND SURF. FIXTURE 1x6W 220-240V AC 4000K CRI.80 IP67 4 directions DG (5.1.2)  | 334.64 lb.   | pc | Included | 6422103047692 | 12  | 0.63 | 0.61 | 491 |
| 1867 | PK03WW         | XPUCK GROUND SURF. FIXTURE 1x6W 220-240V AC 3000K CRI.80 IP67 4 directions DG (5.1.2)  | 334.64 lb.   | pc | Included | 6422103047685 | 12  | 0.63 | 0.61 | 491 |
| 1868 | DK01CN SS      | XDECK STAINLESS STEEL COVER CON SHAPE for DK01   | 66.46 lb.    | pc |          | 6422103031974 | 90  | 0.05 | 0.04 | 493 |
| 1869 | DK01DM AL      | XDECK ALUMINUM COVER DOME SHAPE for DK01   | 17.81 lb.    | pc |          | 6422103032018 | 200 | 0.02 | 0.01 | 493 |
| 1870 | DK01EY AL      | XDECK ALUMINUM COVER EYELID SHAPE for DK01   | 34.14 lb.    | pc |          | 6422103032001 | 200 | 0.02 | 0.01 | 493 |
| 1871 | DK01NW         | XDECK GRND./WALL REC. FITTING 2W 24V DC 4000K CRI.80 IP67 120° AL (5.1.2)              | 74.97 lb.    | pc | Excluded | 6422103031998 | 100 | 0.07 | 0.06 | 493 |







|  |                  |  |              |    |          |               |    |       |       |            |
|--|------------------|--|--------------|----|----------|---------------|----|-------|-------|------------|
| 1993                                     | PLZ26T3NW DG     | XPLAZA R1 STREET FITTING 30W 120-240V AC 4000K optics T3-S CRI.>70 IP66 DG (4.1.2)       | 1 460.40 lb. | pc | Included | 6422103067959 | 1  | 8.20  | 7.95  | 525        |
| 1994                                     | PLZ26T3WW DG     | XPLAZA R1 STREET FITTING 30W 120-240V AC 3000K optics T3-S CRI.>70 IP66 DG (4.1.2)       | 1 460.40 lb. | pc | Included | 6422103067942 | 1  | 8.20  | 7.95  | 525        |
| 1995                                     | PLZ27T2NW DG     | XPLAZA R1 STREET FITTING 50W 120-240V AC 4000K optics T2-S CRI.>70 IP66 DG (4.1.2)       | 1 460.40 lb. | pc | Included | 6422103067836 | 1  | 8.30  | 8.05  | 525        |
| 1996                                     | PLZ27T2WW DG     | XPLAZA R1 STREET FITTING 50W 120-240V AC 3000K optics T2-S CRI.>70 IP66 DG (4.1.2)       | 1 460.40 lb. | pc | Included | 6422103067829 | 1  | 8.30  | 8.05  | 525        |
| 1997                                     | PLZ27T3NW DG     | XPLAZA R1 STREET FITTING 50W 120-240V AC 4000K optics T3-S CRI.>70 IP66 DG (4.1.2)       | 1 460.40 lb. | pc | Included | 6422103067973 | 1  | 8.30  | 8.05  | 525        |
| 1998                                     | PLZ27T3WW DG     | XPLAZA R1 STREET FITTING 50W 120-240V AC 3000K optics T3-S CRI.>70 IP66 DG (4.1.2)       | 1 460.40 lb. | pc | Included | 6422103067966 | 1  | 8.30  | 8.05  | 525        |
| 1999                                     | DS018C           | XDOMUS DECORATIVE COVER  | 274.60 lb.   | pc |          | 6422103071703 | 1  | 9.00  | 8.73  | 527        |
| 2000                                     | DS011GA          | XDOMUS FASTERNING SYSTEM   | 411.91 lb.   | pc |          | 6422103071697 | 1  | 7.00  | 6.79  | 527        |
| 2001                                     | DS01NW DG        | XDOMUS RESIDENTIAL LIGHT FITTING 4m 42W 4000K (4.1.2)                                    | 6 837.65 lb. | pc | Included | 6422103071680 | 1  | 37.00 | 35.89 | 527        |
| 2002                                     | DS01WW DG        | XDOMUS RESIDENTIAL LIGHT FITTING 4m 42W 3000K (4.1.2)                                    | 6 837.65 lb. | pc | Included | 6422103071673 | 1  | 37.00 | 35.89 | 527        |
| 2003                                     | TOR01NW DG       | XTORRE STREET LIGHT 4Mr 1x40W 4000K T2-S optic DG (4.1.2)                                | 3 675.30 lb. | pc | Included | 6422103090773 |    | 27.00 | 26.19 | 529        |
| 2004                                     | TOR01WW DG       | XTORRE STREET LIGHT 4Mr 1x40W 3000K T2-S optic DG (4.1.2)                                | 3 675.30 lb. | pc | Included | 6422103090742 | 1  | 27.00 | 26.19 | 529        |
| 2005                                     | TOR012GA         | XTORRE 600mm ANCHOR for TOR01/TOR02  | 193.29 lb.   | pc |          | 6422103090933 | 1  | 13.00 | 12.61 | 530        |
| 2006                                     | TOR02NW DG       | XTORRE STREET LIGHT 4Mr 2x40W 4000K T2-S optic DG (4.1.2)                                | 4 731.16 lb. | pc | Included | 6422103090797 |    | 32.00 | 31.04 | 530        |
| 2007                                     | TOR02WW DG       | XTORRE STREET LIGHT 4Mr 2x40W 3000K T2-S optic DG (4.1.2)                                | 4 731.16 lb. | pc | Included | 6422103090780 |    | 32.00 | 31.04 | 530        |
| 2008                                     | TOR034GA         | XTORRE 180mm ANCHOR for TOR03/TOR04  | 26.68 lb.    | pc |          | 6422103090940 | 1  | 0.75  | 0.72  | 531        |
| 2009                                     | TOR03NW DG       | XTORRE STREET LIGHT 1Mr 1x10W 4000K T2-S optic DG (4.1.2)                                | 900.80 lb.   | pc | Included | 6422103090803 | 1  | 4.00  | 3.88  | 531        |
| 2010                                     | TOR03WW DG       | XTORRE STREET LIGHT 1Mr 1x10W 3000K T2-S optic DG (4.1.2)                                | 900.80 lb.   | pc | Included | 6422103090759 | 1  | 4.00  | 3.88  | 531        |
| 2011                                     | TOR04NW DG       | XTORRE STREET LIGHT 1Mr 2x10W 4000K T2-S optic DG (4.1.2)                                | 1 133.03 lb. | pc | Included | 6422103090810 | 1  | 5.30  | 5.14  | 531        |
| 2012                                     | TOR04WW DG       | XTORRE STREET LIGHT 1Mr 2x10W 3000K T2-S optic DG (4.1.2)                                | 1 133.03 lb. | pc | Included | 6422103090766 | 1  | 5.30  | 5.14  | 531        |
| 2013                                     | BG01NW DG        | XBURG URBAN LIGHTING FITTING 50W 100-305V AC 4000K CRI.>80 IP65 DG (4.1.2)               | 1 341.95 lb. | pc | Included | 6422103056014 | 1  | 10.50 | 10.18 | 535        |
| 2014                                     | BG01PNW DG       | XBURG URBAN LIGHTING FITTING with 4m POLE 50W 100-305V AC 4000K CRI.>80 IP65 DG (4.1.2)  | 2 605.73 lb. | pc | Included | 6422103074025 | 1  | 32.60 | 31.62 | 535        |
| 2015                                     | BG01PWW DG       | XBURG URBAN LIGHTING FITTING with 4m POLE 50W 100-305V AC 3000K CRI.>80 IP65 DG (4.1.2)  | 2 605.73 lb. | pc | Included | 6422103074032 | 1  | 32.60 | 31.62 | 535        |
| 2016                                     | BG01VW DG        | XBURG URBAN LIGHTING FITTING 50W 100-305V AC 3000K CRI.>80 IP65 DG (4.1.2)               | 1 341.95 lb. | pc | Included | 6422103056007 | 1  | 10.50 | 10.18 | 535        |
| 2017                                     | SC01NW DG        | XSPACE URBAN LIGHTING FITTING 50W 100-305V AC 4000K CRI.>80 IP65 120° DG (4.1.2)         | 1 070.40 lb. | pc | Included | 6422103056021 | 1  | 9.80  | 9.50  | 537        |
| 2018                                     | SC01PNW DG       | XSPACE URBAN LIGHTING FITTING+POLE 4m 50W 100-305V AC 4000K CRI.>80 IP65 120° DG (4.1.2) | 2 198.97 lb. | pc | Included | 6422103074407 | 1  | 31.90 | 30.94 | 537        |
| 2019                                     | SC01PWW DG       | XSPACE URBAN LIGHTING FITTING+POLE 4m 50W 100-305V AC 3000K CRI.>80 IP65 120° DG (4.1.2) | 2 198.97 lb. | pc | Included | 6422103074391 | 1  | 31.90 | 30.94 | 537        |
| 2020                                     | SC01VW DG        | XSPACE URBAN LIGHTING FITTING 50W 100-305V AC 3000K CRI.>80 IP65 120° DG (4.1.2)         | 1 070.40 lb. | pc | Included | 6422103056038 | 1  | 9.80  | 9.50  | 537        |
| 2021                                     | TT01CW DG        | XTOWN URBAN SQ. LIGHTING FITTING 45W 100-240V AC 6500K CRI.80 IP65 120° DG (4.1.2)       | 1 046.93 lb. | pc | Included | 6422103023351 | 1  | 5.30  | 5.14  | 539        |
| 2022                                     | TT01NW DG        | XTOWN URBAN SQ. LIGHTING FITTING 45W 100-240V AC 4000K CRI.80 IP65 120° DG (5.1.2)       | 1 046.93 lb. | pc | Included | 6422103021777 | 1  | 5.30  | 5.14  | 539        |
| 2023                                     | TT01WW DG        | XTOWN URBAN SQ. LIGHTING FITTING 45W 100-240V AC 3000K CRI.80 IP65 120° DG (5.1.2)       | 1 046.93 lb. | pc | Included | 6422103023368 | 1  | 5.30  | 5.14  | 539        |
| 2024                                     | TT02CW DG        | XTOWN URBAN RND. LIGHTING FITTING 45W 100-240V AC 6500K CRI.80 IP65 120° DG (4.1.2)      | 1 046.93 lb. | pc | Included | 6422103023382 | 1  | 6.00  | 5.82  | 539        |
| 2025                                     | TT02NW DG        | XTOWN URBAN RND. LIGHTING FITTING 45W 100-240V AC 4000K CRI.80 IP65 120° DG (5.1.2)      | 1 046.93 lb. | pc | Included | 6422103021784 | 1  | 6.00  | 5.82  | 539        |
| 2026                                     | TT02WW DG        | XTOWN URBAN RND. LIGHTING FITTING 45W 100-240V AC 3000K CRI.80 IP65 120° DG (5.1.2)      | 1 046.93 lb. | pc | Included | 6422103023375 | 1  | 6.00  | 5.82  | 539        |
| <b>13. INDOOR AND OUTDOOR PROJECTORS</b> |                  |  |              |    |          |               |    |       |       | <b>541</b> |
| 2027                                     | FDI01CW70X140 DG | XFIELD Projector 50W 100-277V AC 6000K CRI.80 70x140grd IP65 DG (5.1.2)                  | 213.89 lb.   | pc | Included | 6422103068451 | 10 | 1.50  | 1.45  | 548        |
| 2028                                     | FDI01CW90 DG     | XFIELD Projector 50W 100-277V AC 6000K CRI.80 90grd IP65 DG (5.1.2)                      | 213.89 lb.   | pc | Included | 6422103068277 | 10 | 1.50  | 1.45  | 548        |
| 2029                                     | FDI01NW70X140 DG | XFIELD Projector 50W 100-277V AC 4000K CRI.80 70x140grd IP65 DG (5.1.2)                  | 213.89 lb.   | pc | Included | 6422103068444 | 10 | 1.50  | 1.45  | 548        |
| 2030                                     | FDI01NW90 DG     | XFIELD Projector 50W 100-277V AC 4000K CRI.80 90grd IP65 DG (5.1.2)                      | 213.89 lb.   | pc | Included | 6422103068079 | 10 | 1.50  | 1.45  | 548        |
| 2031                                     | FDI01WW70X140 DG | XFIELD Projector 50W 100-277V AC 3000K CRI.80 70x140grd IP65 DG (5.1.2)                  | 213.89 lb.   | pc | Included | 6422103068437 | 10 | 1.50  | 1.45  | 548        |
| 2032                                     | FDI01WW90 DG     | XFIELD Projector 50W 100-277V AC 3000K CRI.80 90grd IP65 DG (5.1.2)                      | 213.89 lb.   | pc | Included | 6422103068062 | 10 | 1.50  | 1.45  | 548        |
| 2033                                     | FDI02CW70X140 DG | XFIELD Projector 100W 100-277V AC 6000K CRI.80 70x140grd IP65 DG (5.1.2)                 | 381.31 lb.   | pc | Included | 6422103068482 | 4  | 2.70  | 2.61  | 548        |
| 2034                                     | FDI02CW90 DG     | XFIELD Projector 100W 100-277V AC 6000K CRI.80 90grd IP65 DG (5.1.2)                     | 381.31 lb.   | pc | Included | 6422103068284 | 4  | 2.70  | 2.61  | 548        |
| 2035                                     | FDI02NW70X140 DG | XFIELD Projector 100W 100-277V AC 4000K CRI.80 70x140grd IP65 DG (5.1.2)                 | 381.31 lb.   | pc | Included | 6422103068475 | 4  | 2.70  | 2.61  | 548        |
| 2036                                     | FDI02NW90 DG     | XFIELD Projector 100W 100-277V AC 4000K CRI.80 90grd IP65 DG (5.1.2)                     | 381.31 lb.   | pc | Included | 6422103068086 | 4  | 2.70  | 2.61  | 548        |
| 2037                                     | FDI02WW70X140 DG | XFIELD Projector 100W 100-277V AC 3000K CRI.80 70x140grd IP65 DG (5.1.2)                 | 381.31 lb.   | pc | Included | 6422103068468 | 4  | 2.70  | 2.61  | 548        |
| 2038                                     | FDI02WW90 DG     | XFIELD Projector 100W 100-277V AC 3000K CRI.80 90grd IP65 DG (5.1.2)                     | 381.31 lb.   | pc | Included | 6422103068093 | 4  | 2.70  | 2.61  | 548        |
| 2039                                     | FDI03CW70X140 DG | XFIELD Projector 150W 100-277V AC 6000K CRI.80 70x140grd IP65 DG (5.1.2)                 | 523.45 lb.   | pc | Included | 6422103068512 | 4  | 3.60  | 3.49  | 549        |
| 2040                                     | FDI03CW90 DG     | XFIELD Projector 150W 100-277V AC 6000K CRI.80 90grd IP65 DG (5.1.2)                     | 523.45 lb.   | pc | Included | 6422103068291 | 4  | 3.60  | 3.49  | 549        |
| 2041                                     | FDI03NW70X140 DG | XFIELD Projector 150W 100-277V AC 4000K CRI.80 70x140grd IP65 DG (5.1.2)                 | 523.45 lb.   | pc | Included | 6422103068505 | 4  | 3.60  | 3.49  | 549        |
| 2042                                     | FDI03NW90 DG     | XFIELD Projector 150W 100-277V AC 4000K CRI.80 90grd IP65 DG (5.1.2)                     | 523.45 lb.   | pc | Included | 6422103068116 | 4  | 3.60  | 3.49  | 549        |
| 2043                                     | FDI03WW70X140 DG | XFIELD Projector 150W 100-277V AC 3000K CRI.80 70x140grd IP65 DG (5.1.2)                 | 523.45 lb.   | pc | Included | 6422103068499 | 4  | 3.60  | 3.49  | 549        |
| 2044                                     | FDI03WW90 DG     | XFIELD Projector 150W 100-277V AC 3000K CRI.80 90grd IP65 DG (5.1.2)                     | 523.45 lb.   | pc | Included | 6422103068109 | 4  | 3.60  | 3.49  | 549        |
| 2045                                     | FDI04CW70X140 DG | XFIELD Projector 200W 100-277V AC 6000K CRI.80 70x140grd IP65 DG (5.1.2)                 | 645.09 lb.   | pc | Included | 6422103068543 | 2  | 5.10  | 4.94  | 549        |
| 2046                                     | FDI04CW90 DG     | XFIELD Projector 200W 100-277V AC 6000K CRI.80 90grd IP65 DG (5.1.2)                     | 645.09 lb.   | pc | Included | 6422103068307 | 2  | 5.10  | 4.94  | 549        |
| 2047                                     | FDI04NW70X140 DG | XFIELD Projector 200W 100-277V AC 4000K CRI.80 70x140grd IP65 DG (5.1.2)                 | 645.09 lb.   | pc | Included | 6422103068536 | 2  | 5.10  | 4.94  | 549        |
| 2048                                     | FDI04NW90 DG     | XFIELD Projector 200W 100-277V AC 4000K CRI.80 90grd IP65 DG (5.1.2)                     | 645.09 lb.   | pc | Included | 6422103068123 | 2  | 5.10  | 4.94  | 549        |
| 2049                                     | FDI04WW70X140 DG | XFIELD Projector 200W 100-277V AC 3000K CRI.80 70x140grd IP65 DG (5.1.2)                 | 645.09 lb.   | pc | Included | 6422103068529 | 2  | 5.10  | 4.94  | 549        |
| 2050                                     | FDI04WW90 DG     | XFIELD Projector 200W 100-277V AC 3000K CRI.80 90grd IP65 DG (5.1.2)                     | 645.09 lb.   | pc | Included | 6422103068130 | 2  | 5.10  | 4.94  | 549        |
| 2051                                     | FLD11NW60 MBK    | XFLOOD PROJECTOR 100W 90-305V AC 4000K CRI.80 IP66 60° BK (5.1.2)                        | 413.98 lb.   | pc | Included | 6422103066709 | 5  | 3.70  | 3.58  | 543        |
| 2052                                     | FLD11NW90 MBK    | XFLOOD PROJECTOR 100W 90-305V AC 4000K CRI.80 IP66 90° BK (5.1.2)                        | 413.98 lb.   | pc | Included | 6422103066723 | 5  | 3.70  | 3.58  | 543        |

|      |               |   |              |    |          |               |    |       |       |     |
|------|---------------|---|--------------|----|----------|---------------|----|-------|-------|-----|
| 2053 | FLD11NWT2 MBK | XFLOOD PROJECTOR 100W 90-305V AC 4000K CRI.80 IP66 T2 BK (5.1.2)      | 413.98 лв.   | pc | Included | 6422103066747 | 5  | 3.70  | 3.58  | 543 |
| 2054 | FLD11WW60 MBK | XFLOOD PROJECTOR 100W 90-305V AC 3000K CRI.80 IP66 60° BK (5.1.2)     | 413.98 лв.   | pc | Included | 6422103066693 | 5  | 3.70  | 3.58  | 543 |
| 2055 | FLD11WW90 MBK | XFLOOD PROJECTOR 100W 90-305V AC 3000K CRI.80 IP66 90° BK (5.1.2)     | 413.98 лв.   | pc | Included | 6422103066716 | 5  | 3.70  | 3.58  | 543 |
| 2056 | FLD11WWT2 MBK | XFLOOD PROJECTOR 100W 90-305V AC 3000K CRI.80 IP66 T2 BK (5.1.2)      | 413.98 лв.   | pc | Included | 6422103066730 | 5  | 3.70  | 3.58  | 543 |
| 2057 | FLD12NW60 MBK | XFLOOD PROJECTOR 150W 90-305V AC 4000K CRI.80 IP66 60° BK (5.1.2)     | 574.23 лв.   | pc | Included | 6422103066808 | 3  | 4.95  | 4.80  | 543 |
| 2058 | FLD12NW90 MBK | XFLOOD PROJECTOR 150W 90-305V AC 4000K CRI.80 IP66 90° BK (5.1.2)     | 574.23 лв.   | pc | Included | 6422103066822 | 3  | 4.95  | 4.80  | 543 |
| 2059 | FLD12NWT2 MBK | XFLOOD PROJECTOR 150W 90-305V AC 4000K CRI.80 IP66 T2 BK (5.1.2)      | 574.23 лв.   | pc | Included | 6422103066846 | 3  | 4.95  | 4.80  | 543 |
| 2060 | FLD12WW60 MBK | XFLOOD PROJECTOR 150W 90-305V AC 3000K CRI.80 IP66 60° BK (5.1.2)     | 574.23 лв.   | pc | Included | 6422103066792 | 3  | 4.95  | 4.80  | 543 |
| 2061 | FLD12WW90 MBK | XFLOOD PROJECTOR 150W 90-305V AC 3000K CRI.80 IP66 90° BK (5.1.2)     | 574.23 лв.   | pc | Included | 6422103066815 | 3  | 4.95  | 4.80  | 543 |
| 2062 | FLD12WWT2 MBK | XFLOOD PROJECTOR 150W 90-305V AC 3000K CRI.80 IP66 T2 BK (5.1.2)      | 574.23 лв.   | pc | Included | 6422103066839 | 3  | 4.95  | 4.80  | 543 |
| 2063 | FLD13NW60 MBK | XFLOOD PROJECTOR 200W 90-305V AC 4000K CRI.80 IP66 60° BK (5.1.2)     | 868.02 лв.   | pc | Included | 6422103066907 | 3  | 5.95  | 5.77  | 543 |
| 2064 | FLD13NW90 MBK | XFLOOD PROJECTOR 200W 90-305V AC 4000K CRI.80 IP66 90° BK (5.1.2)     | 868.02 лв.   | pc | Included | 6422103066921 | 3  | 5.95  | 5.77  | 543 |
| 2065 | FLD13NWT2 MBK | XFLOOD PROJECTOR 200W 90-305V AC 4000K CRI.80 IP66 T2 BK (5.1.2)      | 868.02 лв.   | pc | Included | 6422103066945 | 3  | 5.95  | 5.77  | 543 |
| 2066 | FLD13WW60 MBK | XFLOOD PROJECTOR 200W 90-305V AC 3000K CRI.80 IP66 60° BK (5.1.2)     | 868.02 лв.   | pc | Included | 6422103066891 | 3  | 5.95  | 5.77  | 543 |
| 2067 | FLD13WW90 MBK | XFLOOD PROJECTOR 200W 90-305V AC 3000K CRI.80 IP66 90° BK (5.1.2)     | 868.02 лв.   | pc | Included | 6422103066914 | 3  | 5.95  | 5.77  | 543 |
| 2068 | FLD13WWT2 MBK | XFLOOD PROJECTOR 200W 90-305V AC 3000K CRI.80 IP66 T2 BK (5.1.2)      | 868.02 лв.   | pc | Included | 6422103066938 | 3  | 5.95  | 5.77  | 543 |
| 2069 | FLD14NW60 MBK | XFLOOD PROJECTOR 300W 90-305V AC 4000K CRI.80 IP66 60° BK (5.1.2)     | 1 241.93 лв. | pc | Included | 6422103067003 | 2  | 9.10  | 8.82  | 544 |
| 2070 | FLD14NW90 MBK | XFLOOD PROJECTOR 300W 90-305V AC 4000K CRI.80 IP66 90° BK (5.1.2)     | 1 241.93 лв. | pc | Included | 6422103067027 | 2  | 9.10  | 8.82  | 544 |
| 2071 | FLD14NWT2 MBK | XFLOOD PROJECTOR 300W 90-305V AC 4000K CRI.80 IP66 T2 BK (5.1.2)      | 1 241.93 лв. | pc | Included | 6422103067041 | 2  | 9.10  | 8.82  | 544 |
| 2072 | FLD14WW60 MBK | XFLOOD PROJECTOR 300W 90-305V AC 3000K CRI.80 IP66 60° BK (5.1.2)     | 1 241.93 лв. | pc | Included | 6422103066990 | 3  | 9.10  | 8.82  | 544 |
| 2073 | FLD14WW90 MBK | XFLOOD PROJECTOR 300W 90-305V AC 3000K CRI.80 IP66 90° BK (5.1.2)     | 1 241.93 лв. | pc | Included | 6422103067010 | 3  | 9.10  | 8.82  | 544 |
| 2074 | FLD14WWT2 MBK | XFLOOD PROJECTOR 300W 90-305V AC 3000K CRI.80 IP66 T2 BK (5.1.2)      | 1 241.93 лв. | pc | Included | 6422103067034 | 2  | 9.10  | 8.82  | 544 |
| 2075 | FLD21NW30 MBK | XFLOOD PROJECTOR 400W 90-305V AC 4000K CRI.80 IP66 30° BK (5.1.2)     | 1 562.43 лв. | pc | Included | 6422103067089 | 1  | 12.18 | 11.81 | 545 |
| 2076 | FLD21NW60 MBK | XFLOOD PROJECTOR 400W 90-305V AC 4000K CRI.80 IP66 60° BK (5.1.2)     | 1 562.43 лв. | pc | Included | 6422103067102 | 1  | 12.18 | 11.81 | 545 |
| 2077 | FLD21NW90 MBK | XFLOOD PROJECTOR 400W 90-305V AC 4000K CRI.80 IP66 90° BK (5.1.2)     | 1 562.43 лв. | pc | Included | 6422103067126 | 1  | 12.18 | 11.81 | 545 |
| 2078 | FLD21NWT2 MBK | XFLOOD PROJECTOR 400W 90-305V AC 4000K CRI.80 IP66 T2 BK (5.1.2)      | 1 562.43 лв. | pc | Included | 6422103067140 | 1  | 12.18 | 11.81 | 545 |
| 2079 | FLD21NWT4 MBK | XFLOOD PROJECTOR 400W 90-305V AC 4000K CRI.80 IP66 T4 BK (5.1.2)      | 1 562.43 лв. | pc | Included | 6422103067188 | 1  | 12.18 | 11.81 | 545 |
| 2080 | FLD21WW30 MBK | XFLOOD PROJECTOR 400W 90-305V AC 3000K CRI.80 IP66 30° BK (5.1.2)     | 1 562.43 лв. | pc | Included | 6422103067072 | 1  | 12.18 | 11.81 | 545 |
| 2081 | FLD21WW60 MBK | XFLOOD PROJECTOR 400W 90-305V AC 3000K CRI.80 IP66 60° BK (5.1.2)     | 1 562.43 лв. | pc | Included | 6422103067096 | 1  | 12.18 | 11.81 | 545 |
| 2082 | FLD21WW90 MBK | XFLOOD PROJECTOR 400W 90-305V AC 3000K CRI.80 IP66 90° BK (5.1.2)     | 1 562.43 лв. | pc | Included | 6422103067119 | 1  | 12.18 | 11.81 | 545 |
| 2083 | FLD21WWT2 MBK | XFLOOD PROJECTOR 400W 90-305V AC 3000K CRI.80 IP66 T2 BK (5.1.2)      | 1 562.43 лв. | pc | Included | 6422103067133 | 1  | 12.18 | 11.81 | 545 |
| 2084 | FLD21WWT4 MBK | XFLOOD PROJECTOR 400W 90-305V AC 3000K CRI.80 IP66 T4 BK (5.1.2)      | 1 562.43 лв. | pc | Included | 6422103067171 | 1  | 12.18 | 11.81 | 545 |
| 2085 | FLD22NW30 MBK | XFLOOD PROJECTOR 480W 90-305V AC 4000K CRI.80 IP66 30° BK (5.1.2)     | 1 602.49 лв. | pc | Included | 6422103067201 | 1  | 12.25 | 11.88 | 545 |
| 2086 | FLD22NW60 MBK | XFLOOD PROJECTOR 480W 90-305V AC 4000K CRI.80 IP66 60° BK (5.1.2)     | 1 602.49 лв. | pc | Included | 6422103067225 | 1  | 12.25 | 11.88 | 545 |
| 2087 | FLD22NW90 MBK | XFLOOD PROJECTOR 480W 90-305V AC 4000K CRI.80 IP66 90° BK (5.1.2)     | 1 602.49 лв. | pc | Included | 6422103067249 | 1  | 12.25 | 11.88 | 545 |
| 2088 | FLD22NWT2 MBK | XFLOOD PROJECTOR 480W 90-305V AC 4000K CRI.80 IP66 T2 BK (5.1.2)      | 1 602.49 лв. | pc | Included | 6422103067263 | 1  | 12.25 | 11.88 | 545 |
| 2089 | FLD22NWT4 MBK | XFLOOD PROJECTOR 480W 90-305V AC 4000K CRI.80 IP66 T4 BK (5.1.2)      | 1 602.49 лв. | pc | Included | 6422103067300 | 1  | 12.25 | 11.88 | 545 |
| 2090 | FLD22WW30 MBK | XFLOOD PROJECTOR 480W 90-305V AC 3000K CRI.80 IP66 30° BK (5.1.2)     | 1 602.49 лв. | pc | Included | 6422103067195 | 1  | 12.25 | 11.88 | 545 |
| 2091 | FLD22WW60 MBK | XFLOOD PROJECTOR 480W 90-305V AC 3000K CRI.80 IP66 60° BK (5.1.2)     | 1 602.49 лв. | pc | Included | 6422103067218 | 1  | 12.25 | 11.88 | 545 |
| 2092 | FLD22WW90 MBK | XFLOOD PROJECTOR 480W 90-305V AC 3000K CRI.80 IP66 90° BK (5.1.2)     | 1 602.49 лв. | pc | Included | 6422103067232 | 1  | 12.25 | 11.88 | 545 |
| 2093 | FLD22WWT2 MBK | XFLOOD PROJECTOR 480W 90-305V AC 3000K CRI.80 IP66 T2 BK (5.1.2)      | 1 602.49 лв. | pc | Included | 6422103067256 | 1  | 12.25 | 11.88 | 545 |
| 2094 | FLD22WWT4 MBK | XFLOOD PROJECTOR 480W 90-305V AC 3000K CRI.80 IP66 T4 BK (5.1.2)      | 1 602.49 лв. | pc | Included | 6422103067294 | 1  | 12.25 | 11.88 | 545 |
| 2095 | LC01NW7 DG    | XLOCUS WATERPROOF PROJECTOR 12W 24V DC 4000K CRI.80 7grd (5.1.2)      | 398.83 лв.   | pc | Excluded | 6422103074421 | 18 | 0.60  | 0.58  | 551 |
| 2096 | LC01WW7 DG    | XLOCUS WATERPROOF PROJECTOR 12W 24V DC 3000K CRI.80 7grd (5.1.2)      | 398.83 лв.   | pc | Excluded | 6422103074414 | 18 | 0.60  | 0.58  | 551 |
| 2097 | LC02NW4 DG    | XLOCUS WATERPROOF PROJECTOR 24W 100-240V AC 4000K CRI.80 4grd (5.1.2) | 1 196.49 лв. | pc | Included | 6422103074445 | 12 | 1.70  | 1.64  | 551 |
| 2098 | LC02WW4 DG    | XLOCUS WATERPROOF PROJECTOR 24W 100-240V AC 3000K CRI.80 4grd (5.1.2) | 1 196.49 лв. | pc | Included | 6422103074438 | 12 | 1.70  | 1.64  | 551 |
| 2099 | SR01NW DG     | XSTRIKE WATERPROOF PROJECTOR 10W AC220V 4000K 1grd DG (5.1.2)         | 617.62 лв.   | pc | Included | 6422103090650 | 16 | 1.26  | 1.22  | 553 |
| 2100 | SR01WW DG     | XSTRIKE WATERPROOF PROJECTOR 10W AC220V 3000K 1grd DG (5.1.2)         | 617.62 лв.   | pc | Included | 6422103090643 | 16 | 1.26  | 1.22  | 553 |
| 2101 | DT02RGBW30    | XDOT PROJECTOR 12W 24V DC RGBW IP67 30° DG (5.1.2)                    | 367.45 лв.   | pc | Excluded | 6422103032520 | 18 | 0.52  | 0.50  | 555 |
| 2102 | DT04HC        | XDOT REFLECTOR HONEYCOMB TYPE for DT04                                | 8.49 лв.     | pc |          | 6422103069908 |    | 0.02  | 0.01  | 556 |
| 2103 | DT04NW10      | XDOT PROJECTOR 12W 100-265V AC 4000K IP67 COB lens 10° DG (5.1.2)     | 281.41 лв.   | pc | Included | 6422103069878 | 18 | 0.50  | 0.48  | 556 |
| 2104 | DT04NW36      | XDOT PROJECTOR 12W 100-265V AC 4000K IP67 COB lens 36° DG (5.1.2)     | 281.41 лв.   | pc | Included | 6422103069892 | 18 | 0.50  | 0.48  | 556 |
| 2105 | DT04WW10      | XDOT PROJECTOR 12W 100-265V AC 3000K IP67 COB lens 10° DG (5.1.2)     | 281.41 лв.   | pc | Included | 6422103069861 | 18 | 0.50  | 0.48  | 556 |
| 2106 | DT04WW36      | XDOT PROJECTOR 12W 100-265V AC 3000K IP67 COB lens 36° DG (5.1.2)     | 281.41 лв.   | pc | Included | 6422103069885 | 18 | 0.50  | 0.48  | 556 |
| 2107 | DT05HC        | XDOT REFLECTOR HONEYCOMB TYPE for DT05                                | 8.49 лв.     | pc |          | 6422103069953 |    | 0.02  | 0.01  | 556 |
| 2108 | DT05NW10      | XDOT PROJECTOR 18W 100-265V AC 4000K IP67 COB lens 10° DG (5.1.2)     | 442.82 лв.   | pc | Included | 6422103069922 | 12 | 0.90  | 0.87  | 556 |
| 2109 | DT05NW36      | XDOT PROJECTOR 18W 100-265V AC 4000K IP67 COB lens 36° DG (5.1.2)     | 442.82 лв.   | pc | Included | 6422103069946 | 12 | 0.90  | 0.87  | 556 |
| 2110 | DT05WW10      | XDOT PROJECTOR 18W 100-265V AC 3000K IP67 COB lens 10° DG (5.1.2)     | 442.82 лв.   | pc | Included | 6422103069915 | 12 | 0.90  | 0.87  | 556 |
| 2111 | DT05WW36      | XDOT PROJECTOR 18W 100-265V AC 3000K IP67 COB lens 36° DG (5.1.2)     | 442.82 лв.   | pc | Included | 6422103069939 | 12 | 0.90  | 0.87  | 556 |
| 2112 | DT11NW10-40   | XDOT ADJ. PROJECTOR 8W 100-265V AC 4000K IP67 10°-40° DG (5.1.2)      | 289.98 лв.   | pc | Included | 6422103069977 | 20 | 0.46  | 0.44  | 556 |
| 2113 | DT11WW10-40   | XDOT ADJ. PROJECTOR 8W 100-265V AC 3000K IP67 10°-40° DG (5.1.2)      | 289.98 лв.   | pc | Included | 6422103069960 | 20 | 0.46  | 0.44  | 556 |

|   |                   |  |  |              |      |          |               |    |      |      |            |
|---|-------------------|--|--|--------------|------|----------|---------------|----|------|------|------------|
| 2114  | DT04-13 PC        | XDOT PICKET pt 04/05/11/12/13  |  | 14.85 lv.    | pc   |          | 6422103070027 |    | 0.03 | 0.02 | 557        |
| 2115  | DT12NW10-40       | XDOT ADJ. PROJECTOR 18W 100-265V AC 4000K IP67 10°-40° DG (5.1.2)                  |  | 452.82 lv.   | pc   | Included | 6422103069991 | 8  | 1.20 | 1.16 | 557        |
| 2116  | DT12WW10-40       | XDOT ADJ. PROJECTOR 18W 100-265V AC 3000K IP67 10°-40° DG (5.1.2)                  |  | 452.82 lv.   | pc   | Included | 6422103069984 | 8  | 1.20 | 1.16 | 557        |
| 2117  | DT13NW10-40       | XDOT ADJ. PROJECTOR 25W 100-265V AC 4000K IP67 10°-40° DG (5.1.2)                  |  | 788.51 lv.   | pc   | Included | 6422103070010 | 6  | 1.68 | 1.62 | 557        |
| 2118  | DT13WW10-40       | XDOT ADJ. PROJECTOR 25W 100-265V AC 3000K IP67 10°-40° DG (5.1.2)                  |  | 788.51 lv.   | pc   | Included | 6422103070003 | 6  | 1.68 | 1.62 | 557        |
| 2119  | SPK0123 PC        | XSPARK ALUMINUM PICKET for SPK01/SPK02/SPK03                                       |  | 27.94 lv.    | pc   |          | 6422103032926 |    | 0.10 | 0.09 | 559        |
| 2120  | SPK01CW15         | XSPARK PROJECTOR 17W 90-265V AC 6000K CRI.80 IP65 15° BK (5.1.2)                   |  | 550.49 lv.   | pc   | Included | 6422103032544 | 8  | 1.76 | 1.70 | 559        |
| 2121  | SPK01NW15         | XSPARK PROJECTOR 17W 90-265V AC 4000K CRI.80 IP65 15° BK (5.1.2)                   |  | 550.49 lv.   | pc   | Included | 6422103032506 | 8  | 1.76 | 1.70 | 559        |
| 2122  | SPK01WW15         | XSPARK PROJECTOR 17W 90-265V AC 3000K CRI.80 IP65 15° BK (5.1.2)                   |  | 550.49 lv.   | pc   | Included | 6422103032490 | 8  | 1.76 | 1.70 | 559        |
| 2123  | SPK02CW15         | XSPARK PROJECTOR 36W 90-265V AC 6000K CRI.80 IP65 15° BK (5.1.2)                   |  | 748.19 lv.   | pc   | Included | 6422103032568 | 4  | 2.35 | 2.27 | 559        |
| 2124  | SPK02NW15         | XSPARK PROJECTOR 36W 90-265V AC 4000K CRI.80 IP65 15° BK (5.1.2)                   |  | 748.19 lv.   | pc   | Included | 6422103032551 | 4  | 2.35 | 2.27 | 559        |
| 2125  | SPK02WW15         | XSPARK PROJECTOR 36W 90-265V AC 3000K CRI.80 IP65 15° BK (5.1.2)                   |  | 748.19 lv.   | pc   | Included | 6422103032537 | 4  | 2.35 | 2.27 | 559        |
| 2126  | SPK03RGB40        | XSPARK PROJECTOR 36W 24V RGB DC IP65 40° BK (5.1.2)                                |  | 1 232.31 lv. | pc   | Excluded | 6422103032575 | 4  | 2.35 | 2.27 | 559        |
| <b>14. LED STRIPS, PROFILES AND ACCESSORIES</b> |                   |  |  |              |      |          |               |    |      |      | <b>561</b> |
| 2127  | FW24267CW20S      | XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED 6000K IP67 20dgr (5.1.2)            |  | 831.07 lv.   | reel | Excluded | 6422103093101 | 10 | 0.95 | 0.92 | 564        |
| 2128  | FW24267CW20X45S   | XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED 6000K IP67 20x45dgr (5.1.2)         |  | 831.07 lv.   | reel | Excluded | 6422103093118 | 10 | 0.95 | 0.92 | 564        |
| 2129  | FW24267NW20S      | XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED 4000K IP67 20dgr (5.1.2)            |  | 831.07 lv.   | reel | Excluded | 6422103093125 | 10 | 0.95 | 0.92 | 564        |
| 2130  | FW24267NW20X45S   | XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED 4000K IP67 20x45dgr (5.1.2)         |  | 831.07 lv.   | reel | Excluded | 6422103093132 | 10 | 0.95 | 0.92 | 564        |
| 2131  | FW24267WW20S      | XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED 3000K IP67 20dgr (5.1.2)            |  | 831.07 lv.   | reel | Excluded | 6422103093149 | 10 | 0.95 | 0.92 | 564        |
| 2132  | FW24267WW20X45S   | XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED 3000K IP67 20x45dgr (5.1.2)         |  | 831.07 lv.   | reel | Excluded | 6422103093156 | 10 | 0.95 | 0.92 | 564        |
| 2133  | FW34267RGB20X45D  | XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED RGB IP67 20x45dgr (5.1.2)           |  | 1 062.56 lv. | reel | Excluded | 6422103093163 | 10 | 0.95 | 0.92 | 565        |
| 2134  | FW34267RGB20X45DX | XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED RGB DMX IP67 20x45dgr (5.1.2)       |  | 1 176.41 lv. | reel | Excluded | 6422103093170 | 10 | 0.95 | 0.92 | 565        |
| 2135  | FW34267RGB25D     | XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED RGB IP67 25dgr (5.1.2)              |  | 1 062.56 lv. | reel | Excluded | 6422103092470 | 10 | 0.95 | 0.92 | 565        |
| 2136  | FW34267RGB25DX    | XFLEX WALLWASHER LED STRIP 20W/m reel=5m 42LED RGB DMX IP67 25dgr (5.1.2)          |  | 1 176.41 lv. | reel | Excluded | 6422103092494 | 10 | 0.95 | 0.92 | 565        |
| 2137  | FWAMC             | XFLEX ADJ. FIXING CLIP SS  |  | 3.72 lv.     | pc   |          | 6422103092579 |    | 0.01 | 0.01 | 565        |
| 2138  | FWCK              | XFLEX SET (5pcs) FIXING CLIPS AL   |  | 14.89 lv.    | set  |          | 6422103092548 |    | 0.05 | 0.04 | 565        |
| 2139  | FWDEC             | XFLEX SET (2pcs) END CAPS with LONGITUDINAL ACCES                                  |  | 4.55 lv.     | set  |          | 6422103092517 |    | 0.01 | 0.01 | 565        |
| 2140  | FWPF              | XFLEX SET AL. PROFILE 2m WITH 10 FIXING SCREWS AND 10 CLIPS                        |  | 77.43 lv.    | set  |          | 6422103092531 |    | 0.40 | 0.38 | 565        |
| 2141  | FWPSC2P           | XFLEX SET (2pcs) POWER CABLES (1 male / 1 female) with 2P IP67 CONNECTOR           |  | 22.77 lv.    | set  |          | 6422103092555 |    | 0.10 | 0.09 | 565        |
| 2142  | FWPSC4P           | XFLEX SET (2pcs) POWER CABLES (1 male / 1 female) with 4P IP67 CONNECTOR           |  | 30.36 lv.    | set  |          | 6422103093187 |    | 0.15 | 0.14 | 565        |
| 2143  | FWSEC             | XFLEX SET (2pcs) END CAPS with LATERAL ACCES                                       |  | 4.55 lv.     | set  |          | 6422103092524 |    | 0.01 | 0.01 | 565        |
| 2144  | MG13X12CW         | XMAGIS 13X12 9.6W/m 120LED/m 1 ml 6000K (5.1.2)                                    |  | 84.04 lv.    | Mr   | Excluded | 6422103070195 | 4  | 3.50 | 3.39 | 567        |
| 2145  | MG13X12NW         | XMAGIS 13X12 9.6W/m 120LED/m 1 ml 4000K (5.1.2)                                    |  | 84.04 lv.    | Mr   | Excluded | 6422103070188 | 4  | 3.50 | 3.39 | 567        |
| 2146  | MG13X12WW         | XMAGIS 13X12 9.6W/m 120LED/m 1 ml 3000K (5.1.2)                                    |  | 84.04 lv.    | Mr   | Excluded | 6422103070171 | 4  | 3.50 | 3.39 | 567        |
| 2147  | MG13X12CCT        | XMAGIS 13X12 CCT 12W/m ROLA=5 ml 384LED/m 2700-5000K (5.1.2)                       |  | 526.54 lv.   | reel | Excluded | 6422103070201 | 4  | 0.86 | 0.83 | 568        |
| 2148  | MG13X12RGBW       | XMAGIS 13x12 RGBW 14.4W/m ROLA=5 ml 192LED/m (5.1.2)                               |  | 676.58 lv.   | reel | Excluded | 6422103070218 | 4  | 0.86 | 0.83 | 568        |
| 2149  | MG13X12RGB/DMX    | XMAGIS 13x12 RGB/DMX 18W/m ROLA=5 ml 84LED/m (5.1.2)                               |  | 960.59 lv.   | reel | Excluded | 6422103070225 | 4  | 0.86 | 0.83 | 569        |
| 2150  | MG13X12CK         | XMAGIS 13X12 AL. FIXING CLIP   |  | 2.85 lv.     | pc   |          | 6422103070249 |    | 0.04 | 0.03 | 570        |
| 2151  | MG13X12ECB        | XMAGIS 13x12 TERMINAL ELEMENT FOR POWER SUPPLY from DOWN DIRECTION                 |  | 31.59 lv.    | pc   |          | 6422103070287 |    | 0.04 | 0.03 | 570        |
| 2152  | MG13X12ECH        | XMAGIS 13x12 TERMINAL ELEMENT FOR POWER SUPPLY ACCESS from HORIZONTAL DIRECTION    |  | 31.59 lv.    | pc   |          | 6422103070270 |    | 0.04 | 0.03 | 570        |
| 2153  | MG13X12ECS        | XMAGIS 13x12 set 2 SILICONE TERMINALS  |  | 5.69 lv.     | set  |          | 6422103070263 |    | 0.01 | 0.01 | 570        |
| 2154  | MG13X12PF         | XMAGIS 13x12 AL. PROFILE 2m  |  | 50.66 lv.    | pc   |          | 6422103070232 |    | 0.30 | 0.29 | 570        |
| 2155  | MG13X12SK         | XMAGIS 13x12 STEEL FLEXIBLE ACC. MWH set 2pcsx0.5m                                 |  | 78.27 lv.    | pc   |          | 6422103070256 |    | 0.10 | 0.09 | 570        |
| 2156  | MG13X12EC         | XMAGIS 13x12 TERMINAL ELEMENT  |  | 18.50 lv.    | pc   |          | 6422103070317 |    | 0.02 | 0.01 | 571        |
| 2157  | MG13X12ECLL       | XMAGIS 13x12 TERMINAL ELEMENT FOR POWER SUPPLY ACCESS from LATERAL, LEFT DIRECTION |  | 31.59 lv.    | pc   |          | 6422103070300 |    | 0.04 | 0.03 | 571        |
| 2158  | MG13X12ECLR       | XMAGIS 13x12 TERMINAL ELEMENT FOR POWER SUPPLY from RIGHT DIRECTION                |  | 31.59 lv.    | pc   |          | 6422103070294 |    | 0.04 | 0.03 | 571        |
| 2159  | MG13X12FC         | XMAGIS 13x12 ELEMENT for FLEXIBLE CONNECTION                                       |  | 52.65 lv.    | pc   |          | 6422103070331 |    | 0.10 | 0.09 | 571        |
| 2160  | MG13X12RLC        | XMAGIS 13x12 LINIAR ELEMENT FOR CONNECTING   |  | 24.90 lv.    | pc   |          | 6422103070324 |    | 0.02 | 0.01 | 571        |
| 2161  | MG12X17CW         | XMAGIS 12X17 9.6W/m 120LED/m 1 ml 6000K (5.1.2)                                    |  | 84.04 lv.    | Mr   | Excluded | 6422103070362 | 4  | 4.70 | 4.55 | 572        |
| 2162  | MG12X17NW         | XMAGIS 12X17 9.6W/m 120LED/m 1 ml 4000K (5.1.2)                                    |  | 84.04 lv.    | Mr   | Excluded | 6422103070355 | 4  | 4.70 | 4.55 | 572        |
| 2163  | MG12X17WW         | XMAGIS 12X17 9.6W/m 120LED/m 1 ml 3000K (5.1.2)                                    |  | 84.04 lv.    | Mr   | Excluded | 6422103070348 | 4  | 4.70 | 4.55 | 572        |
| 2164  | MG12X17CCT        | XMAGIS 12X17 CCT 12W/m 5 ml 140LED/m 2300-4000K (5.1.2)                            |  | 512.78 lv.   | reel | Excluded | 6422103070379 | 4  | 1.20 | 1.16 | 573        |
| 2165  | MG12X17RGB/DMX    | XMAGIS 12X17 RGB/DMX 18W/m ROLA=5 ml 84LED/m (5.1.2)                               |  | 989.05 lv.   | reel | Excluded | 6422103070393 | 4  | 1.20 | 1.16 | 573        |
| 2166  | MG12X17RGBW       | XMAGIS 12X17 RGBW 14.4W/m ROLA=5 ml 192LED/m (5.1.2)                               |  | 676.58 lv.   | reel | Excluded | 6422103070386 | 4  | 1.20 | 1.16 | 573        |
| 2167  | MG12X17CK         | XMAGIS 12X17 AL. FIXING CLIP   |  | 3.13 lv.     | pc   |          | 6422103070416 |    | 0.04 | 0.03 | 574        |
| 2168  | MG12X17ECB        | XMAGIS 12X17 TERMINAL ELEMENT FOR POWER SUPPLY from DOWN DIRECTION                 |  | 31.59 lv.    | pc   |          | 6422103070454 |    | 0.04 | 0.03 | 574        |
| 2169  | MG12X17ECH        | XMAGIS 12X17 TERMINAL ELEMENT FOR POWER SUPPLY HORIZ. DIRECTION                    |  | 31.59 lv.    | pc   |          | 6422103070447 |    | 0.04 | 0.03 | 574        |
| 2170  | MG12X17ECS        | XMAGIS 12X17 set 2 SILICONE TERMINALS  |  | 5.69 lv.     | pc   |          | 6422103070430 |    | 0.01 | 0.01 | 574        |
| 2171  | MG12X17PF         | XMAGIS 12X17 AL. PROFILE 2m  |  | 56.21 lv.    | pc   |          | 6422103070409 |    | 0.36 | 0.34 | 574        |
| 2172  | MG12X17SK         | XMAGIS 12X17 STEEL FLEXIBLE ACC. MWH set 2pcsx0.5m                                 |  | 101.04 lv.   | pc   |          | 6422103070423 |    | 0.09 | 0.08 | 574        |
| 2173  | MG12X17EC         | XMAGIS 12X17 TERMINAL ELEMENT  |  | 18.50 lv.    | pc   |          | 6422103070485 |    | 0.02 | 0.01 | 575        |



|      |                |  |              |      |          |               |      |       |       |     |
|------|----------------|--|--------------|------|----------|---------------|------|-------|-------|-----|
| 2174 | MG12X17ECLL    | XMAGIS 12X17 TERMINAL ELEMENT FOR POWER SUPPLY from LEFT DIRECTION           | 31.59 лв.    | pc   |          | 6422103070478 |      | 0.04  | 0.03  | 575 |
| 2175 | MG12X17ECLR    | XMAGIS 12X17 TERMINAL ELEMENT FOR POWER SUPPLY from RIGHT DIRECTION          | 31.59 лв.    | pc   |          | 6422103070461 |      | 0.04  | 0.03  | 575 |
| 2176 | MG12X17FC      | XMAGIS 12X17 FLEXIBLE ELEMENT FOR CONNECTING                                 | 52.65 лв.    | pc   |          | 6422103070508 |      | 0.10  | 0.09  | 575 |
| 2177 | MG12X17RLC     | XMAGIS 12X17 LINIAR ELEMENT FOR CONNECTING                                   | 27.04 лв.    | pc   |          | 6422103070492 |      | 0.02  | 0.01  | 575 |
| 2178 | MG25CCTRD      | XMAGIS 25 14.4W/m ROLA=5 ml 336LED/m 2300-4000K (5.1.2)                      | 1 552.58 лв. | reel | Excluded | 6422103070539 | 4    | 3.40  | 3.29  | 576 |
| 2179 | MG25VNWDRD     | XMAGIS 25 14.4W/m ROLA=5m 336LED/m 4000K (5.1.2)                             | 1 245.20 лв. | reel | Excluded | 6422103070522 | 4    | 3.40  | 3.29  | 576 |
| 2180 | MG25VWWRD      | XMAGIS 25 14.4W/m ROLA=5m 336LED/m 3000K (5.1.2)                             | 1 245.20 лв. | reel | Excluded | 6422103070515 | 4    | 3.40  | 3.29  | 576 |
| 2181 | MG25ESMC       | XMAGIS 25 SET of 2 CEILLING MOUNT. ELEMENTS                                  | 277.77 лв.   | set  |          | 6422103070591 |      | 0.25  | 0.24  | 578 |
| 2182 | MG25VSMK1m     | XMAGIS 25 HORIZ. SUSP. MOUNTING KIT 1m                                       | 92.50 лв.    | pc   |          | 6422103070645 |      | 0.28  | 0.27  | 578 |
| 2183 | MG25HSMK2.5m   | XMAGIS 25 HORIZ. SUSP. MOUNTING KIT 2.5m                                     | 183.58 лв.   | pc   |          | 6422103070652 |      | 0.25  | 0.24  | 578 |
| 2184 | MG25VFMK1m     | XMAGIS 25 VERTICAL WALL MOUNTING SUSP. KIT 1m                                | 225.68 лв.   | pc   |          | 6422103070614 |      | 0.26  | 0.25  | 579 |
| 2185 | MG25VFMK2.5m   | XMAGIS 25 VERTICAL WALL MOUNTING SUSP. KIT 2.5m                              | 256.40 лв.   | pc   |          | 6422103070621 |      | 0.38  | 0.36  | 579 |
| 2186 | MG25VSMK1m     | XMAGIS 25 SUSPENDET VERTICAL SUSP. KIT 1m                                    | 260.40 лв.   | pc   |          | 6422103070669 |      | 0.26  | 0.25  | 579 |
| 2187 | MG25VSMKNC2.5m | XMAGIS 25 SUSPENDET VERTICAL SUSP. KIT 2.5m                                  | 287.11 лв.   | pc   |          | 6422103070676 |      | 0.25  | 0.24  | 579 |
| 2188 | MG25HFMC1m     | XMAGIS 25 SURF MONT. PROFILE POLYCARBONATE 1m                                | 62.62 лв.    | pc   |          | 6422103070607 |      | 0.28  | 0.27  | 581 |
| 2189 | MG25LJK        | XMAGIS 25 SYSTEM OF 2 PARTS LINEAR CONNECTION                                | 52.75 лв.    | pc   |          | 6422103070683 |      | 0.17  | 0.16  | 581 |
| 2190 | MG25SMAR       | XMAGIS 25 SUSP. MOUNT SET  | 49.81 лв.    | pc   |          | 6422103070690 |      | 0.36  | 0.34  | 581 |
| 2191 | MG25ECSS       | XMAGIS 25 SET of 2 TERMINALS TRANSVERSAL                                     | 6.83 лв.     | pc   |          | 6422103071970 |      | 0.01  | 0.01  | 582 |
| 2192 | MG25ECST       | XMAGIS 25 SET of 2 TERMINALS LONGITUDINAL                                    | 6.12 лв.     | pc   |          | 6422103070577 |      | 0.01  | 0.01  | 582 |
| 2193 | MG25HSMC       | XMAGIS 25 SET of 2 HORIZ. SUSP. MOUNT. ELEMENTS                              | 68.11 лв.    | pc   |          | 6422103070638 |      | 0.19  | 0.18  | 582 |
| 2194 | MG25PCFC       | XMAGIS 25 1PCS FOR FIXING CLIPS  | 6.12 лв.     | pc   |          | 6422103070560 |      | 0.07  | 0.06  | 583 |
| 2195 | MG25FCW        | XMAGIS 25 SET SURFACE MOUNTING CLIPS and FIXING ACCESSORIES                  | 13.52 лв.    | pc   |          | 6422103070584 |      | 0.18  | 0.17  | 583 |
| 2196 | SNK10X10CW     | XSSNAKE LEDS STRIP 10W/m 126LED/m 24V DC 6500K CRI.80 IP67 120° 1m (5.1.2)   | 40.17 лв.    | Mr   | Excluded | 6422103053204 | 2    | 2.60  | 2.52  | 586 |
| 2197 | SNK10X10NW     | XSSNAKE LEDS STRIP 10W/m 126LED/m 24V DC 4000K CRI.80 IP67 120° 1m (5.1.2)   | 40.17 лв.    | Mr   | Excluded | 6422103053198 | 2    | 2.60  | 2.52  | 586 |
| 2198 | SNK10X10WW     | XSSNAKE LEDS STRIP 10W/m 126LED/m 24V DC 3000K CRI.80 IP67 120° 1m (5.1.2)   | 40.17 лв.    | Mr   | Excluded | 6422103053181 | 2    | 2.60  | 2.52  | 586 |
| 2199 | SNK01PSIP66    | XSSNAKE 2P CONNECTORS set (MALE+FEMALE)                                      | 3.92 лв.     | set  |          | 6422103059633 | 25   | 0.02  | 0.01  | 587 |
| 2200 | SNK10SG        | XSSNAKE SILICONE GLUE 10ml/TUBE for XSSNAKE LED STRIPS                       | 4.42 лв.     | pc   |          | 6422103053259 | 500  | 0.01  | 0.01  | 587 |
| 2201 | SNK10X10CK     | XSSNAKE 2.5Cm CLIP WHITE for SNK10x10  | 1.71 лв.     | pc   |          | 6422103053235 | 1000 | 0.01  | 0.01  | 587 |
| 2202 | SNK10X10ECD    | XSSNAKE SET END CUP + END CUP for SNK10x10                                   | 1.42 лв.     | set  |          | 6422103053242 | 750  | 0.01  | 0.01  | 587 |
| 2203 | SNK10X10PF     | XSSNAKE PROFILE 2 Mr for SNK10x10 AL-AN                                      | 12.85 лв.    | pc   |          | 6422103053211 | 75   | 0.19  | 0.18  | 587 |
| 2204 | SNK10X10SK     | XSSNAKE FLEXIBLE SNAKE CLICK 1Mr for SNK10x10 for WALL/CEILING MOUNTING      | 14.96 лв.    | Mr   |          | 6422103053228 | 100  | 7.00  | 6.79  | 587 |
| 2205 | SNK6X12AB      | XSSNAKE 1m LEDS STRIP 8W/m 120LED/m 24V DC AMBER IP67 120° (5.1.2)           | 35.47 лв.    | Mr   | Excluded | 6422103053327 | 2    | 2.30  | 2.23  | 588 |
| 2206 | SNK6X12B       | XSSNAKE 1m LEDS STRIP 8W/m 120LED/m 24V DC BLUE IP67 120° (5.1.2)            | 35.47 лв.    | Mr   | Excluded | 6422103053310 | 2    | 2.30  | 2.23  | 588 |
| 2207 | SNK6X12CW      | XSSNAKE LEDS STRIP 8W/m 120LED/m 24V DC 6500K CRI.80 IP67 120° 1m(5.1.2)     | 35.47 лв.    | Mr   | Excluded | 6422103053280 | 2    | 2.30  | 2.23  | 588 |
| 2208 | SNK6X12G       | XSSNAKE 1m LEDS STRIP 8W/m 120LED/m 24V DC GREEN IP67 120° (5.1.2)           | 35.47 лв.    | Mr   | Excluded | 6422103053303 | 2    | 2.30  | 2.23  | 588 |
| 2209 | SNK6X12NW      | XSSNAKE LEDS STRIP 8W/m 120LED/m 24V DC 4000K CRI.80 IP67 120° 1 m(5.1.2)    | 35.47 лв.    | Mr   | Excluded | 6422103053273 | 2    | 2.30  | 2.23  | 588 |
| 2210 | SNK6X12PK      | XSSNAKE 1m LEDS STRIP 8W/m 120LED/m 24V DC PINK IP67 120° (5.1.2)            | 35.47 лв.    | Mr   | Excluded | 6422103053334 | 2    | 2.30  | 2.23  | 588 |
| 2211 | SNK6X12R       | XSSNAKE 1m LEDS STRIP 8W/m 120LED/m 24V DC RED IP67 120° (5.1.2)             | 35.47 лв.    | Mr   | Excluded | 6422103053297 | 2    | 2.30  | 2.23  | 588 |
| 2212 | SNK6X12WW      | XSSNAKE LEDS STRIP 8W/m 120LED/m 24V DC 3000K CRI.80 IP67 120° 1 m(5.1.2)    | 35.47 лв.    | Mr   | Excluded | 6422103053266 | 2    | 2.30  | 2.23  | 588 |
| 2213 | SNK6X12CK      | XSSNAKE 2.5Cm CLIP WHITE for SNK6x12   | 1.28 лв.     | pc   |          | 6422103053365 | 4000 | 0.01  | 0.01  | 589 |
| 2214 | SNK6X12ECD     | XSSNAKE SET END CUP + END CUP for SNK6x12                                    | 1.42 лв.     | set  |          | 6422103053372 | 2000 | 0.01  | 0.01  | 589 |
| 2215 | SNK6X12PF      | XSSNAKE PROFILE 2 Mr for SNK6x12 AL-AN                                       | 13.10 лв.    | pc   |          | 6422103053341 | 100  | 0.10  | 0.09  | 589 |
| 2216 | SNK6X12SK      | XSSNAKE FLEXIBLE SNAKE CLICK 1Mr for SNK6x12 for WALL/CEILING MOUNTING       | 14.96 лв.    | Mr   |          | 6422103053358 | 100  | 6.80  | 6.59  | 589 |
| 2217 | SNK12X20CW     | XSSNAKE LEDS STRIP 12W/m 120LED/m 24V DC 6500K CRI.80 IP67 120° 1m (5.1.2)   | 87.32 лв.    | Mr   | Excluded | 6422103053419 | 1    | 6.80  | 6.59  | 590 |
| 2218 | SNK12X20NW     | XSSNAKE LEDS STRIP 12W/m 120LED/m 24V DC 4000K CRI.80 IP67 120° 1m (5.1.2)   | 87.32 лв.    | Mr   | Excluded | 6422103053402 | 1    | 6.80  | 6.59  | 590 |
| 2219 | SNK12X20RGB    | XSSNAKE 1m LEDS STRIP 8W/m 60LED/m 24V DC RGB CRI.80 IP67 120° (5.1.2)       | 93.44 лв.    | Mr   | Excluded | 6422103053426 | 1    | 6.80  | 6.59  | 590 |
| 2220 | SNK12X20WW     | XSSNAKE LEDS STRIP 12W/m 120LED/m 24V DC 3000K CRI.80 IP67 120° 1m (5.1.2)   | 87.32 лв.    | Mr   | Excluded | 6422103053396 | 1    | 6.80  | 6.59  | 590 |
| 2221 | SNK01PSRGBIP66 | XSSNAKE 4P CONNECTORS set (MALE+FEMALE)                                      | 6.05 лв.     | set  |          | 6422103059640 | 25   | 0.03  | 0.02  | 591 |
| 2222 | SNK12X20CK     | XSSNAKE 2.5Cm CLIP WHITE for SNK12x12  | 1.71 лв.     | pc   |          | 6422103053457 | 500  | 0.01  | 0.01  | 591 |
| 2223 | SNK12X20ECD    | XSSNAKE SET END CUP + END CUP for SNK12x12                                   | 1.42 лв.     | set  |          | 6422103053464 | 2000 | 0.01  | 0.01  | 591 |
| 2224 | SNK12X20ECT    | XSSNAKE SET (IN LATERAL) END CUP + END CUP for SNK12x12                      | 1.42 лв.     | set  |          | 6422103053471 | 2000 | 0.01  | 0.01  | 591 |
| 2225 | SNK12X20PF     | XSSNAKE PROFILE 2 Mr for SNK12x12 AL-AN                                      | 31.44 лв.    | pc   |          | 6422103053433 | 50   | 0.18  | 0.17  | 591 |
| 2226 | SNK12X20SK     | XSSNAKE FLEXIBLE SNAKE CLICK 1Mr for SNK12x12 for WALL/CEILING MOUNTING      | 18.80 лв.    | Mr   |          | 6422103053440 | 100  | 12.60 | 12.22 | 591 |
| 2227 | SNK12X4CWHP    | XSSNAKE LEDS STRIP 14.4W/m 280LED/m 24V DC 6000K CRI.90 IP67 5m/reel (5.1.2) | 373.04 лв.   | reel | Excluded | 6422103065665 | 20   | 0.40  | 0.38  | 592 |
| 2228 | SNK12X4NWHP    | XSSNAKE LEDS STRIP 14.4W/m 280LED/m 24V DC 4000K CRI.90 IP67 5m/reel (5.1.2) | 373.04 лв.   | reel | Excluded | 6422103065658 | 20   | 0.40  | 0.38  | 592 |
| 2229 | SNK12X4WWHP    | XSSNAKE LEDS STRIP 14.4W/m 280LED/m 24V DC 3000K CRI.90 IP67 5m/reel(5.1.2)  | 373.04 лв.   | reel | Excluded | 6422103065641 | 20   | 0.40  | 0.38  | 592 |
| 2230 | SNK01FC12      | XSSNAKE STRIP to STRIP FLEXIBLE CONNECTOR                                    | 14.83 лв.    | pc   |          | 6422103065719 | 25   | 0.01  | 0.01  | 593 |
| 2231 | SNK01LC12      | XSSNAKE STRIP to STRIP CONNECTOR   | 9.99 лв.     | pc   |          | 6422103065702 | 25   | 0.01  | 0.01  | 593 |
| 2232 | SNK01PS12      | XSSNAKE STRIP CONNECTOR TO CABLE   | 13.01 лв.    | pc   |          | 6422103065696 | 25   | 0.01  | 0.01  | 593 |
| 2233 | SNK04MC12      | XSSNAKE SET OF FIXING CLIP(2pcs)+SCREWS(4pcs)                                | 1.51 лв.     | pc   |          | 6422013065733 | 100  | 0.01  | 0.01  | 593 |
| 2234 | SNK12x4ECD     | XSSNAKE set END CAP WITH HOLE+W/O(2pcs EACH)+GLUE(1tube)                     | 8.47 лв.     | pc   |          | 6422103065726 | 100  | 0.01  | 0.01  | 593 |

|      |                  |   |            |      |          |               |     |      |      |     |
|------|------------------|---|------------|------|----------|---------------|-----|------|------|-----|
| 2235 | SL5IP20CW4CRI90  | XSOLIS MINI IP20 10W/m ROLA=5m 420LED/m 6000K (5.1.2)                                 | 227.90 lb. | reel | Excluded | 6422103070058 | 50  | 0.06 | 0.05 | 594 |
| 2236 | SL5IP20NW4CRI90  | XSOLIS MINI IP20 10W/m ROLA=5m 420LED/m 4000K (5.1.2)                                 | 227.90 lb. | reel | Excluded | 6422103070041 | 50  | 0.06 | 0.05 | 594 |
| 2237 | SL5IP20WW4CRI90  | XSOLIS MINI IP20 10W/m ROLA=5m 420LED/m 3000K (5.1.2)                                 | 227.90 lb. | reel | Excluded | 6422103070034 | 50  | 0.06 | 0.05 | 594 |
| 2238 | SL5256CW8CRI90   | XSOLIS IP20 8W/m 5m 256LED/m 6000K (5.1.2)  | 110.13 lb. | pc   | Excluded | 6422103070089 | 50  | 0.09 | 0.08 | 597 |
| 2239 | SL5256NW8CRI90   | XSOLIS IP20 8W/m 5m 256LED/m 4000K (5.1.2)  | 110.13 lb. | pc   | Excluded | 6422103070072 | 50  | 0.09 | 0.08 | 597 |
| 2240 | SL5256WW8CRI90   | XSOLIS IP20 8W/m 5m 256LED/m 3000K (5.1.2)  | 110.13 lb. | pc   | Excluded | 6422103070065 | 50  | 0.09 | 0.08 | 597 |
| 2241 | SL5512CW10CRI90  | XSOLIS IP20 14W/m 5m 10mm 512LED/m 6000K (5.1.2)                                      | 247.51 lb. | pc   | Excluded | 6422103071505 | 50  | 0.10 | 0.09 | 597 |
| 2242 | SL5512CW8CRI90   | XSOLIS IP20 12W/m 5m 8mm 512LED/m 6000K (5.1.2)                                       | 221.80 lb. | pc   | Excluded | 6422103070140 | 50  | 0.09 | 0.08 | 597 |
| 2243 | SL5512NW10CRI90  | XSOLIS IP20 14W/m 5m 10mm 512LED/m 4000K (5.1.2)                                      | 247.51 lb. | pc   | Excluded | 6422103071499 | 50  | 0.10 | 0.09 | 597 |
| 2244 | SL5512NW8CRI90   | XSOLIS IP20 12W/m 5m 8mm 512LED/m 4000K (5.1.2)                                       | 221.80 lb. | pc   | Excluded | 6422103070133 | 50  | 0.09 | 0.08 | 597 |
| 2245 | SL5512WW10CRI90  | XSOLIS IP20 14W/m 5m 10mm 512LED/m 3000K (5.1.2)                                      | 247.51 lb. | pc   | Excluded | 6422103071482 | 50  | 0.10 | 0.09 | 597 |
| 2246 | SL5512WW8CRI90   | XSOLIS IP20 12W/m 5m 8mm 512LED/m 3000K (5.1.2)                                       | 221.80 lb. | pc   | Excluded | 6422103070126 | 50  | 0.09 | 0.08 | 597 |
| 2247 | SL5352CW8CRI90   | XSOLIS IP20 10W/m 5m 352LED/m 6000K (5.1.2)   | 157.90 lb. | pc   | Excluded | 6422103070119 |     | 0.09 | 0.08 | 597 |
| 2248 | SL5352NW8CRI90   | XSOLIS IP20 10W/m 5m 352LED/m 4000K (5.1.2)   | 157.90 lb. | pc   | Excluded | 6422103070102 |     | 0.09 | 0.08 | 597 |
| 2249 | SL5352WW8CRI90   | XSOLIS IP20 10W/m 5m 352LED/m 3000K (5.1.2)   | 157.90 lb. | pc   | Excluded | 6422103070096 |     | 0.09 | 0.08 | 597 |
| 2250 | RB26420CW        | XRIBO IP20 5m/reel LEDS STRIP 6W/m 64LED/m 24V DC 6000K CRI.80 >115° (5.1.2)          | 99.44 lb.  | pc   | Excluded | 6422103032650 | 100 | 0.12 | 0.11 | 598 |
| 2251 | RB26420NW        | XRIBO IP20 5m/reel LEDS STRIP 6W/m 64LED/m 24V DC 4000K CRI.80 >115° (5.1.2)          | 99.44 lb.  | pc   | Excluded | 6422103032643 | 100 | 0.12 | 0.11 | 598 |
| 2252 | RB26420UWWW      | XRIBO IP20 5m/reel LEDS STRIP 6W/m 64LED/m 24V DC 2700K CRI.80 >115° (5.1.2)          | 99.44 lb.  | pc   | Excluded | 6422103051293 | 100 | 0.12 | 0.11 | 598 |
| 2253 | RB26420WW        | XRIBO IP20 5m/reel LEDS STRIP 6W/m 64LED/m 24V DC 3000K CRI.80 >115° (5.1.2)          | 99.44 lb.  | pc   | Excluded | 6422103032636 | 100 | 0.12 | 0.11 | 598 |
| 2254 | RB212820CW       | XRIBO IP20 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 6000K CRI.80 >115° (5.1.2)       | 148.28 lb. | pc   | Excluded | 6422103032711 | 100 | 0.12 | 0.11 | 599 |
| 2255 | RB212820NW       | XRIBO IP20 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 4000K CRI.80 >115° (5.1.2)       | 148.28 lb. | pc   | Excluded | 6422103032704 | 100 | 0.12 | 0.11 | 599 |
| 2256 | RB212820NW30M    | XRIBO IP20 1m LEDS STRIP 12W/m 128 LED/m 24V DC 4000K CRI.80 >115° (5.1.2)            | 802.82 lb. | Mr   | Excluded | 6422103051323 | 100 | 0.72 | 0.69 | 599 |
| 2257 | RB212820NWCR190  | XRIBO IP20 CRI90 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 4000K >115° (5.1.2)        | 162.63 lb. | pc   | Excluded | 6422103051392 | 100 | 0.12 | 0.11 | 599 |
| 2258 | RB212820UWWW     | XRIBO IP20 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 2700K CRI.80 >115° (5.1.2)       | 148.28 lb. | pc   | Excluded | 6422103051309 | 100 | 0.12 | 0.11 | 599 |
| 2259 | RB212820UWWCR190 | XRIBO IP20 CRI90 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 2700K >115° (5.1.2)        | 162.63 lb. | pc   | Excluded | 6422103051378 | 100 | 0.12 | 0.11 | 599 |
| 2260 | RB212820WWW      | XRIBO IP20 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 3000K CRI.80 >115° (5.1.2)       | 148.28 lb. | pc   | Excluded | 6422103032698 | 100 | 0.12 | 0.11 | 599 |
| 2261 | RB212820WWW30M   | XRIBO IP20 1m LEDS STRIP 12W/m 128 LED/m 24V DC 3000K CRI.80 >115° (5.1.2)            | 802.82 lb. | Mr   | Excluded | 6422103051316 | 100 | 0.72 | 0.69 | 599 |
| 2262 | RB212820WWWCR190 | XRIBO IP20 CRI90 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 3000K >115° (5.1.2)        | 162.63 lb. | pc   | Excluded | 6422103051385 | 100 | 0.12 | 0.11 | 599 |
| 2263 | RB219220CW       | XRIBO IP20 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 6000K CRI.80 >115° (5.1.2)        | 175.88 lb. | pc   | Excluded | 6422103032773 | 100 | 0.16 | 0.15 | 600 |
| 2264 | RB219220NW       | XRIBO IP20 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 4000K CRI.80 >115° (5.1.2)        | 175.88 lb. | pc   | Excluded | 6422103032766 | 100 | 0.16 | 0.15 | 600 |
| 2265 | RB219220NW30M    | XRIBO IP20 1m LEDS STRIP 18W/m 192LED/m 24V DC 4000K CRI.80 >115° (5.1.2)             | 985.50 lb. | Mr   | Excluded | 6422103051354 | 100 | 0.88 | 0.85 | 600 |
| 2266 | RB219220NWCR190  | XRIBO IP20 CRI.90 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 4000K >115° (5.1.2)        | 203.73 lb. | pc   | Excluded | 6422103051422 | 100 | 0.15 | 0.14 | 600 |
| 2267 | RB219220UWWW     | XRIBO IP20 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 2700K CRI.80 >115° (5.1.2)        | 175.88 lb. | pc   | Excluded | 6422103051330 | 100 | 0.16 | 0.15 | 600 |
| 2268 | RB219220UWWCR190 | XRIBO IP20 CRI.90 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 2700K >115° (5.1.2)        | 203.73 lb. | pc   | Excluded | 6422103051408 | 100 | 0.15 | 0.14 | 600 |
| 2269 | RB219220WWW      | XRIBO IP20 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 3000K CRI.80 >115° (5.1.2)        | 175.88 lb. | pc   | Excluded | 6422103032759 | 100 | 0.16 | 0.15 | 600 |
| 2270 | RB219220WWW30M   | XRIBO IP20 1m LEDS STRIP 18W/m 192LED/m 24V DC 3000K CRI.80 >115° (5.1.2)             | 985.50 lb. | Mr   | Excluded | 6422103051347 | 100 | 0.88 | 0.85 | 600 |
| 2271 | RB219220WWWCR190 | XRIBO IP20 CRI.90 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 3000K >115° (5.1.2)        | 203.73 lb. | pc   | Excluded | 6422103051415 | 100 | 0.15 | 0.14 | 600 |
| 2272 | RB224020CW       | XRIBO IP20 5m/reel LEDS STRIP 22W/m 240 LED/m 24V DC 6000K CRI.80 >115° (5.1.2)       | 207.03 lb. | pc   | Excluded | 6422103032834 | 100 | 0.15 | 0.14 | 601 |
| 2273 | RB224020NW       | XRIBO IP20 5m/reel LEDS STRIP 22W/m 240 LED/m 24V DC 4000K CRI.80 >115° (5.1.2)       | 207.03 lb. | pc   | Excluded | 6422103032827 | 100 | 0.15 | 0.14 | 601 |
| 2274 | RB224020UWWW     | XRIBO IP20 5m/reel LEDS STRIP 22W/m 240 LED/m 24V DC 2700K CRI.80 >115° (5.1.2)       | 207.03 lb. | pc   | Excluded | 6422103051361 | 100 | 0.15 | 0.14 | 601 |
| 2275 | RB224020WWW      | XRIBO IP20 5m/reel LEDS STRIP 22W/m 240 LED/m 24V DC 3000K CRI.80 >115° (5.1.2)       | 207.03 lb. | pc   | Excluded | 6422103032810 | 100 | 0.15 | 0.14 | 601 |
| 2276 | RB26466CW        | XRIBO IP66 5m/reel LEDS STRIP 6W/m 64LED/m 24V DC 6000K CRI.80 >115° (5.1.2)          | 134.67 lb. | pc   | Excluded | 6422103032681 | 80  | 0.15 | 0.14 | 602 |
| 2277 | RB26466NW        | XRIBO IP66 5m/reel LEDS STRIP 6W/m 64LED/m 24V DC 4000K CRI.80 >115° (5.1.2)          | 134.67 lb. | pc   | Excluded | 6422103032674 | 80  | 0.15 | 0.14 | 602 |
| 2278 | RB26466UWWW      | XRIBO IP66 5m/reel LEDS STRIP 6W/m 64LED/m 24V DC 2700K CRI.80 >115° (5.1.2)          | 134.66 lb. | pc   | Excluded | 6422103051439 | 80  | 0.15 | 0.14 | 602 |
| 2279 | RB26466WWW       | XRIBO IP66 5m/reel LEDS STRIP 6W/m 64LED/m 24V DC 3000K CRI.80 >115° (5.1.2)          | 134.67 lb. | pc   | Excluded | 6422103032667 | 80  | 0.15 | 0.14 | 602 |
| 2280 | RB212866CW       | XRIBO IP66 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 6000K CRI.80 >115° (5.1.2)       | 175.88 lb. | pc   | Excluded | 6422103032742 | 80  | 0.16 | 0.15 | 603 |
| 2281 | RB212866NW       | XRIBO IP66 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 4000K CRI.80 >115° (5.1.2)       | 175.88 lb. | pc   | Excluded | 6422103032735 | 80  | 0.16 | 0.15 | 603 |
| 2282 | RB212866UWWW     | XRIBO IP66 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 2700K CRI.80 >115° (5.1.2)       | 175.88 lb. | pc   | Excluded | 6422103051446 | 80  | 0.16 | 0.15 | 603 |
| 2283 | RB212866WWW      | XRIBO IP66 5m/reel LEDS STRIP 12W/m 128 LED/m 24V DC 3000K CRI.80 >115° (5.1.2)       | 175.88 lb. | pc   | Excluded | 6422103032728 | 80  | 0.16 | 0.15 | 603 |
| 2284 | RB219266CW       | XRIBO IP66 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 6000K CRI.80 >115° (5.1.2)        | 226.13 lb. | pc   | Excluded | 6422103032803 | 80  | 0.19 | 0.18 | 604 |
| 2285 | RB219266NW       | XRIBO IP66 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 4000K CRI.80 >115° (5.1.2)        | 226.13 lb. | pc   | Excluded | 6422103032797 | 80  | 0.19 | 0.18 | 604 |
| 2286 | RB219266UWWW     | XRIBO IP66 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 2700K CRI.80 >115° (5.1.2)        | 226.14 lb. | pc   | Excluded | 6422103051453 | 80  | 0.19 | 0.18 | 604 |
| 2287 | RB219266WWW      | XRIBO IP66 5m/reel LEDS STRIP 18W/m 192LED/m 24V DC 3000K CRI.80 >115° (5.1.2)        | 226.13 lb. | pc   | Excluded | 6422103032780 | 80  | 0.19 | 0.18 | 604 |
| 2288 | RB224066CW       | XRIBO IP66 5m/reel LEDS STRIP 22W/m 240 LED/m 24V DC 6000K CRI.80 >115° (5.1.2)       | 257.28 lb. | pc   | Excluded | 6422103032865 | 80  | 0.19 | 0.18 | 605 |
| 2289 | RB224066NW       | XRIBO IP66 5m/reel LEDS STRIP 22W/m 240 LED/m 24V DC 4000K CRI.80 >115° (5.1.2)       | 257.28 lb. | pc   | Excluded | 6422103032858 | 80  | 0.19 | 0.18 | 605 |
| 2290 | RB224066UWWW     | XRIBO IP66 5m/reel LEDS STRIP 22W/m 240 LED/m 24V DC 2700K CRI.80 >115° (5.1.2)       | 257.27 lb. | pc   | Excluded | 6422103051460 | 80  | 0.19 | 0.18 | 605 |
| 2291 | RB224066WWW      | XRIBO IP66 5m/reel LEDS STRIP 22W/m 240 LED/m 24V DC 3000K CRI.80 >115° (5.1.2)       | 257.28 lb. | pc   | Excluded | 6422103032841 | 80  | 0.19 | 0.18 | 605 |
| 2292 | RB27265ZCW       | XRIBO ZIGZAG 5m/reel IP65 LEDS STRIP 72W/5m 72LED/m 24V DC 6000K CRI.80 >115° (5.1.2) | 180.90 lb. | pc   | Excluded | 6422103025768 | 80  | 0.12 | 0.11 | 606 |
| 2293 | RB27265ZNW       | XRIBO ZIGZAG 5m/reel IP65 LEDS STRIP 72W/5m 72LED/m 24V DC 4000K CRI.80 >115° (5.1.2) | 180.90 lb. | pc   | Excluded | 6422103025751 | 80  | 0.12 | 0.11 | 606 |
| 2294 | RB27265ZWWW      | XRIBO ZIGZAG 5m/reel IP65 LEDS STRIP 72W/5m 72LED/m 24V DC 3000K CRI.80 >115° (5.1.2) | 180.90 lb. | pc   | Excluded | 6422103025744 | 80  | 0.12 | 0.11 | 606 |
| 2295 | ST56020TWCR190   | XSTRIP TUNNING WHITE IP20 10W/m 5m 60LED/m 3000-6500K (5.1.2)                         | 128.53 lb. | pc   | Excluded | 6422103074452 | 50  | 0.17 | 0.16 | 608 |

|      |                   |  |            |      |          |               |    |      |      |     |
|------|-------------------|--|------------|------|----------|---------------|----|------|------|-----|
| 2296 | ST56065TWCRI90    | XSTRIP TUNNING WHITE IP65 10W/m 5m 60LED/m 3000-6500K (5.1.2)                                      | 150.56 лв. | pc   | Excluded | 6422103074469 | 50 | 0.27 | 0.26 | 609 |
| 2297 | ST56020RGB        | XSTRIP XL 24V 14.4W 60LED/m RGB IP20 (5.1.2)   | 137.87 лв. | pc   | Excluded | 6422103025942 | 50 | 0.17 | 0.16 | 610 |
| 2298 | ST56065RGB        | XSTRIP RGB IP65 5m/reel LEDS STRIP 14,4W/m 60LED/m 24V DC CRI.80 120° (5.1.2)                      | 160.84 лв. | pc   | Excluded | 6422103017046 | 50 | 0.18 | 0.17 | 611 |
| 2299 | ST56020RGB+WW     | XSTRIP RGB+WW IP20 5m/reel LEDS STRIP 14,4W/m 60LED/m 24V DC RGB+3000K CRI.80 120° (5.1.2)         | 192.13 лв. | pc   | Excluded | 6422103037648 | 50 | 0.18 | 0.17 | 612 |
| 2300 | ST56065RGB+WW     | XSTRIP RGB+WW IP65 5m/reel LEDS STRIP 14,4W/m 60LED/m 24V DC RGB+3000K CRI.80 120° (5.1.2)         | 230.47 лв. | pc   | Excluded | 6422103037655 | 50 | 0.29 | 0.28 | 613 |
| 2301 | ST56020RGBDIGI    | XSTRIP RGB DIGITAL IP20 14W/m ROLA=5m 60LED/M (5.1.2)  | 512.31 лв. | reel | Excluded | 6422103070157 | 50 | 0.17 | 0.16 | 614 |
| 2302 | ST56020RGBWDIGI   | XSTRIP RGBW DIGITAL IP20 16W/m ROLA=5m 60LED/M (5.1.2)   | 612.49 лв. | reel | Excluded | 6422103074476 | 50 | 0.18 | 0.17 | 614 |
| 2303 | ST56065RGBWDIGI   | XSTRIP RGB DIGITAL IP65 14W/m ROLA=5m 60LED/M (5.1.2)  | 690.83 лв. | reel | Excluded | 6422103074483 | 40 | 0.19 | 0.18 | 615 |
| 2304 | ST56067RGBDIGI    | XSTRIP RGBW DIGITAL IP67 16W/m ROLA=5m 60LED/M (5.1.2)   | 405.95 лв. | reel | Excluded | 6422103070164 | 40 | 0.51 | 0.49 | 615 |
| 2305 | ST01PS10          | XSTRIP POWER SUPPLY ELEMENT for 10 mm LED STRIPS   | 7.22 лв.   | pc   |          | 6422103011129 |    | 0.01 | 0.01 | 616 |
| 2306 | ST01PS10RGB       | XSTRIP POWER SUPPLY ELEMENT for 10 mm RGB LED STRIPS   | 7.56 лв.   | pc   |          | 6422103011136 |    | 0.01 | 0.01 | 616 |
| 2307 | ST01PS8           | XSTRIP POWER SUPPLY ELEMENT for 8 mm LED STRIPS  | 6.78 лв.   | pc   |          | 6422103011112 | 1  | 0.01 | 0.01 | 616 |
| 2308 | ST01PSIP65        | XSTRIP IP65 POWER SUPPLY ELEMENT for LED STRIPS  | 14.34 лв.  | pc   |          | 6422103011143 |    | 0.02 | 0.01 | 616 |
| 2309 | ST01PSRGBIP65     | XSTRIP IP65 POWER SUPPLY ELEMENT for RGB LED STRIPS  | 15.08 лв.  | pc   |          | 6422103011150 |    | 0.02 | 0.01 | 616 |
| 2310 | ST02FC10          | XSTRIP FLEXIBLE CONNECTION ELEMENT 10 mm WIDTH LED STRIPS  | 7.56 лв.   | pc   |          | 6422103011174 |    | 0.01 | 0.01 | 616 |
| 2311 | ST02FC10RGB       | XSTRIP FLEXIBLE CONNECTION ELEMENT 10 mm WIDTH RGB LED STRIPS                                      | 8.30 лв.   | pc   |          | 6422103011181 |    | 0.01 | 0.01 | 616 |
| 2312 | ST02FC8           | XSTRIP FLEXIBLE CONNECTION ELEMENT 8 mm WIDTH LED STRIPS   | 7.22 лв.   | pc   |          | 6422103011167 |    | 0.01 | 0.01 | 616 |
| 2313 | ST03LC10          | XSTRIP LINEAR CONNECTION ELEMENT 10 mm WIDTH LED STRIPS (set of 5 pcs)                             | 12.82 лв.  | pc   |          | 6422103011204 |    | 0.01 | 0.01 | 617 |
| 2314 | ST03LC10RGB       | XSTRIP LINEAR CONNECTION ELEMENT 10 mm WIDTH RGB LED STRIPS (set of 5 pcs)                         | 14.34 лв.  | pc   |          | 6422103011211 |    | 0.01 | 0.01 | 617 |
| 2315 | ST03LC8           | XSTRIP LINEAR CONNECTION ELEMENT 8 mm WIDTH LED STRIPS (set of 5 pcs)                              | 12.05 лв.  | pc   |          | 6422103011198 |    | 0.01 | 0.01 | 617 |
| 2316 | ST04LC8           | XTAPE ELEMENT CONEXIUNE LINIARA 128LED/M 8mm 5buc/SET  | 12.05 лв.  | pc   |          | 6422103058865 |    | 0.01 | 0.01 | 617 |
| 2317 | ST04MC10          | XSTRIP MOUNTING CLIP for 10 mm LED STRIPS (10pcs/set)  | 9.79 лв.   | set  |          | 6422103011228 |    | 0.01 | 0.01 | 617 |
| 2318 | ST04MC12          | XSTRIP MOUNTING CLIP for 12 mm LED STRIPS  | 9.79 лв.   | pc   |          | 6422103011235 |    | 0.01 | 0.01 | 617 |
| 2319 | ST05EC12          | XSTRIP END CAP for 12 mm LED STRIPS  | 9.79 лв.   | pc   |          | 6422103011242 |    | 0.01 | 0.01 | 617 |
| 2320 | ST11PSRGBWIP65    | IP65 POWER SUPPLY ELEMENT MALE+FEMALE 5P 3A  | 18.78 лв.  | pc   |          | 6422103070751 |    | 0.02 | 0.01 | 617 |
| 2321 | MGSNKC2P          | XMAGIS & XSNAKE CABLE 2P - 1 mr  | 6.40 лв.   | Mr   |          | 6422103071307 | 1  | 0.11 | 0.10 | 618 |
| 2322 | MGSNKC4P          | XMAGIS & XSNAKE CABLE 4P - 1 mr  | 8.54 лв.   | Mr   |          | 6422103071314 | 1  | 0.11 | 0.10 | 618 |
| 2323 | ST16ECS10IP65     | SET OF END CAPS FOR10mm IP65   | 24.90 лв.  | set  |          | 6422103070768 |    | 0.01 | 0.01 | 618 |
| 2324 | ST20CCT3P         | POWER SUPPLY CABLE 3P - 1 mr   | 5.69 лв.   | Mr   |          | 6422103070713 | 1  | 0.11 | 0.10 | 618 |
| 2325 | ST20RGB4P         | POWER SUPPLY CABLE 4P for RGB LED STRIPS - 1 mr  | 5.88 лв.   | Mr   |          | 6422103070720 | 1  | 0.11 | 0.10 | 618 |
| 2326 | ST20SC2P          | POWER SUPPLY CABLE 2P - 1 mr   | 3.56 лв.   | Mr   |          | 6422103070706 | 1  | 0.11 | 0.10 | 618 |
| 2327 | MGSNKC3P          | XMAGIS & XSNAKE CABLE 3P - 1 mr  | 8.97 лв.   | Mr   |          | 6422103093194 | 1  | 0.11 | 0.10 | 619 |
| 2328 | MGSNKC5P          | XMAGIS & XSNAKE CABLE 5P - 1 mr  | 9.68 лв.   | Mr   |          | 6422103071321 | 1  | 0.11 | 0.10 | 619 |
| 2329 | ST20RGB4PDG       | POWER SUPPLY CABLE 4P for RGB LED STRIPS DIGITAL VERSION - 1 mr                                    | 6.55 лв.   | Mr   |          | 6422103074544 | 1  | 0.11 | 0.10 | 619 |
| 2330 | ST20RGBW5P        | POWER SUPPLY CABLE 5P - 1 mr   | 6.40 лв.   | Mr   |          | 6422103070737 | 1  | 0.11 | 0.10 | 619 |
| 2331 | ST20RGBW5PDG      | XMAGIS & XSNAKE POWE SUPPLY CABLE 5P - 1 mr  | 8.54 лв.   | Mr   |          | 6422103074551 | 1  | 0.11 | 0.10 | 619 |
| 2332 | ST20RGBWWW6P      | POWER SUPPLY CABLE 6P - 1 mr   | 8.97 лв.   | Mr   |          | 6422103070744 | 1  | 0.11 | 0.10 | 619 |
| 2333 | PRFTDIMM01        | ON-OFF SWITCH AND TOUCH DIMMER 50x10 mm for LED STRIPS IP20  | 34.34 лв.  | pc   |          | 6422103018326 |    | 0.01 | 0.01 | 620 |
| 2334 | PRFTSW01          | LINEAR ON-OFF SWITCH 50x10 mm for LED STRIPS IP20  | 28.10 лв.  | pc   |          | 6422103018333 |    | 0.01 | 0.01 | 620 |
| 2335 | PRFMTDIMM01       | ON-OFF SWITCH&TOUCH DIMMER (for MOUNTING ON MIRRORS with THICKNESS<5mm) 26x28x7 mm IP20            | 57.93 лв.  | pc   |          | 6422103054041 |    | 0.01 | 0.01 | 621 |
| 2336 | PRFTDIMM02        | ON-OFF SWITCH & TOUCH DIMMER fi.22 mm IP20   | 53.45 лв.  | pc   |          | 6422103054034 |    | 0.01 | 0.01 | 621 |
| 2337 | PRFIRDSW01        | INTERNAL IR DOOR PROXIMITY SWITCH 10x55 mm FOR PROFILES IP20                                       | 49.19 лв.  | pc   |          | 6422103054072 |    | 0.01 | 0.01 | 622 |
| 2338 | PRFIRSW01         | IR PROXIMITY HAND SENSOR SWITCH 10X55 mm for PROFILES IP20   | 83.61 лв.  | pc   |          | 6422103054058 |    | 0.01 | 0.01 | 622 |
| 2339 | PRFIRDIMM01       | IR PROXIMITY HAND SENSOR SWITCH/DIMMER 10x55 mm for PROFILES IP20                                  | 49.19 лв.  | pc   |          | 6422103054065 |    | 0.01 | 0.01 | 623 |
| 2340 | PRF020/300SET     | PRF016 SET NANOPROFILE 3m for TRIM. INSTAL.+DIFF.+2 END CAPS (1 with & 1 w/o HOLE) for STRIPS <4mm | 131.03 лв. | pc   |          | 6422103091077 |    | 0.54 | 0.52 | 626 |
| 2341 | PRF020TP01        | PRF018/PRF019/PRF020 SET (2pcs) END CAPS with HOLES  | 10.63 лв.  | pc   |          | 6422103091084 |    | 0.01 | 0.01 | 627 |
| 2342 | PRF020TP02        | PRF018/PRF019/PRF020 SET (2pcs) END CAPS w/o HOLES   | 10.63 лв.  | pc   |          | 6422103091091 |    | 0.01 | 0.01 | 627 |
| 2343 | PRF018/300SET     | PRF016 SET NANOPROFILE 3m for TRIM. CORNER INSTAL. EXT.+DIFF.+2 END CAPS (1 with & 1 w/o HOLE)     | 126.56 лв. | pc   |          | 6422103091107 |    | 0.51 | 0.49 | 628 |
| 2344 | PRF019/300SET     | PRF016 SET NANOPROFILE 3m for TRIM. CORNER INSTAL. INT.+DIFF.+2 END CAPS (1 with & 1 w/o HOLE)     | 126.56 лв. | pc   |          | 6422103091121 |    | 0.57 | 0.55 | 630 |
| 2345 | PRF015/200SET     | PRF015 SET SURF. AL. PROFILE with DIFFUSER, SET of END CAPS and SET OF FIXING CLIPS                | 68.09 лв.  | pc   |          | 6422103071406 |    | 0.16 | 0.15 | 632 |
| 2346 | PRF015ST01        | ELEMENT DE FIXARE PT. PRF0015  | 2.61 лв.   | pc   |          | 6422103071413 |    | 0.01 | 0.01 | 633 |
| 2347 | PRF015TP01        | PRF015 END CAP with HOLE   | 2.14 лв.   | pc   |          | 6422103071420 |    | 0.01 | 0.01 | 633 |
| 2348 | PRF015TP02        | PRF015 END CAP w/o HOLE  | 2.19 лв.   | pc   |          | 6422103071437 |    | 0.01 | 0.01 | 633 |
| 2349 | PRF016/200SET SBK | PRF016 SET AL. PROFILE for ASYM. INSTAL.+DIFFUSER+2 END CAPS with HOLES SBK                        | 78.91 лв.  | pc   |          | 6422103091046 |    | 0.40 | 0.38 | 634 |
| 2350 | PRF016/200SET SWH | PRF016 SET AL. PROFILE for ASYM. INSTAL.+DIFFUSER+2 END CAPS with HOLES SWH                        | 78.91 лв.  | pc   |          | 6422103091039 |    | 0.40 | 0.38 | 634 |
| 2351 | PRF016TP01 SBK    | PRF016 SET (2 pcs) END CAPS with HOLES SBK   | 10.93 лв.  | pc   |          | 6422103091060 |    | 0.01 | 0.01 | 635 |
| 2352 | PRF016TP01 SWH    | PRF016 SET (2 pcs) END CAPS with HOLES SWH   | 10.93 лв.  | pc   |          | 6422103091053 |    | 0.01 | 0.01 | 635 |
| 2353 | PRF014/200SET     | PRF014 SET SURF. AL. PROFILE with DIFFUSER, SET of END CAPS and SET OF FIXING CLIPS                | 68.09 лв.  | pc   |          | 6422103071369 |    | 0.14 | 0.13 | 636 |
| 2354 | PRF014ST01        | ELEMENT DE FIXARE PT. PRF014   | 0.78 лв.   | pc   |          | 6422103071376 |    | 0.01 | 0.01 | 637 |
| 2355 | PRF014TP01        | PRF014 END CAP with HOLE   | 2.20 лв.   | pc   |          | 6422103071383 |    | 0.01 | 0.01 | 637 |
| 2356 | PRF014TP02        | PRF014 END CAP w/o HOLE  | 2.19 лв.   | pc   |          | 6422103071390 |    | 0.01 | 0.01 | 637 |

|      |               |   |            |     |  |               |  |      |      |     |
|------|---------------|---|------------|-----|--|---------------|--|------|------|-----|
| 2357 | PRF017/200SET | PRF017 SET SURF. AL. PROFILE with DIFFUSER, SET of END CAPS and SET OF FIXING CLIPS             | 65.45 лв.  | pc  |  | 6422103071444 |  | 0.12 | 0.11 | 638 |
| 2358 | PRF007ST01    | ELEMENT DE FIXARE PT. PRF007  | 0.52 лв.   | pc  |  | 6422103071475 |  | 0.01 | 0.01 | 639 |
| 2359 | PRF017ST01    | ELEMENT DE FIXARE PT. PRF017  | 0.78 лв.   | pc  |  | 6422103075589 |  | 0.01 | 0.01 | 639 |
| 2360 | PRF017TP01    | PRF017 END CAP with HOLE  | 2.50 лв.   | pc  |  | 6422103071451 |  | 0.01 | 0.01 | 639 |
| 2361 | PRF017TP02    | PRF017 END CAP w/o HOLE   | 2.50 лв.   | pc  |  | 6422103071468 |  | 0.01 | 0.01 | 639 |
| 2362 | PRF041/300SET | PRF041 SET PROFILE 3m for TRIM. INSTAL.+DIFF.+2 END CAPS (1 with & 1 w/o HOLE) for STRIPS <12mm | 157.83 лв. | pc  |  | 6422103091138 |  | 0.90 | 0.87 | 642 |
| 2363 | PRF041TP03    | PRF041/PRF044 SET (2pcs) END CAPS with HOLES  | 10.63 лв.  | pc  |  | 6422103091114 |  | 0.01 | 0.01 | 643 |
| 2364 | PRF041TP04    | PRF041/PRF044 SET (2pcs) END CAPS w/o HOLES   | 10.63 лв.  | pc  |  | 6422103091145 |  | 0.01 | 0.01 | 643 |
| 2365 | PRF041/300    | PRF041 TRIM. REC. AL. PROFILE (OVER THE GYPSUM) 3 m with PC COVER incl. IP20 AL-AN              | 157.96 лв. | set |  | 6422103054171 |  | 0.84 | 0.81 | 644 |
| 2366 | PRF041TP01    | PRF041/042 END CAP with HOLE S  | 2.09 лв.   | pc  |  | 6422103054188 |  | 0.01 | 0.01 | 645 |
| 2367 | PRF042/300    | PRF042 TRIM. REC. AL. PROFILE (UNDER THE GYPSUM) 3 m with PC COVER incl. IP20 AL-AN             | 157.96 лв. | set |  | 6422103054195 |  | 0.84 | 0.81 | 646 |
| 2368 | PRF042TP01    | PRF042 END CAP with HOLE S = PRF041TP01   | 2.09 лв.   | pc  |  | 6422103056137 |  | 0.01 | 0.01 | 647 |
| 2369 | PRF043/300SET | PRF043 SET PROFILE 3m for TRIM. INSTAL.+DIFF.+2 END CAPS w/o HOLE for STRIPS <20.5mm            | 332.04 лв. | pc  |  | 6422103091152 |  | 1.89 | 1.83 | 648 |
| 2370 | PRF043TP02    | PRF043 SET (2pcs) END CAPS w/o HOLE   | 15.79 лв.  | pc  |  | 6422103091169 |  | 0.01 | 0.01 | 649 |
| 2371 | PRF044/300SET | PRF044 SET PROFILE 3m for REC. INSTAL.+DIFF.+2 END CAPS (1 with & 1 w/o HOLE) for STRIPS <7mm   | 171.23 лв. | pc  |  | 6422103091220 |  | 0.99 | 0.96 | 650 |
| 2372 | PRF170/300SET | PRF170 SET PROFILE 3m for REC. CEILING+2 END CAPS w/o HOLE                                      | 335.01 лв. | pc  |  | 6422103091176 |  | 2.55 | 2.47 | 652 |
| 2373 | PRF170TP02    | PRF170 SET (2pcs) END CAPS w/o HOLE   | 16.70 лв.  | pc  |  | 6422103091183 |  | 0.02 | 0.01 | 653 |
| 2374 | PRF171/300SET | PRF171 SET PROFILE 3m for REC. CEILING+DIFF.+2 END CAPS w/o HOLE                                | 299.28 лв. | pc  |  | 6422103091190 |  | 2.07 | 2.00 | 654 |
| 2375 | PRF171TP02    | PRF171/PRF172 SET(2pcs) END CAPS w/o HOLES  | 13.66 лв.  | pc  |  | 6422103091206 |  | 0.01 | 0.01 | 655 |
| 2376 | PRF172/300SET | PRF172 SET PROFILE 3m for REC. CEILING+DIFF.+2 END CAPS w/o HOLE                                | 308.21 лв. | pc  |  | 6422103091213 |  | 2.19 | 2.12 | 656 |
| 2377 | PRF005/200    | PROFIL DREPTUNGHIULAR INCAS DIN ALUMINIU 2m   | 24.97 лв.  | pc  |  | 6422103019125 |  | 0.28 | 0.27 | 658 |
| 2378 | PRF003PX01    | PRF004/PRF005 FROSTED POLYCARBONATE DIFFUSER, 2000 mm   | 10.68 лв.  | pc  |  | 6422103019118 |  | 0.15 | 0.14 | 659 |
| 2379 | PRF005ST01    | PRF005 FIXING CLIP SS   | 0.59 лв.   | pc  |  | 6422103017954 |  | 0.01 | 0.01 | 659 |
| 2380 | PRF005TP01    | PRF005 END CAP with HOLE  | 1.42 лв.   | pc  |  | 6422103019101 |  | 0.01 | 0.01 | 659 |
| 2381 | PRF005TP02    | PRF005 END CAP w/o HOLE   | 1.42 лв.   | pc  |  | 6422103017947 |  | 0.01 | 0.01 | 659 |
| 2382 | PRF060/300    | PRF060 WALL/CEILING REC. AL. PROFILE 3 m  | 91.64 лв.  | pc  |  | 6422103018029 |  | 1.25 | 1.21 | 660 |
| 2383 | PRF060PX01    | PRF060 FROSTED POLYCARBONATE DIFFUSER 3 m   | 32.72 лв.  | pc  |  | 6422103018036 |  | 0.12 | 0.11 | 660 |
| 2384 | PRF060ST01    | PRF060 FIXING CLIP SS   | 6.12 лв.   | pc  |  | 6422103018067 |  | 0.01 | 0.01 | 660 |
| 2385 | PRF060TP01    | PRF060 END CAP with HOLE  | 2.81 лв.   | pc  |  | 6422103018043 |  | 0.01 | 0.01 | 660 |
| 2386 | PRF060TP02    | PRF060 END CAP w/o HOLE   | 2.81 лв.   | pc  |  | 6422103018050 |  | 0.01 | 0.01 | 660 |
| 2387 | PRF061/300    | PRF061 WALL/CEILING REC. AL. PROFILE 3 m  | 137.48 лв. | pc  |  | 6422103018166 |  | 1.15 | 1.11 | 662 |
| 2388 | PRF061PX01    | PRF061 FROSTED POLYCARBONATE DIFFUSER 3 m   | 42.05 лв.  | pc  |  | 6422103018173 |  | 0.13 | 0.12 | 662 |
| 2389 | PRF061ST01    | PRF061 FIXING CLIP SS   | 5.32 лв.   | pc  |  | 6422103018203 |  | 0.01 | 0.01 | 662 |
| 2390 | PRF061TP01    | PRF061 END CAP with HOLE  | 2.80 лв.   | pc  |  | 6422103018180 |  | 0.01 | 0.01 | 662 |
| 2391 | PRF061TP02    | PRF061 END CAP w/o HOLE   | 2.81 лв.   | pc  |  | 6422103018197 |  | 0.01 | 0.01 | 662 |
| 2392 | PRF062/300    | PRF062 WALL/CEILING REC. AL. PROFILE 3 m  | 183.29 лв. | pc  |  | 6422103018074 |  | 2.87 | 2.78 | 664 |
| 2393 | PRF062PX01    | PRF062 FROSTED POLYCARBONATE DIFFUSER 3 m   | 46.73 лв.  | pc  |  | 6422103018081 |  | 0.27 | 0.26 | 665 |
| 2394 | PRF062ST01    | PRF062 FIXING CLIP SS   | 6.12 лв.   | pc  |  | 6422103018111 |  | 0.02 | 0.01 | 665 |
| 2395 | PRF062TP01    | PRF062 END CAP with HOLE  | 2.81 лв.   | pc  |  | 6422103018098 |  | 0.01 | 0.01 | 665 |
| 2396 | PRF062TP02    | PRF062 END CAP w/o HOLE   | 2.81 лв.   | pc  |  | 6422103018104 |  | 0.01 | 0.01 | 665 |
| 2397 | PRF063/057    | PRF063 WALL/CEILING REC. AL. PROFILE with PC COVER incl. 570 mm MWH                             | 70.73 лв.  | pc  |  | 6422103031813 |  | 0.79 | 0.76 | 666 |
| 2398 | PRF063/114    | PRF063 WALL/CEILING REC. AL. PROFILE with PC COVER incl. 1140 mm MWH                            | 141.43 лв. | pc  |  | 6422103031806 |  | 1.58 | 1.53 | 666 |
| 2399 | PRF063/171    | PRF063 WALL/CEILING REC. AL. PROFILE with PC COVER incl. 1710 mm MWH                            | 212.16 лв. | pc  |  | 6422103031820 |  | 2.38 | 2.30 | 666 |
| 2400 | PRF063/200    | PRF063 WALL/CEILING REC. AL. PROFILE with PC COVER incl. 2000 mm MWH                            | 236.06 лв. | pc  |  | 6422103031509 |  | 2.78 | 2.69 | 666 |
| 2401 | PRF063/228    | PRF063 WALL/CEILING REC. AL. PROFILE with PC COVER incl. 2280 mm MWH                            | 271.05 лв. | pc  |  | 6422103031837 |  | 3.17 | 3.07 | 666 |
| 2402 | PRF063LC01    | PRF063 90dgr AL. CONNECTOR with DIFFUSER incl. MWH  | 152.63 лв. | pc  |  | 6422103031523 |  | 0.30 | 0.29 | 667 |
| 2403 | PRF063TC01    | PRF063 T-shape AL. CONNECTOR with DIFFUSER incl. MWH  | 213.72 лв. | pc  |  | 6422103031530 |  | 0.46 | 0.44 | 667 |
| 2404 | PRF063XC01    | PRF063 X-shape AL. CONNECTOR with DIFFUSER incl. MWH  | 274.77 лв. | pc  |  | 6422103031547 |  | 0.58 | 0.56 | 667 |
| 2405 | PRF050/300    | PRF050 REC. AL. PROFILE 3 m   | 127.64 лв. | pc  |  | 6422103017985 |  | 1.00 | 0.97 | 668 |
| 2406 | PRF050PX01    | PRF050 FROSTED PMMA DIFFUSER 3 m  | 46.73 лв.  | pc  |  | 6422103017992 |  | 0.28 | 0.27 | 668 |
| 2407 | PRF050TP01    | PRF050 END CAP with HOLE  | 2.81 лв.   | pc  |  | 6422103018005 |  | 0.01 | 0.01 | 668 |
| 2408 | PRF050TP02    | PRF050 END CAP w/o HOLE   | 2.81 лв.   | pc  |  | 6422103018012 |  | 0.01 | 0.01 | 668 |
| 2409 | PRF052/200    | PRF052 REC. AL. PROFILE 2 m   | 72.70 лв.  | pc  |  | 6422103031264 |  | 0.54 | 0.52 | 670 |
| 2410 | PRF052AB01    | PRF052 FLAT AL. PROFILE for COOLING 2 m   | 9.17 лв.   | pc  |  | 6422103031288 |  | 0.14 | 0.13 | 671 |
| 2411 | PRF052PX01    | PRF052 FROSTED POLYCARBONATE DIFFUSER 2 m   | 46.73 лв.  | pc  |  | 6422103031271 |  | 0.15 | 0.14 | 671 |
| 2412 | PRF052ST02    | PRF052 FIXING CLIP  | 0.92 лв.   | pc  |  | 6422103031318 |  | 0.01 | 0.01 | 671 |
| 2413 | PRF052TP01    | PRF052 END CAP with HOLE  | 2.81 лв.   | pc  |  | 6422103031295 |  | 0.01 | 0.01 | 671 |
| 2414 | PRF052TP02    | PRF052 END CAP w/o HOLE   | 2.81 лв.   | pc  |  | 6422103031301 |  | 0.01 | 0.01 | 671 |
| 2415 | PRF052TP03    | PRF052 INNER END CAP with HOLE  | 1.56 лв.   | pc  |  | 6422103031325 |  | 0.01 | 0.01 | 671 |
| 2416 | PRF052TP04    | PRF052 INNER END CAP w/o S  | 1.56 лв.   | pc  |  | 6422103031332 |  | 0.01 | 0.01 | 671 |
| 2417 | PRF051/300    | PRF051 REC./SURF. AL. PROFILE 3 m   | 99.89 лв.  | pc  |  | 6422103018210 |  | 0.58 | 0.56 | 672 |



|      |                |   |  |            |     |  |               |    |      |      |     |
|------|----------------|---|--|------------|-----|--|---------------|----|------|------|-----|
| 2418 | PRF051AB02     | PRF051 FLAT AL. PROFILE for COOLING 3 m   |  | 13.75 лв.  | pc  |  | 6422103046664 |    | 0.21 | 0.20 | 672 |
| 2419 | PRF051PX02     | PRF051 SQ. FROSTED POLYCARBONATE DIFFUSER 3 m   |  | 70.09 лв.  | pc  |  | 6422103018227 |    | 0.33 | 0.32 | 672 |
| 2420 | PRF051ST02     | PRF051 FIXING CLIP  |  | 0.92 лв.   | pc  |  | 6422103018319 |    | 0.01 | 0.01 | 672 |
| 2421 | PRF051TP01     | PRF051 END CAP with HOLE  |  | 2.81 лв.   | pc  |  | 6422103018234 |    | 0.01 | 0.01 | 672 |
| 2422 | PRF051TP02     | PRF051 END CAP w/o HOLE   |  | 2.81 лв.   | pc  |  | 6422103018241 |    | 0.01 | 0.01 | 672 |
| 2423 | PRF051TP03     | PRF051 INNER END CAP with HOLE  |  | 1.56 лв.   | pc  |  | 6422103018258 |    | 0.01 | 0.01 | 672 |
| 2424 | PRF051TP04     | PRF051 INNER END CAP w/o S  |  | 1.56 лв.   | pc  |  | 6422103019217 |    | 0.01 | 0.01 | 672 |
| 2425 | PRF121/300 SET | PRF121 SET PROFILE 3m for WALL REC./PLINTH TYPE+DIFF.   |  | 165.27 лв. | pc  |  | 6422103091251 |    | 2.26 | 2.18 | 674 |
| 2426 | PRF130/200     | PRF130 REC. WALL MOUNTING AL. PROFILE 2 m   |  | 132.89 лв. | pc  |  | 6422103031141 |    | 1.67 | 1.61 | 676 |
| 2427 | PRF130PX01     | PRF130 FROSTED POLYCARBONATE DIFFUSER 2 m   |  | 18.33 лв.  | pc  |  | 6422103031158 |    | 0.09 | 0.08 | 677 |
| 2428 | PRF130ST02     | PRF130 FIXING CLIP  |  | 5.58 лв.   | pc  |  | 6422103031189 |    | 0.01 | 0.01 | 677 |
| 2429 | PRF130TP01     | PRF130 END CAP with HOLE  |  | 4.27 лв.   | pc  |  | 6422103031172 |    | 0.01 | 0.01 | 677 |
| 2430 | PRF130TP02     | PRF130 END CAP w/o HOLE   |  | 4.27 лв.   | pc  |  | 6422103031165 |    | 0.01 | 0.01 | 677 |
| 2431 | PRF120/300 AL  | PRF120 WALL MOUNTING AL. PROFILE (PLINTH TYPE), with PC COVER incl. 3 m AL-AN                               |  | 288.08 лв. | set |  | 6422103052320 |    | 1.86 | 1.80 | 678 |
| 2432 | PRF120/300 MBK | PRF120 WALL MOUNTING AL. PROFILE (PLINTH TYPE), with PC COVER incl. 3 m MBK                                 |  | 327.83 лв. | set |  | 6422103052382 |    | 1.86 | 1.80 | 678 |
| 2433 | PRF120/300 MWH | PRF120 WALL MOUNTING AL. PROFILE (PLINTH TYPE), with PC COVER incl. 3 m MWH                                 |  | 327.83 лв. | set |  | 6422103052351 |    | 1.86 | 1.80 | 678 |
| 2434 | PRF120TP01 MBK | PRF120 END CAP with HOLE MBK  |  | 5.36 лв.   | pc  |  | 6422103052399 |    | 0.01 | 0.01 | 679 |
| 2435 | PRF120TP01 MWH | PRF120 END CAP with HOLE MWH  |  | 5.36 лв.   | pc  |  | 6422103052368 |    | 0.01 | 0.01 | 679 |
| 2436 | PRF120TP01 S   | PRF120 END CAP with HOLE S  |  | 5.36 лв.   | pc  |  | 6422103052337 |    | 0.01 | 0.01 | 679 |
| 2437 | PRF120TP02 MBK | PRF120 END CAP w/o HOLE MBK   |  | 5.36 лв.   | pc  |  | 6422103052405 |    | 0.01 | 0.01 | 679 |
| 2438 | PRF120TP02 MWH | PRF120 END CAP w/o HOLE MWH   |  | 5.36 лв.   | pc  |  | 6422103052375 |    | 0.01 | 0.01 | 679 |
| 2439 | PRF120TP02 S   | PRF120 END CAP w/o HOLE S   |  | 5.36 лв.   | pc  |  | 6422103052344 |    | 0.01 | 0.01 | 679 |
| 2440 | PRF011/300 SBK | PRF011 AL. PROFILE 3m SBK   |  | 174.60 лв. | pc  |  | 6422103068567 | 50 | 1.04 | 1.00 | 680 |
| 2441 | PRF011/300 SWH | PRF011 AL. PROFILE 3m SWH   |  | 174.60 лв. | pc  |  | 6422103068550 | 50 | 1.04 | 1.00 | 680 |
| 2442 | PRF011C90 SBK  | PRF011 90dgr CONNECTOR SAME PLANE SBK   |  | 188.38 лв. | pc  |  | 6422103068680 | 50 | 0.15 | 0.14 | 681 |
| 2443 | PRF011C90 SWH  | PRF011 90dgr CONNECTOR SAME PLANE SHW   |  | 188.38 лв. | pc  |  | 6422103068659 | 50 | 0.15 | 0.14 | 681 |
| 2444 | PRF011EAC SBK  | PRF011 90dgr CONNECTOR EXTERNAL ANGLE SBK   |  | 188.38 лв. | pc  |  | 6422103068673 | 50 | 0.16 | 0.15 | 681 |
| 2445 | PRF011EAC SWH  | PRF011 90dgr CONNECTOR EXTERNAL ANGLE SHW   |  | 188.38 лв. | pc  |  | 6422103068642 | 50 | 0.16 | 0.15 | 681 |
| 2446 | PRF011IAC SBK  | PRF011 90dgr CONNECTOR INTERNAL ANGLE SBK   |  | 188.38 лв. | pc  |  | 6422103068666 | 50 | 0.17 | 0.16 | 681 |
| 2447 | PRF011IAC SWH  | PRF011 90dgr CONNECTOR INTERNAL ANGLE SHW   |  | 188.38 лв. | pc  |  | 6422103068635 | 50 | 0.17 | 0.16 | 681 |
| 2448 | PRF011LC       | PRF011 ACCESSORY FOR LINEAR CONNECTION of TWO PRF011 PRIFLES  |  | 4.84 лв.   | pc  |  | 6422103068628 |    | 0.01 | 0.01 | 681 |
| 2449 | PRF011ST01     | PRF011 FIXING CLIP  |  | 1.08 лв.   | pc  |  | 6422103068611 |    | 0.01 | 0.01 | 681 |
| 2450 | PRF011TP01 SBK | PRF011 END CAP WITH HOLE SBK  |  | 5.51 лв.   | pc  |  | 6422103068581 |    | 0.01 | 0.01 | 681 |
| 2451 | PRF011TP01 SWH | PRF011 END CAP WITH HOLE SWH  |  | 5.51 лв.   | pc  |  | 6422103068574 |    | 0.01 | 0.01 | 681 |
| 2452 | PRF011TP02 SBK | PRF011 END CAP W/O HOLE SBK   |  | 5.51 лв.   | pc  |  | 6422103068604 |    | 0.01 | 0.01 | 681 |
| 2453 | PRF011TP02 SWH | PRF011 END CAP W/O HOLE SWH   |  | 5.51 лв.   | pc  |  | 6422103068598 |    | 0.01 | 0.01 | 681 |
| 2454 | PRF040/300     | PRF040 REC./SURF. MOUNTING AL. PROFILE + DIFFUSER (with MAGNETIC FIXING) 3 m with PC COVER incl. IP20 AL-AN |  | 100.81 лв. | set |  | 6422103054089 |    | 0.63 | 0.61 | 682 |
| 2455 | PRF040C90      | PRF040 STAINLESS STEEL 90grd CONNECTOR  |  | 4.68 лв.   | pc  |  | 6422103054164 |    | 0.01 | 0.01 | 683 |
| 2456 | PRF040LC       | PRF040 STAINLESS STEEL LINEAR CONNECTOR   |  | 3.90 лв.   | pc  |  | 6422103054140 |    | 0.01 | 0.01 | 683 |
| 2457 | PRF040RMC      | PRF040 CIRCLE MAGNETIC CLIP   |  | 2.81 лв.   | pc  |  | 6422103054133 |    | 0.01 | 0.01 | 683 |
| 2458 | PRF040ST01     | PRF040 FIXING CLIP SS   |  | 1.25 лв.   | pc  |  | 6422103054119 |    | 0.01 | 0.01 | 683 |
| 2459 | PRF040TP01     | PRF040 END CAP with HOLE S  |  | 1.53 лв.   | pc  |  | 6422103054096 |    | 0.01 | 0.01 | 683 |
| 2460 | PRF040TP02     | PRF040 END CAP w/o HOLE   |  | 1.53 лв.   | pc  |  | 6422103054102 |    | 0.01 | 0.01 | 683 |
| 2461 | PRF040VAC      | PRF040 STAINLESS STEEL 90grd VERTICAL CONNECTOR   |  | 4.68 лв.   | pc  |  | 6422103054157 |    | 0.01 | 0.01 | 683 |
| 2462 | PRF004/200     | PROFIL DREPTUNGHIULAR DIN ALUMINIU H8mm, 2m   |  | 21.97 лв.  | pc  |  | 6422103019149 |    | 0.19 | 0.18 | 684 |
| 2463 | PRF004ST02     | PRF004 FIXING CLIP  |  | 0.60 лв.   | pc  |  | 6422103017978 | 50 | 0.01 | 0.01 | 685 |
| 2464 | PRF004TP01     | PRF004 END CAP with HOLE  |  | 1.42 лв.   | pc  |  | 6422103019132 | 50 | 0.01 | 0.01 | 685 |
| 2465 | PRF004TP02     | PRF004 END CAP w/o HOLE   |  | 1.42 лв.   | pc  |  | 6422103017961 | 50 | 0.01 | 0.01 | 685 |
| 2466 | PRF007/200     | PROFIL DE COLT DIN ALUMINIU 2m  |  | 18.69 лв.  | pc  |  | 6422103019095 |    | 0.24 | 0.23 | 686 |
| 2467 | PRF007PX03     | DISPERSOR FROSTED POLYCARBONATE DIFFUSER 2 m  |  | 9.41 лв.   | pc  |  | 6422103019088 |    | 0.15 | 0.14 | 687 |
| 2468 | PRF007ST02     | PRF007 FIXING CLIP  |  | 0.59 лв.   | pc  |  | 6422103017909 |    | 0.01 | 0.01 | 687 |
| 2469 | PRF007TP01     | PRF007 END CAP with HOLE  |  | 1.60 лв.   | pc  |  | 6422103019071 |    | 0.01 | 0.01 | 687 |
| 2470 | PRF007TP02     | PRF007 END CAP w/o HOLE   |  | 1.60 лв.   | pc  |  | 6422103017893 |    | 0.01 | 0.01 | 687 |
| 2471 | PRF008/200     | PRF008 SURF. AL. PROFILE DOUBLE CHAMBERS 2 m  |  | 39.73 лв.  | pc  |  | 6422103030861 |    | 0.48 | 0.46 | 688 |
| 2472 | PRF008PX01     | PRF008 FROSTED POLYCARBONATE DIFFUSER 2 m   |  | 31.16 лв.  | pc  |  | 6422103030878 |    | 0.08 | 0.07 | 689 |
| 2473 | PRF008ST01     | PRF008 FIXING CLIP SS   |  | 1.56 лв.   | pc  |  | 6422103030908 |    | 0.01 | 0.01 | 689 |
| 2474 | PRF008TP01     | PRF008 END CAP with HOLE  |  | 2.03 лв.   | pc  |  | 6422103030885 |    | 0.01 | 0.01 | 689 |
| 2475 | PRF008TP02     | PRF008 END CAP w/o HOLE   |  | 2.03 лв.   | pc  |  | 6422103030892 |    | 0.01 | 0.01 | 689 |
| 2476 | PRF009/200     | PRF009 SURF. AL. FLEXIBLE PROFILE 2 m   |  | 33.61 лв.  | pc  |  | 6422103031004 |    | 0.17 | 0.16 | 690 |
| 2477 | PRF009PX01     | PRF009 FROSTED POLYCARBONATE DIFFUSER 2 m   |  | 25.56 лв.  | pc  |  | 6422103031011 |    | 0.06 | 0.05 | 691 |
| 2478 | PRF009ST02     | PRF009 FIXING CLIP  |  | 0.61 лв.   | pc  |  | 6422103031042 |    | 0.01 | 0.01 | 691 |

|                        |                |   |  |            |     |          |               |    |      |      |     |
|------------------------|----------------|---|--|------------|-----|----------|---------------|----|------|------|-----|
| 2479                   | PRF009TP01     | PRF009 END CAP with HOLE  |  | 2.03 лв.   | pc  |          | 6422103031028 |    | 0.01 | 0.01 | 691 |
| 2480                   | PRF009TP02     | PRF009 END CAP w/o HOLE   |  | 2.03 лв.   | pc  |          | 6422103031035 |    | 0.01 | 0.01 | 691 |
| 2481                   | PRF010/200     | PRF010 SURF. AL. 3 POSITIONS PROFILE 2 m  |  | 30.82 лв.  | pc  |          | 6422103031059 |    | 0.47 | 0.45 | 692 |
| 2482                   | PRF010PX01     | PRF010 FROSTED POLYCARBONATE DIFFUSER 2 m   |  | 26.18 лв.  | pc  |          | 6422103031066 |    | 0.17 | 0.16 | 693 |
| 2483                   | PRF010ST02     | PRF010 FIXING CLIP  |  | 0.56 лв.   | pc  |          | 6422103031097 |    | 0.01 | 0.01 | 693 |
| 2484                   | PRF010TP01     | PRF010 END CAP with HOLE  |  | 0.71 лв.   | pc  |          | 6422103031073 |    | 0.01 | 0.01 | 693 |
| 2485                   | PRF010TP02     | PRF010 END CAP w/o HOLE   |  | 0.71 лв.   | pc  |          | 6422103031080 |    | 0.01 | 0.01 | 693 |
| 2486                   | PRF174/300SET  | PRF174 SET PROFILE 3m for SURF. INSTAL on CORNERS+2 DIFF.+2 END CAPS w/o HOLES      |  | 381.17 лв. | pc  |          | 6422103091237 |    | 3.09 | 2.99 | 694 |
| 2487                   | PRF174TP02     | PRF174 SET (2pcs) END CAPS w/o HOLES  |  | 24.29 лв.  | pc  |          | 6422103091244 |    | 0.04 | 0.03 | 695 |
| 2488                   | PRF080/057 MBK | PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 570 mm MBK                       |  | 134.90 лв. | pc  |          | 6422103053976 |    | 1.53 | 1.48 | 696 |
| 2489                   | PRF080/057 MWH | PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 570 mm MWH                       |  | 134.90 лв. | pc  |          | 6422103031769 |    | 1.53 | 1.48 | 696 |
| 2490                   | PRF080/114 MBK | PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 1140 mm MBK                      |  | 253.76 лв. | pc  |          | 6422103052900 |    | 3.07 | 2.97 | 696 |
| 2491                   | PRF080/114 MWH | PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 1140 mm MWH                      |  | 253.76 лв. | pc  |          | 6422103031776 |    | 3.07 | 2.97 | 696 |
| 2492                   | PRF080/171 MBK | PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 1710 mm MBK                      |  | 376.25 лв. | pc  |          | 6422103053112 |    | 4.60 | 4.46 | 696 |
| 2493                   | PRF080/171 MWH | PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 1710 mm MWH                      |  | 376.25 лв. | pc  |          | 6422103031790 |    | 4.60 | 4.46 | 696 |
| 2494                   | PRF080/200 MBK | PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 2000 mm MBK                      |  | 417.24 лв. | pc  |          | 6422103053113 |    | 5.37 | 5.20 | 696 |
| 2495                   | PRF080/200 MWH | PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 2000 mm MWH                      |  | 417.24 лв. | pc  |          | 6422103031424 |    | 5.37 | 5.20 | 696 |
| 2496                   | PRF080/228 MBK | PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 2280 mm MBK                      |  | 502.88 лв. | pc  |          | 6422103053129 |    | 6.13 | 5.94 | 696 |
| 2497                   | PRF080/228 MWH | PRF080 SURF./SUSP. AL. PROFILE with PC COVER incl. 2280 mm MWH                      |  | 502.88 лв. | pc  |          | 6422103031783 |    | 6.13 | 5.94 | 696 |
| 2498                   | PRF080LC01 MBK | PRF080 90dgr AL. CONNECTOR with DIFFUSER incl. MBK                                  |  | 232.02 лв. | pc  |          | 6422103053136 |    | 0.52 | 0.50 | 697 |
| 2499                   | PRF080LC01 MWH | PRF080 90dgr AL. CONNECTOR with DIFFUSER incl. MWH                                  |  | 232.02 лв. | pc  |          | 6422103031370 |    | 0.52 | 0.50 | 697 |
| 2500                   | PRF080TC01 MBK | PRF080 T-shape AL. CONNECTOR with DIFFUSER incl. MBK                                |  | 305.30 лв. | pc  |          | 6422103053983 |    | 0.64 | 0.62 | 697 |
| 2501                   | PRF080TC01 MWH | PRF080 T-shape AL. CONNECTOR with DIFFUSER incl. MWH                                |  | 305.30 лв. | pc  |          | 6422103031356 |    | 0.64 | 0.62 | 697 |
| 2502                   | PRF080XC01 MBK | PRF080 X-shape AL. CONNECTOR with DIFFUSER incl. MBK                                |  | 396.88 лв. | pc  |          | 6422103053990 |    | 0.76 | 0.73 | 697 |
| 2503                   | PRF080XC01 MWH | PRF080 X-shape AL. CONNECTOR with DIFFUSER incl. MWH                                |  | 396.88 лв. | pc  |          | 6422103031363 |    | 0.76 | 0.73 | 697 |
| 2504                   | PRF100/200     | PRF100 WALL MOUTING AL. PROFILE 2 m, for INDIRECT LIGHTING                          |  | 77.29 лв.  | pc  |          | 6422103030915 |    | 0.81 | 0.78 | 698 |
| 2505                   | PRF100PX01     | PRF100 FROSTED POLYCARBONATE DIFFUSER 2 m   |  | 21.80 лв.  | pc  |          | 6422103030922 |    | 0.17 | 0.16 | 699 |
| 2506                   | PRF100ST02     | PRF100 FIXING CLIP  |  | 1.53 лв.   | pc  |          | 6422103030953 |    | 0.01 | 0.01 | 699 |
| 2507                   | PRF100TP01     | PRF100 END CAP with HOLE MWH  |  | 3.12 лв.   | pc  |          | 6422103030939 |    | 0.01 | 0.01 | 699 |
| 2508                   | PRF100TP02     | PRF100 END CAP w/o HOLE MWH   |  | 3.12 лв.   | pc  |          | 6422103030946 |    | 0.01 | 0.01 | 699 |
| 2509                   | PRF101/200     | PRF101 WALL MOUTING AL. PROFILE 2 m, for DIRECT / INDIRECT LIGHTING                 |  | 158.11 лв. | pc  |          | 6422103030960 |    | 0.81 | 0.78 | 700 |
| 2510                   | PRF101PX01     | PRF101 FROSTED POLYCARBONATE DIFFUSER 2 m   |  | 24.92 лв.  | pc  |          | 6422103030977 |    | 0.08 | 0.07 | 701 |
| 2511                   | PRF101TP01     | PRF101 END CAP with HOLE MWH  |  | 7.80 лв.   | pc  |          | 6422103030984 |    | 0.01 | 0.01 | 701 |
| 2512                   | PRF101TP02     | PRF101 END CAP w/o HOLE MWH   |  | 7.80 лв.   | pc  |          | 6422103030991 |    | 0.01 | 0.01 | 701 |
| 2513                   | PRF150/200     | PRF150 for STEP MOUNTING, AL. PROFILE 2 m   |  | 95.03 лв.  | pc  |          | 6422103031103 |    | 1.34 | 1.29 | 702 |
| 2514                   | PRF150PX01     | PRF150 FROSTED POLYCARBONATE DIFFUSER 2 m   |  | 23.57 лв.  | pc  |          | 6422103031110 |    | 0.09 | 0.08 | 703 |
| 2515                   | PRF150TP01     | PRF150 END CAP with HOLE  |  | 4.27 лв.   | pc  |          | 6422103031127 |    | 0.01 | 0.01 | 703 |
| 2516                   | PRF150TP02     | PRF150 END CAP w/o HOLE   |  | 4.27 лв.   | pc  |          | 6422103031134 |    | 0.01 | 0.01 | 703 |
| 2517                   | PRF151/250     | PRF151 for STEP MOUNTING, AL. PROFILE, with PC COVER incl. 2,5 m                    |  | 290.21 лв. | set |          | 6422103052412 |    | 2.30 | 2.23 | 704 |
| 2518                   | PRF151TP01     | PRF151 END CAP with HOLE S  |  | 4.59 лв.   | pc  |          | 6422103052429 |    | 0.01 | 0.01 | 705 |
| 2519                   | PRF151TP02     | PRF151 END CAP w/o HOLE SILVER  |  | 4.59 лв.   | pc  |          | 6422103052436 |    | 0.01 | 0.01 | 705 |
| 2520                   | PRF002/200     | PRF002 FLAT AL. PROFILE for COOLING 2 m   |  | 18.40 лв.  | pc  |          | 6422103019156 |    | 0.11 | 0.10 | 706 |
| 2521                   | PRF160/200     | PRF160 for SHELVES AL. PROFILE 2 m  |  | 48.80 лв.  | pc  |          | 6422103031196 |    | 0.72 | 0.69 | 708 |
| 2522                   | PRF160PX01     | PRF160 FROSTED POLYCARBONATE DIFFUSER 2 m   |  | 20.95 лв.  | pc  |          | 6422103031202 |    | 0.09 | 0.08 | 709 |
| 2523                   | PRF160TP01     | PRF160 END CAP with HOLE  |  | 2.56 лв.   | pc  |          | 6422103031219 |    | 0.01 | 0.01 | 709 |
| 2524                   | PRF160TP02     | PRF160 END CAP w/o HOLE   |  | 2.56 лв.   | pc  |          | 6422103031226 |    | 0.01 | 0.01 | 709 |
| 2525                   | PRF161/200     | PRF161 for GLASS SHELVES AL. PROFILE 2 m  |  | 103.30 лв. | pc  |          | 6422103031233 |    | 1.41 | 1.36 | 710 |
| 2526                   | PRF161SR01     | PRF161 SILICONE ROPE for INSTALING/SECURING THE GLASS SHELF                         |  | 5.69 лв.   | pc  |          | 6422103031257 |    | 0.08 | 0.07 | 711 |
| 2527                   | PRF161TP01     | PRF161 END CAP with HOLEEND CAP with HOLE   |  | 3.56 лв.   | pc  |          | 6422103031929 |    | 0.01 | 0.01 | 711 |
| 2528                   | PRF161TP02     | PRF161 END CAP w/o HOLE   |  | 3.56 лв.   | pc  |          | 6422103031240 |    | 0.01 | 0.01 | 711 |
| 2529                   | PRF110/200     | PRF110 for CLOSETS/DRESSINGS AL. PROFILE + DIFFUSER(to SUPPORT HANGERS) 2 m         |  | 146.65 лв. | set |          | 6422103054201 |    | 1.23 | 1.19 | 712 |
| 2530                   | PRF110HD       | PRF110 SUPPORT ELEMENT  |  | 7.02 лв.   | pc  |          | 6422103054232 |    | 0.10 | 0.09 | 713 |
| 2531                   | PRF110TP03     | PRF110 SET INNER END CAPS (WITH and W/O HOLE) S                                     |  | 10.72 лв.  | set |          | 6422103054218 |    | 0.10 | 0.09 | 713 |
| 2532                   | PRF110TP04     | PRF110 SET OUTER END CAPS FOR HOLDER (2PCS/SET) S                                   |  | 15.31 лв.  | set |          | 6422103054225 |    | 0.10 | 0.09 | 713 |
| 2533                   | PRF005/200 SET | PRF005 SET REC. AL. PROFILE with DIFFUSER, SET of END CAPS and SET OF FIXING CLIPS  |  | 29.00 лв.  | pc  |          | 6422103028981 |    | 0.26 | 0.25 | 658 |
| 2534                   | PRF004/200 SET | PRF004 SET SURF. AL. PROFILE with DIFFUSER, SET of END CAPS and SET OF FIXING CLIPS |  | 25.19 лв.  | pc  |          | 6422103029001 |    | 0.23 | 0.22 | 684 |
| 2535                   | PRF007/200 SET | PRF007 SET SURF. AL. PROFILE with DIFFUSER, SET of END CAPS and SET OF FIXING CLIPS |  | 26.58 лв.  | pc  |          | 6422103029025 |    | 0.23 | 0.22 | 686 |
| <b>15. LED MODULES</b> |                |   |  |            |     |          |               |    |      |      |     |
| 2536                   | CM09NW BK      | XCOMBO 09 LED MODULE 1x20W 220-240V AC 4000K CRI.80 IP20 36° BK (5.1.2)             |  | 132.73 лв. | pc  | Included | 6422103037440 | 20 | 0.25 | 0.24 | 716 |
| 2537                   | CM09NW WH      | XCOMBO 09 LED MODULE 1x20W 220-240V AC 4000K CRI.80 IP20 36° WH (5.1.2)             |  | 132.73 лв. | pc  | Included | 6422103037433 | 20 | 0.25 | 0.24 | 716 |
| 2538                   | CM09WW BK      | XCOMBO 09 LED MODULE 1x20W 220-240V AC 3000K CRI.80 IP20 36° BK (5.1.2)             |  | 132.73 лв. | pc  | Included | 6422103037426 | 20 | 0.25 | 0.24 | 716 |

|      |             |  |            |    |          |               |    |      |      |     |
|------|-------------|--|------------|----|----------|---------------|----|------|------|-----|
| 2539 | CM09WW WH   | XCOMBO 09 LED MODULE 1x20W 220-240V AC 3000K CRI.80 IP20 36° WH (5.1.2)  | 132.73 лв. | pc | Included | 6422103037419 | 20 | 0.25 | 0.24 | 716 |
| 2540 | CM12NW MBK  | XCOMBO 12 LED MODULE 1x9W 220-240V AC 4000K CRI.90 IP20 38° MBK (5.1.2)  | 76.37 лв.  | pc | Included | 6422103051507 | 48 | 0.20 | 0.19 | 717 |
| 2541 | CM12NW MWH  | XCOMBO 12 LED MODULE 1x9W 220-240V AC 4000K CRI.90 IP20 38° MWH (5.1.2)  | 76.37 лв.  | pc | Included | 6422103051491 | 48 | 0.20 | 0.19 | 717 |
| 2542 | CM12REF15   | XCOMBO 12 OPTICAL SYSTEM 15°   | 6.28 лв.   | pc |          | 6422103049016 |    | 0.13 | 0.12 | 717 |
| 2543 | CM12REF60   | XCOMBO 12 OPTICAL SYSTEM 60°   | 6.28 лв.   | pc |          | 6422103049023 |    | 0.13 | 0.12 | 717 |
| 2544 | CM12UWW MBK | XCOMBO 12 LED MODULE 1x9W 220-240V AC 27000K CRI.90 IP20 38° MWH (5.1.2) | 76.37 лв.  | pc | Included | 6422103051873 | 48 | 0.20 | 0.19 | 717 |
| 2545 | CM12UWW MWH | XCOMBO 12 LED MODULE 1x9W 220-240V AC 27000K CRI.90 IP20 38° MWH (5.1.2) | 76.37 лв.  | pc | Included | 6422103048958 | 48 | 0.20 | 0.19 | 717 |
| 2546 | CM12WW MBK  | XCOMBO 12 LED MODULE 1x9W 220-240V AC 3000K CRI.90 IP20 38° MBK (5.1.2)  | 76.37 лв.  | pc | Included | 6422103051484 | 48 | 0.20 | 0.19 | 717 |
| 2547 | CM12WW MWH  | XCOMBO 12 LED MODULE 1x9W 220-240V AC 3000K CRI.90 IP20 38° MWH (5.1.2)  | 76.37 лв.  | pc | Included | 6422103051477 | 48 | 0.20 | 0.19 | 717 |

**16. POWER SUPPLY AND CONTROL GEAR**

**719**

|      |                  |   |            |    |  |               |     |      |      |     |
|------|------------------|---|------------|----|--|---------------|-----|------|------|-----|
| 2548 | LD350.14         | DRIVER CC 350mA 14W 25-40V DC IP20 (for CU01)               | 30.36 лв.  | pc |  | 6422103057868 | 160 | 0.06 | 0.05 | 720 |
| 2549 | LD350.3MINI      | DRIVER 350mA AC194-264V DC2-4V 3W (for SK01/2)              | 19.46 лв.  | pc |  | 6422103052443 | 360 | 0.02 | 0.01 | 720 |
| 2550 | LD350.4MINI      | DRIVER CC 350mA 3W 2-4V DC IP20                             | 26.32 лв.  | pc |  | 6422103069311 | 168 | 0.03 | 0.02 | 720 |
| 2551 | LD700.3MINI      | DRIVER 700mA AC194-264V DC2-4V 3W (for TW01/2)              | 21.22 лв.  | pc |  | 6422103052450 | 360 | 0.02 | 0.01 | 720 |
| 2552 | LD700.7MINI      | DRIVER CC 700mA 7W 5-10V DC IP20                            | 20.05 лв.  | pc |  | 6422103071345 | 168 | 0.03 | 0.02 | 720 |
| 2553 | LD1050.42        | DRIVER CC 1050mA 42W 33-40V DC IP20                         | 43.49 лв.  | pc |  | 6422103069359 | 84  | 0.10 | 0.09 | 721 |
| 2554 | LD500.20         | DRIVER CC 500mA 20W 25-40V DC IP20 (for CU01/CU02)          | 38.11 лв.  | pc |  | 6422103057837 | 84  | 0.08 | 0.07 | 721 |
| 2555 | LD700.28         | DRIVER CC 700mA 28W 33-40V DC IP20                          | 45.58 лв.  | pc |  | 6422103057875 | 98  | 0.08 | 0.07 | 721 |
| 2556 | LD900.36         | DRIVER CC 950-1000mA 36W 30-42V DC IP20                     | 49.68 лв.  | pc |  | 6422103057844 | 84  | 0.10 | 0.09 | 721 |
| 2557 | AT102            | DRIVER CC 350mA 18W IP20                                    | 49.58 лв.  | pc |  | 6422103004183 | 100 | 0.09 | 0.08 | 722 |
| 2558 | AT1050.60        | DRIVER CC 1050mA 60W IP20                                   | 75.98 лв.  | pc |  | 6422103037501 | 100 | 0.18 | 0.17 | 722 |
| 2559 | AT1400.60        | DRIVER CC 1400mA 60W IP20                                   | 68.82 лв.  | pc |  | 6422103037518 | 100 | 0.18 | 0.17 | 722 |
| 2560 | AT201            | DRIVER CC 500mA 18W IP20                                    | 50.00 лв.  | pc |  | 6422103004190 | 100 | 0.09 | 0.08 | 722 |
| 2561 | AT301            | DRIVER CC 700mA 18W IP20                                    | 49.58 лв.  | pc |  | 6422103004206 | 100 | 0.09 | 0.08 | 722 |
| 2562 | AT350.10         | DRIVER CC 350mA 10W IP20                                    | 36.28 лв.  | pc |  | 6422103041188 | 100 | 0.05 | 0.04 | 722 |
| 2563 | AT350.15         | DRIVER CC 350mA 15W IP20                                    | 39.89 лв.  | pc |  | 6422103041201 | 100 | 0.05 | 0.04 | 722 |
| 2564 | AT350.25         | DRIVER CC 350mA 25W IP20                                    | 45.08 лв.  | pc |  | 6422103037457 | 100 | 0.09 | 0.08 | 722 |
| 2565 | AT500.10         | DRIVER CC 500mA 10W IP20                                    | 36.24 лв.  | pc |  | 6422103041195 | 100 | 0.05 | 0.04 | 722 |
| 2566 | AT500.15         | DRIVER CC 500mA 15W IP20                                    | 39.89 лв.  | pc |  | 6422103041218 | 100 | 0.05 | 0.04 | 722 |
| 2567 | AT700.15         | DRIVER CC 700mA 15W IP20                                    | 37.36 лв.  | pc |  | 6422103041225 | 100 | 0.05 | 0.04 | 722 |
| 2568 | LDC1100-1500.63D | DRIVER CC DIMMABLE 1100-1500mA 46-63W 25-42V DC IP20        | 187.62 лв. | pc |  | 6422103069410 | 48  | 0.22 | 0.21 | 723 |
| 2569 | LDC250-500.21D   | DRIVER CC DIMMABLE 250-500mA 11-21W 25-42V DC IP20          | 151.91 лв. | pc |  | 6422103069373 | 54  | 0.13 | 0.12 | 723 |
| 2570 | LDC550-1050.44D  | DRIVER CC DIMMABLE 550-1050mA 23-44W 25-42V DC IP20         | 161.98 лв. | pc |  | 6422103069397 | 54  | 0.16 | 0.15 | 723 |
| 2571 | LDL1100-1500.63D | DRIVER CC DIMMABLE LINEAR 1100-1500mA 46-63W 25-42V DC IP20 | 157.77 лв. | pc |  | 6422103069472 | 42  | 0.25 | 0.24 | 723 |
| 2572 | LDL1550-2000.84D | DRIVER CC DIMMABLE LINEAR 1550-2000mA 65-84W 25-42V DC IP20 | 171.68 лв. | pc |  | 6422103069496 | 42  | 0.30 | 0.29 | 723 |
| 2573 | LDL250-500.21D   | DRIVER CC DIMMABLE LINEAR 250-500mA 8-21W 25-42V DC IP20    | 141.45 лв. | pc |  | 6422103069434 | 56  | 0.18 | 0.17 | 723 |
| 2574 | LDL550-750.32D   | DRIVER CC DIMMABLE LINEAR 550-750mA 32W 25-42V DC IP20      | 150.67 лв. | pc |  | 6422103069564 | 56  | 0.18 | 0.17 | 723 |
| 2575 | LDL800-1050.44D  | DRIVER CC DIMMABLE LINEAR 800-1050mA 34-44W 25-42V DC IP20  | 148.34 лв. | pc |  | 6422103069458 | 56  | 0.19 | 0.18 | 723 |
| 2576 | ATD1050.18       | DRIVER CC DIM 1050mA 18W IP20                               | 53.37 лв.  | pc |  | 6422103023764 | 100 | 0.10 | 0.09 | 724 |
| 2577 | ATD1050.25       | DRIVER CC DIM 1050mA 25W IP20                               | 55.90 лв.  | pc |  | 6422103023795 | 100 | 0.10 | 0.09 | 724 |
| 2578 | ATD1400.18       | DRIVER CC DIM 1400mA 18W IP20                               | 53.37 лв.  | pc |  | 6422103023771 | 100 | 0.10 | 0.09 | 724 |
| 2579 | ATD350.09        | DRIVER CC DIM 350mA 9W IP20                                 | 36.24 лв.  | pc |  | 6422103021944 | 100 | 0.07 | 0.06 | 724 |
| 2580 | ATD350.12        | DRIVER CC DIM 350mA 12W IP20                                | 37.22 лв.  | pc |  | 6422103021975 | 100 | 0.07 | 0.06 | 724 |
| 2581 | ATD350.18        | DRIVER CC DIM 350mA 18W IP20                                | 53.23 лв.  | pc |  | 6422103021999 | 100 | 0.10 | 0.09 | 724 |
| 2582 | ATD350.25        | DRIVER CC DIM 350mA 25W IP20                                | 55.90 лв.  | pc |  | 6422103023788 | 100 | 0.10 | 0.09 | 724 |
| 2583 | ATD500.09        | DRIVER CC DIM 500mA 9W IP20                                 | 36.38 лв.  | pc |  | 6422103021951 | 100 | 0.07 | 0.06 | 724 |
| 2584 | ATD500.12        | DRIVER CC DIM 500mA 12W IP20                                | 37.22 лв.  | pc |  | 6422103021982 | 100 | 0.07 | 0.06 | 724 |
| 2585 | ATD500.18        | DRIVER CC DIM 500mA 18W IP20                                | 53.37 лв.  | pc |  | 6422103022002 | 100 | 0.10 | 0.09 | 724 |
| 2586 | ATD500.25        | DRIVER CC DIM 500mA 25W IP20                                | 55.74 лв.  | pc |  | 6422103022026 | 100 | 0.10 | 0.09 | 724 |
| 2587 | ATD700.09        | DRIVER CC DIM 700mA 9W IP20                                 | 36.28 лв.  | pc |  | 6422103021968 | 100 | 0.07 | 0.06 | 724 |
| 2588 | ATD700.12        | DRIVER CC DIM 700mA 12W IP20                                | 37.22 лв.  | pc |  | 6422103023757 | 100 | 0.07 | 0.06 | 724 |
| 2589 | ATD700.18        | DRIVER CC DIM 700mA 18W IP20                                | 53.23 лв.  | pc |  | 6422103022019 | 100 | 0.10 | 0.09 | 724 |
| 2590 | ATD700.25        | DRIVER CC DIM 700mA 25W IP20                                | 55.74 лв.  | pc |  | 6422103022033 | 100 | 0.10 | 0.09 | 724 |
| 2591 | ATD1050.30       | DRIVER CC DIM 1050mA 30W IP20                               | 75.14 лв.  | pc |  | 6422103023818 |     | 0.19 | 0.18 | 725 |
| 2592 | ATD1050.40       | DRIVER CC DIM 1050mA 40W IP20                               | 81.74 лв.  | pc |  | 6422103022064 |     | 0.19 | 0.18 | 725 |
| 2593 | ATD1050.45       | DRIVER CC DIM 1050mA 45W IP20                               | 86.10 лв.  | pc |  | 6422103023856 |     | 0.19 | 0.18 | 725 |
| 2594 | ATD1400.40       | DRIVER CC DIM 1400mA 40W IP20                               | 81.88 лв.  | pc |  | 6422103023849 |     | 0.19 | 0.18 | 725 |
| 2595 | ATD350.40        | DRIVER CC DIM 350mA 40W IP20                                | 81.88 лв.  | pc |  | 6422103023825 |     | 0.19 | 0.18 | 725 |
| 2596 | ATD500.30        | DRIVER CC DIM 500mA 30W IP20                                | 75.14 лв.  | pc |  | 6422103023801 |     | 0.19 | 0.18 | 725 |
| 2597 | ATD500.40        | DRIVER CC DIM 500mA 40W IP20                                | 81.88 лв.  | pc |  | 6422103023832 |     | 0.19 | 0.18 | 725 |
| 2598 | ATD700.30        | DRIVER CC DIM 700mA 30W IP20                                | 75.00 лв.  | pc |  | 6422103022040 |     | 0.19 | 0.18 | 725 |

|      |                |  |  |            |    |  |               |     |      |      |     |
|------|----------------|--|--|------------|----|--|---------------|-----|------|------|-----|
| 2599 | ATD700.40      | DRIVER CC DIM 700mA 40W IP20                       |  | 81.74 лв.  | pc |  | 6422103022057 |     | 0.19 | 0.18 | 725 |
| 2600 | ATD850.45      | DRIVER CC DIM 850mA 45W IP20                       |  | 83.29 лв.  | pc |  | 6422103022071 |     | 0.19 | 0.18 | 725 |
| 2601 | PR350          | DIMMER 10-350W 1,5A 220-240V AC                    |  | 133.62 лв. | pc |  | 6422103022088 |     | 0.10 | 0.09 | 725 |
| 2602 | AT350.10IP65   | DRIVER CC 350mA 10W IP65                           |  | 37.02 лв.  | pc |  | 6422103042871 | 100 | 0.08 | 0.07 | 726 |
| 2603 | AT500.10IP65   | DRIVER CC 500mA 10W IP65                           |  | 37.78 лв.  | pc |  | 6422103042888 | 100 | 0.08 | 0.07 | 726 |
| 2604 | AT700.10IP65   | DRIVER CC 700mA 10W IP65                           |  | 37.75 лв.  | pc |  | 6422103042086 | 100 | 0.08 | 0.07 | 726 |
| 2605 | AT12.120       | DRIVER TC 12V 120W IP20                            |  | 73.24 лв.  | pc |  | 6422103033923 | 40  | 0.45 | 0.43 | 728 |
| 2606 | AT12.150       | DRIVER TC 12V 150W IP20                            |  | 88.43 лв.  | pc |  | 6422103033930 | 40  | 0.50 | 0.48 | 728 |
| 2607 | AT12.200       | DRIVER TC 12V 200W IP20                            |  | 102.53 лв. | pc |  | 6422103034104 | 20  | 0.55 | 0.53 | 728 |
| 2608 | AT12.240       | DRIVER TC 12V 240W IP20                            |  | 117.68 лв. | pc |  | 6422103033947 | 20  | 0.65 | 0.63 | 728 |
| 2609 | AT12.40        | DRIVER TC 12V 36W IP20                             |  | 44.28 лв.  | pc |  | 6422103033909 | 100 | 0.20 | 0.19 | 728 |
| 2610 | AT12.60        | DRIVER TC 12V 60W IP20                             |  | 53.70 лв.  | pc |  | 6422103033916 | 50  | 0.27 | 0.26 | 728 |
| 2611 | AT24.120       | DRIVER TC 24V 120W IP20                            |  | 73.24 лв.  | pc |  | 6422103033978 | 40  | 0.45 | 0.43 | 728 |
| 2612 | AT24.150       | DRIVER TC 24V 150W IP20                            |  | 88.43 лв.  | pc |  | 6422103033985 | 40  | 0.50 | 0.48 | 728 |
| 2613 | AT24.200       | DRIVER TC 24V 200W IP20                            |  | 102.53 лв. | pc |  | 6422103034111 | 20  | 0.55 | 0.53 | 728 |
| 2614 | AT24.240       | DRIVER TC 24V 240W IP20                            |  | 117.68 лв. | pc |  | 6422103033992 | 20  | 0.65 | 0.63 | 728 |
| 2615 | AT24.40        | DRIVER TC 24V 36W IP20                             |  | 44.28 лв.  | pc |  | 6422103033954 | 100 | 0.20 | 0.19 | 728 |
| 2616 | AT24.60        | DRIVER TC 24V 60W IP20                             |  | 53.70 лв.  | pc |  | 6422103033961 | 50  | 0.27 | 0.26 | 728 |
| 2617 | ATN24.100      | DRIVER NARROW TC 24V 100W IP20                     |  | 103.44 лв. | pc |  | 6422103034135 | 56  | 0.32 | 0.31 | 729 |
| 2618 | ATN24.150      | DRIVER NARROW TC 24V 150W IP20                     |  | 127.49 лв. | pc |  | 6422103034142 | 36  | 0.40 | 0.38 | 729 |
| 2619 | ATN24.300      | DRIVER NARROW TC 24V 300W IP20                     |  | 163.51 лв. | pc |  | 6422103034159 | 30  | 0.66 | 0.64 | 729 |
| 2620 | ATN24.35       | DRIVER NARROW TC 24V 35W IP20                      |  | 53.58 лв.  | pc |  | 6422103036030 | 115 | 0.18 | 0.17 | 729 |
| 2621 | ATN24.60       | DRIVER NARROW TC 24V 60W IP20                      |  | 91.34 лв.  | pc |  | 6422103034128 | 74  | 0.23 | 0.22 | 729 |
| 2622 | ATS24.100      | DRIVER SLIM TC 24V 100W IP20                       |  | 212.50 лв. | pc |  | 6422103037600 | 100 | 0.15 | 0.14 | 730 |
| 2623 | ATS24.30       | DRIVER SLIM TC 24V 30W IP20                        |  | 90.17 лв.  | pc |  | 6422103037563 | 100 | 0.12 | 0.11 | 730 |
| 2624 | ATS24.45       | DRIVER SLIM TC 24V 45W IP20                        |  | 93.50 лв.  | pc |  | 6422103037570 | 100 | 0.12 | 0.11 | 730 |
| 2625 | ATS24.60       | DRIVER SLIM TC 24V 60W IP20                        |  | 148.74 лв. | pc |  | 6422103037587 | 100 | 0.15 | 0.14 | 730 |
| 2626 | ATS24.75       | DRIVER SLIM TC 24V 75W IP20                        |  | 160.53 лв. | pc |  | 6422103037594 | 100 | 0.15 | 0.14 | 730 |
| 2627 | ATUS24.20      | DRIVER FLAT TC 24V 20W IP20                        |  | 57.58 лв.  | pc |  | 6422103037617 | 100 | 0.08 | 0.07 | 730 |
| 2628 | ATUS24.30      | DRIVER FLAT TC 24V 30W IP20                        |  | 82.14 лв.  | pc |  | 6422103037624 | 100 | 0.11 | 0.10 | 730 |
| 2629 | ATUS24.50      | DRIVER FLAT TC 24V 50W IP20                        |  | 112.22 лв. | pc |  | 6422103037631 | 100 | 0.23 | 0.22 | 730 |
| 2630 | AT12.100IP67   | DRIVER TC 12V 100W IP67                            |  | 110.52 лв. | pc |  | 6422103034029 | 10  | 1.00 | 0.97 | 731 |
| 2631 | AT12.150IP67   | DRIVER TC 12V 150W IP67                            |  | 182.90 лв. | pc |  | 6422103034036 | 10  | 1.20 | 1.16 | 731 |
| 2632 | AT12.250IP67   | DRIVER TC 12V 250W IP67                            |  | 252.58 лв. | pc |  | 6422103034043 | 10  | 1.80 | 1.74 | 731 |
| 2633 | AT12.30IP67    | DRIVER TC 12V 30W IP67                             |  | 54.56 лв.  | pc |  | 6422103034005 | 100 | 0.25 | 0.24 | 731 |
| 2634 | AT12.60IP67    | DRIVER TC 12V 60W IP67                             |  | 84.26 лв.  | pc |  | 6422103034012 | 20  | 0.65 | 0.63 | 731 |
| 2635 | AT24.100IP67   | DRIVER TC 24V 100W IP67                            |  | 110.52 лв. | pc |  | 6422103034074 | 10  | 1.00 | 0.97 | 731 |
| 2636 | AT24.150IP67   | DRIVER TC 24V 150W IP67                            |  | 182.90 лв. | pc |  | 6422103034081 | 10  | 1.20 | 1.16 | 731 |
| 2637 | AT24.250IP67   | DRIVER TC 24V 250W IP67                            |  | 252.58 лв. | pc |  | 6422103034098 | 10  | 1.80 | 1.74 | 731 |
| 2638 | AT24.30IP67    | DRIVER TC 24V 30W IP67                             |  | 54.56 лв.  | pc |  | 6422103034050 | 50  | 0.25 | 0.24 | 731 |
| 2639 | AT24.60IP67    | DRIVER TC 24V 60W IP67                             |  | 84.26 лв.  | pc |  | 6422103034067 | 20  | 0.65 | 0.63 | 731 |
| 2640 | ATD24.100      | DRIVER DIMMABLE TC 24V 100W IP20                   |  | 315.33 лв. | pc |  | 6422103091008 | 50  | 0.36 | 0.34 | 732 |
| 2641 | ATD24.50       | DRIVER DIMMABLE TC 24V 50W IP20                    |  | 141.36 лв. | pc |  | 6422103090995 | 50  | 0.24 | 0.23 | 732 |
| 2642 | ATD24.100IP67  | DRIVER DIMMABLE TC 24V 100W IP67                   |  | 376.22 лв. | pc |  | 6422103091015 | 20  | 0.98 | 0.95 | 733 |
| 2643 | ATD24.200IP67  | DRIVER DIMMABLE TC 24V 200W IP67                   |  | 511.06 лв. | pc |  | 6422103091022 | 10  | 1.24 | 1.20 | 733 |
| 2644 | CTR001         | CONTROLLER RGB 12V DC 8A IR                        |  | 22.54 лв.  | pc |  | 6422103008334 | 100 | 0.05 | 0.04 | 734 |
| 2645 | CTR104         | CONTROLLER RGBW 4Z 12/24V DC                       |  | 133.15 лв. | pc |  | 6422103032582 | 100 | 0.15 | 0.14 | 735 |
| 2646 | CTR114         | DIMMER 4Z 12/24V DC 12A                            |  | 106.27 лв. | pc |  | 6422103032599 | 100 | 0.15 | 0.14 | 738 |
| 2647 | CTR124         | CCT & BRIGHTNESS CONTROLLER 12/24V DC 12A 144/288W |  | 90.47 лв.  | pc |  | 6422103054249 |     | 0.23 | 0.22 | 739 |
| 2648 | AT48.100       | DRIVER 48V 100W MEANWELL                           |  | 156.04 лв. | pc |  | 6422103040242 | 30  | 0.34 | 0.32 | 726 |
| 2649 | AT48.150       | DRIVER 48V 150W MEANWELL                           |  | 171.26 лв. | pc |  | 6422103040259 | 36  | 0.48 | 0.46 | 727 |
| 2650 | AT48.200       | DRIVER 48V 200W MEANWELL                           |  | 225.81 лв. | pc |  | 6422103040266 | 14  | 0.66 | 0.64 | 727 |
| 2651 | AT48.350       | DRIVER 48V 350W MEANWELL                           |  | 284.17 лв. | pc |  | 6422103040273 | 14  | 0.76 | 0.73 | 727 |
| 2652 | AMP100         | RGB SIGNAL AMPLIFIER                               |  | 43.31 лв.  | pc |  | 6422103003650 | 100 | 0.09 | 0.08 | 734 |
| 2653 | CTR002SCTY     | DIMMER TUYA  |  | 73.59 лв.  | pc |  | 6422103074490 | 40  | 0.10 | 0.09 | 736 |
| 2654 | CTR003CCTTY    | CCT CONTROLLER TUYA                                |  | 73.59 лв.  | pc |  | 6422103074506 | 40  | 0.10 | 0.09 | 736 |
| 2655 | CTR004RGB2TY   | RGB CONTROLLER TUYA                                |  | 73.55 лв.  | pc |  | 6422103074513 | 40  | 0.60 | 0.58 | 737 |
| 2656 | CTR005RGBWTY   | RGBW CONTROLLER TUYA                               |  | 51.41 лв.  | pc |  | 6422103074520 | 40  | 0.45 | 0.43 | 737 |
| 2657 | CTR125         | DRIVER TC DIM 12/24V 144/288W IP20                 |  | 93.09 лв.  | pc |  | 6422103056144 |     | 0.23 | 0.22 | 740 |
| 2658 | CTR126         | DUAL CONTROLLER RGB SIGNAL AMPL                    |  | 106.78 лв. | pc |  | 6422103071338 |     | 0.10 | 0.09 | 741 |
| 2659 | CTR20DMXM/SPIM | DUAL-PORT OFFLINE DMX512/SPI SIGNALS CONTROLLER    |  | 854.63 лв. | pc |  | 6422103074537 |     | 0.46 | 0.44 | 742 |



|                               |                                     |   |              |    |  |               |     |      |      |            |
|-------------------------------|-------------------------------------|---|--------------|----|--|---------------|-----|------|------|------------|
| 2660                          | CTR01DMXM                           | DMX MASTER CONTROLER 12V DC 512 CANALE                  | 1 125.10 лв. | pc |  | 6422103040280 |     | 0.85 | 0.82 | 743        |
| 2661                          | CTR02DMXS                           | DECODOR DMX TENSUENE CONSTANTA 12-24V DC 240/480W       | 302.91 лв.   | pc |  | 6422103040297 |     | 0.31 | 0.30 | 743        |
| 2662                          | CTR10DMXM                           | CONTROLLER FOR DMX512/1990 signal (generator)           | 5 483.90 лв. | pc |  | 6422103051514 |     | 1.42 | 1.37 | 744        |
| 2663                          | AMP200DMX                           | DMX/DMX AMPLIFIER                                       | 367.63 лв.   | pc |  | 6422103051897 |     | 0.15 | 0.14 | 745        |
| 2664                          | CTR12DMXS                           | CONTROLLER FOR DMX512/1990 signal slave version         | 2 820.29 лв. | pc |  | 6422103051880 |     | 1.30 | 1.26 | 745        |
| 2665                          | ATD36.200-1200DMX                   | DRIVER DIMABIL CC 200-240V AC 10-54V 200-1200mA, 2-36W  | 323.49 лв.   | pc |  | 6422103040303 |     | 0.18 | 0.17 | 746        |
| 2666                          | ATD50.500-1750DMX                   | DRIVER DIMABIL CC 100-240V AC, 10-54V, 200-1200mA 5-50W | 353.39 лв.   | pc |  | 6422103040310 |     | 0.32 | 0.31 | 747        |
| 2667                          | basicDIM Wireless User Interface BK |   | 733.64 лв.   | pc |  | -             |     | 0.08 | 0.07 | 748        |
| 2668                          | basicDIM Wireless User Interface WH |   | 733.64 лв.   | pc |  | -             |     | 0.08 | 0.07 | 748        |
| 2669                          | DALI PS3                            |   | 86.09 лв.    | pc |  | -             |     | 0.02 | 0.01 | 748        |
| 2670                          | basicDIM Wireless G2                |   | 371.03 лв.   | pc |  | -             |     | 0.02 | 0.01 | 749        |
| 2671                          | basicDIM Wireless Passive Module G2 |   | 357.41 лв.   | pc |  | -             |     | 0.02 | 0.01 | 749        |
| 2672                          | basicDIM Wireless PWM CV 4CH        |   | 463.30 лв.   | pc |  | -             |     | 0.02 | 0.01 | 749        |
| <b>17. EMERGENCY LIGHTING</b> |                                     |   |              |    |  |               |     |      |      | <b>753</b> |
| 2673                          | WY10M ADN                           | XWAY AP. ARROW DOWN NEW                                 | 201.55 лв.   | pc |  | 6422103044516 | 10  | 0.90 | 0.87 | 755        |
| 2674                          | WY10M ALN                           | XWAY AP. ARROW LEFT NEW                                 | 201.55 лв.   | pc |  | 6422103044523 | 10  | 0.90 | 0.87 | 755        |
| 2675                          | WY10M ARN                           | XWAY AP. ARROW RIGHT NEW                                | 201.55 лв.   | pc |  | 6422103044530 | 10  | 0.90 | 0.87 | 755        |
| 2676                          | WY10M AUN                           | XWAY AP. ARROW UP NEW                                   | 201.55 лв.   | pc |  | 6422103044547 | 10  | 0.90 | 0.87 | 755        |
| 2677                          | WY10M HN                            | XWAY AP. HIDRANT NEW                                    | 201.55 лв.   | pc |  | 6422103044554 | 10  | 0.90 | 0.87 | 755        |
| 2678                          | WY20M ADN                           | XWAY SUS. ARROW DOWN NEW                                | 201.55 лв.   | pc |  | 6422103044592 | 10  | 0.90 | 0.87 | 757        |
| 2679                          | WY20M AN                            | XWAY SUS. ARROW LEFT/RIGHT NEW                          | 201.55 лв.   | pc |  | 6422103044608 | 10  | 0.90 | 0.87 | 757        |
| 2680                          | WY20M AUN                           | XWAY SUS. ARROW UP NEW                                  | 201.55 лв.   | pc |  | 6422103044615 | 10  | 0.90 | 0.87 | 757        |
| 2681                          | WY30M ADN                           | XWAY INC. ARROW DOWN NEW                                | 201.55 лв.   | pc |  | 6422103044561 | 10  | 0.85 | 0.82 | 759        |
| 2682                          | WY30M AN                            | XWAY INC. ARROW LEFT/RIGHT NEW                          | 201.55 лв.   | pc |  | 6422103044578 | 10  | 0.85 | 0.82 | 759        |
| 2683                          | GO10M ADN                           | XGO ARROW DOWN NEW                                      | 74.57 лв.    | pc |  | 6422103044431 | 12  | 0.39 | 0.37 | 761        |
| 2684                          | GO10M ALN                           | XGO ARROW LEFT NEW                                      | 74.57 лв.    | pc |  | 6422103044448 | 12  | 0.39 | 0.37 | 761        |
| 2685                          | GO10M ARN                           | XGO ARROW RIGHT NEW                                     | 74.57 лв.    | pc |  | 6422103044455 | 12  | 0.39 | 0.37 | 761        |
| 2686                          | GO10M AUN                           | XGO ARROW UP NEW  | 74.57 лв.    | pc |  | 6422103044462 | 12  | 0.39 | 0.37 | 761        |
| 2687                          | GO10M HN                            | XGO HIDRANT NEW   | 74.57 лв.    | pc |  | 6422103044479 | 12  | 0.39 | 0.37 | 761        |
| 2688                          | GO20M ADN                           | XGO ARROW DOWN TRANSPARENT NEW                          | 74.57 лв.    | pc |  | 6422103044486 | 12  | 0.39 | 0.37 | 761        |
| 2689                          | GO20M ARN                           | XGO ARROW RIGHT TRANSPARENT NEW                         | 74.57 лв.    | pc |  | 6422103044493 | 12  | 0.39 | 0.37 | 761        |
| 2690                          | RN01AN                              | XRUN STICKER ARROW NEW                                  | 6.34 лв.     | pc |  | 6422103047487 |     | 0.01 | 0.01 | 763        |
| 2691                          | RN01HN                              | XRUN STICKER HIDRANT NEW                                | 6.34 лв.     | pc |  | 6422103047494 |     | 0.01 | 0.01 | 763        |
| 2692                          | RN01M/NM                            | XRUN 3W LED 200LM 3H M IP20                             | 100.59 лв.   | pc |  | 6422103027427 | 50  | 0.28 | 0.27 | 763        |
| 2693                          | RN01RB                              | XRUN ACCESORIU MONTAJ INCASTRAT PERETE                  | 8.62 лв.     | pc |  | 6422103027458 | 50  | 0.03 | 0.02 | 763        |
| 2694                          | RN01RF                              | XRUN ACCESORIU MONTAJ INCASTRAT RIGIPS                  | 5.75 лв.     | pc |  | 6422103027441 | 100 | 0.02 | 0.01 | 763        |
| 2695                          | AW10AN                              | XARROW PICTOGRAMA SAGEATA 309x87 NEW                    | 3.47 лв.     | pc |  | 6422103040624 |     | 0.01 | 0.01 | 765        |
| 2696                          | AW10HN                              | XARROW PICTOGRAMA HIDRANT 309x87 NEW                    | 2.99 лв.     | pc |  | 6422103040631 |     | 0.01 | 0.01 | 765        |
| 2697                          | AW10LEDM                            | XARROW 5W LED 3h M                                      | 129.84 лв.   | pc |  | 6422103004305 | 12  | 0.84 | 0.81 | 765        |
| 2698                          | AW10LEDNM                           | XARROW 5W LED 3h NM                                     | 119.72 лв.   | pc |  | 6422103009560 | 12  | 0.84 | 0.81 | 765        |
| 2699                          | AW10PG                              | GRILA PROTECTIE AW10                                    | 56.85 лв.    | pc |  | 6422103009041 | 12  | 0.17 | 0.16 | 765        |
| 2700                          | AW30AN                              | XARROW PICTOGRAMA SAGEATA 279x95 NEW                    | 3.37 лв.     | pc |  | 6422103040617 |     | 0.02 | 0.01 | 767        |
| 2701                          | AW30LEDM                            | XARROW PL 5W LED 3h M                                   | 152.19 лв.   | pc |  | 6422103004336 | 10  | 1.05 | 1.01 | 767        |
| 2702                          | AW30LEDNM                           | XARROW PL 5W LED 3h NM                                  | 142.10 лв.   | pc |  | 6422103008303 | 10  | 1.10 | 1.06 | 767        |
| 2703                          | AW30RF                              | XARROW RECESSED FRAME                                   | 39.50 лв.    | pc |  | 6422103004343 | 10  | 0.44 | 0.42 | 767        |
| 2704                          | AW40AN                              | XARROW PICTOGRAMA SAGEATA 210x70 NEW                    | 3.28 лв.     | pc |  | 6422103041232 |     | 0.02 | 0.01 | 769        |
| 2705                          | AW40HN                              | XARROW PICTOGRAMA HIDRANT 210x70 NEW                    | 2.96 лв.     | pc |  | 6422103041249 |     | 0.01 | 0.01 | 769        |
| 2706                          | AW40LEDM                            | XARROW 2.8W 220-240V LED M                              | 123.22 лв.   | pc |  | 6422103040563 | 12  | 0.50 | 0.48 | 769        |
| 2707                          | AW40LEDNM                           | XARROW 1W 220-240V LED NM                               | 116.95 лв.   | pc |  | 6422103040570 | 12  | 0.45 | 0.43 | 769        |
| 2708                          | AW40RF                              | XARROW BRIDA INCASTRARE AW40LED                         | 8.81 лв.     | pc |  | 6422103040587 |     | 0.44 | 0.42 | 769        |
| 2709                          | AW60AD                              | XARROW DOWN 324x158mm                                   | 12.15 лв.    | pc |  | 6422103087568 |     | 0.01 | 0.01 | 771        |
| 2710                          | AW60ARL                             | XARROW RIGHT/LEFT 324x158mm                             | 12.15 лв.    | pc |  | 6422103087551 |     | 0.01 | 0.01 | 771        |
| 2711                          | AW60AU                              | XARROW UP 324x158mm                                     | 12.15 лв.    | pc |  | 6422103087575 |     | 0.01 | 0.01 | 771        |
| 2712                          | AW60H                               | XARROW HIDRANT 324x158mm                                | 12.15 лв.    | pc |  | 6422103087582 |     | 0.01 | 0.01 | 771        |
| 2713                          | AW60LEDM/NM                         | XARROW 5in1 MOUNTING TYPES 4W LED 3h M/NM               | 200.17 лв.   | pc |  | 6422103087537 | 14  | 0.80 | 0.77 | 771        |
| 2714                          | AW50LEDNM                           | XARROW DOWNLIGHT 1X3W 220-240V LED NM                   | 133.63 лв.   | pc |  | 6422103051521 | 36  | 0.32 | 0.31 | 773        |
| 2715                          | UP03/1.5                            | KIT EMERGENTA LED 1.5h Uout 60-120V                     | 202.97 лв.   | pc |  | 6422103021128 | 20  | 0.40 | 0.38 | 774        |
| 2716                          | UP03/3                              | KIT EMERGENTA LED 3h Uout 60-120V                       | 223.41 лв.   | pc |  | 6422103021135 | 20  | 0.46 | 0.44 | 774        |
| 2717                          | UP04/3                              | KIT EMERGENTA LED 3h Ue(V) 20-60V                       | 261.14 лв.   | pc |  | 6422103047289 | 20  | 0.28 | 0.27 | 775        |
| 2718                          | UP05/3                              | KIT EMERGENTA LED 3h Ue(V) 60-120V                      | 254.56 лв.   | pc |  | 6422103047296 | 20  | 0.28 | 0.27 | 775        |
| 2719                          | UP06/1.5/3                          | KIT EMERGENTA LED 1.5h/3h 180-38mA 10-55V DC 2/4W       | 137.53 лв.   | pc |  | 6422103065931 | 50  | 0.32 | 0.31 | 776        |

|      |        |  |            |    |  |               |    |      |      |     |
|------|--------|--|------------|----|--|---------------|----|------|------|-----|
| 2720 | UP07/3 | KIT EMERGENTA LED 3h 180-38mA 10-55V DC 2W | 177.04 лв. | pc |  | 6422103065948 | 50 | 0.30 | 0.29 | 777 |
| 2721 | UP08/3 | EMERGENCY KIT LED 200-33mA 10-60V DC 2W 3h | 141.42 лв. | pc |  | 6422103090827 | 50 | 0.24 | 0.23 | 778 |
| 2722 | UP09/3 | EMERGENCY KIT LED 300mA 10-60V DC 4W 3h    | 188.56 лв. | pc |  | 6422103090834 | 50 | 0.35 | 0.33 | 779 |
| 2723 | UP10/3 | EMERGENCY KIT LED 300mA 60-300V DC 4W 3h   | 201.13 лв. | pc |  | 6422103090841 | 50 | 0.35 | 0.33 | 779 |