




collection 2022



WIFI
LAMPS

WIFI LAMPS





Cream SMART

new



1 BLACK



2 WHITE




CCT = 3000÷6000K Dimmable Remote Control



Cream 40 Top SMART LED

- 1 AZ3533 (black)
- 2 AZ3534 (white)


LED 24W 1500-1850lm CCT
aluminium/PC



Cream 60 Top SMART LED

- 1 AZ3297 (black)
- 2 AZ3298 (white)

LED 53W 2850lm CCT
aluminium/PC



Cream 78 Top SMART LED


- 1 AZ3304 (black)
- 2 AZ3305 (white)

LED 52W 4350-4700lm CCT
aluminium/PC



Cream SMART


new



Cream 100 Top SMART LED

- ❶ **AZ3307** (black)
- ❷ **AZ3308** (white)

LED 70W 6300-6400lm CCT
aluminium/PC



Cream 120 Top SMART LED

- ❶ **AZ3535** (black)
- ❷ **AZ3536** (white)

LED 83W 6300 - 6600lm CCT
aluminium/PC



Cream SMART

new




1 BLACK



2 WHITE



CCT = 3000÷6000K Dimmable Remote Control




**Cream 78
Pendant SMART**

LED

- 1 AZ3386 (black)
- 2 AZ3287 (white)

LED 52W 4350-4700lm CCT
aluminium/PC



**Cream 100
Pendant SMART** LED

- 1 AZ3289 (black)
- 2 AZ3290 (white)


LED 70W 6300-6400lm CCT
aluminium/PC



Cream

SMART

new



Cream 120 Pendant SMART LED

- ① AZ3537 (black)
- ② AZ3538 (white)

LED 83W 6300 - 6600lm CCT
aluminium/PC






Lenox CCT SMART

new



CCT = 2600÷6000K Dimmable Remote Control



Lenox Top 40 SMART + Remote Control **RGB**

AZ3145

(black/copper)

LED 24W 1720lm CCT RGB

aluminium/PC




Lenox
CCT SMART

new



CCT = 2600÷6000K Dimmable Remote Control



Lenox Pendant 40 SMART+ Remote Control **RGB**

AZ3147

(black/copper)


LED 24W 1720lm CCT RGB

aluminium/PC



Solvent CCT SMART

new



1 GREY




2 WHITE



3 BLACK




CCT = 3000÷6000K Dimmable Remote Control



Solvent S Top CCT SMART 45 + Remote Control LED

- 1 **AZ4004** (grey)
- 2 **AZ4003** (white)
- 3 **AZ4002** (black)

LED 32W 2700lm CCT
steel/acryl



Solvent S Top CCT SMART 60 + Remote Control LED


- 1 **AZ4007** (grey)
- 2 **AZ4006** (white)
- 3 **AZ4005** (black)

LED 42W 3300lm CCT
steel/acryl



Solvent CCT SMART


new



Solvent S Top CCT SMART 80 + Remote Control LED

- 1 AZ4010 (grey)
- 2 AZ4009 (white)
- 3 AZ4008 (black)

LED 92W 4700lm CCT
steel/acryl



Solvent S Top CCT SMART 110 + Remote Control LED

- 1 AZ4013 (grey)
- 2 AZ4012 (white)
- 3 AZ4011 (black)


LED 120W 7700lm CCT
steel/acryl





Solvent CCT SMART

new



1 GREY




2 WHITE



3 BLACK




CCT = 3000÷6000K Dimmable Remote Control



Solvent S Pendant CCT SMART 45 + Remote Control LED

- 1 AZ3980 (grey)
- 2 AZ3979 (white)
- 3 AZ3978 (black)

LED 32W 2700lm CCT
steel/acryl



Solvent S Pendant CCT SMART 60 + Remote Control LED


- 1 AZ3983 (grey)
- 2 AZ3982 (white)
- 3 AZ3981 (black)

LED 42W 3300lm CCT
steel/acryl



Solvent CCT SMART


new



Solvent S Pendant CCT SMART 80 + Remote Control LED

- ❶ AZ3986 (grey)
- ❷ AZ3985 (white)
- ❸ AZ3984 (black)

LED 92W 4700lm CCT
steel/acryl



Solvent S Pendant CCT SMART 110 + Remote Control LED

- ❶ AZ3989 (grey)
- ❷ AZ3988 (white)
- ❸ AZ3987 (black)


LED 120W 7700lm CCT
steel/acryl



Solvent CCT SMART

new


20



1 GREY




2 WHITE



3 BLACK




CCT = 3000÷6000K Dimmable Remote Control



Solvent R Top CCT SMART 45 + Remote Control LED

- 1 AZ3992 (grey)
- 2 AZ3991 (white)
- 3 AZ3990 (black)

LED 32W 2700lm CCT
steel/acryl



Solvent R Top CCT SMART 60 + Remote Control LED


- 1 AZ3995 (grey)
- 2 AZ3994 (white)
- 3 AZ3993 (black)

LED 42W 3300lm CCT
steel/acryl



Solvent CCT SMART


new



Solvent R Top CCT SMART 80 + Remote Control LED

- 1 AZ3998 (grey)
- 2 AZ3997 (white)
- 3 AZ3996 (black)

LED 92W 4700lm CCT
steel/acryl



Solvent R Top CCT SMART 110 + Remote Control LED

- 1 AZ4001 (grey)
- 2 AZ4000 (white)
- 3 AZ3999 (black)


LED 120W 7700lm CCT
steel/acryl





Solvent CCT SMART

new



1 GREY




2 WHITE



3 BLACK




CCT = 3000÷6000K Dimmable Remote Control



Solvent R Pendant CCT SMART 45 + Remote Control LED

- 1 AZ3968 (grey)
- 2 AZ3967 (white)
- 3 AZ3966 (black)

LED 32W 2700lm CCT
steel/acryl



Solvent R Pendant CCT SMART 60 + Remote Control LED


- 1 AZ3971 (grey)
- 2 AZ3970 (white)
- 3 AZ3969 (black)

LED 42W 3300lm CCT
steel/acryl



Solvent CCT SMART


new



Solvent R Pendant CCT SMART 80 + Remote Control LED

- ① AZ3974 (grey)
- ② AZ3973 (white)
- ③ AZ3972 (black)

LED 92W 4700lm CCT
steel/acryl



Solvent R Pendant CCT SMART 110 + Remote Control LED

- ① AZ3977 (grey)
- ② AZ3976 (white)
- ③ AZ3975 (black)

LED 120W 7700lm CCT
steel/acryl





Sovana CCT SMART

new



1 GREY




2 WHITE



3 BLACK




CCT = 3000÷6000K Dimmable Remote Control



Sovana Top 45 CCT SMART (LED)

- 1 AZ3441 (grey)
- 2 AZ3439 (white)
- 3 AZ3440 (black)

LED 40W 2200lm CCT
aluminium/acryl



Sovana Top 55 CCT SMART (LED)

- 1 AZ3550 (grey)
- 2 AZ3548 (white)
- 3 AZ3549 (black)

LED 50W 2750lm CCT
aluminium/acryl



Sovana CCT SMART

22

new




1 GREY



2 WHITE




3 BLACK



Sovana Pendant 45 CCT SMART LED

- 1 AZ3444 (grey)
- 2 AZ3442 (white)
- 3 AZ3443 (black)

LED 40W 2200lm CCT
aluminium/acryl



Sovana Pendant 55 CCT SMART LED

- 1 AZ3553 (grey)
- 2 AZ3551 (white)
- 3 AZ3552 (black)

LED 50W 2750lm CCT
aluminium/acryl





Thin CCT SMART

new




1 BLACK



2 WHITE



CCT = 2600÷6000K Dimmable Remote Control



Thin Round CCT SMART LED

- 1 AZ3432 (black)
- 2 AZ3431 (white)

LED 50W 4000lm
aluminium/PC



ATTG

Azardo
SMART



Thin CCT SMART

new




1 BLACK



2 WHITE

CCT = 2600÷6000K Dimmable Remote Control



Thin Square CCT SMART LED

- 1 AZ3430 (black)
- 2 AZ3429 (white)

LED 50W 4000lm
aluminium/PC





SMART ACCESORIES

SMART ACCESORIES





Single Smart Plug 16A WH

Dane techniczne

Napięcie wejściowe: **AC 110-240V**
 Wymiary (mm): **54 x 54 x 39**
 Moc: **3680W**
 IP: **20**
 Materiał: **PLASTIK**
 Częstotliwość napięcia: **50/60HZ**

Technical specifications

Source: **AC 110-240V**
 Dimensions (mm): **54 x 54 x 39**
 Power: **3680W**
 IP: **20**
 Material: **PLASTIC**
 Voltage frequency: **50/60HZ**

SINGLE SMART PLUG 16A WH **AZ3478**



Double Smart Plug 16A WH

Dane techniczne

Napięcie wejściowe: **AC 110-240V**
 Wymiary (mm): **105 x 50 x 43**
 Moc: **3680W**
 IP: **20**
 Materiał: **PLASTIK**
 Częstotliwość napięcia: **50/60HZ**

Technical specifications

Source: **AC 110-240V**
 Dimensions (mm): **105 x 50 x 43**
 Power: **3680W**
 IP: **20**
 Material: **PLASTIC**
 Voltage frequency: **50/60HZ**

DOUBLE SMART PLUG 16A WH **AZ3476**



Single Smart Plug 10A WH

Dane techniczne

Napięcie wejściowe: **AC 85-250V**
 Wymiary (mm): **71 x 45 x 45**
 Moc: **2300W**
 IP: **20**
 Materiał: **PLASTIK**
 Częstotliwość napięcia: **50/60HZ**

Technical specifications

Source: **AC 85-250V**
 Dimensions (mm): **71 x 45 x 45**
 Power: **2300W**
 IP: **AC 110-240V**
 Material: **PLASTIC**
 Voltage frequency: **50/60HZ**

SINGLE SMART PLUG 10A WH **AZ3219**



Smart Power Strip 16A + USB 32A WH

Dane techniczne

Napięcie wejściowe: **3 x AC 220-240V**
 Wymiary (mm): **360 x 48 x 57**
 Moc: **3680W**
 IP: **20**
 Materiał: **PLASTIK**
 Częstotliwość napięcia: **50/60HZ + USB**
 Pozostałe: **długość przewodu 1,5m; USB**

Technical specifications

Source: **3 x AC 220-240V**
 Dimensions (mm): **360 x 48 x 57**
 Power: **AC 110-240V**
 IP: **AC 110-240V**
 Material: **PLASTIC**
 Voltage frequency: **50/60HZ + USB**
 Others: **cable length 1,5m; USB**

SMART POWER STRIP 16A + USB 32A WH **AZ3477**



Double Outdoor Smart Plug 10A IP44 Black

Dane techniczne	Technical specifications
Napięcie wejściowe: AC 100-240V	Source: AC 100-240V
Wymiary (mm): 80 x 153 x 58	Dimensions (mm): 80 x 153 x 58
Moc: 2300W	Power: 2300W
IP: 44	IP: 44
Materiał: PLASTIK	Material: PLASTIC
Częstotliwość napięcia: 50/60HZ	Voltage frequency: 50/60HZ
Pozostałe: długość przewodu 26 cm	Others: cable length 26 cm
<input checked="" type="checkbox"/> DOUBLE OUTDOOR SMART PLUG 10A IP44 BK AZ3223	



Smart Led Set 4000K RGB+W

Dane techniczne	Technical specifications
Napięcie wejściowe: AC 220-240V	Source: AC 220-240V
Wymiary: długość 3 m	Dimensions: length 3 m
Moc: 36W (22W+14W)	Power: 36W (22W+14W)
IP: 65	IP: 65
Pozostałe: 5 PIN, DC 24 V, 2A	Others: 5 PIN, DC 24 V, 2A
<input type="checkbox"/> SMART LED SET 4000K RGB+W AZ3474	



Smart Ledstrip 1,5m 4000K RGB+W

Dane techniczne	Technical specifications
Napięcie wejściowe: AC 220-240V	Source: AC 220-240V
Wymiary: długość 1,5 m	Dimensions: length 1,5 m
Moc: 18W (11W+7W)	Power: 18W (11W+7W)
IP: 65	IP: 65
<input type="checkbox"/> SMART LEDSTRIP 1,5M 4000K RGB+W AZ3475	



Single Switch Smart Wh; Double Switch Smart Wh

Dane techniczne	Technical specifications
Napięcie wejściowe: AC 85-250V	Source: AC 85-250V
IP: 20	IP: 20
<input type="checkbox"/> SINGLE SWITCH SMART WH AZ3451	
<input type="checkbox"/> DOUBLE SWITCH SMART WH AZ3452	



Smart Dimmer Box Module

Dane techniczne	Technical specifications
Napięcie wejściowe: AC 100-240V	Source: AC 100-240V
Wymiary (mm): 50 x 46	Dimensions (mm): 50 x 46
Moc: 150W	Power: 150W
IP: 20	IP: 20
Częstotliwość napięcia: 50/60HZ	Voltage frequency: AC 110-240V

SMART DIMMER BOX MODULE **AZ3218**




Współpracuje z:

1. Sterownikami do ściemniania
2. Ściemnialnymi żarówkami (led/halogen)

Working with:

1. Dimmable drivers
2. Dimmable bulbs (led/halogen)



włącznik dzwinkowy / bell switch
 ściemnianie za pomocą włącznika / dimming by a switch



Smart Control Driver Module Type C

Dane techniczne

Napięcie wejściowe: **AC 100-240V**

Wymiary (mm): **60 x 43**

Moc: **10-100W**

IP: **20**

Materiał: **PLASTIK**

Technical specifications

Source: **AC 100-240V**

Dimensions (mm): **60 x 43**

Power: **10-100W**

IP: **20**

Material: **PLASTIC**


SMART CONTROL DRIVER MODULE TYPE C **AZ4062**



1





2



3



4



Kontroluj WiFi Dimmer Module przez:
Aplikacja AZZARDO Smart
Remote Control 2.4 GHz

You can control WiFi Dimmer Module by:
AZZARDO Smart App
Remote Control 2.4 GHz

Współpracuje z / Working with:

Sterownikami min. 10W

Dimmable drivers – min. 10W

Ściemnialnymi żarówkami min. 10W

Dimmable bulbs (led/halogen) – min. 10W



Smart Remote Control Undirected Black

Dane techniczne

Zasięg sygnału: **30 metrów**

Wymiary (mm): **150 x 39 x 17**

Częstotliwość: **2.4 GHz**

Baterie: **2xAAA LR03 1.5V (brak w zestawie)**

Kanały: **max. 6 różnych kanałów**

Technical specifications

Signal Ranges: **30 meters**


Dimensions (mm): **150 x 39 x 17**

Frequency: **2.4 GHz**

Battery type: **2xAAA LR03 1.5V (not included)**

Channels: **max. 6 different group**

SMART REMOTE CONTROL UNDIRECTED BK **AZ4061**



Smart Remote Control Undirected Black

Instrukcja obsługi:

1. Kontrolka LED (czerwony kolor)
2. Przycisk wyłączenia
3. Przycisk włączenia
4. Ściemnianie +
5. Ściemnianie -
6. CCT - (Temperatura barwy - Ciepły Biały-CB)
7. CCT + (Temperatura barwy - Zimny Biały- ZB)
8. CCT Zmiana cykliów *
9. Grupa 1
10. Razem Grupy 1-2 (łączna kontrola grup 1 i 2)
11. Grupa 2
12. Grupa 3
13. Razem Grupy 3-4 (łączna kontrola grup 3 i 4)
14. Grupa 4
15. Grupa 5
16. Razem Grupy 5-6 (łączna kontrola grup 5 i 6)
17. Grupa 6

*CCT zmiana 4 cyklowych bloków światła
100%CB --> 70%CB/30%ZB--> 30%CB/70%ZB --> 100%ZB

Smart Remote Control Undirected Black

Manual:

1. Indicator light (Red)
2. OFF
3. ON
4. DIMM +
5. DIMM -
6. CCT- (Warm White-WW)
7. CCT+ (Cool White-CW)
8. CCT Change *
9. Group 1
10. Total Group 1-2 (Control lights in both group 1&2)
11. Group 2
12. Group 3
13. Total Group 3-4 (Control lights in both group 3&4)
14. Group 4
15. Group 5
16. Total Group 5-6 (Control lights in both group 5&6)
17. Group 6

*CCT change with four-block cycle 100%WW --> 70%WW/30%CW--> 30%WW/70%CW --> 100%CW



Kitchen




Kuchnia

Smart Remote Control Undirected Black AZ4061



Sleeping room



Sypialnia



Living room



Pokój dzienny



By the function buttons, you can simultaneously control different lamps assigned to two specific channels.

Dzięki przyciskom funkcyjnym, możesz jednocześnie kontrolować różne lampy przyporządkowane do dwóch konkretnych kanałów.

Współpracuje z / Working with:

Lampami Solvent


Solvent lamps

Smart Dimmer Box Module AZ3218

Smart Dimmer Box Module AZ3218




NAMING OF BASIC ACCESSORIES FOR TRACK MAGNETIC SYSTEM



MAGNETIC
TRACK

MAGNETIC


track Magnetic



TRACK MAGNETIC

Accessories for Track Magnetic

Example of the connection between track




01 Insert the MECHANICAL CONNECTOR (B) into the TRACK (A).

02 Tighten the screw between A and B.


03 Slide and fasten TRACK (C) to the MECHANICAL CONNECTOR (B).

04 Put STRAIGHT CONNECTOR ELECTRIC (D) between the two connected tracks (A+C).



Track Magnetic 27 (1m, 1,5m, 2m, 3m) WITH END CAP 2X (ALL INCLUDED)

- | | | | |
|--------------------------|-----------------------|-------|---------------|
| <input type="checkbox"/> | TRACK 27 1m (BLACK) | | AZ4713 |
| <input type="checkbox"/> | TRACK 27 1m (WHITE) | | AZ4712 |
| <input type="checkbox"/> | TRACK 27 1,5m (BLACK) | | AZ4715 |
| <input type="checkbox"/> | TRACK 27 1,5m (WHITE) | | AZ4714 |
| <input type="checkbox"/> | TRACK 27 2m (BLACK) | | AZ4717 |
| <input type="checkbox"/> | TRACK 27 2m (WHITE) | | AZ4716 |
| <input type="checkbox"/> | TRACK 27 3m (BLACK) | | AZ4719 |
| <input type="checkbox"/> | TRACK 27 3m (WHITE) | | AZ4718 |



Track Magnetic 52 (1m, 1,5m, 2m, 3m) WITH END CAP 2X (ALL INCLUDED)



- | | | | |
|--------------------------|-----------------------|-------|---------------|
| <input type="checkbox"/> | TRACK 52 1m (BLACK) | | AZ4638 |
| <input type="checkbox"/> | TRACK 52 1m (WHITE) | | AZ4639 |
| <input type="checkbox"/> | TRACK 52 1,5m (BLACK) | | AZ4640 |
| <input type="checkbox"/> | TRACK 52 1,5m (WHITE) | | AZ4641 |
| <input type="checkbox"/> | TRACK 52 2m (BLACK) | | AZ4642 |
| <input type="checkbox"/> | TRACK 52 2m (WHITE) | | AZ4643 |
| <input type="checkbox"/> | TRACK 52 3m (BLACK) | | AZ4644 |
| <input type="checkbox"/> | TRACK 52 3m (WHITE) | | AZ4645 |

* - EXPLANATION SHORTCUT PAGE 2 (E)

TRACK MAGNETIC


Accessories for Track Magnetic

Available options for installation place – surface-mounted, flush-mounted and suspended




Track Magnetic 52 Gips1 (1m, 1,5m, 2m) WITH END CAP 2X (ALL INCLUDED)

- TRACK 52 GIPS1 1m (BLACK) **AZ4863**
- TRACK 52 GIPS1 1,5m (BLACK) **AZ4864**
- TRACK 52 GIPS1 2m (BLACK) **AZ4865**



Track Magnetic 52 Gips2 (1m, 1,5m, 2m) WITH END CAP 2X (ALL INCLUDED)

- TRACK 52 GIPS2 1m (BLACK) **AZ4646**
- TRACK 52 GIPS2 1m (WHITE) **AZ4647**
- TRACK 52 GIPS2 1,5m (BLACK) **AZ4648**
- TRACK 52 GIPS2 1,5m (WHITE) **AZ4649**
- TRACK 52 GIPS2 2m (BLACK) **AZ4650**
- TRACK 52 GIPS2 2m (WHITE) **AZ4651**




TRACK MAGNETIC

Accessories for Track Magnetic





Track Magnetic 52 Inner Corner90 SURFACE INNER CORNER 90°

- INNER CORNER 90 (BLACK)AZ4683
- INNER CORNER 90 (WHITE)AZ4684




Track Magnetic 52 Corner90

- CORNER90 (BLACK)AZ4679
- CORNER90 (WHITE)AZ4680




Track Magnetic 27 Inner Corner90

- 27 INNER CORNER 90 (BLACK)AZ5001
- 27 INNER CORNER 90 (WHITE)AZ5002



Track Magnetic 27 Corner90


- 27 CORNER 90 (BLACK)AZ5003
- 27 CORNER 90 (WHITE)AZ5004



* - EXPLANATION SHORTCUT PAGE 2 (E)


TRACK MAGNETIC

Accessories for Track Magnetic





Track Magnetic 52 Gips2 Inner Corner90 SURFACE INNER CORNER 90°

- 152 GIPS2 INNER CORNER90 (BLACK)AZ4685
- 52 GIPS2 INNER CORNER90 (WHITE)AZ4686




Track Magnetic 52 Gips2 Corner90

- 52 GIPS2 CORNER90 (BLACK)AZ4681
- 52 GIPS2 CORNER90(WHITE)AZ4682




Track Magnetic 52 Gips1 Corner90

- 52 GIPS1 CORNER90 (BLACK)AZ4862




Track Magnetic Flex Connector Electric

- FLEX CONNECTOR ELECTRIC (BLACK)AZ4687
- FLEX CONNECTOR ELECTRIC (WHITE)AZ4688





TRACK MAGNETIC

Accessories for Track Magnetic




Track Magnetic Driver Insight (60W; 100W; 200W)

- DRIVER INSIGHT 60W (BLACK)AZ4669
- DRIVER INSIGHT 60W (WHITE)AZ4670
- DRIVER INSIGHT 100W (BLACK)AZ4671
- DRIVER INSIGHT 100W (WHITE)AZ4672
- DRIVER INSIGHT 200W (BLACK)AZ4673
- DRIVER INSIGHT 200W (WHITE)AZ4674




Track Magnetic Straight Connector

- STRAGHT CONNECTOR (BLACK)AZ4677
- STRAGHT CONNECTOR (WHITE)AZ4678



Track Magnetic Mechanical Connector

- MECHANICAL CONNECTOR (BLACK)AZ4689
- MECHANICAL CONNECTOR (WHITE)AZ4690



Track Magnetic Suspension Kit 2m

- TRACK MAGNETIC SUSPENSION KIT 2m (BLACK)AZ4693
- TRACK MAGNETIC SUSPENSION KIT 2m (WHITE)AZ4694



* - EXPLANATION SHORTCUT PAGE 2 (E)


TRACK MAGNETIC

Accessories for Track Magnetic




Track Magnetic Driver Meanwell 48V 100W / 200W / 350W

- DRIVER MEANWELL (100W) **AZ4691**
- DRIVER MEANWELL (200W) **AZ4692**
- DRIVER MEANWELL (350W) **AZ4866**





Track Magnetic Power Supply Case

- POWER SUPPLY CASE (BLACK) **AZ4675**
- POWER SUPPLY CASE (WHITE) **AZ4676**




Track Magnetic Cover 1m

- COVER 1m (BLACK) **AZ4652**
- COVER 1m (WHITE) **AZ4653**



Ceiling Plate + Wire

- CEILING PLATE + WIRE (BLACK) **AZ4780**
- CEILING PLATE + WIRE (WHITE) **AZ4782**




TRACK MAGNETIC

Track Magnetic




Track Magnetic 27 Cover Power Driver Inside

- MAGNETIC 27 COVER (BLACK) **AZ4860**
- MAGNETIC 27 COVER (WHITE) **AZ4661**



OPTION 1 Track Magnetic Bluetooth Remote Smart Operating Schematic

AZ4857



DOWNLOAD THE APP **AZzardo** SMART




* - EXPLANATION SHORTCUT PAGE 2 (E)

BLUETOOTH GATEWAY/REMOTE SMART

Track Magnetic

The Bluetooth gateway connects to the Internet via the WiFi signal from the router, thanks to which you can remotely control the lamps or devices settings via the AzzardoSMART application. Being at home, you can control the devices using a special AzzardoSMART remote control or from any device (phone, tablet, computer) that has access to the Wifi network.



Bluetooth Gateway Smart

AZ4856


OPTION 2

2



OPTION 1

1



Track Magnetic  **Bluetooth** Remote Smart

AZ4857

MAKITA TRACK MAGNETIC CCT SMART



Track Magnetic



MAKITA TRACK MAGNETIC 7W CCT SMART

LED integrated

voltage: 48V

IP20

technical specification



LED 7W 550lm CCT




installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) **AZ4836**



* - EXPLANATION SHORTCUT PAGE 2 (E)



MAKITA 2 TRACK MAGNETIC 2X 7W CCT SMART

LED integrated

voltage: 48V

IP20

technical specification



LED 2x 7W 550lm CCT




installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) **AZ4838**





BK *

MAKITA TRACK MAGNETIC 20W CCT SMART

LED integrated

voltage: 48V

LED 20W 1560lm CCT

LED

IP20




technical specification

installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) **AZ4840**



BK *

MAKITA TRACK MAGNETIC 30W CCT SMART

LED integrated

voltage: 48V

LED 30W 2340lm CCT

LED

IP20




technical specification

installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) **AZ4842**



SAGA TRACK MAGNETIC MILKY120 CCT SMART

Track Magnetic



SAGA TRACK MAGNETIC 12W MILKY120 CCT SMART

LED integrated

voltage: 48V

LED 12W 600lm CCT

IP20



LED

technical specification

installation: Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) **AZ4846**



SAGA TRACK MAGNETIC 20W MILKY120 CCT SMART

LED integrated

voltage: 48V

LED 20W 1100lm CCT

IP20



LED


technical specification

installation: Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) **AZ4848**



SAGA TRACK MAGNETIC 36W MILKY120 CCT SMART

LED integrated

voltage: 48V

LED 36W 1900lm CCT

IP20



LED

technical specification

installation: Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) **AZ4850**





SONYA TRACK MAGNETIC CCT SMART

LED integrated

voltage: 48V

IP20

technical
specification



LED 20W 2100lm CCT


LED

installation: Track Magnetic – 52 or 27

beam angle: 60°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) **AZ4844**



KERRY TRACK MAGNETIC CCT SMART

Track Magnetic



KERRY TRACK MAGNETIC 5W CCT SMART

LED integrated

voltage: 48V

IP20

technical specification



LED 5W 550lm CCT


LED

installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) **AZ4852**



KERRY TRACK MAGNETIC 15W CCT SMART

LED integrated

voltage: 48V

IP20

technical specification



LED 15W 1220lm CCT


LED

installation: Track Magnetic – 52 or 27


beam angle: 60°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) **AZ4854**



* - EXPLANATION SHORTCUT PAGE 2 (E)



KIRA TRACK MAGNETIC 12W POINTS50 CCT SMART

LED integrated

voltage: 48V
IP20

technical specification



LED 12W 1150lm





installation: Track Magnetic - 52 or 27

beam angle: 50°

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4901**



KIRA TRACK MAGNETIC 20W POINTS50 CCT SMART

LED integrated

voltage: 48V
IP20

technical specification



LED 24W 1450lm





installation: Track Magnetic - 52 or 27

beam angle: 50°

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4902**



KIRA TRACK MAGNETIC 30W POINTS50 CCT SMART

LED integrated

voltage: 48V
IP20

technical specification



LED 24W 1750lm




installation: Track Magnetic - 52 or 27

beam angle: 50°

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4903**







OUTDOOR WALL LAMPS

OUTDOOR

Wall lamps





FANO S 30 SMART LED RGB

LED integrated

voltage: 230V

LED 24W 1720lm RGB

IP54

2600-6000K

RGB

technical specification



installation place




beam angle: 120°



COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4786**
- DARK GREY (DGR) **AZ4787**
- WHITE (WH) **AZ4788**



CCT = 2600+6000K DIMMABLE REMOTE CONTROL



FANO R 30 SMART LED RGB

LED integrated

voltage: 230V

LED 24W 1720lm RGB

IP54

2600-6000K

RGB

technical specification



installation place




beam angle: 120°






COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4783**
- DARK GREY (DGR) **AZ4784**
- WHITE (WH) **AZ4785**



CCT = 2600+6000K DIMMABLE REMOTE CONTROL






LEDBULBS

LED

bulbs



SMART ACCESORIES



SMART Bulbs



E27 LED SMART E27 7W CCT AMBER GLASS / **AZ3210**
DIMMABLE / **FULL GLASS**

E27	700lm 7W	1800K CCT 5000K	DIMMABLE	25 000 h = 25 Years 2,7h/day	64 mm 100 mm	RA ≥90	220-240V 50/60Hz	INTERIOR	RGB	ON OFF ≥15 000x	
-----	-------------	-----------------------	----------	------------------------------------	-----------------	-----------	---------------------	----------	----------------	-----------------------	--



E27 LED SMART E27 7W CCT MILKY GLASS / **AZ3209**
DIMMABLE / **FULL GLASS**

E27	806lm 7W	2200K CCT 5700K	DIMMABLE	25 000 h = 25 Years 2,7h/day	60 mm 100 mm	RA ≥90	220-240V 50/60Hz	INTERIOR	RGB	ON OFF ≥15 000x	
-----	-------------	-----------------------	----------	------------------------------------	-----------------	-----------	---------------------	----------	----------------	-----------------------	--



E27 LED SMART E27 10W CCT RGB / **AZ3213**
DIMMABLE

E27	806lm 10W	2700K CCT 6500K	DIMMABLE	25 000 h = 25 Years 2,7h/day	60 mm 100 mm	RA ≥90	220-240V 50/60Hz	INTERIOR		ON OFF ≥15 000x	
-----	--------------	-----------------------	----------	------------------------------------	-----------------	-----------	---------------------	----------	--	-----------------------	--



E27 LED SMART 11W CCT RGB **AZ3802**
DIMMABLE

E27	1050lm 11W	2700K CCT 6500K	DIMMABLE	25 000 h = 25 Years 2,7h/day	65 mm 100 mm	RA ≥90	220-240V 50/60Hz	INTERIOR		ON OFF ≥15 000x	
-----	---------------	-----------------------	----------	------------------------------------	-----------------	-----------	---------------------	----------	--	-----------------------	--



E27 LED SMART E27 15W CCT RGB GLOBE 120 / **AZ3214**
DIMMABLE

E27	1250lm 15W	2700K CCT 6500K	DIMMABLE	25 000 h = 25 Years 2,7h/day	120 mm 160 mm	RA ≥90	220-240V 50/60Hz	INTERIOR		ON OFF ≥15 000x	
-----	---------------	-----------------------	----------	------------------------------------	------------------	-----------	---------------------	----------	--	-----------------------	--



E14 LED SMART 5W CCT RGB BALL / **AZ3216**
DIMMABLE

E14	370lm 5W	2700K CCT 6500K	DIMMABLE	25 000 h = 25 Years 2,7h/day	45 mm 54 mm	RA ≥90	220-240V 50/60Hz	INTERIOR		ON OFF ≥15 000x	
-----	-------------	-----------------------	----------	------------------------------------	----------------	-----------	---------------------	----------	--	-----------------------	--



SMART ACCESORIES

SMART Bulbs



E14 LED SMART E14 5W CCT RGB BALL / **AZ3804**

DIMMABLE

	450lm 5W			25 000 h = 25 Years 2.7h/day		RA ≥90					
--	--------------------	--	--	--	--	---------------	--	--	--	--	--



E14 LED SMART E14 5W CCT RGB CANDLE / **AZ3215**

DIMMABLE

	370lm 5W			25 000 h = 25 Years 2.7h/day		RA ≥90					
--	--------------------	--	--	--	--	---------------	--	--	--	--	--



GU10 LED SMART GU10 5W CCT RGB WH / **AZ3805**

DIMMABLE

	400lm 5W			25 000 h = 25 Years 2.7h/day		RA ≥90					
--	--------------------	--	--	--	--	---------------	--	--	--	--	--



ES111 LED SMART ES111 11W CCT WH / **AZ3206**

DIMMABLE - 3000K

	880lm 11W			25 000 h = 25 Years 2.7h/day		RA ≥90					
--	---------------------	--	--	--	--	---------------	--	--	--	--	--



ES111 LED SMART ES111 11W CCT BK / **AZ3207**

DIMMABLE - 3000K

	880lm 11W			25 000 h = 25 Years 2.7h/day		RA ≥90					
--	---------------------	--	--	--	--	---------------	--	--	--	--	--



ES111 LED SMART ES111 15W 3000K WH / **AZ3362**

DIMMABLE - 3000K

	1280lm 15W			25 000 h = 25 Years 2.7h/day		RA ≥90					
--	----------------------	--	--	--	--	---------------	--	--	--	--	--

SMART ACCESORIES



SMART Bulbs





ES111 LED SMART ES111 15W 4000K WH / AZ3365
DIMMABLE - 4000K

1280lm
15W

25 000 h =
25 Years
2,7h/day

RA
≥90





ES111 LED SMART ES111 15W 3000K BK / AZ3363
DIMMABLE -3000K

1280lm
15W

25 000 h =
25 Years
2,7h/day

RA
≥90







ES111 LED SMART ES111 15W 4000K BK / AZ3366
DIMMABLE -4000K

1280lm
15W

25 000 h =
25 Years
2,7h/day

RA
≥90





ES111 LED SMART ES111 15W 3000K GR / AZ3364
DIMMABLE -3000K

1280lm
15W

25 000 h =
25 Years
2,7h/day

RA
≥90





ES111 LED SMART ES111 15W 4000K GR / AZ3367
DIMMABLE -4000K

1280lm
15W

25 000 h =
25 Years
2,7h/day

RA
≥90



LED bulbs



ENERGY efficiency





Ra (CRI) - Colour Rendering Index **EU standard – Ra \geq 80**
Best colour rendering index, Ra (CRI) = 100

Ra (CRI) - wskaźnik oddawania barw **Standard UE – Ra \geq 80**
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100

Ra (CRI)- Index podania farieb **Štandard EU – Ra \geq 80**
NajlepšÍ index podania farieb Ra(CRI)=100

Ra (CRI)- Index podání barev **Standard EU – Ra \geq 80**
NejlepšÍ index podání barev Ra(CRI)=100



5 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).
Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.

A warranty of 5 years is given for the driver for LED lamps and light modules (with diodes).
The warranty is counted from the day of purchase, confirmed by a bill or an invoice.

5 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni

Les 5 ans de garantie concernant le driver de LED et le module lumineux (avec les diodes). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.

5 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja
Záručná doba sa počíta od dátumu zakúpenia tovaru.

5 letá záruka se vztahuje na ovládač pro LED lampy, včetně světelného zdroje.
Záruční doba se počíta od dátumu zakoupení zboží.



We can paint the lamps in any RAL colour subject to an extra charge.

Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.

We reserve the rights to make changes in the product range, design and model.

Please note that, as a result of printing processes, actual colors may vary from those reproduced here.

Nous nous reservons le droit d'apporter des modifications dans le choix et le design des modèles.

Veillez noter qu'en raison des techniques d'impression les teintes des produits peuvent légèrement varier par rapport à celles du catalogue.

Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.
Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.
Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen
a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.

Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.
Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.

Vyhradzujeme si právo na vykonávanie ponukových a konstrukčných zmien.
Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálných.