

NOVA LUCE  
info@novaluce.com  
www.novaluce.com


NOVA LUCE

20 | 21

| OUTDOOR  
CATALOGUE










# THINGS TO LOOK FOR







# FLOOR & WALL






IP65



**[ SURF ]**  
**9176101**

hacienda lighting mini m  
 L Wa 9 Lm K  
 RI ol Hz  
 beam angle ° P  
 L W H cm




LED IP65 WARM WHITE AAAA ±



**[ SURF ]**  
**9176102**

hacienda lighting mini m  
 L Wa 9 Lm K  
 RI ol Hz  
 beam angle ° P  
 L W H cm



LED IP65 WARM WHITE AAAA ±







IP54




**[ PAX ]**  
**9756800**

lack I mini m  
 L 9 Wa Lm K  
 Ri eam ngle ol P  
 L W H cm  
 LED IP54 WARM WHITE A++ A+



**[ PAX ]**  
**9756500**

lack I mini m  
 L 9 Wa Lm K  
 Ri eam ngle ol P  
 L W H cm  
 LED IP54 WARM WHITE A++ A+








**BALI**  
**9922510**

immable



n h a c i e i e a i n g l m i n i m  
L W a L m K  
R i o l  
e a m n g l e ° P  
S o l a S W i e S i c h O n O f f  
L W H c m




LED IP65 WARM WHITE A++-A



**BALI**  
**9922360**

immable



n h a c i e i e a i n g l m i n i m  
L W a L m K  
R i o l  
e a m n g l e ° P  
S o l a S W i e S i c h O n O f f  
L W H c m



LED IP65 WARM WHITE A++-A

SOLAR



IP65 PORTABLE







**[ FIGI 9923500 ]**

immabile

non ha cinescopio


mini

L. Wa. Lm. K.

RI. Beam angle. ° P.

o ch Lamp. a e S. Wi e

L. W. H. cm



**[ FIGI 9922350 ]**

immabile

non ha cinescopio


mini

L. Wa. Lm. K.

RI. Beam angle. ° P.


o ch Lamp. a e S. Wi e

L. W. H. cm



IP65

PORTABLE







**[ LOVETO  
9120621 ]**

immable

n h a c i e i e a i n g

I m i n i m c l i c i f f e


L W a L m K

R l o l

e a m n g l e ° P

S o l a S i c h O n O f f

L W H c m



**[ LOVETO  
9120622 ]**

immable

n h a c i e i e a i n g

I m i n i m c l i c i f f e


L W a L m K

R l o l

e a m n g l e ° P

S o l a S i c h O n O f f

L W H c m



IP65 PORTABLE 









**[ DYN  
9190101 ]**

immabile

nhaci e ie a ing  
l mini m c lic iff e  
L Wa Lm K  
Ri ol  
eam ngle ° P  
Sola S i ch On Off  
L W H cm




IP65



**[ BAY  
9120711 ]**

immabile

nhaci e ie a ing l mini m  
lea Gla c lic iff e  
L Wa Lm K  
Ri ol  
eam ngle ° P  
Sola S i ch On Off  
L W H cm







**[ AGOSTO ]**  
**9207615**

Black Die-Casting  
Aluminium & Acrylic diffuser  
LED 6 Watt 420Lm 3000K  
CRI>80 100-240 Volt 50Hz  
beam angle ° IP54  
D: 11 W: 11 cm



**[ AGOSTO ]**  
**9207616**

Black Die-Casting  
Aluminium & Acrylic diffuser  
LED 6 Watt 420Lm 3000K  
CRI>80 100-240 Volt 50Hz  
beam angle ° IP54  
L: 11 W: 11 H: 11 cm



**[ AGOSTO ]**  
**9277151**

Black Die-Casting  
Aluminium & Acrylic diffuser  
LED 6 Watt 420Lm 3000K  
CRI>80 100-240 Volt 50Hz  
beam angle ° IP54  
D: 11 H: 50 cm




IP54








**[ MAX ]**  
**9026001**



a k G a S  
lea Whi e c lic  
L Wa Lm  
K ol  
eam ngle ° IP65  
L W H cm



**[ MAX ]**  
**9026002**



a k G a S  
lea Whi e c lic  
L Wa Lm  
K ol  
eam ngle ° IP65  
W H cm




IP65








**[ RAMO ]**  
**9291701**



Dark Gray Aluminium  
Glass Diffuser  
LED GU10 1x7 Watt  
220-240 Volt IP65  
Bulb Excluded  
D: 8 W: 20 H: 14.6 cm




**[ RAMO ]**  
**9291702**



Dark Gray Aluminium  
Glass Diffuser  
LED GU10 1x7 Watt  
220-240 Volt IP65  
Bulb Excluded  
D: 8 W: 14.6 H: 60 cm



IP65



**[ RAMO ]**  
**9291703**




Dark Gray Aluminium  
Glass Diffuser  
LED GU10 2x7 Watt  
220-240 Volt IP65  
Bulb Excluded  
D: 8 W: 21 H: 60 cm






IP54




**[ FOCUS ]**  
**9207912**

Black Aluminium  
Glass Diffuser  
LED GU10 1x7 Watt  
100-240 Volt IP54  
Bulb Excluded  
D: 6.8 W: 11.5 H: 9.5 cm





**[ FOCUS ]**  
**9279111**

Black Aluminium  
Glass Diffuser  
LED GU10 1x7 Watt  
100-240 Volt IP54  
Bulb Excluded  
D: 6.8 W: 13.8 H: 27 cm



**[ FOCUS ]**  
**9279112**


Black Aluminium  
Glass Diffuser  
LED GU10 1x7 Watt  
100-240 Volt IP54  
Bulb Excluded  
W: 13.8 H: 55 cm







**[ DEVORA ]**  
**822642**



Dark Gray Die-Casting  
Aluminium & Glass Diffuser  
LED 8 Watt 195Lm 3000K  
CRI>80 220-240 Volt 50Hz  
IP54  
D: 11 H: 65 cm





**[ DEVORA ]**  
**826423**



Dark Gray Die-Casting  
Aluminium & Glass Diffuser  
LED 8 Watt 195Lm 3000K  
CRI>80 220-240 Volt 50Hz  
IP54  
D: 11 H: 22 cm



IP54








IP54


**[ SUITE ]**  
**859439**

White Aluminium & Acrylic  
LED 10 Watt 485Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam 140° IP54  
D: 15 W: 5 cm





**[ SUITE ]**  
**9297191**

Black Aluminium & Acrylic  
LED 10 Watt 485Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam 140° IP54  
D: 15 W: 5 cm



**[ SUITE ]**  
**859438**

Dark Gray Aluminium & Acrylic  
LED 10 Watt 485Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam 140° IP54  
D: 15 W: 5 cm



**[ SUITE ]**  
**9207167**

Dark Gray Aluminium & Acrylic  
LED 12 Watt 480Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam 140° IP54  
D: 18 H: 60 cm



**[ SUITE ]**  
**9207168**

Black Aluminium & Acrylic  
LED 12 Watt 480Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam 140° IP54  
D: 18 H: 60 cm



IP54









IP65



Rotabile

**[ FEND ]**  
**9271431**


Black Minimal Glass  
L 12 W 7 Lm 15 K  
Beam angle ° IP65  
W 9 H 12 cm



Rotabile

**[ FEND ]**  
**9271491**


Black Minimal Glass  
L 15 W 9 Lm 15.5 K  
Beam angle ° IP65  
W 9 H 15 cm



Rotabile

**[ FEND ]**  
**9271433**


Black Minimal Glass  
L 64 W 9 Lm 15 K  
Beam angle ° IP65  
W 9 H 64 cm



Rotabile

**[ FEND ]**  
**9971451**


Black Minimal Glass  
L 12 W 9 Lm 15 K  
Beam angle ° IP65  
W 9 H 12 cm



Rotabile

**[ FEND ]**  
**9971452**

Black Minimal Glass  
L 12 W 9 Lm 15 K  
Beam angle ° IP65  
W 9 H 12 cm





IP65



**[ POSEN ]**  
**9131201**

n h a c i e i e a i n g  
l m i n i m c l i c D i f f u s e r




L W a L m K  
R I o l  
e a m n g l e ° IP65  
L W 9 H c m



**[ POSEN ]**  
**9131202**

n h a c i e i e a i n g  
l m i n i m c l i c D i f f u s e r



L W a L m K  
R I o l  
e a m n g l e ° IP65  
L W 9 H c m









**[ ENZI ]**  
**9936101**

a k G a l mini m  
c lic Diffuser  
L Wa Lm K  
RI ol  
eam ngle ° IP54  
W H cm



**[ ENZI ]**  
**9936102**


a k G a l mini m  
c lic Diffuser  
L Wa Lm K  
RI ol  
eam ngle ° IP54  
W H cm







IP54




**[ NED ]**  
**9104022**

Dark Gray Aluminium  
Glass Diffuser  
LED 6 Watt 480Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam 38° IP54  
L: 15 W: 6 H: 50 cm



**[ NED ]**  
**9104021**

Dark Gray Aluminium  
Glass Diffuser  
LED 2x6 Watt 960Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam 2x38° IP54  
2 Sides Light  
L: 28 W: 19 H: 6 cm





IP54





Rotating

**[ VOLVER ]**  
**9195062**

lack ie a ing l mini m  
c lic iff e

L Wa Lm K  
Rl ol  
eam ngle ° IP54  
L W H cm

LED IP54 WATER PROOF A++ A



Rotating




**[ VOLVER ]**  
**9195061**

lack ie a ing l mini m  
c lic iff e

L Wa Lm K  
Rl ol  
eam ngle ° IP54  
L W H cm

LED IP54 WATER PROOF A++ A









Rotating

**[ TWIN ]**  
**713121**


Dark Gray Aluminium  
Acrylic Diffuser  
LED 2x5 Watt 600Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Rotation 0-90° IP54  
L: 20 W: 10 H: 60 cm



Rotating

**[ TWIN ]**  
**713122**

Dark Gray Aluminium  
Acrylic Diffuser  
LED 2x5 Watt 600Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Rotation 0-90° IP54  
L: 20 W: 10 H: 10 cm



IP54






IP54




**[ BLISS ]**  
**819502**

Dark Gray Aluminium  
Acrylic Diffuser  
LED 7 Watt 560Lm  
CRI>80 220-240 Volt 50Hz  
Beam Angle 56° IP54 3000K  
AC Driver Included  
L: 15 W: 6 H: 16 cm



**[ BLISS ]**  
**819503**

Dark Gray Aluminium  
Acrylic Diffuser  
LED 7 Watt 560Lm  
CRI>80 220-240 Volt 50Hz  
Beam Angle 56° IP54 3000K  
AC Driver Included  
L: 15 W: 6 H: 50 cm









**[ APOLLO ]**  
**713411**

Dark Gray Aluminium  
Acrylic Diffuser  
LED 6 Watt 300Lm 3000K  
CRI>80 110-265 Volt 50Hz  
Beam angle 120° IP54  
L: 9 W: 15 H: 4.5 cm




**[ APOLLO ]**  
**713311**

Dark Gray Aluminium  
Acrylic Diffuser  
LED 6 Watt 300 Lm 3000K  
CRI>80 110-265 Volt 50Hz  
Beam angle 120° IP54  
L: 9 W: 15 H: 80 cm



IP54







IP54



**[ ACQUA ]**  
**713313**

Dark Gray Aluminium  
Acrylic Diffuser  
LED 6 Watt 360Lm 3000K  
CRI>80 110-265 Volt 50Hz  
Beam angle 38° IP54  
L: 12 W: 5 H: 80 cm



**[ ACQUA ]**  
**713312**

Dark Gray Aluminium  
Acrylic Diffuser  
LED 6 Watt 360Lm 3000K  
CRI>80 110-265 Volt 50Hz  
Beam angle 38° IP54  
L: 12 W: 18 H: 5 cm







**[ PARK ]**  
**711024**

Aluminium Dark Gray  
Acrylic Diffuser  
LED 6 Watt 350Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam angle 120° IP54  
IC Driver Included  
L: 9 W: 14.5 H: 18 cm



**[ PARK ]**  
**713124**

Aluminium Dark Gray  
Acrylic Diffuser  
LED 2x6 Watt 700Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam angle 120° IP54  
IC Driver Included  
L: 12.5 W: 22 H: 80 cm




IP54



**[ PARK ]**  
**713123**

Aluminium Dark Gray  
Acrylic Diffuser  
LED 6 Watt 350Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam angle 120° IP54  
IC Driver Included  
L: 12.5 W: 12 H: 80 cm







**[ LOCK ]**  
**813104**

Aluminium Dark Gray  
White & Clear Acrylic Diffuser  
LED 12 Watt 960Lm  
CRI>80 220-240 Volt 50Hz  
Beam 45° IP54 3000K or 4000K  
AC Driver Included  
L: 13.5 W: 13.5 H: 50 cm




**[ LOCK ]**  
**813101**

Aluminium Dark Gray  
White & Clear Acrylic Diffuser  
LED 12 Watt 960Lm  
CRI>80 220-240 Volt 50Hz  
Beam 45° IP54 3000K or 4000K  
AC Driver Included  
L: 13.5 W: 16 H: 20 cm



IP54






IP65





**[ ROCK  
9905025 ]**

Sand lack I mini m  
Sil e I mini m lea c lic  
L Wa Lm K  
RI ol  
eam ngle ° IP65  
9 H cm  
LED IP65 WARM WHITE A++-A



**[ ROCK  
9905024 ]**

Sand lack I mini m  
Sil e I mini m lea c lic  
L Wa Lm K  
RI ol  
eam ngle ° IP65  
9 H cm  
LED IP65 WARM WHITE A++-A





IP65



**[ NOTEN ]**  
**9905023**

Sand lack I mini m  
 lea Whi e c lic  
 L Wa Lm K  
 Ri ol  
 eam ngle ° P  
 9 H cm

LED IP65 WARM WHITE A++-A



**[ NOTEN ]**  
**9905022**

Sand lack I mini m  
 lea Whi e c lic  
 L Wa Lm K  
 Ri ol  
 eam ngle ° P  
 9 H cm

LED IP65 WARM WHITE A++-A



**[ NOTEN ]**  
**9905021**

Sand lack I mini m  
 lea Whi e c lic  
 L Wa Lm K  
 Ri ol  
 eam ngle ° P  
 9 H cm

LED IP65 WARM WHITE A++-A








**[ PYRO ]**  
**9209211**

Dark Gray Aluminium  
White Acrylic  
LED E27 1x12 Watt  
220-240 Volt IP54  
lb cl ded  
D: 10 W: 13 H: 21 cm



**[ PYRO ]**  
**9209212**

Dark Gray Aluminium  
White Acrylic  
LED E27 1x12 Watt  
220-240 Volt IP54  
lb cl ded  
D: 10 H: 60 cm



IP54








**[ STICK  
713412 ]**

Dark Gray Aluminium  
White Acrylic  
LED E27 1x12 Watt  
220-240 Volt IP54  
lb cl ded  
L: 7.6 W: 11 H: 17 cm




**[ STICK  
71371102 ]**

Dark Gray Aluminium  
White Acrylic  
LED E27 1x12 Watt  
220-240 Volt IP54  
lb cl ded  
L: 7.6 W: 7.6 H: 25 cm



**[ STICK  
71371101 ]**

Dark Gray Aluminium  
White Acrylic  
LED E27 1x12 Watt  
220-240 Volt IP54  
lb cl ded  
L: 7.6 W: 7.6 H: 80 cm










IP65




[ LOEVE ]  
9193101

n h a c i e i e a i n g  
l m i n i m l e a c l i c  
LED  
W a  
o l P  
l b c l d e d  
L W H c m  
BIBB EXCEL IP65 A++-A



[ LOEVE ]  
9193102

n h a c i e i e a i n g  
l m i n i m l e a c l i c  
LED  
W a  
o l P  
l b c l d e d  
L W H c m  
BIBB EXCEL IP65 A++-A







**[ SORREN ]**  
**9197701**

nhacieieaing  
lminimleaGla  
L Wa  
ol P  
lb cl ded  
L W 9 H cm




**[ SORREN ]**  
**9197702**

nhacieieaing  
lminimleaGla  
L Wa  
ol P  
lb cl ded  
L W H cm



IP65









**ZEST**  
**870026**

Black Die-Casting Aluminium  
Clear Glass  
LED E27 1x12 Watt  
220-240 Volt IP54  
lb cl ded  
L: 18 W: 17 H: 28 cm




**ZEST**  
**870045**

Black Die-Casting Aluminium  
Clear Glass  
LED E27 1x12 Watt  
220-240 Volt IP54  
lb cl ded  
L: 20 W: 20 H: 29 cm



IP54







IP54




**[ ISIDORA ]**  
**870426**

Black Die-Casting Aluminium  
Clear Glass  
LED E27 1x12 Watt  
220-240 Volt IP54  
lb cl ded  
D: 25 W: 27 H: 40 cm



**[ ISIDORA ]**  
**870445**


Black Die-Casting Aluminium  
Clear Glass  
LED E27 1x12 Watt  
220-240 Volt IP54  
lb cl ded  
D: 22 H: 95 cm














**[ CASTRO ]**  
**9762161**




**[ CASTRO ]**  
**9762162**



**[ CASTRO ]**  
**9739351**



**[ CASTRO ]**  
**9739352**



IP65







**[ GRANTE ]**  
**9790021**


G a n c e e & Aluminium  
LED 1x5 Watt 365Lm K  
220-240 Volt 50Hz P  
L W H cm  
LED IP65 WARM WHITE A++-A



**[ GRANTE ]**  
**9790022**

G a n c e e & Aluminium  
L G Wa P  
L ol lb cl ded  
L W H cm  
IP65 A++-A

IP65







**[ FOX 9470582 ]**

White Sand one  
Glass  
L G Wa P  
ol lb cl ded  
H cm



**[ FOX 9470581 ]**

Dark Sand one  
Glass  
L G Wa P  
ol lb cl ded  
H cm



IP65







WALL





IP54



IP65



IP54



**[ VEIRO ]**  
**9104835**

Angular design  
Minimalist Glass  
LED 6 Watt 397Lm 3000K  
CRI>80  
Beam angle 90°  
L: 9 W: 9 H: 13.6 cm

LED IP65 WARM WHITE A++ A




**[ MILEY ]**  
**9202262**

Sandy Black Aluminium  
Clear Glass  
LED 6 Watt 397Lm 3000K  
CRI>80  
Beam angle 90°  
L: 7.4 W: 7.4 H: 13.6 cm

LED IP54 WARM WHITE A++ A




**[ MILEY ]**  
**9202261**

Sandy White Aluminium & Glass  
LED 6 Watt 397Lm 3000K  
CRI>80  
Beam angle 90°  
L: 7.4 W: 7.4 H: 13.6 cm

LED IP54 WARM WHITE A++ A




**[ MILEY ]**  
**9202131**

Sandy White Minimalist Glass  
LED 6 Watt 397Lm 3000K  
CRI>80  
Beam angle 90°  
L: 7.4 W: 7.4 H: 13.6 cm

LED IP54 WARM WHITE A++ A







IP54

Adjustable



**[ AGILE ]**  
**833426**

Dark Gray Die-Casting Aluminium  
LED 13 Watt 480Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Adjustable Beam Max 120° P  
D: 15 W: 11.7 H: 15 cm






IP65

Rotating



**[ BRIN ]**  
**9160101**

Dark Gray Die-Casting Aluminium  
LED 9 Watt 480Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Adjustable Beam Max 120° P  
L: 14 W: 14.5 H: 3.5 cm






Rotating



**[ GRAVITY ]**  
**810067**

Dark Gray Die-Casting Aluminium  
Acrylic Diffuser  
LED 12 Watt 660Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Rotation P



D: 14 W: 4.8 H: 14 cm




Rotating



**[ PIER ]**  
**810066**

Dark Gray Die-Casting Aluminium  
Acrylic Diffuser  
LED 12 Watt 660Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Rotation P



L: 14 W: 4.8 H: 14 cm




IP54







IP54



Adjustable Beam Angle



**[ COMO ]**  
**747406**

Sandy White Aluminium  
LED 2x3 Watt 510Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Adjustable Beam 0-90° P  
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable Beam Angle



**[ COMO ]**  
**847406**

Antique Brown Aluminium  
LED 2x3 Watt 510Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Adjustable Beam 0-90° P  
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable Beam Angle



**[ COMO ]**  
**847408**

Black Aluminium  
LED 2x3 Watt 510Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Adjustable Beam 0-90° P  
L: 11.2 W: 11.2 H: 11.2 cm



Adjustable Beam Angle



**[ COMO ]**  
**847407**

Dark Gray Aluminium  
LED 2x3 Watt 510Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Adjustable Beam 0-90° P  
L: 11.2 W: 11.2 H: 11.2 cm







**[ ZARI ]**  
**9226217**

Sandy White Aluminium & Glass  
Cree LED 2x2 Watt 285Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam Angle 2x38° P  
L: 5.5 W: 6.5 H: 6.5 cm  
i in ie in



**[ ZARI ]**  
**9226216**

Sandy Black Aluminium & Glass  
Cree LED 2x2 Watt 285Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam Angle 2x38° P  
L: 5.5 W: 6.5 H: 6.5 cm  
i in ie in



IP54



**[ ZARI ]**  
**9226215**

Sandy White Aluminium & Glass  
Osram LED 4x1 Watt 265Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam Angle 4x38° P  
L: 5.5 W: 6.5 H: 6.5 cm  
i in ie in




**[ ZARI ]**  
**9226214**

Sandy Black Aluminium & Glass  
Osram LED 4x1 Watt 265Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam Angle 4x38° P  
L: 5.5 W: 6.5 H: 6.5 cm  
i in ie in







IP54



**[ COMO ]**  
**726217**

Sandy White Aluminium & Glass  
LED 2x5 Watt 560Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 2x51° P  
D: 11 W: 8.5 cm



i in ie in



**[ COMO ]**  
**852436**


Sandy White Aluminium & Glass  
LED 4x1 Watt 265Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 4x51° P  
D: 11 W: 8.5 cm



i in ie in








Rotating

**[ FOCUS ]**  
**752470**


Dark Gray Aluminium & Glass  
Osram LED 6 Watt 420Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 44° P  
L: 8.5 W: 14 H: 12 cm




**IP65**

**[ VITORIA ]**  
**8401030**

Dark Gray Aluminium  
LED 6 Watt 300Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 120° P  
AC Driver Included  
L: 6.2 W: 12 H: 23.6 cm



**IP54**








IP54




**[ CHEZ ]**  
**9259361**



White Minimal Glass  
Luminaire  
Beam angle 90°  
Installation  
L 9 W 9 H 7 cm



**[ CHEZ ]**  
**9292211**



White Minimal Glass  
Luminaire  
Beam angle 90°  
Installation  
L 14 H 17 H 8.5 cm








IP54



**[ SOHO ]**  
**740401**

Dark Gray Aluminium  
Glass Diffuser  
LED 2x3 Watt 480Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam 2x60° P




L: 12 W: 3 H: 9 cm



**[ SOHO ]**  
**740404**

Dark Gray Aluminium  
Glass Diffuser  
LED 2x5 Watt 800Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam 2x60° P




L: 18.5 W: 3 H: 10 cm



**[ SOHO ]**  
**740402**

Sandy White Aluminium  
Glass Diffuser  
LED 2x3 Watt 480Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam 2x60° P




L: 12 W: 3 H: 9 cm




**[ SOHO ]**  
**740403**

Sandy White Aluminium  
Glass Diffuser  
LED 2x5 Watt 800Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam 2x60° P



L: 18.5 W: 3 H: 10 cm






IP54





**[ MILE ]**  
**9257871**

White | mini m | Gla  
 L 9 Wa Lm K  
 CRI>80 ol  
 beam ngle ° P  
 i n  
 L W H cm  
 LED IP54 DIMMABLE A++-A



**[ MILE ]**  
**9262111**

White | mini m | Gla  
 L Wa Lm K  
 CRI>80 ol  
 beam ngle ° P  
 i n  
 L W H 9 cm  
 LED IP54 DIMMABLE A++-A







IP54



**[ COMO ]**  
**741661**

Sandy White Aluminium  
Glass Diffuser  
LED 2x3 Watt 510Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 2x34° P



i n  
L: 15 W: 7 H: 11 cm



**[ COMO ]**  
**741662**

Dark Gray Aluminium  
Glass Diffuser  
LED 2x3 Watt 510Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 2x34° P




i n  
L: 15 W: 7 H: 11 cm




**[ FUNGO ]**  
**9027202**

Sandy White Aluminium  
Glass Diffuser  
LED 12 Watt 720Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 120° P




i n  
L: 22 W: 7.6 H: 3.2 cm




**[ FUNGO ]**  
**9027201**

Dark Gray Aluminium  
Glass Diffuser  
LED 12 Watt 720Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 120° P



i n  
L: 22 W: 7.6 H: 3.2 cm




IP65





**[ DARF ]**  
**9925666**

Sandy Black Aluminium  
ABS Diffuser  
LED 2x5 Watt 840Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam Angle 115° P




i n  
9 W H cm  
LED IP65 WARM WHITE A++ A



**[ DARF ]**  
**9925665**

Sandy Black Aluminium  
ABS Diffuser  
LED 5 Watt 420Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam Angle 104° P




i n  
9 W H cm  
LED IP65 WARM WHITE A++ A



**[ NUS ]**  
**9200201**

Sandy Black Aluminium  
ABS Diffuser  
LED 5 Watt 420Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam Angle 104° P




i n  
L W 9 H 9 cm  
LED IP54 WARM WHITE A++ A



**[ NUS ]**  
**9200202**

Sandy Black Aluminium  
ABS Diffuser  
LED 5 Watt 420Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam Angle 104° P



i n  
L W 9 H cm  
LED IP54 WARM WHITE A++ A





IP54



**[ NERO ]**  
**710022**

Dark Gray Aluminium  
Glass Diffuser  
LED GU10 2x7 Watt  
220-240 Volt P  
Bulb Excluded



i n  
D: 7 W: 8 H: 15 cm



**[ NERO ]**  
**710021**

Dark Gray Aluminium  
Glass Diffuser  
LED GU10 1x7 Watt  
220-240 Volt P  
Bulb Excluded



i n  
D: 7 W: 8 H: 8 cm



**[ NERO ]**  
**710042**

Dark Gray Aluminium  
Glass Diffuser  
LED GU10 2x7 Watt  
220-240 Volt P  
Bulb Excluded



i n  
L: 6.7 W: 8 H: 15 cm



**[ NERO ]**  
**710041**

Dark Gray Aluminium  
Glass Diffuser  
LED GU10 1x7 Watt  
220-240 Volt P  
Bulb Excluded



i n  
L: 6.7 W: 8 H: 8 cm







IP54



**[ NERO  
910022 ]**

Aluminium White  
Glass Diffuser  
LED GU10 2x7 Watt  
220-240 Volt P  
Bulb Excluded



D: 7 W: 8 H: 15 cm



**[ NERO  
910021 ]**

Aluminium White  
Glass Diffuser  
LED GU10 1x7 Watt  
220-240 Volt P  
Bulb Excluded



D: 7 W: 8 H: 8 cm



**[ NERO  
910042 ]**

Aluminium White  
Glass Diffuser  
LED GU10 2x7 Watt  
220-240 Volt P  
Bulb Excluded



L: 6.7 W: 8 H: 15 cm



**[ NERO  
910041 ]**

Aluminium White  
Glass Diffuser  
LED GU10 1x7 Watt  
220-240 Volt P  
Bulb Excluded



L: 6.7 W: 8 H: 8 cm











IP54



**[ NODUS ]**  
**773221**

Dark Gray Aluminium  
Glass Diffuser  
LED GU10 1x7 Watt  
220-240 Volt P  
Bulb Excluded

i n  
D: 6.5 W: 10.4 H: 11 cm





   



**[ NODUS ]**  
**773223**

Dark Gray Aluminium  
Glass Diffuser  
LED GU10 2x7 Watt  
220-240 Volt P  
Bulb Excluded

i n  
D: 6.5 W: 10.4 H: 18 cm





   



**[ NODUS ]**  
**773222**

Antique Brown Aluminium  
Glass Diffuser  
LED GU10 1x7 Watt  
220-240 Volt P  
Bulb Excluded

i n  
D: 6.5 W: 10.4 H: 11 cm





   



**[ NODUS ]**  
**773224**

Antique Brown Aluminium  
Glass Diffuser  
LED GU10 2x7 Watt  
220-240 Volt P  
Bulb Excluded

i n  
D: 6.5 W: 10.4 H: 18 cm


   





IP44



**[ LIMBIO ]**  
**9010601**




**[ LIMBIO ]**  
**9010602**




IP44



**[ LIMBIO ]**  
**9010622**



**[ LIMBIO ]**  
**9010621**






IP65




**[ KEEN  
9160081 ]**




Dark Gray Aluminium  
Acrylic Diffuser  
LED 12 Watt 1080Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 75° IP65  
L: 22.5 W: 6.5 H: 9.5 cm



**[ LUPO  
9926617 ]**



Black Aluminium  
Acrylic Diffuser  
LED 10 Watt 380Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 64° IP65  
L: 11 W: 8.5 H: 25 cm








**[ KEEN ]**  
**9270027**

Sandy Black Aluminium  
Acrylic Diffuser  
LED 12 Watt 1080Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 108° P




L: 18 W: 9 H: 9 cm



**[ KEEN ]**  
**9270028**


Sandy White Aluminium  
Acrylic Diffuser  
LED 12 Watt 1080Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 108° P



L: 18 W: 9 H: 9 cm



IP65



IP65




**[ KEEN ]**  
**9270015**

Sandy Black Aluminium  
Acrylic Diffuser  
LED 12 Watt 1080Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 108° P



L: 9 W: 7 H: 18 cm




**[ KEEN ]**  
**9270016**

Sandy White Aluminium  
Acrylic Diffuser  
LED 12 Watt 1080Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 108° P



L: 9 W: 7 H: 18 cm







IP65



**[ DROPLET ]**  
**9522101**



Sandy White Aluminium & Acrylic  
LED 6 Watt 230Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam Angle 64° P  
L: 13 W: 2.5-4.5 H: 16 cm



**[ DROPLET ]**  
**9522102**



Sandy Black Aluminium & Acrylic  
LED 6 Watt 230Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam Angle 64° P  
L: 13 W: 2.5-4.5 H: 16 cm



IP65



**[ TUNE ]**  
**9529712**



Sandy White Aluminium & Acrylic  
LED 9 Watt 620Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam Angle 112° P  
D: 15 W: 5.5 cm



**[ TUNE ]**  
**9529713**



Sandy Black Aluminium & Acrylic  
LED 9 Watt 620Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam Angle 112° P  
D: 15 W: 5.5 cm



**[ TUNE ]**  
**9529720**



Sandy White Aluminium & Acrylic  
LED 9 Watt 620Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam Angle 115° P  
L: 15 W: 5.5 H: 15 cm



**[ TUNE ]**  
**9529721**



Sandy Black Aluminium & Acrylic  
LED 9 Watt 620Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam Angle 115° P  
L: 15 W: 5.5 H: 15 cm








IP44




**[ ZENITH ]**  
**713212**

Dark Gray Aluminium  
White Acrylic Diffuser  
LED E27 1x12 Watt P  
220-240 Volt  
Bulb Excluded  
L: 23 W: 9.5 H: 26.4 cm




**[ ZENITH ]**  
**713514**

Dark Gray Aluminium  
White Acrylic Diffuser  
LED E27 1x12 Watt P  
220-240 Volt  
Bulb Excluded  
L: 23 W: 9.5 H: 26.4 cm




**[ ZENITH ]**  
**713115**

White Aluminium  
White Acrylic Diffuser  
LED E27 1x12 Watt P  
220-240 Volt  
Bulb Excluded  
L: 30.5 W: 9 H: 10.5 cm



**[ ZENITH ]**  
**713114**

Antique Brown Aluminium  
White Acrylic Diffuser  
LED E27 1x12 Watt P  
220-240 Volt  
Bulb Excluded  
L: 30.5 W: 9 H: 10.5 cm



**[ ZENITH ]**  
**713113**

Dark Gray Aluminium  
White Acrylic Diffuser  
LED E27 1x12 Watt P  
220-240 Volt  
Bulb Excluded  
L: 30.5 W: 9 H: 10.5 cm



IP44




IP65




**[ FUENTO ]**  
**9790541**

White Sand one  
Glass diffuser  
L G W H cm  
L G W H cm  
L G W H cm




**[ FUENTO ]**  
**9790542**

Galconee  
Glass diffuser  
L G W H cm  
L G W H cm  
L G W H cm





**[ FUENTO ]**  
**9790551**

White Sand one  
Glass diffuser  
L G W H cm  
L G W H cm  
L G W H cm



**[ FUENTO ]**  
**9790552**

Galconee  
Glass diffuser  
L G W H cm  
L G W H cm  
L G W H cm







**[ LIDO  
9790531 ]**

White Sand one  
Glass  
L G Wa P  
ol lb cl ded  
i n  
W H cm  
BULB EXCL. IP65 A++ A



**[ LIDO  
9790532 ]**

Galence  
Glass  
L G Wa P  
ol lb cl ded  
i n  
W H cm  
BULB EXCL. IP65 A++ A



**[ LIDO  
9790521 ]**

White Sand one  
Glass  
L G Wa P  
ol lb cl ded  
i n  
W H cm  
BULB EXCL. IP65 A++ A




**[ LIDO  
9790522 ]**


Galence  
Glass  
L G Wa P  
ol lb cl ded  
i n  
W H cm  
BULB EXCL. IP65 A++ A




IP65








IP54




**[ CADMO ]**  
**71615601**  
Concrete & Aluminium  
LED G9 1x5 Watt  
220-240 Volt P  
i n  
L: 13 W: 13 H: 13 cm  
SULB EXCL. IP54 A++-A



IP65




**[ CADMO ]**  
**9162141**  
Concrete & Aluminium  
Osram LED 1x6 Watt 270Lm  
220-240 Volt 50Hz K  
Beam Angle 45° P  
i n  
L: 10.9 W: 9.4 H: 12 cm  
LED IP65 WARM WHITE A++-A DRIVER INCL.



**[ CADMO ]**  
**9162121**  
Concrete & Aluminium  
Osram LED 1x7 Watt 310Lm  
220-240 Volt 50Hz K  
Beam Angle 45° P  
i n  
L: 10.7 W: 8.4 H: 12 cm  
LED IP65 WARM WHITE A++-A DRIVER INCL.



**[ CADMO ]**  
**9162142**  
Concrete & Aluminium  
Osram LED 2x3 Watt 270Lm  
220-240 Volt 50Hz K  
Beam Angle 45° P  
i n  
L: 10.9 W: 9.4 H: 16 cm  
LED IP65 WARM WHITE A++-A DRIVER INCL.




**[ CADMO ]**  
**9162122**  
Concrete & Aluminium  
Osram LED 2x3 Watt 270Lm  
220-240 Volt 50Hz K  
Beam Angle 45° P  
i n  
L: 10.7 W: 8.4 H: 16 cm  
LED IP65 WARM WHITE A++-A DRIVER INCL.






**[ ZERINO ]**  
**9162204**



G a n c e e & Aluminium  
LED 1x6 Watt 270Lm K  
220-240 Volt 50Hz  
Beam Angle 60° P  
L: 14 W: 14 H: 14 cm



**[ ZERINO ]**  
**9161989**



G a n c e e & Aluminium  
LED 1x6 Watt 270Lm K  
220-240 Volt 50Hz  
Beam Angle 60° P  
L: 13 W: 13 H: 8 cm




**[ CADMO ]**  
**9162021**



G a n c e e & Aluminium  
LED 1x7 Watt 310Lm K  
220-240 Volt 50Hz  
Beam Angle 60° P  
L: 13 W: 13 H: 13 cm




**[ ZERINO ]**  
**9161947**



G a n c e e & Aluminium  
LED 1x6 Watt 270Lm K  
220-240 Volt 50Hz  
Beam Angle 60° P  
L: 18 W: 10.4 H: 8.8 cm




**[ ZERINO ]**  
**9161968**




G a n c e e & Aluminium  
LED 1x6 Watt 270Lm K  
220-240 Volt 50Hz  
Beam Angle 60° P  
L: 21 W: 10 H: 10 cm



**[ ZERINO ]**  
**9162164**



G a n c e e & Aluminium  
LED 1x6 Watt 270Lm K  
220-240 Volt 50Hz  
Beam Angle 60° P  
L: 28 W: 13 H: 14 cm







CEILING





**[ FOCUS ]**  
**752462**



Sandy White Aluminium  
Glass Diffuser  
Gx53 7 Watt 3000K  
220-240 Volt 50Hz  
Beam Angle 77° P  
D: 10 H: 6.5 cm



**[ CECI ]**  
**9220021**



Sandy White Aluminium  
Glass Diffuser  
Osram LED 3 Watt 230Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam 52° P  
D: 5.5 H: 11 cm



**[ CECI ]**  
**9200612**



Sandy White Aluminium  
Glass Diffuser  
Osram LED 6 Watt 520Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam 76° P  
D: 9 H: 11 cm



**[ CECI ]**  
**9220022**



Sandy Black Aluminium  
Glass Diffuser  
Osram LED 3 Watt 230Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam 52° P  
D: 5.5 H: 11 cm



**[ CECI ]**  
**9200611**



Sandy Black Aluminium  
Glass Diffuser  
Osram LED 6 Watt 520Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam 76° P  
D: 9 H: 11 cm







**[ CERISE ]**  
**9020021**

Dark Gray Die-Casting  
Aluminium & Glass Diffuser  
LED GU10 1x7 Watt P  
220-240 Volt lb cl ded  
D: 6 H: 10.5 cm





**[ CERISE ]**  
**9040021**



White Die-Casting  
Aluminium & Glass Diffuser  
LED GU10 1x7 Watt P  
220-240 Volt lb cl ded  
D: 6 H: 10.5 cm





**[ CERISE ]**  
**9020061**

Dark Gray Die-Casting  
Aluminium & Glass Diffuser  
LED GU10 1x7 Watt P  
220-240 Volt lb cl ded  
D: 9 H: 9 cm


**[ CERISE ]**  
**9040061**



White Die-Casting  
Aluminium & Glass Diffuser  
LED GU10 1x7 Watt P  
220-240 Volt lb cl ded  
D: 9 H: 9 cm





**[ CERISE ]**  
**9020022**

Dark Gray Die-Casting  
Aluminium & Glass Diffuser  
LED GU10 1x7 Watt P  
220-240 Volt lb cl ded  
L: 8.6 W: 8.6 H: 9 cm


**[ CERISE ]**  
**9040022**

White Die-Casting  
Aluminium & Glass Diffuser  
LED GU10 1x7 Watt P  
220-240 Volt lb cl ded  
L: 8.6 W: 8.6 H: 9 cm











**[ OLIVER ]**  
**9944603**

Sandy Black Aluminium  
Acrylic Diffuser  
LED 20 Watt 1550Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam Angle 92° P  
D: 27 H: 7 cm




**[ OLIVER ]**  
**9944603**

Sandy White Aluminium  
Acrylic Diffuser  
LED 20 Watt 1550Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam Angle 92° P  
D: 27 H: 7 cm




IP65







IP54




**[ TOMMY ]**  
**9521001**

Dark Gray ABS & Acrylic Diffuser  
LED 30 Watt 2400Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 85° P  
AC Driver Included  
D: 32 H: 6 cm



**[ TOMMY ]**  
**9521002**

Dark Gray ABS & Acrylic Diffuser  
LED 24 Watt 1920Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 85° P  
AC Driver Included  
L: 28 W: 28 H: 6 cm













**BLADE**  
**9232116**

White Aluminium  
LED 12 Watt 720Lm 3000K  
CRI>90 Beam 38° P  
D: 7.8 H: 7.5 cm



**BLADE**  
**9232115**

Black Aluminium  
LED 12 Watt 720Lm 3000K  
CRI>90 Beam 38° P  
D: 7.8 H: 7.5 cm



**BLADE**  
**9232119**

White Aluminium  
LED 12 Watt 720Lm 3000K  
CRI>90 Beam 38° P  
D: 8.5 H: 5.4 cm



**BLADE**  
**9232120**

Black Aluminium  
LED 12 Watt 720Lm 3000K  
CRI>90 Beam 38° P  
D: 8.5 H: 5.4 cm



Rotating

**BLADE**  
**9232117**


White Aluminium  
LED 12 Watt 720Lm 3000K  
CRI>90 Beam 38° P  
D: 9 H: 4.7 cm



Rotating

**BLADE**  
**9232118**

Black Aluminium  
LED 12 Watt 720Lm 3000K  
CRI>90 Beam 38° P  
D: 9 H: 4.7 cm



IP65







# STEP LIGHTS



IP54




[ LIV 9018061 ]

White ceiling  
 Minimum Glare  
 L W H cm  
 Lm  
 K  
 Beam Angle ° P  
 L W H cm



[ LIV 9018062 ]

Dark ceiling  
 Minimum Glare  
 L W H cm  
 Lm  
 K  
 Beam Angle ° P  
 L W H cm







**[ KRYPTON ]**  
**710446**

Dark Gray Aluminium & Glass  
LED 6 Watt 480Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 31° P  
D: 16 W: 9.6 cm



**[ KRYPTON ]**  
**726408**

Dark Gray Aluminium  
LED 3 Watt 270Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 15° P  
L: 8.5 W: 5 H: 8.5 cm



**[ KRYPTON ]**  
**752250**

Dark Gray Aluminium  
LED 6 Watt 480Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 32° P  
L: 15 W: 7.5 H: 15 cm




**IP65**

**IP54**




**[ LUTON ]**  
**8403624**

Dark Gray ABS  
LED 1.2 Watt  
90Lm 3000K P  
CRI>80 100-220 Volt 50Hz  
RC Driver Included  
L: 12.5 W: 3.3 H: 12.5 cm




**[ LUTON ]**  
**8403622**

Dark Gray ABS  
LED 1.6 Watt  
100Lm 3000K P  
CRI>80 100-220 Volt 50Hz  
RC Driver Included  
L: 23 W: 3.3 H: 8 cm



**[ LUTON ]**  
**8403626**

Dark Gray ABS  
LED 1.2 Watt  
150Lm 3000K P  
CRI>80 100-220 Volt 50Hz  
RC Driver Included  
L: 12.5 W: 3.3 H: 8.3 cm








IP54




**[ PULSAR ]**  
**812302**

Dark Gray ABS  
LED 4 Watt 320Lm 3000K  
CRI>80 220-220 Volt 50Hz  
Beam Angle 32° P  
AC Driver Included  
L: 14 W: 3 H: 14 cm




**[ PULSAR ]**  
**811201**

Dark Gray ABS  
LED 2 Watt 160Lm 3000K  
CRI>80 220-220 Volt 50Hz  
Beam Angle 29° P  
AC Driver Included  
L: 12 W: 3 H: 12 cm




**[ PULSAR ]**  
**812102**

Dark Gray ABS  
LED 4 Watt 320Lm 3000K  
CRI>80 220-220 Volt 50Hz  
Beam Angle 38° P  
AC Driver Included  
L: 23 W: 3 H: 10 cm



**[ PULSAR ]**  
**811502**

Dark Gray ABS  
LED 2 Watt 160Lm 3000K  
CRI>80 220-220 Volt 50Hz  
Beam Angle 32° P  
AC Driver Included  
L: 23 W: 3 H: 8 cm




IP54




**[ PULSAR ]**  
**811501**

Dark Gray ABS  
Acrylic Diffuser  
LED 4 Watt 320Lm 3000K  
CRI>80 220-220 Volt 50Hz  
Beam Angle 62° P  
AC Driver Included  
L: 23 W: 3 H: 8 cm




**[ PULSAR ]**  
**812103**

Dark Gray ABS  
Acrylic White Diffuser  
LED 6 Watt 480Lm 3000K or 4000K  
CRI>80 220-220 Volt 50Hz  
Beam Angle 67° P  
AC Driver Included  
L: 23 W: 10 H: 6.5 cm



**[ PULSAR ]**  
**812104**

Dark Gray ABS  
Acrylic White Diffuser  
LED 6 Watt 480Lm 3000K or 4000K  
CRI>80 220-220 Volt 50Hz  
Beam Angle 48° P  
AC Driver Included  
L: 23 W: 10 H: 6.7 cm








**[ JOYA ]**  
**9944141**

Sandy Black Aluminium  
LED 3 Watt 48Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam Angle 21° IP65  
D: 6.5 W: 4 H: 6 cm  
Cut Out: 5.5 cm



IP65




**[ JOYA ]**  
**9944142**

Sandy Black Aluminium  
LED 3 Watt 54Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam Angle 19° IP65  
D: 6.5 W: 4 H: 6 cm  
Cut Out: 5.5 cm




**[ COVE ]**  
**9083011**

Mat White ie a ing I mini m  
Gla iff e  
L Wa Lm  
K ol  
eam ngle ° IP54  
L W H cm  
J nc ion o No Incl ded  
Cut Out: L: 13.2 W: 5 H: 7.4 cm




IP54



**[ COVE ]**  
**9083021**

Mat White ie a ing I mini m  
Gla iff e  
L Wa Lm  
K ol  
eam ngle ° IP54  
L W H cm  
J nc ion o No Incl ded  
Cut Out: L: 7.4 W: 5 H: 13.2 cm







**[ KRYPTON ]**  
**726407**

Dark Gray Aluminium  
LED 3 Watt 270Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 27° IP54  
D: 8 W: 5.5 cm  
Cut Out: D: 7.7 x W: 5.3 cm



**[ KRYPTON ]**  
**727002**

Dark Gray Aluminium  
LED 3 Watt 270Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 15° IP54  
L: 8 W: 7 H: 8 cm  
Cut Out: L: 6.4 x W: 6.7 cm




**[ KRYPTON ]**  
**727001**

White Aluminium  
LED 3 Watt 270Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 15° IP54  
L: 8 W: 7 H: 8 cm  
Cut Out: L: 6.4 x W: 6.7 cm




IP54

IP54




**[ KRYPTON ]**  
**726402**

White Aluminium  
LED 3 Watt 270Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 15° IP54  
L: 11 W: 6 H: 7 cm  
Cut Out: 10.2 x 6.5 cm



**[ KRYPTON ]**  
**726401**

Dark Gray Aluminium  
LED 3 Watt 270Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 15° IP54  
L: 11 W: 6 H: 7 cm  
Cut Out: 10.2 x 6.5 cm










**[ KRYPTON ]**  
**726405**

White Aluminium  
LED 3 Watt 270Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 17° IP54  
L: 13.5 W: 8 H: 5.5 cm  
Cut Out: 12.7 x 4.5 cm



**[ KRYPTON ]**  
**726406**

Dark Gray Aluminium  
LED 3 Watt 270Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 17° IP54  
L: 13.5 W: 8 H: 5.5 cm  
Cut Out: 12.7 x 4.5 cm




IP54

IP54




**[ KRYPTON ]**  
**726403**

White Aluminium  
LED 1.5 Watt 145Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 17° IP54  
L: 8.5 W: 8 H: 5.5 cm  
Cut Out: 8.1 x 4.2 cm



**[ KRYPTON ]**  
**726404**

Dark Gray Aluminium  
LED 1.5 Watt 145Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam Angle 17° IP54  
L: 8.5 W: 8 H: 5.5 cm  
Cut Out: 8.1 x 4.2 cm







**[ PASSAGGIO ]**  
**8090801**

White Aluminium  
LED 1 Watt 60Lm 3000K  
CRI>80 3 Volt 50Hz IP54  
L: 3.7 W: 2.2 H: 3.7 cm  
Cut Out: 3.2 cm  
Cable Length 1.80m  
Connect it with driver 9020170



**[ PASSAGGIO ]**  
**9045418**

Black Aluminium  
LED 1 Watt 60Lm 3000K  
CRI>80 3 Volt 50Hz IP54  
L: 3.7 W: 2.2 H: 3.7 cm  
Cut Out: 3.2 cm  
Cable Length 1.80m  
Connect it with driver 9020170



**[ PASSAGGIO ]**  
**9045514**

White Aluminium  
LED 1 Watt 60Lm 3000K  
CRI>80 3 Volt 50Hz IP54  
L: 3.7 W: 2.2 H: 3.7 cm  
Cut Out: 3.2 cm  
Cable Length 1.80m  
Connect it with driver 9020170



**[ PASSAGGIO ]**  
**8058001**

White Aluminium  
LED 1 Watt 60Lm 3000K  
CRI>80 3 Volt 50Hz IP54  
L: 3.9 W: 2.2 H: 3.9 cm  
Cut Out: 3.4 cm  
Cable Length 1.80m  
Connect it with driver 9020170



**[ PASSAGGIO ]**  
**9031616**

White Aluminium  
LED 1 Watt 60Lm 3000K  
CRI>80 3 Volt 50Hz IP54  
D: 3.7 W: 2.2 H: 3.7 cm  
Cut Out: 3.2 cm  
Cable Length 1.80m  
Connect it with driver 9020170




**[ PASSAGGIO ]**  
**9002601**

White Aluminium  
LED Chip Cree 2 Watt 80Lm  
CRI>80 100-240 Volt 50Hz 3000K  
Beam 49° IP54  
D: 5 W: 5 H: 5 cm  
Cut Out: 4.5 cm  
Driver Included



IP54







**[ BANG  
8038801 ]**

White Aluminium  
LED 1 Watt 60Lm  
CRI>80 3 Volt 50Hz  
3000K IP67  
D: 3.7 H: 5.3 cm  
Cut Out: 3.2 cm



**[ BANG  
8038401 ]**

White Aluminium  
LED 1 Watt 60Lm  
CRI>80 3 Volt 50Hz  
3000K IP67  
D: 3.7 H: 5.3 cm  
Cut Out: 3.2 cm



**[ BANG  
8039001 ]**

White Aluminium  
LED 1 Watt 60Lm  
CRI>80 3 Volt 50Hz  
3000K IP67  
D: 3.7 H: 5.3 cm  
Cut Out: 3.2 cm



**[ DRIVER  
9020170 ]**



i e W MINI IP  
Inp Hz  
O p  
m No immable

CABLE LENGTH 1.80m

DON T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170

**IP67 WATERPROOF**







**[ BANG ]**  
**9203113**

Satin Nickel Aluminium  
LED 1 Watt 60Lm 3000K IP67  
CRI>80 100-240 Volt 50Hz  
Beam 42° Driver Included  
D: 4.2 H: 7 cm  
Cut Out: 3.7 cm



**[ BANG ]**  
**9203111**

Satin Nickel Aluminium  
LED 1 Watt 60Lm 3000K IP67  
CRI>80 100-240 Volt 50Hz  
Beam 42° Driver Included  
D: 4.2 H: 9 cm  
Cut Out: 3.7 cm



**[ BANG ]**  
**9203112**

Satin Nickel Aluminium  
LED 1 Watt 60Lm 3000K IP67  
CRI>80 100-240 Volt 50Hz  
Beam 51° Driver Included  
D: 4.2 H: 9 cm  
Cut Out: 3.7 cm



**[ BANG ]**  
**9019212**

Satin Nickel Aluminium  
LED 1 Watt 60Lm 3000K  
CRI>80 3 Volt 50Hz IP67  
D: 3.7 H: 5.3 cm  
Cut Out: 3.2 cm  
Cable Length 1.80m  
Connect it with driver 9020170



**[ BANG ]**  
**9019213**

Satin Nickel Aluminium  
LED 1 Watt 60Lm 3000K  
CRI>80 3 Volt 50Hz IP67  
D: 3.7 H: 5.3 cm  
Cut Out: 3.2 cm  
Cable Length 1.80m  
Connect it with driver 9020170



**[ DRIVER ]**  
**9020170**

i e W MINI IP  
Inp Hz  
O p  
m No immmable

**IP67 WATERPROOF**







PORTABLE



IP20 PORTABLE



**[ COLT 9223400 ]**

immabile  
 Sand lack ie a ing  
 I mini m c lic  
 L Wa Lm K IP44  
 eam ngle ° ol  
 o ch Lamp a e S Wi e  
 W H cm



**[ COLT 9223401 ]**

immabile  
 Sand White ie a ing  
 I mini m c lic  
 L Wa Lm K IP44  
 eam ngle ° ol  
 o ch Lamp a e S Wi e  
 W H cm



**[ COLT 9121912 ]**

immabile  
 Sand lack ie a ing  
 I mini m c lic  
 L Wa Lm K IP44  
 eam ngle ° ol  
 o ch Lamp a e S Wi e  
 W H cm



**[ COLT 9121911 ]**


immabile  
 Sand White ie a ing  
 I mini m c lic  
 L Wa Lm K IP44  
 eam ngle ° ol  
 o ch Lamp a e S Wi e  
 W H cm








Play  
Our  
Music



Connect your phone, tablet or computer to the magnificently sounding of Jam, Ray and Maya families which are compatible with a Bluetooth Speaker that truly has to be heard to be believed, with stereo sound that will awaken your musical soul with its stunning quality and audio.




IP20 PORTABLE / MUSIC 




**[ MAYA ]**  
**9180322**

immable  
Gray & White ABS & Iron  
Silicone Rubber  
LED 1.5 Watt 30Lm 3000K  
a e S Wi e IP20  
D: 7.7 H: 15-23 cm




**[ MAYA ]**  
**9180321**

immable  
Black & White ABS & Iron  
Silicone Rubber  
LED 1.5 Watt 30Lm 3000K  
a e S Wi e IP20  
D: 7.7 H: 15-23 cm




**[ RAY ]**  
**9180372**

immable  
White ABS & Iron  
Silicone Rubber  
LED 2.5 Watt 40Lm 3000K  
a e S Wi e IP20  
D: 9.3 H: 16.5-23 cm




**[ RAY ]**  
**9180371**

immable  
Black & White ABS & Iron  
Silicone Rubber  
LED 2.5 Watt 40Lm 3000K  
a e S Wi e IP20  
D: 9.3 H: 16.5-23 cm



**[ JAM ]**  
**9180391**

immable  
Black Iron & Clear ABS  
LED 5 Watt 10Lm 3000K  
a e S Wi e IP20  
D: 11 H: 19.5 - 24 cm















**SPIKES**





















**[ STAKE ]**  
**9271432**


 Lack I mini m Gla  
 L Wa Lm K  
 CRI>80 Volt 50Hz  
 beam angle ° IP65  
 W 9 H cm  








**[ STAKE ]**  
**9271492**


 Lack I mini m Gla  
 L Wa Lm K  
 CRI>80 Volt 50Hz  
 beam angle ° IP65  
 W H cm  








**[ STAKE ]**  
**9971455**


 Lack I mini m Gla  
 L Wa Lm K  
 CRI>80 Volt 50Hz  
 beam angle ° IP65  
 W H cm  








IP65







**[ INSIDE ]**  
**9010001**

Sandy Black Aluminium & Glass  
LED 3 Watt 180Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam angle 24° IP65  
D: 4.5 W: 9 H: 21-26 cm



**[ INSIDE ]**  
**9010003**

Sandy Black Aluminium & Glass  
LED 3 Watt 180Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam angle 24° IP65  
D: 4.2 W: 7 H: 21-24 cm



**[ INSIDE ]**  
**9010002**

Sandy Black Aluminium & Glass  
LED 7 Watt 420Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam angle 24° IP65  
D: 6.5 W: 13 H: 24-28 cm



**[ INSIDE ]**  
**9010005**

Sandy Black Aluminium & Glass  
LED 7 Watt 420Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam angle 24° IP65  
D: 6.5 W: 10 H: 24-28 cm



IP65




**[ BASE ]**  
**9010006**

Sandy Black Aluminium  
D: 5.5 W: 5.5 H: 4 cm  
Combine with 9010002 &  
9010005



**[ MINI ]**  
**9010004**

Sandy Black Aluminium & Glass  
LED 3 Watt 180Lm 3000K  
CRI>80 220-240 Volt 50Hz  
Beam angle 24° IP65  
D: 4.2 W: 7 H: 5.5-8 cm







IP54 GU10

**[ INSIDE ]**  
**767801**

Dark Gray Aluminium & Glass  
LED GU10 1x7 Watt  
IP54  
220-240 Volt Bulb Excluded  
D: 11 H: 20 cm

LED, IP54, Warm White, A++

**[ INSIDE ]**  
**875409**

Dark Gray Aluminium & Glass  
LED GU10 1x7 Watt  
IP54  
220-240 Volt Bulb Excluded  
D: 7.5 W: 15 H: 36 cm

Bulb Excl., IP54, A++

**[ NORTH ]**  
**9240677**

Black Aluminium & Glass  
LED 10 Watt 700Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam angle 38° IP65  
D: 9 W: 9.5 cm

LED, IP65, Warm White, A++

**[ NORTH ]**  
**9240678**

Black Aluminium & Glass  
LED 20 Watt 1500Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam angle 38° IP65  
D: 12 W: 18 cm

LED, IP65, Warm White, A++

**[ NORTH ]**  
**9240679**

Black Aluminium & Glass  
LED 30 Watt 2800Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam angle 38° IP65  
D: 15 W: 20.5 cm

LED, IP65, Warm White, A++

**[ NORTH ]**  
**742071**

Aluminium Dark Gray & Glass  
LED 18 Watt 1440Lm 3000K  
CRI>80 100-240 Volt 50Hz  
Beam angle 48° IP65  
W: 19.5 L: 13 H: 20-29 cm

LED, IP65, Warm White, A++

IP65








WALL WASHER





**[ WALL WASHER ]**  
**9011164**

Wall Washer RGB  
Sandy Black Aluminium & Glass  
LED Chip Epistar 36 Watt 3420Lm  
CRI>80 DC24V Adjustable  
Beam angle 30° IP67  
L: 100 W: 5.5 H: 12 cm  
Max Power 300 Watt




**[ CONTROLLER ]**  
**9011101**

DMX CONTROLLER  
Used to Control Max 1000 pcs


**RGB**




**INSTALLATION**



**CONNECTION**



**IP67 WATERPROOF**






Rotation 30°



**[ WALL WASHER ]**  
**9011161**

Wall Washer  
Sandy Black Aluminium & Glass  
LED Chip Cree 36 Watt 3670Lm 3000K  
CRI>80 DC24V Adjustable  
Beam angle 30° IP67  
L: 100 W: 6.5 H: 12 cm  
Max Power 300 Watt




Rotation 30°



**[ WALL WASHER ]**  
**9011162**

Wall Washer  
Sandy Black Aluminium & Glass  
LED Chip Cree 48 Watt 4700Lm 3000K  
CRI>80 DC24V Adjustable  
Beam angle 30° IP67  
L: 100 W: 6.5 H: 12 cm  
Max Power 300 Watt




**[ BRACKET ]**  
**9011163**


Brackets for 9011162  
2pcs Included



**INSTALLATION**



**CONNECTION**



**IP67 WATERPROOF**









Rotation 45°

**[ WALL WASHER ]**  
**9011102**


Wall Washer  
Satin Nickel Aluminium & Glass  
LED Chip Philips 15 Watt  
1200Lm 3000K  
CRI>80 DC24V  
Beam Angle 30° P  
L: 100 W: 2.5 H: 3.5 cm



**INSTALLATION**



**IP67 WATERPROOF / ULTRA THIN**



**IP67 WATERPROOF / ULTRA THIN / 7°**



**[ ALP ]**  
**9010009**

Sandy Black Aluminium & Glass  
LED Chip Cree 2x10 Watt 1200Lm  
CRI>80 220-240 Volt 50Hz 3000K  
Beam Angle 7° P  
D: 5.5 W: 7 H: 17 cm




**[ ALP ]**  
**9010008**

Sandy Black Aluminium & Glass  
LED Chip Cree 10 Watt 600Lm  
CRI>80 220-240 Volt 50Hz 3000K  
Beam Angle 7° P  
D: 5.5 W: 7 H: 10 cm



**INSTALLATION**



**ULTRA NARROW  
BEAM ANGLE 7°  
IP67 WATERPROOF**



code	page	code	page	code	page	code	page	code	page	code	page
710021	108	773224	112	9010005	178	9160101	86	9226214	92	9756800	10
710022	108	810066	88	9010006	178	9161947	130	9226215	92	9762161	76
710041	108	810067	88	9010008	189	9161968	130	9226216	92	9762162	76
710042	108	811201	153	9010009	189	9161989	130	9226217	92	9790021	78
710446	150	811501	152	9010601	114	9162021	130	9232115	144	9790022	78
711024	52	811502	153	9010602	114	9162121	129	9232116	144	9790521	126
713113	122	812102	153	9010621	115	9162122	129	9232117	144	9790522	126
713114	122	812103	152	9010622	115	9162141	129	9232118	144	9790531	126
713115	122	812104	152	9011101	184	9162142	129	9232119	144	9790532	126
713121	44	812302	153	9011102	188	9162164	130	9232120	144	9790541	124
713122	44	813101	54	9011161	186	9162204	130	9240677	181	9790542	124
713123	52	813104	54	9011162	186	9176101	8	9240678	181	9790551	124
713124	52	819502	46	9011163	186	9176102	8	9240679	181	9790552	124
713212	123	819503	46	9011164	184	9180321	172	9257871	102	9905021	58
713311	48	822642	28	9018061	148	9180322	172	9259361	98	9905022	58
713312	50	826423	28	9018062	148	9180371	172	9262111	102	9905023	58
713313	50	833426	86	9019212	164	9180372	172	9270015	119	9905024	56
713411	48	847406	90	9019213	164	9180391	172	9270016	119	9905025	56
713412	62	847407	90	9020021	136	9190101	18	9270027	118	9922350	14
713514	123	847408	90	9020022	136	9193101	66	9270028	118	9922360	12
726217	94	852436	94	9020061	136	9193102	66	9271431	34	9922510	12
726401	157	859438	30	9020170	162	9195061	42	9271432	176	9923500	14
726402	157	859439	30	9020170	164	9195062	42	9271433	34	9925665	106
726403	159	870026	70	9026001	22	9197701	68	9271491	34	9925666	106
726404	159	870045	70	9026002	22	9197702	68	9271492	176	9926617	116
726405	158	870426	72	9027201	105	9200201	107	9277151	21	9936101	38
726406	158	870445	72	9027202	105	9200202	107	9279111	26	9936102	38
726407	156	875409	180	9031616	160	9200611	134	9279112	26	9944141	154
726408	150	910021	110	9040021	136	9200612	134	9291701	24	9944142	154
727001	156	910022	110	9040022	136	9202131	84	9291702	24	9944602	138
727002	156	910041	110	9040061	136	9202261	84	9291703	24	9944603	138
740401	100	910042	110	9045418	160	9202262	84	9292211	98	9971451	35
740402	100	8038401	162	9045514	160	9203111	164	9297191	30	9971452	35
740403	100	8038801	162	9083011	155	9203112	164	9470581	80	9971455	176
740404	100	8039001	162	9083021	155	9203113	164	9470582	80	71371101	62
741661	104	8058001	160	9104021	40	9207167	31	9521001	140	71371102	62
741662	104	8090801	160	9104022	40	9207168	31	9521002	140	71615601	128
742071	181	8401030	96	9104835	84	9207615	20	9522101	121		
747406	90	8403622	151	9120621	16	9207616	20	9522102	121		
752250	150	8403624	151	9120622	16	9207912	26	9529712	120		
752462	134	8403626	151	9120711	18	9209211	60	9529713	120		
752470	96	9002601	160	9121911	168	9209212	60	9529720	120		
767801	180	9010001	178	9121912	168	9220021	134	9529721	120		
773221	112	9010002	178	9131201	36	9220022	134	9739351	76		
773222	112	9010003	178	9131202	36	9223400	168	9739352	76		
773223	112	9010004	178	9160081	116	9223401	168	9756500	10		

code	page	code	page	code	page	code	page	code	page	code	page
<b>A</b>											
50	ACQUA	178.180	INSIDE	24	RAMO						
86	AGILE	72	ISIDORA	172	RAY						
20.21	AGOSTO			56	ROCK						
189	ALP										
48	APOLLO										
<b>B</b>											
12	BALI										
162.164	BANG										
178	BASE	116.118.119	KEEN	100	SOHO						
18	BAY	150.156.157.158.159	KRYPTON	68	SORREN						
144	BLADE			176	STAKE						
46	BLISS			62	STICK						
186	BRACKET			30.31	SUITE						
86	BRIN			8	SURF						
<b>C</b>											
128.129.130	CADMO										
76	CASTRO										
134	CECI										
136	CERISE										
98	CHEZ										
168	COLT										
90.94.104	COMO										
184	CONTROLLER										
155	COVE										
<b>D</b>											
106	DARF										
28	DEVORA										
162.164	DRIVER										
121	DROPLET										
18	DYN										
<b>E</b>											
38	ENZI										
<b>F</b>											
34.35	FEND										
14	FIGI										
26.96.134	FOCUS										
80	FOX										
124	FUENTO										
105	FUNGO										
<b>G</b>											
78	GRANTE										
88	GRAVITY										
<b>I</b>											
178.180	INSIDE										
72	ISIDORA										
<b>J</b>											
172	JAM										
154	JOYA										
<b>K</b>											
116.118.119	KEEN										
150.156.157.158.159	KRYPTON										
<b>L</b>											
126	LIDO										
114.115	LIMBIO										
148	LIV										
54	LOCK										
66	LOEVE										
16	LOVETO										
116	LUPO										
151	LUTON										
<b>M</b>											
22	MAX										
172	MAYA										
102	MILE	184.186.188	WALL WASHER								
84	MILEY										
178	MINI										
<b>N</b>											
40	NED										
108.110	NERO										
112	NODUS										
181	NORTH										
58	NOTEN										
107	NUS										
<b>O</b>											
138	OLIVER										
<b>P</b>											
52	PARK										
160	PASSAGIO										
10	PAX										
88	PIER										
36	POSEN										
152.153	PULSAR										
60	PYRO										
<b>R</b>											
24	RAMO										
172	RAY										
56	ROCK										
<b>S</b>											
100	SOHO										
68	SORREN										
176	STAKE										
62	STICK										
30.31	SUITE										
8	SURF										
<b>T</b>											
140	TOMMY										
120	TUNE										
44	TWIN										
<b>V</b>											
84	VEIRO										
96	VITORIA										
42	VOLVER										
<b>W</b>											
184.186.188	WALL WASHER										
<b>Z</b>											
92	ZARI										
122.123	ZENITH										
130	ZERINO										
70	ZEST										