


NOVA LUCE

OUTDOOR
NEW




[MABEL]
9002869

Black Aluminium
& Clear Glass
LED 8.5 Watt 590Lm 3000K
CRI >80 220-240 Volt
Beam Angle 36° IP54
Dimension of cable 64 cm
L: 7.8 W: 7.8 H: 150 cm



[MABEL]
9002870

Black Aluminium
& Clear Glass
LED 17 Watt 1190Lm 3000K
CRI >80 220-240 Volt
Beam Angle 36° IP54
Dimension of cable 35 cm
L: 48.9 W: 20.1 H: 201.2 cm





[STONE]
9002850

White Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 12 W: 15 H: 23 cm




[STONE]
9002851

Black Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 12 W: 15 H: 23 cm



[STONE]
9002860


Black Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 12 W: 12 H: 65 cm





[STARK]
9492660

Anthracite die-Casting Aluminium
& Frost Acrylic
LED 8.2 Watt 116Lm 3000K
CRI 83 UGR <21.9 220-240V
Beam Angle 168° IP65
D: 16 W: 16 H: 14.6 cm





FERRON
9060184

Dark Grey Aluminum
& Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded **IP65**
L: 13 W: 13 H: 50 cm



FERRON
9060185

Dark Grey Aluminum
& Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded **IP65**
L: 13 W: 13 H: 80 cm






[BRIGITTA]
9020929

Black Aluminium housing
& Anti-Glare Acrylic Diffuser
LED 6 Watt 3000K 501.50Lm
PF>0.8 CRI ≥80 100-240V
Life Time = 25000 HRs IP65
L : 12 W: 13.6 H: 60 cm




[BRIGITTA]
9020930

Black Aluminium housing
& Anti-Glare Acrylic Diffuser
LED 6 Watt 3000K PF>0.8
515.08Lm CRI ≥80 100-240V
Life Time = 25000 HRs IP65
L : 12 W: 15.5 H: 40 cm




[BRIGITTA]
9020928


Black Aluminium housing
& Anti-Glare Acrylic Diffuser
LED 6 Watt 3000K 503.66Lm
PF>0.8 CRI ≥80 100-240V
Life Time = 25000 HRs IP65
L : 12 W: 8.3 H: 20.8 cm



[BRIGITTA]
9020931


Black Aluminium housing
& Anti-Glare Acrylic Diffuser
LED 6 Watt 3000K 526.18Lm
PF>0.8 CRI ≥80 100-240V
Life Time = 25000 HRs IP65
L : 12 W: 15.5 H: 80 cm






[BRIGITTA]
9020925

Black Al.housing
& Anti-Glare Acrylic Diffuser
LED 6 Watt 3000K 341.27Lm
PF>0.8 CRI ≥80Ra 100-240V
Life Time = 25000 HRs IP65
L : 12 W: 7.2 H: 15 cm




[BRIGITTA]
9020921


Black Aluminium housing
& Anti-Glare Acrylic Diffuser
LED 6 Watt 3000K 334.86Lm
PF>0.8 CRI ≥80 100-240V
Life Time = 25000 HRs IP65
L : 12 W: 7.2 H: 40 cm



[BRIGITTA]
9020922


Black Aluminium housing
& Anti-Glare Acrylic Diffuser
LED 6 Watt 3000K 301.15Lm
PF>0.8 CRI ≥80 100-240V
Life Time = 25000 HRs IP65
L : 12 W: 7.2 H: 80 cm





BRIGITTA
9020926

Black Aluminium housing
& Anti-Glare Acrylic Diffuser
LED 9 Watt 3000K 571.53Lm
PF>0.8 CRI ≥80 100-240V
Life Time = 25000 HRs IP65
L : 12 W: 9.4 H: 15 cm





BRIGITTA
9020923

Black Aluminium housing
& Anti-Glare Acrylic Diffuser
LED 9 Watt 3000K 590.66Lm
PF>0.8 CRI ≥80 100-240V
Life Time = 25000 HRs IP65
L : 12 W: 9.4 H: 40 cm



BRIGITTA
9020924

Black Aluminium housing
& Anti-Glare Acrylic Diffuser
LED 9 Watt 3000K 571.36Lm
PF>0.8 CRI ≥80 100-240V
Life Time = 25000 HRs IP65
L : 12 W: 9.4 H: 80 cm







[**OFIR**
9002866]

Black Aluminium & Acrylic
LED 10.3 Watt 660Lm 3000K
CRI>80 200-240 Volt
Beam Angle 92° IP54
D: 8 W: 7 H: 16 cm




[**OFIR**
9002867]


Black Aluminium & Acrylic
LED 10.3 Watt 660Lm 3000K
CRI>80 200-240 Volt
Beam Angle 92° IP54
L: 16 W: 9.3 H: 50 cm



[**OFIR**
9002868]


Black Aluminium & Acrylic
LED 10.3 Watt 660Lm 3000K
CRI>80 200-240 Volt
Beam Angle 92° IP54
L: 16 W: 9.3 H: 75 cm






[POET]
9492780

Anthracite die-Casting Aluminium
& Clear Glass
LED 16 Watt 1177Lm 3000K
CRI 83 UGR <20.4 220-240V
Beam Angle 90° IP65
L : 23.5 W: 10 H: 65 cm




[POET]
9492770

Anthracite die-Casting Aluminium
& Clear Glass
LED 8 Watt 560Lm 3000K
CRI 82 UGR <17.9 220-240V
Beam Angle 94° IP65
L: 13.5 W: 10 H: 65 cm






[PORTAL]
9002840



Black Aluminium & Acrylic
LED 13.5 Watt 890Lm 3000K
CRI>80 200-240 Volt
Beam Angle 296° IP54
L: 17.8 W: 6.9 H: 30 cm



[PORTAL]
9002841




Black Aluminium & Acrylic
LED 13.5 Watt 890Lm 3000K
CRI>80 200-240 Volt
Beam Angle 296° IP54
L: 17.8 W: 6.9 H: 65 cm






[ADURO]
9002871

Black Aluminium
& Acrylic
LED 7.6 Watt 460Lm 3000K
CRI>80 200-240 Volt
Beam Angle 78° IP54
D: 7.5 W: 11.7 H: 35 cm



[ADURO]
9002872


Black Aluminium
& Acrylic
LED 7.6 Watt 460Lm 3000K
CRI>80 200-240 Volt
Beam Angle 78° IP54
D: 7.5 W: 11.7 H: 65 cm





[TIEN]
9002878

Black Aluminium
& Clear Glass
LED 8.5 Watt 470Lm 3000K
CRI>80 200-240 Volt
Beam Angle 55° IP54
D: 9 W: 9 H: 25 cm



[TIEN]
9002879

Black Aluminium
& Clear Glass
LED 8.5 Watt 470Lm 3000K
CRI>80 200-240 Volt
Beam Angle 55° IP54
D: 9 W: 9 H: 65 cm







[CETERA]
9002873

Black Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 W: 14.1 H: 21 cm




[CETERA]
9002874

Black Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 W: 9 H: 50 cm



[CETERA]
9002875

Black Aluminium
& Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 W: 9 H: 90 cm





[ZOSIA]
9060182

Dark Grey Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 9 H: 50 cm




[ZOSIA]
9060183

Dark Grey Aluminum
& Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 9 H: 80 cm






[SELENA]
9492740



Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded **IP65**
L: 8.5 W: 9.8 H: 16 cm



[SELENA]
9492750




Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded **IP65**
D: 8.5 W: 8.5 H: 65 cm





[SELENA]
9492720


Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded **IP65**
D: 9 W: 10.1 H: 17.1 cm



[SELENA]
9492730

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded **IP65**
D: 9 W: 9 H: 65 cm







[OMIKA]
9060195

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded **IP54**
D: 15 W: 15 H: 88.5 cm



[OMIKA]
9060197

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded **IP54**
D: 15 W: 15 H: 88.5 cm



[OMIKA]
9060196


Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded **IP54**
D: 15 W: 15 H: 37 cm



[OMIKA]
9060194

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded **IP54**
D: 15 W: 15 H: 28 cm






**[FIGO
9060192]**


Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded **IP54**
L: 11 W: 15 H: 24.5 cm



**[FIGO
9492500]**



Anthracite Aluminium
Die-casting & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded **IP65**
L: 14.5 W: 20.5 H: 43 cm



**[FIGO
9060193]**



Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded **IP54**
L: 11 W: 11 H: 50 cm





REGINA
9492710

Anthracite Die-Casting Aluminum
& Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded **IP65**
L: 15.2 W: 12.2 H: 29.5 cm



REGINA
9492760

Anthracite Die-Casting Aluminum
Clear & Frost Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded **IP65**
L: 13.8 W: 10 H: 23.8 cm



REGINA
9492442

Anthracite Aluminium Die-casting
& Clear Glass
LED E27 2x12 Watt 220-240 Volt
Bulb Excluded **IP65**
L: 8.6 W: 9 H: 34.8 cm








[VALOR]
9492540




Anthracite Die-Casting Aluminium & Frost Acrylic
LED 2 Watt 104Lm 3000K
CRI >83 UGR <4.8 DC 3.7V
Beam Angle 86° IP65
Switch On/Off
L: 18.6 W: 7.2 H: 14 cm



[JIGRA]
9492510




Anthracite die-Casting Aluminium & Clear Glass
LED 2 Watt 197Lm 3000K
CRI 82 UGR <11.4 DC 3.7 Volt
Beam Angle 100° IP65
L: 18 W: 17.5 H: 3.5 cm




[TRENDO]
9492520


Anthracite die-Casting Aluminium & Clear Glass
LED 2 Watt 219Lm 3000K
CRI >80 UGR <10.1 DC 3.7V
Beam Angle 106° IP65
Switch On/Off
L: 12.2 W: 14.6 H: 50 cm



[MARTA]
9492530


Anthracite die-Casting Aluminium & Clear Glass
LED 1 Watt 57Lm 3000K
CRI >81 UGR <5.9 DC 3.7V
Beam Angle 54° IP65
Switch On/Off
L: 11.3 W: 8.9 H: 11.2 cm






[ZENON]
9492610


Anthracite die-Casting
Aluminium & Frost Acrylic
LED 10 Watt 558Lm 3000K
CRI >83 UGR <24.2 220-240V
Beam Angle 114° IP65
L: 18 W: 7.5 H: 9 cm



[CAPE]
9492550


Anthracite die-Casting Aluminium
& Frost Acrylic & Clear Glass
LED 10 Watt 763Lm 3000K
CRI >83 UGR <20.5 220-240V
Beam Angle 112° IP65
L: 20 W: 7.4 H: 20 cm






[FEDOR]
9492630

Anthracite die-Casting Aluminium
& Clear Glass
LED 7.7 Watt 282Lm 3000K
CRI >80 UGR <32.4 220-240V
Beam Angle 253° IP65
L: 15.6 W: 3.8 H: 9.7 cm





[COMBO]
9492600

Anthracite die-Casting Aluminium
& Clear Acrylic
LED 7.5 Watt 265Lm 3000K
CRI >82 UGR <27.8 220-240V
Beam Angle 170° IP65
D: 16 W: 4.6 H: 15.5 cm



[GOA]
9192171


Anthracite Die-Casting Aluminium
& Clear Acrylic
LED G9 1x5 Watt
220-240 Volt
Bulb Excluded IP65
D: 7.7 W: 7.6 H: 14.4 cm







[PARRIS]
9492620

Anthracite die-Casting Aluminium
& Clear Glass
LED 8.6 Watt 395Lm 3000K
CRI 82 UGR <19 220-240V
Beam Angle 101° IP65
L: 12 W: 12 H: 11.5 cm




[SERIKA]
9492580

Anthracite die-Casting Aluminium
& Clear Glass
LED 8 Watt 188Lm 3000K
CRI >81 UGR <25.9 220-240V
Beam Angle 222° IP65
D: 11 W: 6 H: 11 cm




[ZARO]
9492650

Anthracite die-Casting Aluminium
& Clear Glass
LED 10.4 Watt 639Lm 3000K
CRI 84 UGR <34 220-240V
Beam Angle 266° IP65
L: 9 W: 5.5 H: 10.2 cm



[DEWI]
9492640


Anthracite die-Casting Aluminium
& Clear Glass
LED 7.7 Watt 296Lm 3000K
CRI >80 UGR <32.4 220-240V
Beam Angle 253° IP65
L: 11.8 W: 3.8 H: 9.7 cm






[VIDENO]
9492590

Anthracite die-Casting Aluminium
& Clear Glass
LED 10 Watt 302Lm 3000K
CRI >81 UGR <30.9 220-240V
Beam Angle 270° IP65
L: 20 W: 10.3 H: 5.5 cm




[ZIRI]
9492570

Anthracite die-Casting Aluminium
& Clear Glass
LED 10 Watt 284Lm 3000K
CRI >85 UGR <12.9 220-240V
Beam Angle 96° IP65
D: 18 W: 11.6 H: 4 cm



[PURE]
9492560


Anthracite die-Casting Aluminium
& Frost Acrylic
LED 6 Watt 299Lm 3000K
CRI >83 UGR <18.9 220-240V
Beam Angle 103° IP65
L: 16 W: 10.2 H: 3.4 cm






[SANTO]
9020933

Dark Gray Stainless metal
& Anti-glare Acrylic diffuser
LED E27 1x12 Watt
220-240 Volt IP44
Bulb Excluded
L: 30.3 W: 9 H: 10 cm



[SANTO]
9020932

Dark Gray Stainless metal
& Anti-glare Acrylic diffuser
LED E27 1x12 Watt
220-240 Volt IP44
Bulb Excluded
L: 30.3 W: 9 H: 10 cm









**[FABIO
9492441]**

Dimmable
Black Die-Casting Aluminium
& Frost Acrylic
LED 2 Watt 280Lm 3000K
CRI 84 DC3.7 Volt
Beam Angle 83° IP54
Switch On/Off / USB Wire4
D: 19 W: 19 H: 38 cm




**[FUMO
9002863]**

Dimmable
White Aluminium
& Acrylic
LED 2 Watt 230Lm 3000K
CRI >80 220-240 Volt
Beam Angle 163° IP54
Switch On/Off / USB Wire4
D: 11.8 W: 11.8 H: 30 cm



**[FUMO
9002864]**

Dimmable
Black Aluminium
& Acrylic
LED 2 Watt 230Lm 3000K
CRI >80 220-240 Volt
Beam Angle 163° IP54
Switch On/Off / USB Wire4
D: 11.8 W: 11.8 H: 30 cm




- Charging time: 7-10hrs
- Touch 1: 100% of light - 4hrs
 - Touch 2: 40% of light - 10 hrs
 - Touch 3: 10% of light - 50 hrs



Charging time: 7-10hrs


- Touch 1: 100% of light - 4hrs
- Touch 2: 40% of light - 10 hrs
- Touch 3: 10% of light - 50 hrs



VERHAAL
9002862

Dimmable


Black Aluminium
& Clear Glass
LED 2 Watt 200Lm 3000K
CRI >80 220-240 Volt
Beam Angle 360° IP54
Solar / USB Wire / Switch On/Off
D: 16 W: 16 H: 47.5 cm



VERHAAL
9002861

Dimmable

White Aluminium
& Clear Glass
LED 2 Watt 200Lm 3000K
CRI >80 220-240 Volt
Beam Angle 360° IP54
Solar / USB Wire / Switch On/Off
D: 16 W: 16 H: 47.5 cm




IP54 PORTABLE SOLAR






JIGRA
9002876

Dimmable
Black Aluminium
& Acrylic
LED 2 Watt 200Lm 3000K
CRI 80 220-240 Volt
Beam Angle 306° IP54
Switch On/Off / USB Wire4
D: 16 W: 16 H: 22.8 cm




JIGRA
9002877

Dimmable
Black Aluminium
& Acrylic
LED 2 Watt 210Lm 3000K
CRI 80 220-240 Volt
Beam Angle 339° IP54
Switch On/Off / USB Wire4
D: 16 W: 16 H: 22 cm





MOCHA
9492700




Anthracite die-Casting Aluminium
& Clear Glass
LED 2 Watt 191Lm 3000K
CRI 82 UGR <12.5 DC 3.7V
Beam Angle 96° IP54
D: 15 W: 15 H: 35 cm






**[RIO
9492670]**



Anthracite die-Casting Aluminium
& Clear Glass
LED 10.4 Watt 639Lm 3000K
CRI >84 UGR <34 220-240V
Beam Angle 266° IP65
L: 22.7 W: 3.5 H: 12.7 cm




**[VISION
9492690]**



Anthracite die-Casting Aluminium
& Clear Acrylic
LED 1.5 Watt 34Lm 3000K
CRI >80 UGR <6.4 220-240V
Beam Angle 50° IP54
L: 10 W: 2.9 H: 6.7 cm




**[ARNE
9492680]**




Anthracite die-Casting Aluminium
& Clear Acrylic
LED 1.5 Watt 39Lm 3000K
CRI >81 UGR <6.5 220-240V
Beam Angle 50° IP54
D: 12 W: 2.9 H: 12 cm



**[BRIGI
9020927]**



Dark Grey Acrylic cover
& Diffuser
LED RC1.2 Watt 158.99Lm 3000K
PF≥0.65 CRI ≥80Ra 220 -240V
Life Time = 25000 HRs IP65
D : 11 W: 11 H: 3.1 cm



NOVA LUCE

info@novaluce.com
www.novaluce.com