



Welcome! Zambelis Family is Growing!




## Visualize



## Design



## Create



## Bespoke Production












## Quality control




weLoveourWork

## Info On B2B Customer login

Connect with our B2B customer login on our website to access all the information you need


-  B2B Online Order / Open orders
-  Product availability & arrival dates
-  Big Range of Products
-  Photos
-  Product Data Sheets
-  Installation Manuals
-  Flexibility & Customized Products
-  Manufacturing Products
-  CE certificates



From 1967 we  
Light up your Life  
wherever you are


we make  
iteasy

Virtual Light App



4 steps to choose the right Lamp



 Download the  
Virtual Light App



Choose from the  
categories the  
lamp you like

See it through  
your mobile camera

Enjoy your  
new Home Life!

[www.zambelislights.gr](http://www.zambelislights.gr)

Page 036 **Indoor**



<b>036-192 , 236-285 , 308-322</b> Decorate Lights	<b>366-369</b> Clay Collection	<b>224 , 244 , 296 , 402</b> Marble Collection
<b>214-229</b> Wall Lights	<b>370-377</b> Concrete Collection	<b>432-471</b> Floor-Table Lights
<b>230-327</b> Glass Collection	<b>378-431</b> Metal-Wood Collection	
<b>328-365</b> Bamboo-Rattan Collection		

Page 472 **Fans**

**472-505**  
Ceiling



Page 506 **Hotel**

<b>506-527 , 532-534</b> Wall Lights
<b>528-530 , 535-543</b> Lights with Shade
<b>544-546</b> Spot Lights
<b>547-561</b> Bathroom Lights , Mirrors



Page 562 **Architectural**




<b>564-573</b> 48V Mini Magnetic Track System	<b>612-629</b> Customized Linear Lighting	<b>678-683</b> Gypsum Lights
<b>574-581</b> 48V Curved Magnetic Track System	<b>630-641</b> 3 Phase Track System	<b>684-703</b> Aluminium Profiles Led Strips
<b>582-599</b> 48V Magnetic Track System	<b>642-677</b> Spot Lights	Coins Drivers
<b>600-605</b> 48V Soft Magnetic Track System		
<b>606-611</b> 24V Lighting System		

Page 704 **Outdoor**

<b>706-713</b> Portable Lights	<b>714-721 , 726-755 , 776-787 , 790-795 , 806 , 815</b> Wall Lights-Bolards	<b>796-805</b> Step Lights
<b>722 , 788</b> Concrete Lights	<b>724 , 756</b> Adaptable Lights	<b>808-814</b> Ceiling Lights
<b>758-775</b> Spike Lights		<b>817-819</b> Inground Lights
		<b>820</b> Wall Washers



Pendant Lighting




Pendant Lighting



Pendant Lighting



Pendant Lighting




Pendant Lighting




Ceiling Lighting



Ceiling Lighting





Wall Lighting





Wall Lighting



Floor Lighting







Table Lighting









































































Fans











Hotel Lighting



Architectural Lighting

									
22251 569	22252 569	22253 569	22254 569	22255 569	22256 569	22257 569	22258 569	22259 569	22260 569
									
22260-1 569	22261 569	22262 569	22090 576	22091 576	22092 576	22093 576	22094 576	22107 576	22096 580
									
22095 580	2087 586	2089 586	2092-D 587	2091-4B 587	20291 587	20400-BD 588	20179 588	20180 588	2094 589
									
20177 589	20178 589	2095-D 589	2081-D 590	2083B-1 592	2083B-C1 592	2083B-C2 592	2082B-1 593	2082B-C1 593	2082B-C2 593
									
2084B-1 594	2084B-C1 594	2084B-C2 594	2095B-1 595	2085B-C1 595	2085B-C2 595	2096 596	20103 596	20105 596	20104 596
									
20293 596	20322 597	20298 597	20299 597	20308-B 598	20309-W 598	20276 602	20275 602	20280 604	20279 604
									
20284 605	20282 605	20283 605	20286 605	20285 605	19161 606	19162 606	20139 606	20140 606	19155 606

























Architectural Lighting

									
19156 608	19168 608	19167 608	19172 608	19169 608	19168 608	5158D 614	5258D 616	5358D 618	5458D 620
									
3158D 622	3258D 622	3358D 624	3458D 626	81063B 628	82063B 628	19400 630	19406 630	19403-L 630	19408 631
									
19405-L 631	19413 631	19415 631	19411 631	19414 631	18306 632	S065 633	S059 634	Z65644T-W 635	Z65105NT-BB 635
									
S062 636	S063 636	S037 638	Ring G 638	S054 639	S057 639	S114 640	S115 640	S116 640	S117 640
									
S118 640	S119 640	S120 640	S121 640	S122 640	S123 640	S124 640	Z63105MA-BB 642	Z63105MA-B 642	Z63105MA-W 642
									
Z050112-B 642	S001 643	S002 643	S039 643	S040 643	Z12107K-W 644	Z12107K-B 644	Z050106-B 644	Z050106-BR 644	Z12105M-G 645
									
Z12105M-W 645	Z12105M-BB 645	S131 646	S132 646	S133 646	S134 646	22133 646	22134 646	S113 648	S069 249

Architectural Lighting

 NEW	 NEW	 NEW	 NEW	 NEW	 NEW	 NEW	 NEW	 NEW	 NEW
S125 650	S127 650	RFL125-BL 650	RFL125-G 650	S129 650	S126 651	S128 651	RFL126-BL 651	RFL126-G 651	S130 651
									
180016 652	180012 652	180009 652	180013 653	Z10103BTR-W 653	Z10103BTR-B 653	180015 653	180017 653	1928 654	1928-B 654
									
1927 656	1926 656	S102 658	S086 659	S094 660	S075 661	S097 662	S087 664	S072 664	S079 665
									
S078 665	Z11207-W 666	Z11107-W 666	S070 667	S089 668	S091 668	20144 669	Z11105TR-B 670	Z11105TR-W 670	Z10105-D9 671
									
Z10105-AD 671	Z10105TR-B 671	S111 672	S003 672	S046 673	S006 673	S011 674	S060 675	S061 675	S022 676
									
S009 676	S020 677	S014 677	S030 678	S025 678	S027 678	S029 678	S047 679	S048 679	S109 679
									
S108 679	20273 680	20274 680	20272 681	180026 681	180027 681	180025 682	180028 682	20193 686	20194 686

Architectural Lighting

									
20197 686	20205 687	20203 687	20204 687	20190 688	20195 688	20198 688	20199 689	20201 689	20206 689
					 NEW	 NEW	 NEW		
20325 690	20325-WG 690	20325-60D 691	20325-30D 691	20202 691	4062172231251 692	4062172231459 692	4062172231374 693	4055462217431 693	4062172107242 694
							 NEW	 NEW	
LS05 694	LS06 695	LS07 695	LS01 696	LS12 696	LS11 697	LS14 697	LS16 697	LS17 698	4052899605541 700
									
4052899605565 700	4052899605503 700	4052899605527 700	4052899557833 700	4052899557949 700	ACLS4524DA2 701	ACLS8024DA2 701	ACLS15024DA2 701	4008321189721 701	Z89100VND 701
									
Z89200VND 701	4052899583603 702	4062172007559 702	4052899548190 702	062172151252 702	4052899552906 702	87500284 703	87500283 703	89800257 703	LSCW350P 703
									
LSCW500P 703	LSCW700P 703								

Outdoor Lighting



Outdoor Lighting



Outdoor Lighting



E269  
811



E270  
811



E219  
812



E220  
812



S112  
812



S113  
812



E172  
814



E106  
815



E300  
816

NEW



E301  
816

NEW



E288  
816

NEW



Z69058-A  
817



Z69058-B  
817



Z69062  
817



E178  
818



E180  
818



E179  
818



D-8-24  
818



E189  
819



Z0800-BA  
819



Z7055A-C  
820



Z7055B-W  
820




Z7055B-RGB  
820



ZAMPELIS S.A.

Greece , Attica , Keratea , Kivouri  
Postal: 19001 , P.O. box: 4791  
Tel.: (+30) 22990 63518-19 | Fax: (+30) 22990 63521  
info@zambelislights.gr | zambelislights.gr





Novelties 22-23

## Decorative Lights

Explore more on page: 36



Design your own Light


24V Lighting System  
Plug and Play

Explore more on page: 606



## 48V Magnetic Curved System

Explore more on page: 574




A great variety of units to choose from to compose the suitable luminaire for every space.






## 48V Soft Track Linear System

Explore more on page: 600




**Zambelis**  
LIGHTS


Indoor Led Lighting



Power 18W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1410Lm  
 Cri 80  
 Dimensions L: 100cm W: 10cm H: 82.5cm  
 Base L: 20cm W: 6cm H: 3.5cm  
 Dimmable Triac   
 Material Aluminum - Silicon - Opal Glass  
 Special Feature Opal Glass Ø: 10cm  
 Color Black Matt / **Code 22249**  
 Color Gold Matt / **Code 22250**



Power 42W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3289Lm  
 Cri 80  
 Dimensions L: 140cm W: 30cm H: 100cm  
 Base Ø: 22cm H: 4.5cm  
 Dimmable Triac   
 Material Aluminum - Silicon - Opal Glass  
 Special Feature Opal Glass Ø: 10cm  
 Color Black Matt / **Code 22247**  
 Color Gold Matt / **Code 22248**



## Modularization... Design your Own Lighting

Multiple and free combinations. Elegance, more concise or luxurious. Easy combination without redundancy.

### Model Finishing



Black Matt



White Matt



Gold Matt



Intermediate Diffuser







Intermediate Diffuser

Terminal Diffuser

Intermediate Diffuser

Intermediate Diffuser

Terminal Diffuser



**Terminal Diffuser**  
6V | 5W | 350Lm  
3000K | CRi 90 | IP44  
Dimmable Triac  
Metal - Opal Glass

Black Matt  
**Code 22231-B**

White Matt  
**Code 22231-W**

Gold Matt  
**Code 22231-G**

**Intermediate Diffuser**  
6V | 5W | 350Lm  
3000K | CRi 90 | IP44  
Dimmable Triac  
Metal - Opal Glass

Black Matt  
**Code 22232-B**

White Matt  
**Code 22232-W**

Gold Matt  
**Code 22232-G**

**Intermediate Diffuser**  
16V | 7W | 750Lm  
3000K | CRi 90 | IP44  
Dimmable Triac  
Metal - Opal Glass

Black Matt  
**Code 22233-B**

White Matt  
**Code 22233-W**


Gold Matt  
**Code 22233-G**


**Surface Base Driver**  
Power  
Input  
Dimensions  
Base  
Material  
Color  
Color  
Color

MAX 30W  
220-240V, 50/60Hz  
Ø: 14cm H: 205cm  
Ø: 14cm H: 4.5cm  
Metal  
Black Matt / **Code 22230-B**  
White Matt / **Code 22230-W**  
Gold Matt / **Code 22230-G**




### Combination for Reference (MAX 30W)






Power 80W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4800Lm  
 Cri 80  
 Dimensions L: 116cm W: 80cm H: 120cm  
 Base Ø: 20cm H: 4cm  
 Dimmable Triac   
 Material Metal - Aluminum - Acrylic  
 Special Feature 150cm Cable Adjustable  
 Profile Ø: 2.5cm  
 Color Gold Matt / **Code 22243**  
 Color Black Matt / **Code 22245**



Power 50W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2000Lm  
 Cri 80  
 Dimensions L: 121cm W: 54cm H: 150cm  
 Base L: 35cm W: 6cm H: 4cm  
 Dimmable Triac   
 Material Metal - Aluminum - Acrylic  
 Special Feature 150cm Cable Adjustable  
 Profile Ø: 2.5cm  
 Color Gold Matt / **Code 22242**  
 Color Black Matt / **Code 22244**




## Indoor Led Lighting



Power 41W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 4403Lm  
Cri 80  
Dimensions L: 119cm W: 5cm H: 35.5cm  
Base L: 35cm W: 6.5cm H: 6cm  
Dimmable Triac   
Material Metal - Aluminum - Silicon  
Special Feature 120cm Cable Adjustable  
Profile 3x1.2cm  
Color Gold Matt - Sandy Black Base / **Code 22022**  
Color Sandy Black / **Code 22023**



## Indoor Led Lighting



Power	25W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2700Lm
Cri	80
Dimensions	L: 50cm W: 50cm H: 30cm
Base	L: 18cm W: 12cm H: 4.5cm
Dimmable Triac	☉
Material	Metal - Aluminum - Silicon
Special Feature	Profile 3x1.2cm
Color	Gold Matt - Sandy Black Base / <b>Code 22024</b>
Color	Sandy Black / <b>Code 22025</b>

## Model Finishing




Sandy Black



Gold Matt





Power 46W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 4987Lm  
Cri 80  
Dimensions L: 95cm W: 65cm H: 30cm  
Base L: 25cm W: 15cm H: 4.5cm  
Dimmable Triac   
Material Metal - Aluminum - Silicon  
Special Feature Profile 3x1.2cm  
Color Gold Matt - Sandy Black Base / **Code 22026**  
Sandy Black / **Code 22027**

Model Finishing



Sandy Black




Gold Matt






Indoor Led Lighting




Top View



Power	64W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	5760Lm
Cri	90
Dimensions	L: 180cm W: 67.5cm H: 45cm
Base	L: 50cm W: 5cm H: 8cm
Non Dimmable	☒
Material	Aluminium - Acrylic
Special Feature	200cm Cable Adjustable Profile Ø: 2.4cm L: 180cm
Color	Sandy Black Matt / <b>Code 22237</b>
Color	Gold Matt / <b>Code 22238</b>







Power 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4500Lm  
 Cri 80  
 Dimensions L: 120cm W: 7cm H: 220cm  
 Base L: 42cm W: 7cm H: 3,5cm  
 Dimmable Triac   
 Material Metal - Aluminum - Silicon  
 Special Feature 200cm Cable Adjustable  
 Color Black Matt / **Code 22010**




Indoor Led Lighting



Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 150Lm  
 Cri 90  
 Dimensions Ø: 3cm H: 40cm  
 Base Ø: 10cm H: 2.5cm  
 Non Dimmable   
 Material Metal - Aluminum - Acrylic - Marble  
 Special Feature 150cm Cable Adjustable  
 Color Sandy Black - White Marble / **Code 22110**  
 Color Gold Matt - White Marble / **Code 22111**




Top View




Power 27W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2772Lm  
 Cri 90  
 Dimensions Ø: 33cm H: 200cm  
 Base Ø: 33cm H: 3.5cm  
 Dimmable Triac   
 Material Metal - Aluminum - Acrylic - Marble  
 Special Feature 150cm Cable Adjustable  
 Stick Ø: 3cm H: 40cm  
 Color Sandy Black - White Marble / **Code 22113**



Indoor Led Lighting




Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 880Lm  
 Cri 90  
 Dimensions L: 75cm W: 6cm H: 200cm  
 Base L: 75cm W: 6cm H: 3.5cm  
 Dimmable Triac   
 Material Metal - Aluminum - Acrylic - Marble  
 Special Feature 150cm Cable Adjustable  
 Stick Ø: 3cm H: 40cm  
 Color Sandy Black - White Marble / **Code 22112**



Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	780Lm
Cri	80
Dimensions	Ø: 9cm L: 18cm H: 40cm
Base	Ø: 11cm H: 3.5cm
Dimmable Triac	○
Material	Metal - Acrylic
Special Feature	150cm Cable Adjustable Movable Ring Profile 2x1.5cm
Color	White Matt / <b>Code 22044</b>
Color	Black Matt - Gold Matt / <b>Code 22045</b>




Indoor Led Lighting



Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	780Lm
Cri	80
Dimensions	L: 51cm W: 12cm H: 28cm
Base	L: 3.5cm W: 7cm H: 10cm
Dimmable Triac	☉
Material	Metal - Aluminum - Acrylic
Special Feature	Movable Ring - Movable Arm
Color	Black Matt / <b>Code 22042</b>
Color	White Matt - Gold Matt / <b>Code 22043</b>






Power 22W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2600Lm  
 Cri 80  
 Dimensions L: 105cm W: 15cm H: 100cm  
 Base L: 105cm W: 6.5cm H: 2.7cm  
 Dimmable Triac   
 Material Aluminum - Glass  
 Special Feature 100cm Cable Adjustable

Color Black Matt - Smoked Glass / **Code 22234**  
 Color Gold Matt - Opal Glass / **Code 22235**



Indoor Led Lighting



Power	11W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1300Lm
Cri	80
Dimensions	L: 62cm W: 15cm H: 15cm
Base	L: 15cm W: 6.5cm H: 5.5cm
Dimmable Triac	☉
Material	Aluminum - Glass
Special Feature	200cm Cable Adjustable
	Glass Ø: 15cm   Ø: 10cm
	Profile Ø: 2cm
Color	Black Matt - Smoked Glass / <b>Code 22109</b>
Color	Gold Matt - Opal Glass / <b>Code 22108</b>







Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 840Lm  
 Cri 80  
 Dimensions Ø: 22.5cm H: 17cm  
 Base Ø: 8cm L: 3.5cm  
 Non Dimmable ☒  
 Material Metal - Aluminum  
 Special Feature 200cm Fabric Cable Adjustable  
 Color Sandy Black - Painted Gold / **Code 22182** 𠄎  
 Color Sandy Black / **Code 22183** 𠄎





Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 840Lm  
 Cri 80  
 Dimensions Ø: 7cm H: 16cm  
 Base Ø: 8cm L: 3.5cm  
 Non Dimmable ☒  
 Material Metal - Aluminum  
 Special Feature 200cm Fabric Cable Adjustable  
 Color Sandy Black - Painted Gold / **Code 22181** 𠄎  
 Color Sandy Black / **Code 22177** 𠄎






Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 840Lm  
 Cri 80  
 Dimensions Ø: 10.5cm H: 24cm  
 Base Ø: 8cm L: 3.5cm  
 Non Dimmable ☒  
 Material Metal - Aluminum  
 Special Feature 200cm Fabric Cable Adjustable  
 Color Sandy Black - Painted Gold / **Code 22180** 𠄎  
 Color Sandy Black / **Code 22179** 𠄎






Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	840Lm
Cri	80
Dimensions	Ø: 7cm H: 16cm
Base	Ø: 8cm L: 3.5cm
Non Dimmable	☒
Material	Metal - Aluminum
Special Feature	500cm Fabric Cable Adjustable 4 Hanging Accessories Included
Color	Sandy Black / <b>Code 22176</b> 





Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1000Lm  
 Cri 80  
 Dimensions Ø: 35cm H: 6cm  
 Base Ø: 11cm H: 3cm  
 Non Dimmable ☒  
 Material Metal - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Color White Matt / **Code 22129**  
 Color Black Matt / **Code 22130**





Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	960Lm
Cri	80
Dimensions	Ø: 1.6cm H: 80cm
Base	Ø: 5.5cm H: 15cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Aluminium - Acrylic
Special Feature	150cm Cable Adjustable
Color	Black Matt / <b>Code 20121</b>
Color	Gold Matt / <b>Code 20122</b>



Power 20W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 1600Lm  
Cri 80  
Dimensions Ø: 1.6cm L: 140cm H: 150cm  
Base Ø: 5.5cm H: 15cm  
Non Dimmable   
Material Aluminium - Acrylic  
Special Feature 135cm Cable Adjustable  
Color Black Matt / **Code 20119**  
Color Gold Matt / **Code 20120**




## Design your Own Lighting

Create the ultimate style by combining the different colors and models available.  
Available colors: Black Matt / Gold Matt

Shopping Guide

**A** Code 20119 - 20120



**B** Code 20121 - 20122



### Our Suggestion

Become an artist and make your combination.  
Use your imagination to create your masterpiece  
with our limitless options.  
Minimal design for luxury lighting

**Tip** Use gold or black color,  
as well as different  
elevations for a  
grand effect.






Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	560Lm
Cri	90
Dimensions	Ø: 1cm Ø: 3.2cm H: 60cm
Base	Ø: 8cm H: 3.2cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Aluminium
Beam Angle	18°
Special Feature	100cm Cable Adjustable
Color	Brass - Black Matt / <b>Code 20143</b>
Color	Black Matt / <b>Code 20142</b>




Suggested Trimless Canopy **Code 20144**

Indoor Led Lighting




Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 Dimensions Ø: 1.6cm L: 17cm H: 60cm  
 Non Dimmable ☒  
 Material Aluminium - Acrylic  
 Special Feature Movable Profile  
 Color Black Matt / **Code 20114**  
 Color Gold Matt / **Code 20115**



Power 20W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1600Lm  
 Cri 80  
 Dimensions Ø: 1.6cm L: 17cm H: 100cm  
 Non Dimmable ☒  
 Material Aluminium - Acrylic  
 Special Feature Movable Profile  
 Color Black Matt / **Code 20116**  
 Color Gold Matt / **Code 20117**






Power 22W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 1760Lm  
Cri 80  
Dimensions Ø: 1.6cm H: 119cm H: 300cm  
Base Ø: 5.5cm H: 12cm  
Non Dimmable   
Material Aluminium - Acrylic  
Color Black Matt / Code 20184








Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 640Lm  
 Cri 80  
 Dimensions Ø: 1.6cm H: 46cm  
 Base Ø: 12cm H: 0.5cm  
 Non Dimmable ☒  
 Material Metal - Aluminium - Acrylic  
 Color Black Matt / **Code 20118**




Power 20W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1600Lm  
 Cri 80  
 Dimensions Ø: 1.6cm H: 150cm  
 Base Ø: 16cm H: 0.5cm  
 Non Dimmable ☒  
 Material Metal - Aluminium - Acrylic  
 Color Black Matt / **Code 20123**






Power 48W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 3600Lm  
Cri 80  
Dimensions Ø: 55.5cm L: 122cm H: 205cm  
Base Ø: 16cm H: 3.5cm  
Dimmable   
Material Aluminium - Acrylic  
Special Feature Step Dimming 10%-40%-100%  
Profile Ø: 2cm  
Color Black Matt / **Code 20128**







Power 48W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3600Lm  
 Cri 80  
 Dimensions L: 80+160cm H: 200cm  
 Base Ø: 16cm H: 3.5cm  
 Dimmable ☉  
 Material Aluminium - Acrylic  
 Special Feature Step Dimming 10%-40%-100%  
 Profile 2x3cm  
 Color White Matt / **Code 20129**




Power 48W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3600Lm  
 Cri 80  
 Dimensions L: 80+160cm H: 200cm  
 Base Ø: 16cm H: 3.5cm  
 Dimmable ☉  
 Material Aluminium - Acrylic  
 Special Feature Step Dimming 10%-40%-100%  
 Profile 2x3cm  
 Color Black Matt / **Code 20130**






Power 32W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2880Lm  
 Cri 90  
 Dimensions L: 60cm W: 60cm  
 Base L: 25cm W: 5cm H: 8cm  
 Non Dimmable   
 Material Metal - Aluminium - Diffuser  
 Special Feature Movable Tube Ø: 2.4cm  
 Color Sandy Black / **Code 20331**   
 Color Sandy White / **Code 20330**



Power 53W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4770Lm  
 Cri 90  
 Dimensions L: 100cm W: 100cm  
 Base L: 25cm W: 5cm H: 8cm  
 Non Dimmable   
 Material Metal - Aluminium - Diffuser  
 Special Feature Movable Tube Ø: 2.4cm  
 Color Sandy Black / **Code 20333**   
 Color Sandy White / **Code 20332**




Power 80W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 7200Lm  
 Cri 90  
 Dimensions L: 150cm W: 150cm  
 Base L: 35cm W: 5cm H: 8cm  
 Non Dimmable   
 Material Metal - Aluminium - Diffuser  
 Special Feature Movable Tube Ø: 2.4cm  
 Color Sandy Black / **Code 20335**   
 Color Sandy White / **Code 20334**

## Design your Own Lighting


Create the ultimate style by combining the different colors and models available.  
 Available colors: Black / White

### Shopping Guide


- A** Code 20334 - 20335
- B** Code 20333 - 20332
- C** Code 20331 - 20330



**A**






**B**




**C**

### Our Suggestion


Become an artist and make your combination  
 Use your imagination to create your masterpiece with our limitless options.






Power 49W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3920Lm  
 Cri 80  
 Dimensions L: 90cm W: 50cm H: 90cm  
 Base Ø: 20cm H: 6cm  
 Dimmable Triac   
 Material Aluminium - Silicon  
 Special Feature Profile Ø: 2cm L: 42cm  
 Movable Profile  
 Color Sandy Black - Gold Matt / **Code 2070**  
 Color Gold Matt / **Code 2071**





Power 68W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 5440Lm  
 Cri 80  
 Dimensions L: 120cm W: 50cm H: 100cm  
 Base Ø: 20cm H: 6cm  
 Dimmable Triac   
 Material Aluminium - Silicon  
 Special Feature Profile Ø: 2cm L: 42cm Movable Profile  
 Color Sandy Black - Gold Matt / **Code 2072**  
 Color Gold Matt / **Code 2073**






LED	14W
Bulb	7xG9 LED
Power	MAX 7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1900Lm
Cri	80
Dimensions	L: 89cm W: 30cm H: 30cm
Base	L: 50cm W: 6cm H: 3.5cm
Dimmable Triac	☉
Material	Metal - Aluminum - Glass - Silicon
Clear Glass	Ø: 15cm   Ø: 12cm   Ø: 10cm   Ø: 8cm
Special Feature	140cm Cable Adjustable Profile 2x1cm
Color	Sandy Black / <b>Code 22063</b>










LED	20W
Bulb	3xG9 LED
Power	MAX 7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2600Lm
Cri	80
Dimensions	Ø: 40cm W: 22cm H: 40cm
Base	Ø: 15cm H: 3.5cm
Dimmable Triac	○
Material	Metal - Aluminum - Glass - Silicon
Clear Glass	Ø: 12cm l Ø: 10cm l Ø: 8cm
Special Feature	150cm Cable Adjustable Profile 2x1cm
Color	Sandy Black / <b>Code 22064</b>







Power 18W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1440Lm  
 Cri 80  
 Dimensions L: 110cm W: 16cm H: 55cm  
 Base Ø: 13cm H: 3.2cm  
 Dimmable ☉  
 Material Metal - Opal Glass  
 Special Feature Step Dimming 10%-40%-100%  
 Glass Ø: 16cm | Ø: 11cm  
 Color Black Matt / **Code 20131**



Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 Dimensions Ø: 16cm H: 78cm  
 Non Dimmable ☒  
 Material Metal - Opal Glass  
 Special Feature 140cm Cable Adjustable  
 Glass Ø: 16cm | Ø: 11cm  
 Color Black Matt / **Code 20132**






Power 7.5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 600Lm  
 Cri 80  
 Dimensions L: 13.5cm H: 37cm  
 Base Ø: 8cm L: 3.5cm  
 Non Dimmable ☒  
 Material Metal - Opal Glass  
 Special Feature Glass Ø: 11cm  
 Color Black Matt / **Code 20133**




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 Dimensions H: 42cm  
 Base Ø: 14cm H: 0.5cm  
 Non Dimmable ☒  
 Material Metal - Opal Glass  
 Special Feature 100cm Cable Available  
 Glass Ø: 11cm  
 Color Black Matt / **Code 20134**



Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 Dimensions H: 160cm  
 Base Ø: 22cm H: 0.5cm  
 Non Dimmable ☒  
 Material Metal - Opal Glass  
 Special Feature 200cm Cable Available  
 Glass Ø: 16cm | Ø: 11cm  
 Color Black Matt / **Code 20135**



Indoor Led Lighting




Power 38W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3040Lm  
 Cri 80  
 Dimensions L: 105cm W: 12.5cm H: 200cm  
 Base L: 105cm W: 12.5cm H: 4.6cm  
 Non Dimmable   
 Material Metal - Aluminium - Acrylic  
 Special Feature 150cm Cable Adjustable  
 Movable Opal Balls Ø: 12.5cm  
 Color Black Matt - Gold Matt / **Code 2001**







Top View




Power	45W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3600Lm
Cri	80
Dimensions	Ø: 85cm H: 62cm
Base	Ø: 18.5cm H: 3.5cm
Non Dimmable	☒
Material	Metal - Aluminium - Acrylic
Special Feature	Movable Opal Balls Ø: 12.5cm
Color	Black Matt - Gold Matt / <b>Code 2002</b>






Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 640Lm  
 Cri 80  
 Dimensions Ø: 12.5cm L: 15cm H: 42cm  
 Base Ø: 12cm H: 3cm  
 Non Dimmable   
 Material Metal - Aluminium - Acrylic  
 Special Feature Opal Ball Ø: 12.5cm  
 Color Black Matt - Gold Matt / **Code 2003**




Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 640Lm  
 Cri 80  
 Dimensions Ø: 12.5cm H: 42cm  
 Base Ø: 15cm H: 0.5cm  
 Non Dimmable   
 Material Metal - Aluminium - Acrylic  
 Special Feature Opal Ball Ø: 12.5cm  
 Color Black Matt - Gold Matt / **Code 2004**






Power 23W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2300Lm  
 Cri 90  
 Dimensions L: 111.5cm W: 14.5cm H: 37-67-97cm  
 Base Ø: 15cm H: 3.2cm  
 Glass Ø: 14.5cm H: 5.5cm  
 Non Dimmable ☒  
 Material Metal - Opal Glass  
 Color Gold Matt / **Code 22062**



Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 600Lm  
 Cri 90  
 Dimensions L: 9cm W: 14.5cm H: 37cm  
 Base Ø: 13cm H: 3cm  
 Opal Glass Ø: 14.5cm L: 5.5cm  
 Non Dimmable ☒  
 Material Metal - Opal Glass  
 Color Gold Matt / **Code 22061**





Power 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 400Lm  
 Cri 80  
 Dimensions L: 16.5cm W: 25cm H: 42.5  
 Base Ø: 10cm H: 2.5  
 Non Dimmable   
 Material Metal - Aluminium - Opal Glass  
 Special Feature 180cm Cable Adjustable  
 Color Black Matt / **Code 20254**  
 Color Gold Matt / **Code 20255**




Suggested Trimless Canopy **Code 20144**







Indoor Led Lighting



Power 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 400Lm  
 Cri 80  
 Dimensions L: 13.5cm W: 16.5cm H: 25cm  
 Base Ø: 10cm H: 3cm  
 Non Dimmable ☒  
 Material Metal - Opal Glass  
 Color White / **Code 20137**





Power 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 400Lm  
 Cri 80  
 Dimensions L: 23.5cm W: 25cm H: 33cm  
 Base Ø: 10cm H: 3cm  
 Non Dimmable ☒  
 Material Metal - Opal Glass  
 Color White / **Code 20136**




Power 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 400Lm  
 Cri 80  
 Dimensions L: 11cm W: 19cm H: 20cm  
 Base Ø: 10cm H: 3cm  
 Non Dimmable ☒  
 Material Metal - Glass  
 Color Smoked Grey / **Code 20138**




Indoor Led Lighting




Power 28W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2240Lm  
 Cri 80  
 Dimensions L: 110cm H: 102cm  
 Base L: 24cm W: 6cm H: 3.5cm  
 Non Dimmable   
 Material Metal - Aluminium - Acrylic  
 Special Feature Spot Ø: 7.5cm H: 8cm  
 Spot Ø: 9.5cm H: 4cm  
 Color Sandy Black - Gold Matt / **Code 2035**



Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 560Lm  
 Cri 80  
 Dimensions L: 47.5cm H: 102cm  
 Base Ø: 12.5cm H: 3.5cm  
 Non Dimmable   
 Material Metal - Aluminium - Acrylic  
 Special Feature Spot Ø: 7.5cm H: 8cm  
 Color Sandy Black - Gold Matt / **Code 2033**  
 Gold Matt / **Code 2034**





Indoor Led Lighting




Power 6x7W  
Input 220-240V, 50/60Hz  
Color Temperature 3200K  
Lumen 4620Lm  
Cri 80  
Dimensions Ø: 7cm H: 10cm  
Base Ø: 14cm H: 4.5cm  
Non Dimmable ☒  
Material Metal - Aluminium  
Special Feature Average Height 150cm  
Color Black Matt - Gold / **Code 18151**





Power 48W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4800Lm  
 Cri 80  
 Dimensions Ø: 102cm H: 200cm  
 Base Ø: 22cm H: 4.1cm  
 Dimmable Triac   
 Material Metal - Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Profile 1x3cm  
 Color Black Matt / **Code 1947**




Power 85W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 8500Lm  
 Cri 80  
 Dimensions L: 163cm W: 44.5cm H: 200cm  
 Base L: 56cm W: 5cm H: 4cm  
 Dimmable Triac   
 Material Metal - Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Profile 1x3cm  
 Color Black Matt / **Code 1948**



Indoor Led Lighting




Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 900Lm  
 Cri 90  
 Dimensions L: 10.5cm W: 25cm H: 80cm  
 Base L: 8cm W: 25cm H: 5cm  
 Non Dimmable   
 Material Aluminium - Acrylic - Brass  
 Special Feature Profile Ø: 2.4cm  
 Color Sandy Black - Brushed Brass / **Code 20338**   
 Color Sandy Black / **Code 20339** 




Power 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3600Lm  
 Cri 80  
 Dimensions L: 110cm W: 50cm H: 80cm  
 Tube Ø: 2.4cm  
 Base L: 50cm W: 5cm H: 8cm  
 Non Dimmable   
 Material Metal - Aluminium - Diffuser  
 Special Feature Movable Tube  
 Profile Ø: 2.4cm  
 200cm Cable Adjustable  
 Color Sandy Black / **Code 19236** 






Power 18W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1620Lm  
 Cri 90  
 Dimensions L: 120cm W: 35cm H: 25cm  
 Base L: 28cm W: 5cm H: 7.8cm  
 Non Dimmable   
 Material Metal - Aluminium - Diffuser  
 Special Feature 200cm Cable Adjustable  
 Profile Ø: 2.4cm  
 Color Sandy Black - Painted Bronze / **Code 22229**






Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 560Lm  
 Cri 80  
 Dimensions L: 24cm W: 7.5cm H: 39cm  
 Base L: 26cm W: 6cm H: 4.5cm  
 Non Dimmable   
 Material Metal - Aluminium - Acrylic  
 Special Feature 210cm Cable Adjustable  
 Acrylic Thickness: 0.6cm  
 Color Black Matt / **Code 20181**




Power 25W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1875Lm  
 Cri 80  
 Dimensions L: 51cm W: 29cm H: 105cm  
 Non Dimmable   
 Material Metal - Aluminium - Acrylic  
 Special Feature 120cm Cable Available  
 Acrylic Thickness: 0.6cm  
 Color Black Matt / **Code 20182**

Indoor Led Lighting




Power 35W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2900Lm  
 Cri 80  
 Dimensions Ø: 15cm W: 117cm H: 165cm  
 Base L: 25.5cm W: 5cm H: 5cm  
 Non Dimmable   
 Material Aluminium - Clear Plexiglass  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt / **Code 19112**





Power 70W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 5600Lm  
 Cri 80  
 Dimensions L: 117cm W: 2cm H: 230cm  
 Base L: 117cm W: 2cm H: 3cm  
 Non Dimmable   
 Material Metal - Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable,  
 Acrylic Ø: 56cm Thickness: 1cm  
 Acrylic Ø: 42cm Thickness: 1cm  
 Color Sandy Black / **Code 20161**






Power 27W + 4x5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 5000Lm  
 Cri 80  
 Dimensions Ø: 60cm H: 200cm  
 Base Ø: 18cm H: 3.5cm  
 Spots Dimensions Ø: 4.5cm H: 8cm  
 Dimmable Triac   
 Material Metal - Aluminum - Silicon  
 Special Feature 200cm Cable Adjustable  
 Movable Spots  
 Profile 2x2cm  
 Color Black Matt / **Code 22012**




Power 39W + 4x5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 6400Lm  
 Cri 80  
 Dimensions Ø: 79cm H: 200cm  
 Base Ø: 18cm H: 3.5cm  
 Spots Dimensions Ø: 4.5cm H: 8cm  
 Dimmable Triac   
 Material Metal - Aluminum - Silicon  
 Special Feature 200cm Cable Adjustable  
 Movable Spots  
 Profile 2x2cm  
 Color Black Matt / **Code 22013**






Power 42W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3360Lm  
 Cri 80  
 Dimensions Ø: 60cm H: 200cm  
 Base Ø: 18cm H: 5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Color Black Matt / **Code 20260**  
 Color White Matt / **Code 20261**  
 Color Gold Matt / **Code 22239**



Power 55W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4400Lm  
 Cri 80  
 Dimensions Ø: 80cm H: 200cm  
 Base Ø: 25cm H: 5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Color Black Matt / **Code 20262**  
 Color White Matt / **Code 20263**  
 Color Gold Matt / **Code 22240**



Power 84W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 6720Lm  
 Cri 80  
 Dimensions Ø: 120cm H: 200cm  
 Base Ø: 28cm H: 5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Color Black Matt / **Code 20264**  
 Color White Matt / **Code 20265**  
 Color Gold Matt / **Code 22241**




## Design your Own Lighting

Create the preferred style by combining the different colors and models available.  
Available colors: Black Matt / White Matt


### Shopping Guide


- A** Code 20264 - 20265 - 22241
- B** Code 20262 - 20263 - 22240
- C** Code 20260 - 20261 - 22239



### Our Suggestion

Become an artist and make your combination.  
Use your imagination to create your masterpiece with our limitless options.






Power 41W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 4200Lm  
Cri 80  
Dimensions Ø: 60cm W: 65cm H: 200cm  
Base L: 30cm W: 7cm H: 3,5cm  
Dimmable Triac   
Material Metal - Aluminium - Acrylic  
Special Feature 200cm Cable Adjustable  
Profile 2.2x5.3cm  
Color Sandy Black - Gold Matt / **Code 22011**




Indoor Led Lighting

Power 30W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2400Lm  
 Cri 80  
 Dimensions Ø: 60cm H: 5cm  
 Base Ø: 7cm H: 20cm  
 Dimmable Triac   
 Material Aluminium - Silicon  
 Special Feature 200cm Cable Adjustable  
 Profile 5x1.5cm  
 Color Brushed Gold Matt / **Code 2010**  
 Color Brushed Coffee / **Code 2011**




Power 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3200Lm  
 Cri 80  
 Dimensions Ø: 80cm H: 5cm  
 Base Ø: 7cm H: 20cm  
 Dimmable Triac   
 Material Aluminium - Silicon  
 Special Feature 200cm Cable Adjustable  
 Profile 5x1.5cm  
 Color Brushed Gold Matt / **Code 2012**  
 Color Brushed Coffee / **Code 2013**






Power 120W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 9600Lm  
 Cri 80  
 Dimensions Ø: 60cm / Ø: 80cm / Ø: 100cm H: 5cm  
 Base Ø: 29cm H: 4.5cm  
 Dimmable Triac   
 Material Aluminium - Silicon  
 Special Feature 200cm Cable Adjustable  
 Profile 5x1.5cm  
 Color Brushed Gold Matt / **Code 2014**  
 Color Brushed Coffee / **Code 2015**






## Indoor Led Lighting


Power 30W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2400Lm  
 Cri 80  
 Dimensions Ø: 40cm H: 5.5cm  
 Base Ø: 16cm H: 3.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Color Sandy Black / **Code 2044**  
 Color Sandy White / **Code 2045**  
 Color Brushed Gold Matt / **Code 2046**  
 Color Brushed Coffee / **Code 2047**



Power 50W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4000Lm  
 Cri 80  
 Dimensions Ø: 60cm H: 5.5cm  
 Base Ø: 18cm H: 3.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Color Sandy Black / **Code 2052**  
 Color Sandy White / **Code 2053**  
 Color Brushed Gold Matt / **Code 2054**  
 Color Brushed Coffee / **Code 2055**



Power 60W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4800Lm  
 Cri 80  
 Dimensions Ø: 80cm H: 5.5cm  
 Base Ø: 18cm H: 3.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Color Sandy Black / **Code 2060**  
 Color Sandy White / **Code 2061**  
 Color Brushed Gold Matt / **Code 2062**  
 Color Brushed Coffee / **Code 2063**



### Model Finishing

Brushed Gold Matt



Brushed Coffee



Sandy White




Sandy Black









## Indoor Led Lighting




Power 25W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2000Lm  
 Cri 80  
 Dimensions Ø: 40cm H: 4cm  
 Base Ø: 7cm H: 20cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 210cm Cable Adjustable  
 Profile 4x2cm  
 Color Brushed Gold Matt / **Code 2005**



Power 36W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2880Lm  
 Cri 80  
 Dimensions Ø: 60cm H: 4cm  
 Base Ø: 7cm H: 20cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 210cm Cable Adjustable  
 Profile 4x2cm  
 Color Brushed Gold Matt / **Code 2006**




Power 50W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4000Lm  
 Cri 80  
 Dimensions Ø: 80cm H: 4cm  
 Base Ø: 7cm H: 20cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 210cm Cable Adjustable  
 Profile 4x2cm  
 Color Brushed Gold Matt / **Code 2007**





Power 60W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4800Lm  
 Cri 80  
 Dimensions Ø: 110cm H: 4cm  
 Base Ø: 7cm H: 20cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 210cm Cable Adjustable  
 Profile 4x2cm  
 Color Brushed Gold Matt / **Code 2008**






Power 112W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 8960Lm  
 Cri 80  
 Dimensions  $\varnothing$ : 40cm /  $\varnothing$ : 60cm /  $\varnothing$ : 80cm H: 4cm  
 Base  $\varnothing$ : 29cm H: 4.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Profile 4x2cm  
 Color Brushed Gold Matt / **Code 2009**







Power 60W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3600Lm  
 Cri 80  
 Dimensions L: 120cm H: 40cm  
 Base Ø: 17cm H: 5cm  
 Non Dimmable   
 Material Metal - Silicon  
 Special Feature 360° Lighting Tube Ø: 2.4cm  
 220cm Cable Adjustable  
 Color Gold Matt / **Code 19254**





Power 60W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3600Lm  
 Cri 80  
 Dimensions Ø: 80cm H: 35cm  
 Base Ø: 17cm H: 5cm  
 Non Dimmable   
 Material Metal - Silicon  
 Special Feature 360° Lighting Tube Ø: 2.4cm  
 190cm Cable Adjustable  
 Color Gold Matt / **Code 19261**






Power 135W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 9450Lm  
 Cri 80  
 Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 2.4cm  
 Base Ø: 24cm H: 5cm  
 Non Dimmable   
 Material Aluminium - Acrylic  
 Special Feature 150cm Cable Adjustable , Profile 2.4x1.5cm  
 Color Copper / **Code 180031**

Power 135W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 9450Lm  
 Cri 80  
 Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 2.4cm  
 Base Ø: 24cm H: 5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature 150cm Cable Adjustable , Profile 2.4x1.5cm  
 Color Copper / **Code 180031-D**




Power 136W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 10.880Lm  
 Cri 80  
 Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm  
 Base Ø: 25cm H: 5cm  
 Non Dimmable   
 Material Metal - Aluminum - Acrylic  
 Special Feature 150cm Cable Adjustable  
 Color Gold Matt / **Code 1956**

Power 136W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 10.880Lm  
 Cri 80  
 Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm  
 Base Ø: 25cm H: 5cm  
 Dimmable Triac   
 Material Metal - Aluminum - Acrylic  
 Special Feature 150cm Cable Adjustable  
 Color Gold Matt / **Code 1956-D**




Power 75W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 5250Lm  
 Cri 80  
 Dimensions Ø: 40cm / Ø: 60cm H: 2.4cm  
 Base Ø: 25cm H: 6.5cm  
 Non Dimmable ☒  
 Material Aluminium - Acrylic  
 Special Feature 150cm Cable Adjustable  
 Profile 2.4x1.5cm  
 Color White Matt / **Code 180032**

Power 135W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 9450Lm  
 Cri 80  
 Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 2.4cm  
 Base Ø: 24cm H: 5cm  
 Non Dimmable ☒  
 Material Aluminium - Acrylic  
 Special Feature 150cm Cable Adjustable  
 Profile 2.4x1.5cm  
 Color White Matt / **Code 180030**




Power 135W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 9450Lm  
 Cri 80  
 Dimensions Ø: 40cm / Ø: 60cm / Ø: 80cm H: 2.4cm  
 Base Ø: 24cm H: 5cm  
 Dimmable Triac ☉  
 Material Aluminium - Acrylic  
 Special Feature 150cm Cable Adjustable  
 Profile 2.4x1.5cm  
 Color White Matt / **Code 180030-D**







Power 52W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4950Lm  
 Cri 80  
 Dimensions Ø: 60cm / Ø: 33cm H: 15cm  
 Base Ø: 18cm H: 4.5cm  
 Non Dimmable ☒  
 Material Aluminium - Silicon  
 Special Feature 120cm Cable Adjustable  
 Color White Matt / **Code 180055**





Power 46W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4140Lm  
 Cri 80  
 Dimensions Ø: 46cm H: 11cm  
 Base Ø: 18cm H: 4.5cm  
 Non Dimmable ☒  
 Material Aluminium - Silicon  
 Color White Matt / **Code 180054**




Indoor Led Lighting



Power 60W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4800Lm  
 Cri 80  
 Dimensions Ø: 45cm / Ø: 60cm  
 Base Ø: 24cm H: 4cm  
 Dimmable Triac   
 Material Metal - Aluminium - Acrylic  
 Special Feature 110cm Cable Adjustable  
 Profile 2x3.5cm  
 Color Black Matt / **Code 1616**




Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1000Lm  
 Cri 80  
 Dimensions L: 76cm W: 40cm H: 17cm  
 Base Ø: 10cm H: 2.5cm  
 Non Dimmable   
 Material Metal - Diffuser  
 Special Feature 200cm Cable Adjustable  
 Optional Dimming PhaseCut  
 Color White Matt / **Code 1976**  
 Black Matt / **Code 1975**




Power 24W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1920Lm  
 Cri 80  
 Dimensions Ø: 45cm  
 Base L: 20cm W: 6cm H: 5cm  
 Non Dimmable   
 Material Metal - Aluminium - Acrylic  
 Special Feature 60cm Cable Adjustable  
 Optional Dimming DALI  
 Color Black Matt / **Code 1612**




Indoor Led Lighting



Power 42W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3360Lm  
 Cri 80  
 Dimensions L: 80cm W: 51cm H: 2.4cm  
 Base Ø: 18cm H: 6cm  
 Non Dimmable ☒  
 Material Metal - Aluminium - Silicon  
 Special Feature 110cm Cable Adjustable Profile 1.5x2.4cm  
 Color Black Matt / **Code 17003**




Power 36W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2880Lm  
 Cri 80  
 Dimensions Ø: 80cm H: 2cm  
 Base Ø: 16cm H: 3cm  
 Non Dimmable ☒  
 Material Aluminium - Silicon  
 Special Feature 150cm Cable Adjustable Profile 2x1.5cm  
 Color Sandy White / **Code 2017**




Power 20W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1795Lm  
 Cri 90  
 Dimensions L: 52cm W: 37cm H: 6cm  
 Base Ø: 11cm H: 3cm  
 Non Dimmable ☒  
 Material Metal - Aluminium - Acrylic  
 Special Feature 150cm Cable Adjustable  
 Color White Matt / **Code 22131**  
 Color Black Matt / **Code 22132**







Power 56W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4480Lm  
 Cri 80  
 Dimensions Ø: 65cm H: 8cm  
 Base Ø: 18cm H: 4.5cm  
 Non Dimmable   
 Material Metal - Acrylic  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt / **Code 1618**




Power 90W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 7200Lm  
 Cri 80  
 Dimensions Ø: 55cm H: 14cm  
 Base Ø: 17cm H: 6.5cm  
 Non Dimmable   
 Material Aluminium - Acrylic  
 Special Feature 140cm Cable Adjustable  
 Color Brown - Wood / **Code 17002**





Power 75W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4875Lm  
 Cri 80  
 Dimensions L: 138cm H: 30cm  
 Base Ø: 21cm H: 5cm  
 Non Dimmable ☒  
 Material Metal - PC Diffuser  
 Special Feature 150cm Cable Adjustable  
 Tube Ø: 2cm  
 Color Opal - Chrome / **Code 1954**



Power 84W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 5460Lm  
 Cri 80  
 Dimensions Ø: 40cm H: 95cm  
 Base Ø: 23cm H: 5cm  
 Non Dimmable ☒  
 Material Metal - PC Diffuser  
 Special Feature Tube Ø: 2cm  
 Color Opal - Chrome / **Code 1952**




Power 90W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 5850Lm  
 Cri 80  
 Dimensions L: 80cm W: 40cm  
 Base Ø: 21cm H: 5cm  
 Non Dimmable ☒  
 Material Metal - PC Diffuser  
 Special Feature 160cm Cable Adjustable  
 Tube Ø: 2cm  
 Color Opal - Chrome / **Code 1953**



Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	840Lm
Cri	80
Dimensions	Ø: 26cm H: 17cm
Base	Ø: 8cm H: 3.5cm
Non Dimmable	☒
Material	Metal - Aluminium
Special Feature	200cm Cable Adjustable
Color	Sandy Black / <b>Code 18139-B</b> Sandy White / <b>Code 18139-W</b>




Indoor Led Lighting




Power 4.2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 462Lm  
 Cri 80  
 Dimensions L: 15.8cm H: 57.5cm  
 Base Ø: 8cm H: 4cm  
 Non Dimmable   
 Material Metal - Aluminium  
 Beam Angle 38°  
 Special Feature Standard Length  
 Stick Ø: 2.5cm H: 15.8cm  
 Movable Spot

Color Sandy Black / **Code 1921**  
 Sandy White / **Code 1920**



Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 770Lm  
 Cri 80  
 Dimensions L: 6.5cm W: 4.5cm H: 118.5cm  
 Base Ø: 8cm H: 4cm  
 Non Dimmable   
 Material Metal - Aluminium  
 Special Feature Standard Length  
 Cube L: 6.5cm H: 4.5cm  
 Movable Spot



Color Sandy Black / **Code 1929**  
 Sandy White / **Code 1930**




Power 4W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 300Lm  
 Cri 80  
 Dimensions L: 23cm W: 6cm H: 29-37cm  
 Base Ø: 6cm H: 12cm  
 Spot Dimension Ø: 4cm L: 23cm  
 Non Dimmable   
 Material Metal - Aluminium  
 Beam Angle 40°  
 Special Feature Movable Spot

Color Sandy Black - Gold / **Code 22028**


## Indoor Led Lighting



 Suggested Trimless Canopy **Code 20144**




Power	6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	660Lm
Cri	80
Dimensions	Ø: 12cm H: 7.5cm
Base	Ø: 8cm H: 3cm
Non Dimmable	☒
Material	Metal - Aluminium
Beam Angle	18°
Special Feature	200cm Cable Adjustable Stick Ø: 2.7cm H: 6cm
Color	White Matt / <b>Code 1913</b>



Power 4.5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 495Lm  
 Cri 80  
 Dimensions Ø: 4.8cm H: 4.8cm  
 Base Ø: 8cm H: 3cm  
 Non Dimmable ☒  
 Material Metal - Aluminium  
 Beam Angle 38°  
 Special Feature 200cm Cable Adjustable  
 Color Sandy Black / **Code 1902**




Suggested Trimless Canopy **Code 20144**



Power 4.5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 495Lm  
 Cri 80  
 Dimensions Ø: 4.8cm H: 8cm  
 Cutting Hole Ø: 4.5cm  
 Non Dimmable ☒  
 Material Metal - Aluminium  
 Beam Angle 38°  
 Special Feature Movable  
 Color Sandy Black / **Code 1907**  
 Sandy White / **Code 1906**




Indoor Led Lighting





Power 8W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 880Lm  
Cri 80  
Dimensions Ø: 25cm H: 7cm  
Base Ø: 15cm H: 4.5cm  
Non Dimmable ☒  
Material Metal - Wood  
Special Feature 200cm Cable Adjustable  
Color Nature Wood - Black Matt / **Code 19150**






Power 96W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 7680Lm  
 Cri 80  
 Dimensions L: 80cm W: 60cm H: 122cm  
 Base Ø: 20cm H: 4cm  
 Dimmable Triac   
 Material Metal - Aluminium - Acrylic  
 Color Gold Matt / **Code 1933**



Power 80W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 6400Lm  
 Cri 80  
 Dimensions L: 60cm W: 40cm H: 110cm  
 Base Ø: 18cm H: 3.5cm  
 Dimmable Triac   
 Material Metal - Aluminium - Acrylic  
 Color Gold Matt / **Code 1931**  
 Color Sandy Black / **Code 1932**




Power 18W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1440Lm  
 Cri 80  
 Dimensions L: 17.5cm W: 7.5cm H: 60cm  
 Base W: 7.5cm H: 20cm  
 Dimmable Triac   
 Material Metal - Aluminium - Acrylic  
 Color Sandy Black / **Code 1936**  
 Color Gold Matt / **Code 1935**




Power 80W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 6400Lm  
 Cri 80  
 Dimensions Ø: 60cm H: 71cm  
 Dimmable Triac   
 Material Metal - Aluminium - Acrylic  
 Color Sandy Black / **Code 1951**  
 Color Sandy White / **Code 1950**

Indoor Led Lighting



Power 56W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 6000Lm  
 Cri 80  
 Dimensions Ø: 60cm H: 14-24cm  
 Base L: 56,5cm W: 7cm H: 3.5cm  
 Dimmable Triac   
 Material Metal - Aluminium - Silicon  
 Special Feature Profile 2x2cm  
 Movable

Color Black Matt / **Code 22016**  
 Color Gold Matt / **Code 22018**



Power 80W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 8500Lm  
 Cri 80  
 Dimensions Ø: 79cm H: 18-34cm  
 Base L: 75,5cm W: 7cm H: 3.5cm  
 Dimmable Triac   
 Material Metal - Aluminium - Silicon  
 Special Feature Profile 2x2cm  
 Movable

Color Black Matt / **Code 22017**  
 Color Gold Matt / **Code 22019**



Model Finishing




Black Matt




Gold Matt





Power 32W + 4x5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 5700Lm  
 Cri 80  
 Dimensions L: 90cm W: 67cm H: 12-17cm  
 Base L: 18cm W: 18cm H: 8.5cm  
 Spots Dimensions Ø: 4.5cm L: 8cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature Profile 2x1.7cm  
 Movable Spots  
 Color Sandy Black / **Code 22020**







Power 55W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4400Lm  
 Cri 80  
 Dimensions L: 90cm W: 67cm H: 8.5cm  
 Base L: 18cm W: 18cm H: 8.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature Profile 2x1.7cm  
 Color Sandy Black / **Code 2020**  
 Color Sandy White / **Code 2021**  
 Color Gold Matt / **Code 2022**




Indoor Led Lighting






Power 42W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3360Lm  
 Cri 80  
 Dimensions L: 56cm W: 56cm H: 8.5cm  
 Base L: 14cm W: 14cm H: 8.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature Profile 2x1.7cm  
 Color Sandy Black / **Code 2023**  
 Color Sandy White / **Code 2024**  
 Color Gold Matt / **Code 2025**



Power 25W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2000Lm  
 Cri 80  
 Dimensions L: 46cm W: 46cm H: 6.5cm  
 Base L: 14cm W: 14cm H: 6.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Special Feature Profile 2x1.7cm  
 Color Sandy Black / **Code 2026**  
 Color Sandy White / **Code 2027**  
 Color Gold Matt / **Code 2028**









Power	60W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4800Lm
Cri	80
Dimensions	L: 93cm W: 31cm H: 53.5cm
Base	L: 28cm W: 5cm H: 9.2cm
Dimmable Triac	○
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.5cm
Color	Sandy Black / <b>Code 2079</b>
Color	Sandy White / <b>Code 2078</b>
Color	Gold Matt / <b>Code 2080</b>






Indoor Led Lighting




Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	960Lm
Cri	80
Dimensions	L: 32cm W: 32cm H: 5.5cm
Base	L: 12.5cm W: 12.5cm H: 3.5cm
Dimmable Triac	☉
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.7cm
Color	Sandy Black / <b>Code 2029</b>
Color	Sandy White / <b>Code 2030</b>
Color	Gold Matt / <b>Code 2031</b>





Power	38W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3040Lm
Cri	80
Dimensions	L: 51cm W: 41cm H: 12cm
Base	L: 21cm W: 5cm H: 4.5cm
Non Dimmable	☒
Material	Metal - Aluminium - Silicon
Color	Sandy Black / <b>Code 2064</b>
Color	Sandy White / <b>Code 2065</b>






Power 72W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 10,080Lm  
 Cri 80  
 Dimensions L: 63cm W: 63cm H: 8cm  
 Non Dimmable ☒  
 Material Aluminium - Acrylic  
 Special Feature Optional Dimming DALI  
 Color Sandy White / **Code 18148-W**   
 Color Sandy Black / **Code 18148-B**





Power	61W + 2x5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	6700Lm
Cri	80
Dimensions	Ø: 50.6cm H: 10-15cm
Spots Dimension	Ø: 4.5cm L: 8cm
Dimmable Triac	○
Material	Metal - Aluminium - Silicon
Special Feature	Movable Spots
Color	White Matt - Black Matt / <b>Code 22014</b>
Color	White Matt / <b>Code 22015</b>







Power	20W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2300Lm
Cri	80
Dimensions	Ø: 38cm H: 10.5cm
Base	Ø: 33cm
Dimmable Triac	○
Material	Metal - Acrylic
Color	White Matt / <b>Code 22127</b>
Color	Black Matt / <b>Code 22128</b>



Indoor Led Lighting




Power 25W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2000Lm  
 Cri 80  
 Dimensions Ø: 42.5cm H: 6cm  
 Base L: 35cm W: 5cm H: 4cm  
 Non Dimmable   
 Material Metal - Aluminium - Silicon  
 Color Sandy Black / **Code 2074**  
 Color Sandy White / **Code 2075**




Power 31W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2480Lm  
 Cri 80  
 Dimensions Ø: 52.5cm H: 6cm  
 Base L: 43cm W: 5cm H: 4cm  
 Non Dimmable   
 Material Metal - Aluminium - Silicon  
 Color Sandy Black / **Code 2076**  
 Color Sandy White / **Code 2077**




## Indoor Led Lighting




Power	5.6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	400Lm
Cri	80
Dimensions	Ø: 13cm H: 16.5cm
Base	Ø: 6.5cm H: 5.5cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Acrylic
Color	White Matt / <b>Code 20169</b>
Color	Grey / <b>Code 20170</b>




Power	8W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	560Lm
Cri	80
Dimensions	Ø: 19cm H: 22.5cm
Base	Ø: 6.5cm H: 6.5cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Acrylic
Color	White Matt / <b>Code 20171</b>
Color	Grey / <b>Code 20172</b>



## Indoor Led Lighting




Power 5.6W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 400Lm  
Cri 80  
Dimensions Ø: 14cm H: 7.2cm  
Non Dimmable   
Material Metal - Acrylic  
Color White Matt / **Code 20173**  
Color Grey / **Code 20174**



Power 8W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 560Lm  
Cri 80  
Dimensions Ø: 19cm H: 10.5cm  
Non Dimmable   
Material Metal - Acrylic  
Color White Matt / **Code 20175**  
Color Grey / **Code 20176**





Power	60W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4800Lm
Cri	80
Dimensions	L: 103cm W: 60cm H: 22cm
Base	L: 6cm W: 6cm H: 22cm
Non Dimmable	☒
Material	Metal - Aluminium - Silicon
Special Feature	Profile Ø: 1.5cm
Color	Elephant Grey / <b>Code 20159</b>









## Indoor Led Lighting

Power 30W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2400Lm  
 Cri 80  
 Dimensions Ø: 40cm H: 8.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Color Sandy Black / **Code 2040**  
 Color Sandy White / **Code 2041**  
 Color Brushed Gold Matt / **Code 2042**



Power 50W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4000Lm  
 Cri 80  
 Dimensions Ø: 60cm H: 8.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Color Sandy Black / **Code 2048**  
 Color Sandy White / **Code 2049**  
 Color Brushed Gold Matt / **Code 2050**



Power 60W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 4800Lm  
 Cri 80  
 Dimensions Ø: 80cm H: 8.5cm  
 Dimmable Triac   
 Material Aluminium - Acrylic  
 Color Sandy Black / **Code 2056**  
 Color Sandy White / **Code 2057**  
 Color Brushed Gold Matt / **Code 2058**  
 Color Brushed Coffee / **Code 2059**



### Model Finishing

Brushed Gold Matt



Brushed Coffee




Sandy White




Sandy Black





Power 20W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1800Lm  
 Cri 80  
 Dimensions Ø: 40cm H: 8.5cm  
 Non Dimmable   
 Material Metal - Acrylic  
 Color Black - Copper / **Code 1957**  
 Color Black - Golden Leaf / **Code 1961**



Power 28W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2520Lm  
 Cri 80  
 Dimensions Ø: 50cm H: 10cm  
 Non Dimmable   
 Material Metal - Acrylic  
 Color Black - Copper / **Code 1959**  
 Color Black - Golden Leaf / **Code 1962**

**Model Finishing**




Black - Golden Leaf




Black - Copper






Power 20W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1600Lm  
 Cri 80  
 Dimensions L: 10cm W: 48cm H: 55cm  
 Base W: 5.5cm H: 15.5cm  
 Non Dimmable ☒  
 Material Metal - Aluminium - Acrylic  
 Special Feature Profile 1x3cm  
 Color Black Matt / **Code 1945**




Power 36W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2880Lm  
 Cri 80  
 Dimensions L: 10cm W: 68cm H: 78cm  
 Base W: 5.5cm H: 18.5cm  
 Non Dimmable ☒  
 Material Metal - Aluminium - Acrylic  
 Special Feature Profile 1x3cm  
 Color Black Matt / **Code 1946**

## Indoor Led Wall Lighting




Power 13W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 1300Lm  
Cri 80  
Dimensions Ø: 35cm H: 38cm L: 11.7cm  
Non Dimmable ☒  
Material Metal - Aluminium  
Special Feature Optional Dimming PhaseCut  
Color Sandy Black - White Matt / **Code 1910**




Power 12W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 960Lm  
Cri 80  
Dimensions L: 6.3cm W: 30cm H: 122.5cm  
Base L: 5cm W: 30cm H: 4cm  
Non Dimmable ☒  
Material Aluminium - Diffuser  
Special Feature Optional Dimming PhaseCut  
Color Sandy Black / **Code 19117**







Power 2x3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 660Lm  
 Cri 80  
 Dimensions L: 2.7cm W: 5.5cm H: 13.5cm  
 Non Dimmable ☒  
 Material Aluminium - Diffuser  
 Color Sandy White - Black / **Code 1923**




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 330Lm  
 Cri 80  
 Dimensions L: 2.7cm W: 8.5cm H: 13.5cm  
 Non Dimmable ☒  
 Material Aluminium - Diffuser  
 Color Sandy White - Black / **Code 1922**




1.5 |  **Slim**


Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 694Lm  
 Cri 80  
 IP IP44  
 Dimensions L: 10cm W: 46cm H: 1.5cm  
 Non Dimmable ☒  
 Material Aluminium  
 Color White / **Code 20141**




Bulb 1xG9 Led  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 16cm W: 25cm H: 22cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 12cm  
 Color Black Matt / **Code 20348-L**




Bulb 1xG9 Led  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 10.5cm W: 16cm H: 14.5cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 8cm  
 Color Black Matt / **Code 20348-S**




Bulb 1xG9 Led  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 16cm W: 14cm H: 13cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 12cm  
 Color Black Matt / **Code 20344-L**




Bulb 1xG9 Led  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 11cm W: 10cm H: 9cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 8cm  
 Color Black Matt / **Code 20344-S**







Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 420Lm  
 Cri 80  
 Dimensions L: 9cm W: 9cm H: 30cm  
 Non Dimmable ☒  
 Material Metal  
 Color White Matt / **Code 16155**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 14cm W: 27cm H: 15cm  
 Material Metal  
 Color White Matt / **Code 16158**







Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 210Lm  
 Dimensions L: 11cm Ø: 16cm H: 20cm  
 Non Dimmable   
 Material Metal - Marble  
 Color White Marble - Sandy Blck / **Code 18168**   
 Color White Marble - Sandy White / **Code 18169**   
 Color White Marble - Corten / **Code 22221**

Model Finishing



White Marble  
Sandy Black





White Marble  
Sandy White





White Marble  
Corten





Bulb 2xG9 Led  
Power MAX 7W  
Input 220-240V, 50/60Hz  
Dimensions L: 6cm W: 23cm H: 30cm  
Material Metal - Marble  
Color White Marble / **Code 18153-S** 



Bulb 2xG9 Led  
Power MAX 7W  
Input 220-240V, 50/60Hz  
Dimensions L: 8cm W: 20cm H: 36cm  
Material Metal - Marble  
Color White Marble / **Code 18153-B** 




## Design your Own Wall Lighting

Create the preferred style by combining the different colors and models available.  
Available colors: Green / Blue / White

### Shopping Guide



**A** Code 17024

**B** Code 17023







### Our Suggestion

Become the designer of your home and make your combination.  
Use your imagination to create your masterpiece with our limitless options. Lighting Art for your Wall.




Choose between three colors and two shapes.



Bulb  
Power  
Input  
Dimensions  
Material  
Color  
Color  
Color

2xG9 Led  
MAX 7W  
220-240V, 50/60Hz  
L: 4cm W: 21cm  
Metal - Acrylic


White Matt / Code 17023-W  
Blue Matt / Code 17023-BL  
Green Matt / Code 17023-G





Bulb  
Power  
Input  
Dimensions  
Material  
Color  
Color  
Color

2xG9 Led  
MAX 7W  
220-240V, 50/60Hz  
L: 5cm W: 27cm  
Metal - Acrylic

White Matt / Code 17024-W  
Blue Matt / Code 17024-BL  
Green Matt / Code 17024-G




Bulb 1xG9 Led  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 8cm W: 26cm H: 36cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 8cm  
 Color Sandy Olive Green - Painted Gold / **Code 22203**   
 Color Terracotta - Painted Gold / **Code 22204**   
 Color Elephant Grey - Sandy Black / **Code 22205** 




Bulb 1xG9 Led  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 11cm W: 40cm H: 40cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 8cm  
 Color Sandy Olive Green - Painted Gold / **Code 22201** 


Model Finishing




Sandy Olive Green  
Painted Gold




Terracotta  
Painted Gold




Elephant Grey  
Sandy Black




Bulb 1xE27  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 24cm W: 30cm H: 50cm  
 Base Ø: 15cm H: 3cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 20cm  
 Color Painted Gold / **Code 22200** 







Bulb	1xE14 Led
Power	MAX 8W
Input	220-240V, 50/60Hz
Dimensions	L: 12.5cm W: 20cm H: 27.5cm
Base	Ø: 15.5cm L: 2.5cm
Material	Metal - Glass
Color	Sandy Black - Gold / <b>Code 22047</b>
Color	Sandy Black - Chrome / <b>Code 22048</b>



Indoor Led Wall Lighting




Power 6W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 420Lm  
Cri 80  
Dimensions Ø: 18cm L: 6cm  
Non Dimmable   
Material Metal - Acrylic  
Color Brushed Brass / **Code 20349**




Power 10W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 700Lm  
Cri 80  
Dimensions Ø: 24cm L: 6cm  
Non Dimmable   
Material Metal - Acrylic  
Color Brushed Brass / **Code 20350**






Bulb 12xE14 Led  
 Power MAX 8W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 85cm W: 85cm H: 100cm  
 Base Ø: 15cm H: 2.5cm  
 Glass Ø: 8cm H: 18.5cm  
 Material Metal - Clear Glass - Frost White Glass  
 Color Sandy Black - Antique Brass / **Code 22138**




Bulb 1xE14 Led  
 Power MAX 8W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 24cm W: 24cm H: 110cm  
 Base L: 24cm W: 24cm H: 3cm  
 Glass Ø: 8cm H: 18.5cm  
 Material Metal - Clear Glass - Frost White Glass  
 Special Feature 150cm Cable Available  
 Color Sandy Black - Antique Brass / **Code 22136**






Bulb 1xE14 Led  
 Power MAX 8W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 13cm W: 8cm H: 23cm  
 Base L: 8cm W: 1.5cm H: 8cm  
 Glass Ø: 8cm H: 18.5cm  
 Material Metal - Clear Glass - Frost White Glass  
 Special Feature IP44  
 Color Sandy Black - Antique Brass / **Code 22135**




Bulb 1xE14 Led  
 Power MAX 8W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 8cm H: 23cm  
 Base Ø: 8cm H: 2cm  
 Glass Ø: 8cm H: 18.5cm  
 Material Metal - Clear Glass - Frost White Glass  
 Special Feature 150cm Cable Adjustable  
 Color Sandy Black - Antique Brass / **Code 22137**








Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 13cm H: 31cm  
Base Ø: 10cm H: 2cm  
Glass Ø: 13cm H: 23cm  
Material Metal - Glass  
Special Feature 150cm Fabric Cable Adjustable  
Color Gold Matt - Chrome Glass / **Code 22001**  
Color Black Matt - Chrome Glass / **Code 22002**



Bulb 4xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 105cm W: 13cm H: 140cm  
 Base L: 105cm W: 6.5cm H: 2.7cm  
 Glass Ø: 13cm H: 23cm  
 Material Metal - Glass  
 Special Feature 110cm Fabric Cable Adjustable  
 Color Gold Matt - Chrome Glass / **Code 22143**  
 Color Black Matt - Chrome Glass / **Code 22142**



Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 45cm H: 150cm  
 Base Ø: 35cm H: 4cm  
 Glass Ø: 13cm H: 23cm  
 Material Metal - Glass  
 Special Feature 120cm Fabric Cable Adjustable  
 Color Gold Matt - Chrome Glass / **Code 22144**  
 Color Black Matt - Chrome Glass / **Code 22141**

Adjustable Ceiling Base



Model Finishing




Black Matt-Chrome Glass




Gold Matt-Chrome Glass






Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 12cm H: 38cm  
Base Ø: 8cm H: 3.5cm  
Material Metal - White Marble - Opal Glass  
Special Feature 150cm Fabric Cable Adjustable  
Color Black Matt - Gold Matt / **Code 22215** 






Bulb 1xG9 Led  
Power MAX 7W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 30cm H: 50cm  
Base Ø: 10cm H: 2.5cm  
Glass Ø: 30cm H: 34cm  
Opal Glass Ø: 10.5cm H: 13.5cm  
Material Metal - Clear Glass Outside  
Opal Glass Inside  
Special Feature 150cm Cable Adjustable  
Color Clear Glass - Gold Matt / **Code 22057**







Bulb 1xG9 Led  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 30cm H: 52cm  
 Base Ø: 10cm H: 2.5cm  
 Glass Ø: 30cm H: 43cm  
 Opal Glass Ø: 10.5cm H: 13.5cm  
 Material Metal - Smoked Glass Outside  
 Opal Glass Inside  
 Special Feature 150cm Cable Adjustable  
 Color Smoked Glass - Gold Matt / **Code 22056**




Bulb 1xG9 Led  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 30cm H: 50cm  
 Base Ø: 10cm H: 2.5cm  
 Glass Ø: 30cm H: 24cm  
 Opal Glass Ø: 10.5cm H: 13.5cm  
 Material Metal - Smoked Glass Outside  
 Opal Glass Inside  
 Special Feature 150cm Cable Adjustable  
 Color Smoked Glass - Gold Matt / **Code 22058**




Bulb 1xG9 Led  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 30cm H: 41cm  
 Glass Ø: 30cm H: 35cm  
 Opal Glass Ø: 10.5cm H: 13.5cm  
 Material Metal - Smoked Glass Outside  
 Opal Glass Inside  
 Special Feature 150cm Cable Available  
 Color Smoked Glass - Gold Matt / **Code 22066**





Bulb 3xG9 Led  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 80cm H: 150cm  
 Base Ø: 12cm H: 3cm  
 Glass Ø: 30cm H: 24cm  
 Ø: 30cm H: 43cm  
 Opal Glass Ø: 10.5cm H: 13.5cm  
 Material Metal - Smoked Glass Outside  
 Opal Glass Inside  
 Special Feature 150cm Cable Adjustable  
 Color Sandy Black - Smoked Glass - Gold Matt / **Code 22148**



Bulb 3xG9 Led  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 120cm W: 30cm H: 150cm  
 Base Ø: 12cm H: 3cm  
 Glass Ø: 30cm H: 24cm  
 Ø: 30cm H: 43cm  
 Opal Glass Ø: 10.5cm H: 13.5cm  
 Material Metal - Smoked Glass Outside  
 Opal Glass Inside  
 Special Feature 150cm Cable Adjustable  
 Color Sandy Black - Smoked Glass - Gold Matt / **Code 22149**




Adjustable Ellipse Base




Bulb	6xG9 Led
Power	MAX 7W
Input	220-240V, 50/60Hz
Dimensions	Ø: 110cm H: 160cm
Bases	Ø: 20cm H: 3cm
	Ø: 80cm H: 3cm
Glass	Ø: 30cm H: 24cm
	Ø: 30cm H: 43cm
Opal Glass	Ø: 10.5cm H: 13.5cm
Material	Metal - Smoked Glass Outside Opal Glass Inside
Special Feature	150cm Cable Adjustable
Color	Sandy Black - Smoked Glass - Gold Matt / <b>Code 22147</b>






Bulb 1xG9 Led  
 Power MAX 5W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 18cm H: 20cm  
 Base Ø: 10cm H: 2.5cm  
 Material Metal - Smoked Glass Outside  
 Opal Glass Inside  
 Special Feature 150cm Fabric Cable Adjustable  
 Opal Glass Ø: 10cm  
 Color Sandy Black / **Code 22051**




Bulb 1xG9 Led  
 Power MAX 5W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 23.5cm W: 18cm H: 34cm  
 Base Ø: 10cm W: 2.5cm  
 Glass Ø: 18cm H: 20cm  
 Material Metal - Smoked Glass Outside  
 Opal Glass Inside  
 Special Feature Opal Glass Ø: 10cm  
 Color Sandy Black / **Code 22052**




Bulb 1xG9 Led  
 Power MAX 5W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 31cm W: 26cm H: 145cm  
 Smoked Glass Ø: 18cm H: 20cm  
 Base Ø: 26cm W: 3.5cm  
 Material Metal - Smoked Glass Outside  
 Opal Glass Inside - Black Marble Base  
 Special Feature 180cm Cable Available  
 Opal Glass Ø: 10cm  
 Color Sandy Black - Black Marble / **Code 22053**








Bulb 3xG9 Led  
 Power MAX 5W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 110cm W: 18cm H: 140cm  
 Base Ø: 12cm H: 3cm  
 Glass Ø: 18cm H: 23cm  
 Material Metal - Smoked Glass Outside  
 Opal Glass Inside  
 Special Feature 150cm Cable Adjustable  
 Opal Glass Ø: 10cm  
 Color Sandy Black / **Code 22146**




Bulb 3xG9 Led  
 Power MAX 5W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 80cm H: 150cm  
 Base Ø: 12cm H: 3cm  
 Glass Ø: 18cm H: 23cm  
 Material Metal - Smoked Glass Outside  
 Opal Glass Inside  
 Special Feature 150cm Cable Adjustable  
 Opal Glass Ø: 10cm  
 Color Sandy Black / **Code 22145**




Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	Ø: 25.5cm H: 26.5cm
Base	Ø: 10cm H: 2.5cm
Material	Metal - Aluminum - Dimple Glass Outside Opal Glass Inside
Special Feature	150cm Fabric Cable Adjustable
Color	Sandy Black - Green Glass / <b>Code 22033</b>
Color	Sandy Black - Blue Glass / <b>Code 22034</b>
Color	Sandy Black - Smoked Glass / <b>Code 22035</b>






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 15cm H: 45cm  
 Base Ø: 10cm H: 2.5cm  
 Glass Ø: 15cm H: 28cm  
 Material Metal - Opal Glass  
 Special Feature 150cm Fabric Cable Adjustable  
 Color Gold Matt / **Code 22070**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 33cm  
 Base Ø: 10cm H: 2.5cm  
 Glass Ø: 20cm H: 18cm  
 Material Metal - Opal Glass  
 Special Feature 150cm Fabric Cable Adjustable  
 Color Gold Matt / **Code 22071**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 30cm H: 28cm  
 Base Ø: 10cm H: 2.5cm  
 Glass Ø: 30cm H: 11cm  
 Material Metal - Opal Glass  
 Special Feature 150cm Fabric Cable Adjustable  
 Color Gold Matt / **Code 22072**







Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 120cm W: 30cm H: 100cm  
 Base Ø: 12cm H: 3cm  
 Glass Ø: 30cm H: 11cm  
 Ø: 20cm H: 18cm  
 Ø: 15cm H: 28cm  
 Material Metal - Opal Glass  
 Special Feature 150cm Fabric Cable Adjustable  
 Color Sandy Black - Gold Matt / **Code 22151**

Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 60cm H: 140cm  
 Bases Ø: 12cm H: 3cm  
 Ø: 47cm H: 3cm  
 Glass Ø: 30cm H: 11cm  
 Ø: 20cm H: 18cm  
 Ø: 15cm H: 28cm  
 Material Metal - Opal Glass  
 Special Feature 150cm Fabric Cable Adjustable  
 Color Sandy Black - Gold Matt / **Code 22150**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 13cm H: 48cm  
 Base Ø: 10cm H: 2.5cm  
 Opal Glass Ø: 13cm H: 24cm  
 Material Metal - Ceramic - Opal Glass  
 Special Feature 150cm Fabric Cable Adjustable  
 Color Antique Brass / **Code 22078**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 21cm H: 41cm  
 Base Ø: 10cm H: 2.5cm  
 Opal Glass Ø: 21cm H: 16cm  
 Material Metal - Ceramic - Opal Glass  
 Special Feature 150cm Fabric Cable Adjustable  
 Color Antique Brass / **Code 22079**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 22cm W: 13cm H: 49cm  
 Base Ø: 10cm L: 2.5cm  
 Glass Ø: 13cm H: 24cm  
 Material Metal - Ceramic - Opal Glass  
 Color Antique Brass / **Code 22080**





Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 80cm H: 140cm  
 Base Ø: 12cm H: 3cm  
 Glass Ø: 21cm H: 16cm  
 Ø: 13cm H: 24cm  
 Material Metal - Ceramic - Opal Glass  
 Special Feature 150cm Fabric Cable Adjustable  
 Color Sandy Black - Antique Brass / **Code 22152**





Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 110cm W: 21cm H: 140cm  
 Base Ø: 12cm H: 3cm  
 Glass Ø: 21cm H: 16cm  
 Ø: 13cm H: 24cm  
 Material Metal - Ceramic - Opal Glass  
 Special Feature 150cm Fabric Cable Adjustable  
 Color Sandy Black - Antique Brass / **Code 22153**







Bulb	3xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	Ø: 30cm H: 240cm
Base	Ø: 30cm H: 2.5cm
Glass	Ø: 20cm H: 18.5cm
Material	Metal - Glass
Special Feature	150cm Fabric Cable Adjustable
Color	Clear, Smoked, Champagne Glass Antique Brass / <b>Code 22073</b>




Bulb	3xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	L: 80cm W: 20cm H: 200cm
Base	L: 70cm W: 5cm H: 2.6cm
Glass	Ø: 20cm H: 18.5cm
Material	Metal - Glass
Special Feature	150cm Fabric Cable Adjustable
Color	Clear, Smoked, Champagne Glass Antique Brass / <b>Code 22074</b>



Bulb 1xE14  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 21cm  
 Base Ø: 10cm H: 2.5cm  
 Glass Ø: 20cm H: 15cm  
 Material Metal - Glass  
 Special Feature 150cm Cable Adjustable  
 Color Champagne - Black Matt / **Code 22114**  
 Color Clear Glass - Painted Gold / **Code 22115**




Bulb 1xE14  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 16cm H: 23cm  
 Base Ø: 10cm H: 2.5cm  
 Glass Ø: 16cm H: 17cm  
 Material Metal - Glass  
 Special Feature 150cm Cable Adjustable  
 Color Champagne - Black Matt / **Code 22116**  
 Color Clear Glass - Painted Gold / **Code 22117**




Bulb 1xE14  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 11cm H: 30cm  
 Base Ø: 10cm H: 2.5cm  
 Glass Ø: 11cm H: 24cm  
 Material Metal - Glass  
 Special Feature 150cm Cable Adjustable  
 Color Champagne - Black Matt / **Code 22118**  
 Color Clear Glass - Painted Gold / **Code 22119**








Bulb 3xE14  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 80cm H: 130cm  
 Base Ø: 12cm H: 3cm  
 Glass Ø: 20cm H: 15cm  
 Ø: 16cm H: 17cm  
 Ø: 11cm H: 24cm  
 Material Metal - Glass  
 Special Feature 150cm Cable Adjustable  
 Color Champagne - Black Matt / **Code 22154**  
 Color Clear Glass - Painted Gold / **Code 22157**



Bulb 3xE14  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 110cm W: 20cm H: 120cm  
 Base Ø: 12cm H: 3cm  
 Glass Ø: 20cm H: 15cm  
 Ø: 16cm H: 17cm  
 Ø: 11cm H: 24cm  
 Material Metal - Glass  
 Special Feature 150cm Cable Adjustable  
 Color Champagne - Black Matt / **Code 22155**  
 Color Clear Glass - Painted Gold / **Code 22158**



Bulb 6xE14  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 90cm H: 110cm  
 Bases Ø: 20cm H: 3cm  
 Glass Ø: 80cm H: 3cm  
 Ø: 20cm H: 15cm  
 Ø: 16cm H: 17cm  
 Ø: 11cm H: 24cm  
 Material Metal - Glass  
 Special Feature 150cm Cable Adjustable  
 Color Champagne - Black Matt / **Code 22156**  
 Clear Glass - Painted Gold / **Code 22160**






Bulb 1xE27  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 25cm  
 Base Ø: 12cm H: 2cm  
 Material Metal - Opal Glass  
 Special Feature 120cm Cable Adjustable  
 Color Black Matt / **Code 20268**




Bulb 1xE27  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 20cm  
 Base Ø: 12cm H: 2cm  
 Material Metal - Glass  
 Special Feature 120cm Cable Adjustable  
 Color Black Matt / **Code 20267**




Bulb 1xE27  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 20cm  
 Base Ø: 12cm H: 2cm  
 Material Metal - Glass  
 Special Feature 120cm Cable Adjustable  
 Color Black Matt / **Code 20266**






Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 30cm H: 39cm  
Base Ø: 10cm H: 2.5cm  
Glass Ø: 30cm H: 25cm  
Material Metal - Opal Glass  
Special Feature 150cm Cable Adjustable  
Color Gold Matt / **Code 20124**  
Color White Matt / **Code 20125**








Bulb 4xG9 , 4xE27  
 Power MAX 7W , MAX 8W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 75cm H: 100cm  
 Base Ø: 12cm H: 2.5cm  
 Material Metal - Glass - Opal Glass  
 Special Feature Opal Glass Ø: 12cm  
 Dark Champagne Glass Ø: 7cm H: 23cm  
 Color Sandy Black - Antique Brass / **Code 22055**






Bulb 1xG9 , 1xE27  
 Power MAX 7W , MAX 8W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 22cm W: 12cm H: 85cm  
 Base Ø: 12cm H: 2.5cm  
 Material Metal - Glass - Opal Glass  
 Special Feature Opal Glass Ø: 12cm  
 Dark Champagne Glass Ø: 7cm H: 23cm  
 Color Sandy Black - Antique Brass / **Code 22054**






Bulb 4xG9 Led  
Power MAX 9W  
Input 220-240V, 50/60Hz  
Base 2x Ø: 10cm H: 3.5cm  
Material Metal - Opal Glass  
Special Feature 800cm Cable  
Glass Ø: 12cm  
3 Hanging Accessories Included


Color Sandy Olive Green / **Code 22202**   
Color Sandy Black / **Code 22202-B**   
Color Sandy White / **Code 22202-W** 






Bulb  
Power  
Input  
Dimensions  
Base  
Material  
Special Feature  
Color

1xE27  
MAX 40W  
220-240V, 50/60Hz  
Ø: 13cm H: 44cm  
Ø: 12cm H: 2.5cm  
Glass - Metal  
150cm Cable Adjustable  
Grey - Antique Brass / **Code 19176**




Bulb  
Power  
Input  
Dimensions  
Base  
Material  
Special Feature  
Color

1xE27  
MAX 40W  
220-240V, 50/60Hz  
Ø: 25cm H: 35cm  
Ø: 12cm H: 2.5cm  
Glass - Metal  
150cm Cable Adjustable  
Grey - Antique Brass / **Code 19177**




Bulb  
Power  
Input  
Dimensions  
Base  
Material  
Special Feature  
Color

2xG9 Led  
MAX 9W  
220-240V, 50/60Hz  
L: 120cm W: 18cm H: 95cm  
Ø: 12cm H: 2.5cm  
Metal - Brass - Opal Glass  
Standard Length  
Glass Ø: 18cm  
Glass Ø: 9cm  
Sandy Black - Painted Gold / **Code 22267**




Bulb 1xG9  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 12.5cm W: 10cm H: 42cm  
 Base Ø: 10cm H: 3cm  
 Material Metal - Opal Glass  
 Special Feature 200cm Cable Adjustable  
 Opal Glass Ø: 8cm  
 Color Painted Gold - Golden Leaf / **Code 22060**




Bulb 1xG9  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 14cm W: 12.5cm H: 32cm  
 Base Ø: 13cm H: 3cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 8cm  
 Color Painted Gold - Golden Leaf / **Code 22059**








Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions W: 20cm H: 50cm  
 Base Ø: 8cm H: 3.5cm  
 Material Metal - Opal Glass  
 Special Feature 150cm Cable Adjustable  
 Opal Glass Ø: 12cm  
 Color Bronze / **Code 18142-BR**




Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions W: 11cm H: 23cm  
 Base Ø: 8cm H: 3.5cm  
 Material Metal - Opal Glass  
 Special Feature 150cm Cable Adjustable  
 Opal Glass Ø: 8cm  
 Color Bronze / **Code 18143**




Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 21cm L: 12cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 8cm  
 Color Gold Matt / **Code 19216**







Bulb 3xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 24cm H: 63cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 8cm  
 Color Sandy Black / **Code 18134-B**





Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 12cm H: 22cm  
 Base Ø: 8cm H: 3.5cm  
 Material Metal - Opal Glass  
 Special Feature 150cm Fabric Cable Adjustable  
 Opal Glass Ø: 12cm  
 Color Black Matt - Painted Gold / **Code 22220**




Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 12cm H: 22cm L: 25cm  
 Base Ø: 8cm H: 3.5cm  
 Material Metal - Opal Glass  
 Special Feature 200cm Fabric Cable Adjustable  
 Opal Glass Ø: 12cm  
 Color Black Matt - Painted Gold / **Code 22219**



Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 26cm L: 11cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 8cm  
 Color Sandy Black / **Code 17104**




Bulb 1xE14 / 1xG9  
 Power MAX 15W / MAX 7W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 17.5cm W: 33cm H: 21cm  
 Base Ø: 8cm H: 3cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 15cm / Ø: 10cm  
 Color Gold Matt / **Code 1995**




Bulb 1xE14  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 17.5cm W: 23cm H: 20cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 15cm  
 Color Gold Matt / **Code 1996**






Bulb 5xE14  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 115cm W: 15cm H: 34cm  
 Base Ø: 8cm H: 3cm  
 Material Metal - Opal Glass  
 Special Feature 200cm Fabric Cable Adjustable  
 Opal Glass Ø: 15cm  
 Color Gold Matt / **Code 1998**




Bulb 2xE27  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 50cm W: 25cm H: 34cm  
 Base Ø: 8cm H: 3cm  
 Material Metal - Opal Glass  
 Special Feature 200cm Fabric Cable Adjustable  
 Opal Glass Ø: 25cm / Ø: 15cm  
 Color Gold Matt / **Code 1997**






Bulb 1xG9 Led  
Power MAX 9W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 5cm L: 13cm H: 39cm  
Base Ø: 8cm H: 2cm  
Material Metal - Marble - Clear Glass  
Color Painted Gold / **Code 20352** 







Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 36cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Glass  
 Special Feature 200cm Cable Adjustable  
 Color Black Matt - Smoked Grey / **Code 20126**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 19cm H: 30cm  
 Base Ø: 10cm H: 2.5cm  
 Material Glass  
 Special Feature 150cm Cable Adjustable  
 Color Smoked Grey / **Code 14101**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 24cm H: 22cm  
 Base Ø: 10cm H: 2.5cm  
 Material Glass  
 Special Feature 150cm Cable Adjustable  
 Color Smoked Grey / **Code 14102**




Bulb 1xE14  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 30cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Glass  
 Special Feature 200cm Cable Adjustable  
 Color Champagne - Chrome / **Code 1982**  
 Color White - Chrome / **Code 1980**  
 Color Smoked Grey - Chrome / **Code 1981**



Bulb 4xE14  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 105cm W: 20cm H: 150cm  
 Base L: 105cm W: 6.5cm H: 2.7cm  
 Material Metal - Glass  
 Special Feature 120cm Cable Adjustable  
 Color Black Matt - Smoked Grey / **Code 19243**






Power 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 450Lm  
 Cri 80  
 Dimensions Ø: 14cm H: 35cm  
 Base Ø: 12cm H: 2.5cm  
 Non Dimmable   
 Material Aluminium - Glass - Acrylic  
 Special Feature 150cm Cable Adjustable  
 Color Gold Matt - Clear Glass / **Code 1966**  
 Color Black Matt - Smoked Grey / **Code 1965**




Suggested Trimless Canopy **Code 20144**




Power 3x5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1350Lm  
 Cri 80  
 Dimensions L: 105cm W: 14cm H: 135cm  
 Base L: 105cm W: 6.5cm H: 2.7cm  
 Non Dimmable   
 Material Aluminium - Glass - Acrylic  
 Special Feature 100cm Cable Adjustable  
 Color Black Matt - Smoked Grey / **Code 1970**






Power 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 450Lm  
 Cri 80  
 Dimensions Ø: 14.5cm H: 22cm  
 Base Ø: 12cm H: 2.5cm  
 Non Dimmable   
 Material Aluminium - Glass - Acrylic  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt - Smoked Grey / **Code 1967**  
 Color Gold Matt - Clear Glass / **Code 1968**




Power 3x5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1350Lm  
 Cri 80  
 Dimensions Ø: 38cm H: 150cm  
 Base Ø: 38cm H: 2.5cm  
 Non Dimmable   
 Material Aluminium - Glass - Acrylic  
 Special Feature 125cm Cable Adjustable  
 Color Black Matt - Smoked Grey / **Code 1971**




Bulb 5xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 112cm W: 95cm H: 80cm  
 Base Ø: 12cm H: 2.5cm  
 Material Metal - Glass  
 Color Black Matt - Transparent Glass / **Code 1696**




Bulb 1xGU10 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 12.5cm H: 19cm  
 Base Ø: 8cm H: 2.5cm  
 Material Metal - Aluminium - Glass  
 Special Feature 200cm Fabric Cable Adjustable  
 Color Light Yellow - Sandy Black / **Code 19122**  
 Color Light Blue - Sandy Black / **Code 19121**







Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 24cm H: 28cm  
 Base Ø: 12cm H: 2.5cm  
 Material Metal - Glass  
 Special Feature 200cm Cable Adjustable  
 Color Ink Blue - Antique Brass / **Code 19175**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 30cm  
 Base Ø: 12cm H: 2.5cm  
 Material Metal - Glass  
 Special Feature 200cm Cable Adjustable  
 Color Clear Glass - Antique Brass / **Code 19125**




Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 105cm W: 20cm H: 150cm  
 Base L: 105cm W: 6.5cm H: 2.7cm  
 Material Metal - Glass  
 Special Feature 120cm Cable Adjustable  
 Black Matt Base  
 Color Clear Glass - Antique Brass / **Code 19242**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 17cm H: 32cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Glass  
 Special Feature 200cm Fabric Cable Adjustable  
 Color Chrome - Smoked Grey / **Code 1987**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 29cm H: 42cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Glass  
 Special Feature 200cm Fabric Cable Adjustable  
 Color Chrome - Smoked Grey / **Code 1985**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 23cm H: 50cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Glass  
 Special Feature 200cm Fabric Cable Adjustable  
 Color Chrome - Smoked Grey / **Code 1986**






Bulb 4xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 105cm H: 170cm  
 Base L: 105cm W: 6.5cm H: 2.7cm  
 Material Metal - Glass  
 Special Feature 120cm Fabric Cable Adjustable  
 Color Black Matt - Smoked Grey / **Code 19240**




Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 50cm H: 170cm  
 Base Ø: 50cm H: 3cm  
 Material Metal - Glass  
 Special Feature 120cm Fabric Cable Adjustable  
 Color Black Matt - Smoked Grey / **Code 19241**






Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 25cm H: 30cm  
Base Ø: 10cm H: 2cm  
Material Metal - Glass  
Special Feature 150cm Cable Adjustable  
Color Chrome Glass / **Code 17053**




Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 17cm H: 31cm  
Base Ø: 10cm H: 2cm  
Material Metal - Glass  
Special Feature 150cm Cable Adjustable  
Color Chrome Glass / **Code 17055**




Indoor Lighting | Glass Collection




Bulb 4xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 105cm H: 120cm  
 Base L: 105cm W: 6.5cm H: 2.7cm  
 Material Metal - Glass  
 Special Feature 90cm Cable Adjustable  
 Color Black Matt - Chrome Glass / **Code 17151**




Bulb 5xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Base Ø: 12cm H: 2.5cm  
 Material Metal - Glass  
 Special Feature 150cm Cable Adjustable  
 4 Hanging Accessories Included  
 Color Black Matt - Chrome Glass / **Code 17150**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 13cm H: 29cm  
 Base Ø: 10cm H: 2cm  
 Material Glass  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt - Champagne / **Code 1515**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 18cm H: 30cm  
 Base Ø: 10cm H: 2cm  
 Material Glass  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt - Champagne / **Code 1517**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 24cm H: 23cm  
 Base Ø: 10cm H: 2cm  
 Material Glass  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt - Champagne / **Code 1516**









Power 68W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 8700Lm  
 Cri 80  
 Dimensions L: 100cm W: 24cm H: 170cm  
 Base L: 28cm W: 14cm H: 5cm  
 Dimmable Triac   
 Material Stainless Steel - Clear Glass  
 Special Feature 150cm Cable Adjustable  
 Profile 3.5x4cm  
 Color Gold Matt / **Code 22041**







Power 56W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 7220Lm  
 Cri 80  
 Dimensions Ø: 60cm H: 170cm  
 Base Ø: 18.5cm H: 5cm  
 Dimmable Triac   
 Material Stainless Steel - Clear Glass  
 Special Feature 150cm Cable Adjustable  
 Profile 3.5x4cm  
 Color Gold Matt / **Code 22039**





Power 68W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 8700Lm  
 Cri 80  
 Dimensions Ø: 80cm H: 170cm  
 Base Ø: 18.5cm H: 5cm  
 Dimmable Triac   
 Material Stainless Steel - Clear Glass  
 Special Feature 150cm Cable Adjustable  
 Profile 3.5x4cm  
 Color Gold Matt / **Code 22040**






Bulb	8xG9 Led
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	L: 120cm H: 65-85cm
Base	Ø: 10cm
Material	Metal- Clear Glass
Special Feature	Clear Glass Ø: 12cm
Color	Bronze / <b>Code 18132-BR</b> 





Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 4.5cm H: 6.5cm  
 Base Ø: 6cm H: 4cm  
 Material Metal  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt / **Code 14108-B** 

 Suggested Trimless Canopy **Code 20144**





Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 31cm H: 43cm  
 Base Ø: 12cm H: 2.5cm  
 Material Metal - Glass  
 Special Feature 150cm Cable / Chain Adjustable  
 Color Bronze / **Code 16106**




**Design your Own Light...**


Easy to make custom fixtures on project request.




Bulb	1xE27 Led
Power	MAX 20W
Input	220-240V, 50/60Hz
Dimensions	Ø: 110cm H: 130cm
Base	Ø: 8cm H: 3.5cm
Material	Metal - Braided Wheat
Special Feature	200cm Black Fabric Cable Adjustable Easy to make custom fixtures on project request.
Color	Natural - Sandy Black/ <b>Code 22246</b> 






Bulb 1xE27 Led  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 28cm H: 30cm  
 Base Ø: 8cm H: 3.5cm  
 Material Metal - Braided Wheat  
 Special Feature 200cm Black Fabric Cable Adjustable  
 Color Natural - Sandy Black / **Code 22163** 



Bulb 1xE27 Led  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 30cm H: 30cm  
 Base Ø: 8cm H: 3.5cm  
 Material Metal - Braided Wheat  
 Special Feature 200cm Black Fabric Cable Adjustable  
 Color Natural - Sandy Black / **Code 22164** 



Bulb 1xE27 Led  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 30cm  
 Base Ø: 8cm H: 3.5cm  
 Material Metal - Braided Wheat  
 Special Feature 200cm Black Fabric Cable Adjustable  
 Color Natural - Sandy Black / **Code 22165** 




Bulb 1xE27 Led  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 45cm H: 50cm  
 Base Ø: 8cm H: 3.5cm  
 Material Metal - Braided Wheat  
 Special Feature 200cm Black Fabric Cable Adjustable  
 Color Natural - Sandy Black / **Code 22161**


Bulb 1xE27 Led  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 40cm H: 50cm  
 Base Ø: 8cm H: 3.5cm  
 Material Metal - Braided Wheat  
 Special Feature 200cm Black Fabric Cable Adjustable  
 Color Natural - Sandy Black / **Code 22162**

Bulb 1xE27 Led  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 108cm H: 35cm  
 Base Ø: 8cm H: 3.5cm  
 Material Metal - Braided Wheat  
 Special Feature 200cm Black Fabric Cable Adjustable  
 Color Natural - Sandy Black / **Code 22169**


Indoor Lighting | Bamboo - Rattan Collection



Bulb 1xE27 Led  
Power MAX 20W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 22cm H: 20cm  
Base Ø: 8cm H: 3.5cm  
Material Metal - Braided Wheat  
Special Feature 200cm Black Fabric Cable Adjustable  
Color Natural - Sandy Black/ **Code 22166**




Bulb 1xE27 Led  
Power MAX 20W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 18cm H: 21cm  
Base Ø: 8cm H: 3.5cm  
Material Metal - Braided Wheat  
Special Feature 200cm Black Fabric Cable Adjustable  
Color Natural - Sandy Black / **Code 22167**




Bulb 1xE27 Led  
Power MAX 20W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 22cm H: 45cm  
Base Ø: 8cm H: 3.5cm  
Material Metal - Braided Wheat  
Special Feature 200cm Black Fabric Cable Adjustable  
Color Natural - Sandy Black / **Code 22168**








Bulb 1xE27 Led  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 22cm H: 46cm  
 Base Ø: 8cm H: 3.5cm  
 Material Metal - Braided Wheat  
 Special Feature 200cm Black Fabric Cable Adjustable  
 Color Natural - Sandy Black / **Code 22171**




Bulb 1xE27 Led  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 40cm H: 10cm  
 Base Ø: 8cm H: 3.5cm  
 Material Metal - Bush  
 Special Feature 200cm Black Fabric Cable Adjustable  
 Color Natural - Sandy Black / **Code 22173**




25


Bulb 1xE27 Led  
Power MAX 20W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 25cm L: 11.5cm  
Base Ø: 8cm H: 2.5cm  
Material Metal - Bush  
Color Natural - Sandy Black / Code 22175




40

Bulb 1xE27 Led  
Power MAX 20W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 40cm L: 11.5cm  
Base Ø: 8cm H: 2.5cm  
Material Metal - Bush  
Color Natural - Sandy Black / Code 22174







Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 80cm L: 8cm  
Base Ø: 10cm H: 2cm  
Material Metal - Bamboo  
Color White - Natural Bamboo / **Code 19250**




Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 60cm L: 8cm  
Base Ø: 10cm H: 2cm  
Material Metal - Bamboo  
Color Black - Natural Bamboo / **Code 19252**




Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 40cm L: 8cm  
Base Ø: 10cm H: 2cm  
Material Metal - Bamboo  
Color White - Natural Bamboo / **Code 19251**  
Black - Natural Bamboo / **Code 19253**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 80cm H: 1.5cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Bamboo  
 Special Feature 150cm Cable Adjustable  
 Color White - Natural Bamboo / **Code 19106**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 60cm H: 1.5cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Bamboo  
 Special Feature 150cm Cable Adjustable  
 Color Black - Natural Bamboo / **Code 19104**





Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 40cm H: 1.5cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Bamboo  
 Special Feature 150cm Cable Adjustable  
 Color White - Natural Bamboo / **Code 19107**  
 Color Black - Natural Bamboo / **Code 19105**






Bulb 1xE27 Led  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 65cm H: 45cm  
 Base Ø: 8cm H: 3.5cm  
 Material Metal - Bamboo  
 Special Feature 200cm Black Fabric Cable Adjustable  
 Color Brown - Sandy Black / **Code 22172** 




Bulb 1xE27 Led  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 70cm H: 55cm  
 Base Ø: 8cm H: 3.5cm  
 Material Metal - Braided Wheat  
 Special Feature 200cm Black Fabric Cable Adjustable  
 Color Black - Sandy Black / **Code 22170** 




Bulb  
Power  
Input  
Dimensions  
Base  
Material  
Color

1xE27  
MAX 40W  
220-240V, 50/60Hz  
Ø: 30cm L: 23cm  
Ø: 12cm H: 3cm  
Metal - Rattan  
Black / **Code 20240**



Bulb  
Power  
Input  
Dimensions  
Base  
Material  
Special Feature  
Color

1xE27  
MAX 40W  
220-240V, 50/60Hz  
Ø: 45cm H: 30cm  
Ø: 12cm H: 2cm  
Metal - Rattan  
150cm Cable Adjustable  
Black / **Code 20239**




Bulb  
Power  
Input  
Dimensions  
Base  
Material  
Special Feature


1xE27  
MAX 40W  
220-240V, 50/60Hz  
Ø: 30cm H: 52cm  
Ø: 15cm H: 2cm  
Metal - Rattan  
120cm Cable Available  
Shade Ø: 30cm H: 20cm

Color


Black / **Code 20238**




Bulb 1xE27  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 45cm H: 65cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Rattan  
 Opal Glass Ø: 25cm  
 Special Feature 200cm Cable Adjustable  
 Color Black / **Code 20155**



Bulb 1xE27  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 50cm H: 40cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Rattan  
 Special Feature 200cm Cable Adjustable  
 Color Black / **Code 20153**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 30cm H: 45cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Bamboo  
 Special Feature 200cm Cable Adjustable  
 Color Natural / **Code 20152**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 23cm H: 60cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Bamboo  
 Special Feature 200cm Cable Adjustable  
 Color Natural / **Code 20154**








Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 80cm W: 60cm H: 30cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Bamboo  
 Special Feature 200cm Cable Adjustable  
 Color Natural Bamboo / **Code 19103**  
 Color Black / **Code 19108**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 80cm W: 60cm H: 37cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Bamboo  
 Color Black / **Code 19109**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 50cm H: 50cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Rattan  
 Special Feature 200cm Cable Adjustable  
 Color Natural / **Code 20230**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 40cm H: 40cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Rattan  
 Special Feature 200cm Cable Adjustable  
 Color Natural / **Code 20233**




Bulb 1xE14  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 39cm  
 Material Metal - Rattan  
 Special Feature 120cm Cable Available  
 Color Natural / **Code 20231**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 40cm H: 40cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Paper Rope  
 Special Feature 200cm Cable Adjustable  
 Color Brown / **Code 20236**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 48cm H: 35cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Paper Rope  
 Special Feature 200cm Cable Adjustable  
 Color Natural / **Code 20237**







Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 72cm W: 40cm H: 10cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Bamboo  
 Special Feature 200cm Cable Adjustable  
 Color Natural / **Code 20241**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 40cm H: 8cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Bamboo  
 Special Feature 200cm Cable Adjustable  
 Color Natural / **Code 20242**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 30cm H: 50cm  
 Material Metal - Thread String Cord - Fabric  
 Special Feature 120cm Cable Available  
 Shade Ø: 30cm H: 20cm  
 Color Natural - Light Beige / **Code 20235**




Bulb 1xE14  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 23cm H: 28cm  
 Material Metal - Rattan  
 Special Feature 120cm Cable Available  
 Color Natural - Black Matt / **Code 20232**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 30cm H: 30cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Rattan  
 Special Feature 200cm Cable Adjustable  
 Color Natural / **Code 20234**





Led 3W  
 Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Dimensions L: 25cm W: 15.5cm H: 28cm  
 Base Ø: 12cm H: 2.5cm  
 Switch 2/Switch On-Off  
 Material Metal - Bush  
 Special Feature Shade Ø: 15.5cm H: 15cm  
 Stick Ø: 2.8cm L: 36cm  
 Color Black Matt - Natural / **Code 20355**





Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 40cm H: 40cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Bush - Burlap  
 Special Feature 150cm Cable Adjustable  
 Color Natural / **Code 20354**







Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 55cm H: 70cm  
 Base Ø: 8cm H: 3.5cm  
 Material Rattan  
 Special Feature 150cm Cable Adjustable  
 Color Natural / **Code 18181** 




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 60cm H: 100cm  
 Base Ø: 8cm H: 3.5cm  
 Material Metal - Straw  
 Special Feature 50cm Chain Adjustable  
 Color Natural Straw / **Code 17129** 



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 28cm H: 27cm  
 Base Ø: 8cm H: 3.5cm  
 Material Clay  
 Special Feature 120cm Fabric Cable Adjustable  
 Color Natural / **Code 1664**   
 Color White Matt / **Code 22216**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 13cm H: 27cm  
 Base Ø: 8cm H: 3.5cm  
 Material Clay  
 Special Feature 120cm Fabric Cable Adjustable  
 Color Natural / **Code 1665**   
 Color White Matt / **Code 22236**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 18cm H: 27cm  
 Base Ø: 8cm H: 3.5cm  
 Material Clay  
 Special Feature 120cm Fabric Cable Adjustable  
 Color Natural / **Code 1663**   
 Color White Matt / **Code 22268**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 20cm W: 12cm H: 18cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Clay  
 Color White - Corten / **Code 22193**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 12cm H: 18cm  
 Base Ø: 8cm H: 3.5cm  
 Material Metal - Clay  
 Special Feature 150cm Cable Adjustable  
 Color White - Corten / **Code 22192**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 8cm H: 12cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Clay  
 Color White - Corten / **Code 22191**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 16cm  
 Base Ø: 10cm H: 2.5cm  
 Material Concrete  
 Special Feature 120cm Cable Adjustable  
 Color Concrete - Chrome Base / **Code 1655**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 14,5cm H: 26cm  
 Base Ø: 10cm H: 2.5cm  
 Material Concrete  
 Special Feature 120cm Cable Adjustable  
 Color Concrete - Chrome Base / **Code 1582**




Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 105cm H: 100cm  
 Base W: 105cm W: 6.5cm H: 2.7cm  
 Material Concrete  
 Special Feature 85cm Cable Adjustable  
 Black Matt Base  
 Color Concrete - Black Matt / **Code 1653**







Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 15cm W: 15cm H: 13.5cm  
 Base Ø: 10cm H: 2.5cm  
 Material Concrete  
 Special Feature 120cm Fabric Cable Adjustable  
 Color Concrete - Chrome Base / **Code 1658**




Bulb 1xGU10  
 Power MAX 35W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 7cm H: 40cm  
 Base Ø: 12cm H: 2.5cm  
 Material Concrete  
 Special Feature 120cm Cable Adjustable  
 Color Concrete - Black Matt Base / **Code 180024**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 12cm H: 36cm  
 Base Ø: 10cm H: 2.5cm  
 Material Metal - Concrete  
 Special Feature 120cm Fabric Cable Adjustable  
 Color Concrete - Chrome Base / **Code 1660**




Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 38cm H: 115cm  
 Base Ø: 38cm H: 2.5cm  
 Material Metal - Concrete  
 Special Feature 80cm Fabric Cable Adjustable  
 Color Concrete - Black Matt Base / **Code 1662**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 33cm W: 12cm H: 41cm  
 Base L: 2.5cm W: 10cm H: 30cm  
 Material Metal - Concrete  
 Color Concrete - Black Matt Base / **Code 1661**




Bulb 4xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 105cm W: 12cm H: 100cm  
 Base L: 105cm W: 6.5cm H: 2.7cm  
 Material Metal - Concrete  
 Special Feature 70cm Fabric Cable Adjustable  
 Color Concrete - Black Matt Base / **Code 1659**




Bulb 2xGU10  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 7.5cm W: 7cm H: 16cm  
 Material Concrete  
 Color Concrete / **Code 180022**



Bulb 1xG9  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 11.5cm W: 11.5cm H: 11.5cm  
 Material Concrete  
 Color Concrete / **Code 180023**




Bulb 1xG9  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 13cm W: 13cm H: 15cm  
 Material Concrete  
 Color Concrete / **Code 180021**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 12cm W: 30cm H: 17cm  
 Material Concrete  
 Color Concrete / **Code 180020**







Power 45W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 6300Lm  
 Cri 80  
 Dimensions Ø: 5.3cm L: 141cm  
 Base Ø: 8cm H: 3.5cm  
 Non Dimmable ☒  
 Material Aluminium - PC Diffuser  
 Special Feature 200cm Fabric Cable Adjustable  
 Optional Dimming DALI  
 Color Painted Bronze / **Code 22207**   
 Color Corten / **Code 22206**




Power 50W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 5500Lm  
 Cri 90  
 Dimensions Ø: 5.3cm L: 141cm  
 Base Ø: 8cm H: 3.5cm  
 Non Dimmable ☒  
 Material Aluminium - ABS  
 Special Feature 200cm Fabric Cable Adjustable  
 Optional Dimming DALI  
 Color Painted Bronze - Sandy Black / **Code 22223**   
 Color Corten - Sandy Black / **Code 22222**






Power	18W + 36W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	7560Lm
Cri	80
Dimensions	L: 142cm W: 4.8cm H:7.8cm
Base	Ø: 8cm H: 3.5cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Aluminium
Special Feature	200cm Fabric Cable Adjustable Optional Dimming DALI Up & Down Light
Color	Painted Bronze - Painted Gold / <b>Code 22208</b>
Color	Corten - Sandy Black / <b>Code 22209</b>






Power 45W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 6300Lm  
 Cri 80  
 Dimensions L: 142cm W: 4.8cm H: 85cm  
 Base Ø: 8cm H: 3.5cm  
 Non Dimmable   
 Material Aluminium - PC Deffuser - Leather  
 Special Feature 100cm Fabric Cable Adjustable  
 Optional Dimming DALI  
 Color Painted Bronze / **Code 22211**




Power 45W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 6300Lm  
 Cri 80  
 Dimensions L: 142cm W: 4.8cm H: 7.8cm  
 Base Ø: 8cm H: 3.5cm  
 Non Dimmable   
 Material Aluminium - PC Diffuser  
 Special Feature 200cm Fabric Cable Adjustable  
 Optional Dimming DALI  
 Color Painted Bronze / **Code 22210**








Bulb 1xGU10  
Power MAX 25W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 10.5cm H: 25cm  
Base Ø: 8cm H: 3.5cm  
Material Metal - Aluminium  
Special Feature 200cm Fabric Cable Adjustable  
Color Sandy Black - Painted Gold / Code 22185 




Bulb 1xGU10  
Power MAX 25W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 12cm H: 30cm  
Base Ø: 8cm H: 3.5cm  
Material Metal - Aluminium  
Special Feature 200cm Fabric Cable Adjustable  
Color Sandy Black - Painted Gold / Code 22184 






Bulb 1xGU10  
Power MAX 25W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 24cm H: 23cm  
Base Ø: 8cm H: 3.5cm  
Material Metal - Aluminum  
Special Feature 200cm Fabric Cable Adjustable  
Color Sandy Black - Painted Gold / **Code 22178** 









Bulb 1xGU10  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6cm H: 118cm  
 Base Ø: 8cm H: 3.5cm  
 Material Metal  
 Color Corten / **Code 22186**




Bulb 1xGU10  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions H: 18cm  
 Base Ø: 5cm H: 2cm  
 Material Metal  
 Color Painted Bronze / **Code 22187**






Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	Ø: 50cm H: 25cm
Base	Ø: 8cm H: 3.5cm
Material	Metal
Special Feature	120cm Fabric Cable Adjustable
Color	Corten / <b>Code 22197</b> 
Color	Painted Bronze / <b>Code 22198</b> 
Color	Painted Gold / <b>Code 22199</b> 







Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 33cm L: 15cm  
 Base Ø: 8cm H: 2cm  
 Material Metal  
 Color Corten / **Code 22194**




Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 22cm L: 16cm H: 30cm  
 Material Metal - Aluminium - Opal Glass  
 Special Feature Opal Glass Ø: 12cm  
 Color Painted Bronze - Painted Gold / **Code 22189**




Bulb 1xE14  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 8cm L: 14cm  
 Material Metal  
 Color Painted Bronze / **Code 22188**




Bulb 1xE14  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 32cm W: 15cm H: 42cm  
 Base W: 8.3cm H: 12cm  
 Material Metal - Aluminium  
 Color Sandy Black - Copper Mat / **Code 18135**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 46cm H: 29cm H: 110cm  
 Base Ø: 8cm H: 3.5cm  
 Material Metal - Leather  
 Special Feature 100cm Fabric Cable Adjustable  
 Color Painted Bronze / **Code 22225**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 22cm L: 47cm H: 25cm  
 Base L: 2.5cm W: 8cm H: 16cm  
 Material Metal  
 Color Painted Bronze / **Code 22190**




Bulb 5xGU10  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Base Ø: 8cm H: 3.5cm  
 Material Metal - Leather  
 Special Feature 100cm Fabric Cable Adjustable  
 Color Sandy Black / **Code 22224**



Bulb 3xGU10  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 100cm W: 6cm H: 60cm  
 Base Ø: 8cm H: 3.5cm  
 Material Metal  
 Special Feature 120cm Fabric Cable Adjustable  
 Color Sandy Black - Painted Gold / **Code 22226**




Bulb 2xGU10 , 1xG9 Led  
 Power MAX 25W , MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 120cm W: 8cm H: 100cm  
 Material Metal - Opal Glass  
 Special Feature Standard Length  
 Opal Glass Ø: 8cm  
 Color Sandy Black - Painted Gold / **Code 22227**



Bulb 1 x GU10  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 38cm W: 8.3cm H: 25cm  
 Base L: 2.7cm W: 8.3cm H: 12cm  
 Material Metal  
 Color Sandy Black - Painted Gold / **Code 22228**








Bulb	4xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	L: 115cm W: 18cm H: 31cm
Base	Ø: 8cm H: 3.5cm
Material	Metal - Wood
Special Feature	120cm Fabric Cable Adjustable
Color	Black Matt - Painted Bronze / <b>Code 22213</b> 






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6cm H: 15cm  
 Base Ø: 12cm H: 2cm  
 Material Marble  
 Special Feature 100cm Cable Adjustable  
 Color White Marble / **Code 17157**  
 Black Marble / **Code 17158**


Bulb 1xGU10 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 7cm H: 40cm  
 Base Ø: 8cm H: 3.5cm  
 Material Wood  
 Special Feature 150cm Fabric Cable Adjustable  
 Color Natural - Sandy Black / **Code 22214**




Indoor Lighting



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 35cm H: 34cm  
 Base Ø: 10cm H: 2cm  
 Material Aluminium  
 Special Feature 150cm Cable Adjustable  
 Color Saumon Matt - White Matt / **Code 180050**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 23cm H: 25cm  
 Base Ø: 10cm H: 2cm  
 Material Aluminium  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt - White Matt / **Code 180052**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 12cm H: 24cm  
 Base Ø: 10cm H: 2cm  
 Material Aluminium  
 Special Feature 150cm Cable Adjustable  
 Color Saumon Matt - Bronze / **Code 180051**






Bulb 4xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm L: 105cm H: 170cm  
 Base L: 105cm W: 6.5cm H: 2.7cm  
 Material Metal - Leather - Wood  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt / **Code 1993-B**  
 Color White Matt / **Code 1993-W**




Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 38cm H: 170cm  
 Base Ø: 38cm H: 2.5cm  
 Material Metal - Leather - Wood  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt / **Code 1994-B**  
 Color White Matt / **Code 1994-W**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 22cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Leather - Wood  
 Special Feature 200cm Cable Adjustable  
 Color Black Matt / **Code 1990**  
 Color Grey Matt / **Code 1991**  
 Color White Matt / **Code 1992**






Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 33cm H: 23cm  
Base Ø: 10cm H: 4.5cm  
Material Aluminium - Wood  
Special Feature 150cm Cable Adjustable  
Color Black Matt / **Code 180085**




Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 23cm H: 28cm  
Base Ø: 10cm H: 4.5cm  
Material Aluminium - Wood  
Special Feature 150cm Cable Adjustable  
Color Black Matt / **Code 180088**






Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 34cm H: 36cm  
Base Ø: 10cm H: 2cm  
Material Metal - Aluminium - Wood  
Special Feature 150cm Cable Adjustable  
Color White Matt / **Code 1511-W**




Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 34cm H: 32cm  
Base Ø: 10cm H: 2cm  
Material Metal - Aluminium - Wood  
Special Feature 150cm Cable Adjustable  
Color White Matt / **Code 1512-W**




Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 24cm H: 41cm  
Base Ø: 10cm H: 2cm  
Material Metal - Aluminium - Wood  
Special Feature 150cm Cable Adjustable  
Color White Matt / **Code 1513-W**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 26cm  
 Base Ø: 10cm H: 4.5cm  
 Material Metal - Aluminium - Wood  
 Special Feature 150cm Cable Adjustable  
 Color Green Matt / **Code 180065**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 20cm  
 Base Ø: 10cm H: 4.5cm  
 Material Metal - Aluminium - Wood  
 Special Feature 150cm Cable Adjustable  
 Color White Matt / **Code 180066**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 28cm H: 22cm  
 Base Ø: 10cm H: 4.5cm  
 Material Metal - Aluminium - Wood  
 Special Feature 150cm Cable Adjustable  
 Color Blue Matt / **Code 180067**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 16cm H: 31cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Aluminium  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt / **Code 18192**  
 Color White Matt / **Code 18193**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 23.5cm H: 25cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Aluminium  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt / **Code 18191**  
 Color White Matt / **Code 18190**








Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 21.5cm H: 24cm  
 Base Ø: 12cm H: 2.5cm  
 Material Metal - Aluminium  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt - Copper / **Code 180100**





Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 31cm W: 21.5cm H: 35cm  
 Base Ø: 12cm H: 2cm  
 Material Metal - Aluminium  
 Color Black Matt - Copper / **Code 18127**




Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 35cm H: 38cm  
 Base Ø: 12cm H: 2cm  
 Material Metal - Acrylic  
 Special Feature 200cm Cable Adjustable  
 Color Black Matt / **Code 1644**  
 Color White Matt / **Code 1644-W**






Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	Ø: 46cm H: 35cm
Base	Ø: 8cm H: 3.5cm
Material	Metal
Special Feature	150cm Fabric Cable Adjustable
Color	Black Matt / <b>Code 19245</b> 
Color	Yellow / <b>Code 1642</b> 







Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 70cm H: 14cm  
 Material Metal - Opal Glass  
 Color Black Matt / **Code 1546**



Bulb 3xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 65cm H: 22cm  
 Base Ø: 12cm H: 2.5cm  
 Material Metal - Opal Glass  
 Special Feature 120cm Cable Adjustable  
 Color Black Matt / **Code 1545**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 25cm  
 Base Ø: 10cm H: 2.5cm  
 Material Metal - Stainless Steel  
 Special Feature 150cm Cable Adjustable  
 Color Gold - Black Matt Base / **Code 1683**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 31cm  
 Base Ø: 10cm H: 2cm  
 Material Metal  
 Special Feature 200cm Cable Adjustable  
 Color Black Matt / **Code 1505**

Indoor Lighting | Metal Collection




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 22cm H: 14cm  
 Base Ø: 12cm H: 2cm  
 Material Metal  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt - Bronze / **Code 1464** 




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 34cm W: 22cm H: 24cm  
 Base Ø: 12cm H: 2cm  
 Material Metal  
 Special Feature Shade Ø: 22cm H: 9cm  
 Color Black Matt - Bronze / **Code 1465** 







Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 36cm H: 35cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Alumunium  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt - White / **Code 1548**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 130cm W: 25cm H: 55cm  
 Base L: 2.7cm W: 8cm H: 30cm  
 Material Metal  
 Special Feature Shade Ø: 25cm  
 Color Black Matt / **Code 19231**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 36cm H: 21cm  
 Base Ø: 10cm H: 2cm  
 Material Aluminium  
 Special Feature 150cm Cable Adjustable  
 Color Black Matt - White / **Code 1495**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 80-110cm  
 Base Ø: 9cm H: 2cm  
 Material Metal - Aluminium  
 Special Feature Shade Ø: 20cm  
 Color Black Matt - White / **Code 19219**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 60-100cm W: 20cm H: 85cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Aluminium  
 Special Feature Shade Ø: 20cm  
 Color Black Matt - White / **Code 19218**







Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6cm H: 80cm  
 Material Aluminium  
 Color Sandy White / Code 1566-W   
 Sandy Black / Code 1566-B



Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6cm H: 40cm  
 Material Aluminium  
 Color Sandy White / Code 1567-W   
 Sandy Black / Code 1567-B




Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6cm H: 25cm  
 Material Aluminium  
 Color Sandy White / Code 1568-W   
 Sandy Black / Code 1568-B



Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6cm H: 16cm  
 Material Aluminium  
 Special Feature Angle 30°  
 Color Sandy White / Code 1569-W   
 Sandy Black / Code 1569-B








## Floor-Table Collection





**Zambelis**  
LIGHTS




Power 30W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 2392Lm  
Cri 80  
Dimensions Ø: 60cm H: 175cm  
Base Ø: 35cm H: 3cm  
Non Dimmable   
Material Metal - Aluminium - Acrylic  
Special Feature Profile 2.2 x 2.2cm  
Color Sandy Black / **Code 22038**






Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1200Lm
Cri	80
Dimensions	Ø: 25cm H: 160cm
Base	Ø: 25cm H: 0.5cm
Material	Metal - Acrylic
Non Dimable	☒
Special Feature	150cm Cable Available
	Shade Ø: 16cm H: 2cm
	Uplight
Color	Sandy Black / <b>Code 22065</b>






Power 15W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 1200Lm  
Cri 80  
Dimensions H: 125cm  
Base L: 15cm W: 15cm H: 5cm  
Non Dimmable   
Material Aluminium  
Special Feature 120cm Cable Available  
Movable  
Color Black Matt / **Code 20147**








Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 630Lm  
 Cri 80  
 Dimensions Ø: 12cm H: 155cm  
 Base Ø: 21cm H: 1cm  
 Non Dimmable ☒  
 Material Metal - Aluminium  
 Special Feature 150cm Cable Available  
 Color Sandy Black / **Code 20113**



Power 20W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1600Lm  
 Cri 80  
 Dimensions Ø: 1.6cm H: 150cm  
 Base Ø: 16cm H: 0.5cm  
 Non Dimmable ☒  
 Material Metal - Aluminium - Acrylic  
 Special Feature 150cm Cable Available  
 Color Black Matt / **Code 20123**




Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 640Lm  
 Cri 80  
 Dimensions Ø: 1.6cm H: 46cm  
 Base Ø: 12cm H: 0.5cm  
 Non Dimmable ☒  
 Material Metal - Aluminium - Acrylic  
 Color Black Matt / **Code 20118**




Power 5W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 400Lm  
Cri 80  
Dimensions Ø: 21cm H: 155cm  
Base Ø: 21cm H: 1cm  
Non Dimmable ☒  
Material Metal - Aluminium  
Special Feature 150cm Cable Available  
Lamp Ø: 6.5cm  
Movable  
Color Sandy Black / **Code 20109**







Power	4W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	300Lm
Cri	80
Dimensions	L: 23cm W: 18cm H: 50cm
Base	Ø: 18cm H: 0.5cm
Spot Dimension	Ø: 4cm L: 23cm
Non Dimmable	☒
Material	Metal - Aluminum
Special Feature	Movable Spot
Color	Sandy Black - Gold / <b>Code 22030</b>



Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	560Lm
Cri	80
Dimensions	Ø: 22cm H: 151cm
Base	Ø: 22cm H: 0.5cm
Spots Dimension	Ø: 4cm L: 23cm
Non Dimmable	☒
Material	Metal - Aluminum
Special Feature	Movable Spots
Color	Sandy Black - Gold / <b>Code 22032</b>




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 Dimensions L: 49cm W: 18cm H: 164cm  
 Base L: 28cm W: 18cm  
 Non Dimmable   
 Material Metal - Aluminium  
 Special Feature 150cm Cable Available  
 Profile 1.5x2x33cm  
 Movable  
 Color Sandy Black / **Code 20111**




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 Dimensions L: 39cm W: 13cm H: 47cm  
 Base L: 21cm W: 13cm  
 Non Dimmable   
 Material Metal - Aluminium  
 Special Feature 150cm Cable Available  
 Profile 1.5x2x33cm  
 Movable  
 Color Sandy Black / **Code 20110**







Bulb 1xG9 Led  
 Power MAX 5W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 31cm W: 26cm H: 145cm  
 Smoked Glass Ø: 18cm H: 20cm  
 Base Ø: 26cm W: 3.5cm  
 Material Metal - Smoked Glass Outside  
 Opal Glass Inside - Black Marble Base  
 Special Feature 150cm Cable Available  
 Opal Glass Ø: 10cm  
 Color Sandy Black - Black Marble / **Code 22053**




Bulb 1xE14 Led  
 Power MAX 8W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 24cm W: 24cm H: 110cm  
 Base L: 24cm W: 24cm H: 3cm  
 Glass Ø: 8cm H: 18.5cm  
 Material Metal - Clear Glass - Frost White Glass  
 Special Feature 150cm Cable Available  
 Color Sandy Black - Antique Brass / **Code 22136**




Bulb 1xE27  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 25cm H: 36cm  
 Material Metal - Concrete - Glass  
 Special Feature 120cm Cable Available  
 Color Black Matt / **Code 20270**




Bulb 1xG9 Led  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 30cm H: 41cm  
 Glass Ø: 30cm H: 35cm  
 Opal Glass Ø: 10.5cm H: 13.5cm  
 Material Metal - Smoked Glass Outside  
 Opal Glass Inside  
 Special Feature 150cm Cable Available  
 Color Smoked Glass-Gold Matt / **Code 22066**



Bulb 1xE27  
 Power MAX 40W  
 Dimensions Ø: 70cm H: 180cm  
 Material Wood - Fabric Shade  
 Special Feature 130cm Cable Available  
 Shade Ø: 50cm H: 20cm  
 Color Natural Wood - Black Shade / **Code 1488**




Bulb 3xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions H: 156cm  
 Base L: 15cm W: 15cm H: 15cm  
 Material Metal - Marble - Opal Glass  
 Special Feature 150cm Cable Available  
 Opal Glass Ø: 8cm  
 Color White Marble - Gold Matt / **Code 18179**   
 Color Black Marble - Black Matt / **Code 20362**




Bulb 1xE27  
Power MAX 15W  
Input 220-240V, 50/60Hz  
Dimensions Ø: 29cm W: 64cm H: 170cm  
Material Metal - Acrylic  
Special Feature 200cm Cable Available  
Color Black Matt / **Code 2038**






Bulb 1xE27  
 Power MAX 40W  
 Dimensions H: 150cm  
 Base Ø: 25cm H: 2cm  
 Material Metal - Wood - Fabric Shade  
 Special Feature 150cm Cable Available  
 Shade Ø: 36cm H: 24cm  
 Color Black Matt / **Code 20213**  
 Color White Matt / **Code 20212**




Bulb 1xE14  
 Power MAX 40W  
 Dimensions H: 37cm  
 Base Ø: 16cm H: 0.5cm  
 Material Metal - Wood - Fabric Shade  
 Special Feature 120cm Cable Available  
 Shade Ø: 23cm H: 16cm  
 Color Black Matt / **Code 20214**  
 Color White Matt / **Code 20215**







Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 45cm H: 150cm  
 Material Wood - Silk Shade  
 Special Feature 150cm Cable Available  
 Shade Ø: 41cm H: 26cm  
 Color Natural Wood - White Shade / **Code 16179**



Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 27cm H: 44cm  
 Base Ø: 15cm H: 2.5cm  
 Material Metal - Aluminium  
 Special Feature 150cm Cable Available  
 Color White Matt - Gold Matt / **Code 20222**  
 Black Matt - Gold Matt / **Code 20223**




Bulb 1xE14  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 17cm H: 42cm  
 Base Ø: 13cm H: 2cm  
 Material Metal - Aluminium  
 Special Feature 150cm Cable Available  
 Color Black Matt - Gold Matt / **Code 20217**



Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 45cm H: 159cm  
 Base Ø: 25cm H: 2.5cm  
 Material Metal - Aluminium  
 Special Feature 150cm Cable Available  
 Color Black Matt - Gold Matt / **Code 20216**







Bulb	1xE27
Power	MAX 25W
Input	220-240V, 50/60Hz
Dimensions	Ø: 30cm H: 47cm
Base	Ø: 10cm H: 30cm
Material	Metal
Special Feature	150cm Cable Available
Color	Black Matt / <b>Code 20210</b>
Color	Gold Matt / <b>Code 20211</b>









Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 17cm H: 21cm  
 Base Ø: 11cm H: 2.5cm  
 Material Metal - Glass  
 Special Feature 150cm Cable Available  
 Color Transparent - Antique Brass / **Code 20251**




Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 22cm  
 Base Ø: 11cm H: 2.5cm  
 Material Metal - Glass  
 Special Feature 150cm Cable Available  
 Color Transparent - Antique Brass / **Code 20250**




Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 40cm  
 Base Ø: 14cm H: 0.5cm  
 Material Metal - Glass  
 Special Feature 150cm Cable Available  
 Color White - Gold Matt / **Code 20252**




Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 44cm  
 Base Ø: 11cm H: 19cm  
 Material Metal - Marble - Glass  
 Special Feature 150cm Cable Available  
 Color White Marble - Champagne - Antique Brass / **Code 20253**




Bulb 1xE14  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 18cm W: 11cm H: 18cm  
 Base Ø: 12cm H: 2cm  
 Material Metal - Aluminium  
 Color White Matt - Gold Matt / **Code 20218**  
 Grey Matt - Gold Matt / **Code 20219**




Bulb 1xE14  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 24cm H: 44cm  
 Base Ø: 13cm H: 2.5cm  
 Material Metal - Aluminium  
 Special Feature 150cm Cable Available  
 Color White Matt - Gold Matt / **Code 20221**  
 Grey Matt - Gold Matt / **Code 20220**







Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 30cm H: 50cm  
 Material Metal - Thread String Cord - Fabric  
 Special Feature 120cm Cable Available  
 Shade Ø: 30cm H: 20cm  
 Color Natural - Light Beige / **Code 20235**




Bulb 1xE14  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 23cm H: 28cm  
 Material Metal - Rattan  
 Special Feature 120cm Cable Available  
 Color Natural - Black Matt / **Code 20232**



Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 30cm H: 52cm  
 Base Ø: 15cm H: 2cm  
 Material Metal - Rattan  
 Special Feature 120cm Cable Available  
 Shade Ø: 30cm H: 20cm  
 Color Black / **Code 20238**



Bulb 1xE14  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 20cm H: 39cm  
 Material Metal - Rattan  
 Special Feature 120cm Cable Available  
 Color Natural / **Code 20231**




# Fans




# HOW TO CHOOSE YOUR CEILING FAN

## STEP 1 SIZE / DIMENSIONS




## STEP 2 LIGHT



## STEP 3 DESIGN / CONCEPT





# WHY CHOOSE A ZAMBELIS FAN



# MOTOR DC ADVANTAGES




Indoor Ceiling Fans



- Led Light Source 22W
- Input 220-240V, 50/60Hz
- Color Temperature 3000K, 4000K, 6000K
- Lumen 2200Lm
- Cri 80
- dB 20
- Dimensions 52" Ø: 132cm H: 53cm
- Air Flow 163m<sup>3</sup> min
- Night Mode Time Setting 1h / 4h / 8h
- Material Metal - Polycarbonate - Plywood (MDF)
- Special Feature 2 Down Rods 12.5-25cm  
Summer & Winter Function
- Motor Feature DC Motor 40W  
6 Speeds
- Color Double Face Brown - Brown Wood Blades  
Brown - Natural Wood Blades / **Code 22083**






Led Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	54" Ø: 137cm H: 21cm
Air Flow	195m <sup>3</sup> min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - ABS
Special Feature	TUYA WiFi Remote Control Summer & Winter Function
Motor Feature	DC Motor 40W 5 Speeds
Color	Black Matt / Code 20257









Led Light Source Without Light  
Input 220-240V, 50/60Hz  
dB 23  
Dimensions 64" Ø: 163cm H: 37.5-50cm  
Air Flow 178m<sup>3</sup> min  
Night Mode Time Setting 1h / 2h / 4h / 8h  
Material Metal - ABS  
Special Feature 2 Down Rods 12.5-25cm  
Summer Function  
Possibility of Installation on a Sloping Roof - 20°  
Motor Feature AC Motor 70W  
3 Speeds  
Color Black Matt / **Code 20258**






Led Light Source Without Light  
Input 220-240V, 50/60Hz  
dB 20  
Dimensions 60" Ø: 152cm H: 32-44.5cm  
Air Flow 211.7m<sup>3</sup> min  
Night Mode Time Setting 2h / 4h / 8h  
Material Metal - Wood  
Special Feature 2 Down Rods 12.5-25cm  
Summer & Winter Function  
Possibility of Installation on a Sloping Roof - 20°  
Motor Feature DC Motor 55W  
5 Speeds  
Color Black Matt - Solid Wood Blades / **Code 20259**





Led Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	134.6m <sup>3</sup> min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - Palm Leaf
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function
Motor Feature	DC Motor 48W 5 Speeds
Color	Brown - Natural Palm Leaf Blades / <b>Code 19139</b>






Led Light Source	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1500Lm
Cri	80
dB	20
Dimensions	52" Ø: 132cm H: 37.5-50cm
Air Flow	147.4m <sup>3</sup> min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Acrylic - Wood
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function Possibility of Installation on a Sloping Roof - 20°
Motor Feature	DC Motor 40W 5 Speeds
Color	Coffee - Cherry Wood Blades / <b>Code 20256</b>



Indoor Ceiling Fans



Led Light Source	Without Light
Input	220-240V, 50/60Hz
dB	23
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	145.3m <sup>3</sup> min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Wood
Special Feature	2 Down Rods 12.5-25cm Summer Function
Motor Feature	AC Motor 62W 3 Speeds
Color	Brown - Cherry Wood Blades / <b>Code 19143</b>
Color	Black Matt - Cherry Wood Blades / <b>Code 19143-B</b>
Color	Chrome Matt - Natural Wood Blades / <b>Code 19142</b>



Model Finishing




Brown  
Cherry Wood Blades




Black Matt  
Cherry Wood Blades



Chrome Matt  
Natural Wood Blades







Led Light Source Without Light  
 Input 220-240V, 50/60Hz  
 dB 23  
 Dimensions 52" Ø: 132cm H: 32.5-45cm  
 Air Flow 175.3m<sup>3</sup> min  
 Night Mode Time Setting 1h / 2h / 4h / 8h  
 Material Metal - Wood  
 Special Feature 2 Down Rods 12.5-25cm  
 Summer Function  
 Motor Feature AC Motor 57W  
 3 Speeds  
 Color Black Matt / **Code 19136-B**




Indoor Ceiling Fans




Led Light Source Without Light  
 Input 220-240V, 50/60Hz  
 dB 23  
 Dimensions 52" Ø: 132cm H: 32.5-45cm  
 Air Flow 175.3m<sup>3</sup> min  
 Night Mode Time Setting 1h / 2h / 4h / 8h  
 Material Metal - Wood  
 Special Feature 2 Down Rods 12.5-25cm  
 Summer Function  
 Motor Feature AC Motor 57W  
 3 Speeds  
 Color Black Matt - Cherry Wood Blades / **Code 19136**



Led Light Source 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K, 4000K, 6000K  
 Lumen 1500Lm  
 Cri 80  
 dB 23  
 Dimensions 52" Ø: 132cm H: 37.5-50cm  
 Air Flow 175.3m<sup>3</sup> min  
 Night Mode Time Setting 1h / 2h / 4h / 8h  
 Material Metal - Polycarbonate - Wood  
 Special Feature 2 Down Rods 12.5-25cm  
 Summer Function  
 Motor Feature AC Motor 57W  
 3 Speeds  
 Color Black Matt - Cherry Wood Blades / **Code 19135**






Led Light Source 15W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K, 4000K, 6000K  
Lumen 1500Lm  
Cri 80  
dB 23  
Dimensions 52" Ø: 132cm H: 30cm  
Air Flow 141m<sup>3</sup> min  
Night Mode Time Setting 1h / 2h / 4h / 8h  
Material Metal - Polycarbonate - Wood  
Special Feature Summer Function  
Motor Feature AC Motor 55W  
3 Speeds

Color Black Matt - Cherry Wood Blades / Code 19144






Indoor Ceiling Fans



Led Light Source	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1500Lm
Cri	80
dB	20
Dimensions	52" Ø: 132cm H: 42.5-55cm
Air Flow	156.3m <sup>3</sup> min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Glass - Wood
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function
Motor Feature	DC Motor 38W 5 Speeds
Color	White Matt - Natural Wood Blades / <b>Code 19140</b>
Color	Black Matt - Natural Wood Blades / <b>Code 19141</b>



Indoor Ceiling Fans



Led Light Source 18W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K, 4000K, 6000K  
 Lumen 1800Lm  
 Cri 80  
 dB 23  
 Dimensions 52" Ø: 132cm H: 42.5-55cm  
 Air Flow 152m<sup>3</sup> min  
 Night Mode Time Setting 1h / 2h / 4h / 8h  
 Material Metal - Glass - ABS Blades  
 Special Feature 2 Down Rods 12.5-25cm  
 Summer Function  
 Motor Feature AC Motor 61W  
 3 Speeds

Color White / **Code 19133**




Led Light Source 18W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K, 4000K, 6000K  
 Lumen 1800Lm  
 Cri 80  
 dB 23  
 Dimensions 42" Ø: 107cm H: 38-50.5cm  
 Air Flow 144m<sup>3</sup> min  
 Night Mode Time Setting 1h / 2h / 4h / 8h  
 Material Metal - Glass - Plywood (MDF)  
 Special Feature 2 Down Rods 12.5-25cm  
 Summer Function  
 Motor Feature AC Motor 58W  
 3 Speeds

Color Double Face White Matt - Natural Wood Blades  
 White Matt - White Matt Blades / **Code 19132**




Double Face Blades






Led Light Source	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1800Lm
Cri	80
dB	20
Dimensions	47" Ø: 120cm H: 37-49.5cm
Air Flow	156.3m³ min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - Polycarbonate - ABS
Special Feature	2 Down Rods 12,5-25cm Summer & Winter Function
Motor Feature	DC Motor 38W 5 Speeds
Color	White Matt - Maple Blades / <b>Code 19130</b>
Color	Chrome Matt - Maple Blades / <b>Code 19131</b>





Led Light Source 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K, 4000K, 6000K  
 Lumen 1500Lm  
 Cri 80  
 dB 23  
 Dimensions 52" Ø: 132cm H: 36-48.5cm  
 Air Flow 164m<sup>3</sup> min  
 Night Mode Time Setting 1h / 2h / 4h / 8h  
 Material Metal - Glass - Plywood (MDF)  
 Special Feature 2 Down Rods 12.5-25cm  
 Summer Function  
 Motor Feature AC Motor 58W  
 3 Speeds  
 Color Chrome Matt - Silver / **Code 19134**






Led Light Source 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K, 4000K, 6000K  
 Lumen 1500Lm  
 Cri 80  
 dB 25  
 Dimensions 49" Ø: 124cm H: 26cm  
 Air Flow 168m<sup>3</sup> min  
 Night Mode Time Setting 1h / 2h / 4h / 8h  
 Material Metal - Polycarbonate - Plywood (MDF)  
 Special Feature Summer Function  
 Motor Feature AC Motor 55W  
 3 Speeds  
  
 Color Double Face White Matt - Maple Wood Blades  
 White Matt - White Blades / **Code 19137**  
 Color Chrome Matt - Brown Wood Blades / **Code 19138**




Model Finishing






# HotelLighting







Led	3W
Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	200Lm
Dimensions	L: 13.5cm W: 18cm H: 30cm
Shade	L: 12cm W: 18cm H: 17cm
Base	L: 2.5cm W: 10cm H: 10cm
Stick	Ø: 3cm L: 11.5cm
Non Dimmable	☒
Switch	2/Switch On-Off
Material	Aluminum - Fabric Shade
Color	Brushed Brass - Beige Shade / <b>Code H73</b>



Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	200Lm
Cri	80
Dimensions	Ø: 10.5cm L: 15.5cm
Depth	2.7cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Cutting Hole	Ø: 8.7cm
Special Feature	Stick Ø: 3cm L: 11.5cm
Color	Brushed Brass / <b>Code H71</b>




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 200Lm  
 Cri 80  
 Dimensions L: 20cm W: 4.5cm  
 Base L: 4.5cm W: 4.5cm H: 11.5cm  
 Non Dimmable   
 Switch On/Off  
 Material Metal - Aluminium  
 Special Feature Flex 26cm  
 Stick Ø: 3cm L: 11.5cm  
 Color Sandy Black / **Code H72**




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 149Lm  
 Cri 90  
 Dimensions Ø: 8cm L: 20-26cm  
 Base Ø: 8cm L: 2.8cm  
 Non Dimmable   
 Switch On/Off  
 Material Metal - Aluminium  
 Special Feature Flex 26cm  
 Stick Ø: 2.7cm L: 7cm  
 Color Black Matt / **Code 22049**  
 Color White Matt / **Code 22050**







Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	204Lm
Cri	80
Dimensions	L: 7-19cm W: 16.5cm H: 6.5cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminum
Special Feature	USB Charger Stick Ø: 3cm L: 14cm
Color	Sandy White / <b>Code H74</b>
Color	Sandy Black / <b>Code H75</b>



Power	3W + 5W + 5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240+800Lm
Cri	80
Dimensions	L: 7-16cm W: 35cm H: 6.3cm
Non Dimmable	☒
Switch	2 Switch On/Off
Material	Metal - Aluminium - Acrylic
Special Feature	Up/Down Light Stick Ø: 2.8cm H: 10cm
Color	Black Matt / <b>Code H54</b>
Color	White Matt / <b>Code H52</b>




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Dimensions Ø: 8cm L: 20-26cm  
 Base Ø: 8cm H: 3cm  
 Non Dimmable ☒  
 Switch On/Off  
 Material Metal - Aluminium  
 Special Feature Stick Ø: 2.9cm L: 9.5cm  
 Color Brushed Brass / **Code H63**



Bulb 1xG9 Led  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 12cm W: 10cm H: 30cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Opal Glass  
 Special Feature Opal Glass Ø: 8cm  
 Color Gold Matt / **Code H64** ☒  
 Color Black Matt / **Code H64-B** ☒




USB Charger



Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Dimensions L: 4-12.5cm W: 7.8cm H: 18.3cm  
 Depth 4.5cm  
 Non Dimmable   
 Switch On/Off  
 Material Metal - Aluminium  
 Cutting Hole 15.8x5.7cm  
 Special Feature USB Charger  
 Stick Ø: 2.8cm H: 11cm  
 Color Black Matt / **Code H65**  
 Color Chrome Matt / **Code H66**  
 Color Brushed Brass / **Code H67**




Switch On/Off




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Dimensions L: 7cm-16cm W: 5.5cm H: 15cm  
 Base L: 3cm W: 5.5cm H: 15cm  
 Non Dimmable   
 Switch On/Off  
 Material Metal - Aluminium  
 Special Feature Stick Ø: 2.8cm H: 10cm  
 Color Brushed Brass / **Code H68**






Power 3W + 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240+350Lm  
 Cri 80  
 Dimensions L: 8-12cm W: 14cm H: 20cm  
 Non Dimmable ☒  
 Switch 2 Switch On/Off  
 Material Metal - Aluminium  
 Special Feature Back Light  
 Stick Ø: 1.5cm H: 8cm  
 Color Black Matt / **Code H41**




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 2700K  
 Lumen 150Lm  
 Cri 80  
 Dimensions Ø: 1.8cm H: 28cm  
 Base Ø: 8cm H: 3cm  
 Non Dimmable ☒  
 Material Aluminium - Diffuser  
 Special Feature 130cm Cable Adjustable  
 Color Black Matt / **Code 17009**



Suggested Trimless Canopy **Code 20144**




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Dimensions L: 34cm W: 4cm H: 12cm  
 Depth 5cm  
 Non Dimmable   
 Switch On/Off  
 Material Metal - Aluminium  
 Cutting Hole 8.6x3.2cm  
 Special Feature Stick Ø: 2.5cm H: 6cm  
 Color Black / **Code H69**




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Dimensions W: 8cm H: 19cm  
 Depth 6.5cm  
 Non Dimmable   
 Switch On/Off  
 Material Metal - Aluminium  
 Cutting Hole 17x6cm  
 Special Feature Stick W: 4cm H: 14cm  
 Color Black Matt / **Code H43**  
 Color Brushed Copper / **Code H44**






Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	255Lm
Cri	80
Dimensions	L: 16.4cm Ø: 13cm H: 13.5cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	On/Off
Material	Metal - Aluminium
Special Feature	USB Charger Flex 19cm Stick Ø: 3cm H: 5cm
Color	White Matt / <b>Code H58</b>




Power	3W + 6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	765Lm
Cri	80
Dimensions	Ø: 15cm L: 9-18cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	2 On/Off
Material	Metal - Aluminium - Acrylic
Special Feature	Back Light Stick Ø: 2.8cm H: 10cm
Color	White Matt / <b>Code H56</b>



Led Bulb	3W 1xG9
Power	MAX 25W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	595Lm
Cri	80
Dimensions	L: 15cm W: 29cm H: 19cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	On/Off
Material	Metal - Aluminium
Color	White Matt / <b>H34-W</b>

Hotel Lighting | Wall Lamps



Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	Ø: 8cm L: 7-15cm H: 12cm
Base	Ø: 8cm H: 3cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Stick Ø: 3cm H: 12cm
Color	Black Matt / <b>Code H48-B</b>
Color	Copper / <b>Code H47</b>


Model Finishing




Copper



Black Matt



Power	5.6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	400Lm
Cri	80
Dimensions	L: 15.5cm W: 20cm H: 12cm
Base	L: 2.5cm W: 20cm H: 6cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Acrylic
Special Feature	Switch On-Off
Color	White Matt / <b>Code 20167</b>
Color	Grey / <b>Code 20168</b>




Power 7W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 595Lm  
Cri 80  
Dimensions L: 12cm W: 6cm H: 16.2cm  
Base L: 3cm W: 6cm H: 15cm  
Non Dimmable   
Switch On/Off  
Material Metal - Aluminium  
Special Feature Shade Ø: 8.5cm H: 6.5cm  
Movable Shade  
Color Sandy White - Natural Wood / **Code H62**  
Sandy Black - Brown Wood / **Code H61**






Hotel Lighting | Wall Lamps




Led 3W  
 Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Dimensions L: 25cm W: 15.5cm H: 28cm  
 Base Ø: 12cm H: 2.5cm  
 Switch 2/Switch On-Off  
 Material Metal - Bush  
 Special Feature Shade Ø: 15.5cm H: 15cm  
 Stick Ø: 2.8cm L: 36cm  
 Color Black Matt - Natural / **Code 20355**




Bulb 1xE27  
 Power MAX 25W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 40cm H: 40cm  
 Base Ø: 8cm H: 2cm  
 Material Metal - Bush - Burlap  
 Special Feature 150cm Cable Adjustable  
 Color Natural / **Code 20354**







Led 3W  
 Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Dimensions L: 25cm W: 17cm H: 28cm  
 Base Ø: 12cm H: 2.5cm  
 Non Dimmable ☒  
 Switch 2/Switch On-Off  
 Material Metal - Aluminium - Fabric Shade  
 Special Feature Shade Ø: 17cm H: 14.5cm  
 Stick Ø: 2.8cm L: 36cm  
 Color Black Matt / **Code H57**



Led 3W  
 Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Dimensions L: 14.5-20cm W: 20cm H: 20cm  
 Non Dimmable ☒  
 Switch 2 On/Off  
 Material Metal - Aluminium - Fabric Shade  
 Special Feature USB Charger  
 Shade L: 12cm W: 20cm H: 11cm  
 Stick Ø: 2.8cm H: 8.5cm  
 Color Black Matt / **Code H59**






Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Dimensions L: 12.5-19cm W: 4cm H: 20cm  
 Non Dimmable ☒  
 Switch On/Off  
 Material Metal - Aluminium  
 Special Feature USB Charger  
 Color Black Matt / **Code H35**


USB Charger




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Dimensions L: 15-20cm W: 6cm  
 Base L: 3cm W: 6cm H: 8cm  
 Non Dimmable ☒  
 Switch On/Off  
 Material Metal - Aluminium  
 Special Feature Flex 20cm  
 Color White Matt / **Code H33**  
 Color Black Matt / **Code H32**



Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Base Ø: 8cm L: 3cm  
 Non Dimmable   
 Switch On/Off  
 Material Metal - Aluminium  
 Special Feature Flex 20cm  
 Color Chrome / **Code H30**



Led 3W  
 Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 595Lm  
 Cri 80  
 Dimensions L: 25cm W: 24cm H: 28.2cm  
 Base W: 15cm H: 8cm  
 Non Dimmable   
 Switch 2 On/Off  
 Material Metal - Fabric Shade  
 Special Feature Shade L: 16.4cm W: 24cm H: 13cm  
 Stick Ø: 3x27cm  
 Color Chrome - Light Beige / **Code H51**



Bulb 1xE27  
Power MAX 40W  
Input 220-240V, 50/60Hz  
Dimensions L: 24-40cm W: 20cm H: 30cm  
Base L: 2.5cm W: 11cm H: 14cm  
Material Metal - Fabric Shade  
Special Feature Shade Ø: 13-20cm H: 15cm  
Color Chrome Matt - Black Shade / **Code H24-B**  
Chrome Matt - Beige Shade / **Code H24-W**


**Model Finishing**




Chrome Matt  
Black Shade



Chrome Matt  
Beige Shade






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 17.8cm W: 20cm H: 21cm  
 Base L: 2.5cm W: 12cm H: 12cm  
 Material Metal - Fabric Shade  
 Special Feature Shade L: 13.5cm W: 20cm H: 14.5cm  
 Color Chrome - Light Beige Shade / **Code H15-W**  
 Color Chrome - Black Shade / **Code H15-B**



Chrome  
Light Beige Shade




Chrome  
Black Shade



Led 3W  
 Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 Dimensions L: 24cm W: 19cm H: 34cm  
 Base L: 3cm W: 12cm H: 16cm  
 Non Dimmable   
 Switch 2 On/Off  
 Material Metal - Fabric Shade  
 Special Feature Shade W: 13-19cm H: 20.5cm  
 Color Chrome - Light Beige Shade / **Code H26-W**  
 Color Chrome - Black Shade / **Code H26-B**







Bulb	1xE27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	L: 23cm W: 14cm H: 33cm
Base	L: 21cm W: 14cm H: 2.5cm
Material	Metal - Mirror - Fabric Shade
Special Feature	120 Cable Available Shade L: 16cm W: 12cm H: 23cm
Color	Chrome Matt - Light Beige Shade / <b>Code H11-WH</b>




Hotel Lighting | Wall Lamps with Shade




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 27-36cm W: 19cm H: 30cm  
 Base L: 3cm W: 12cm H: 15cm  
 Material Metal - Fabric Shade  
 Special Feature Shade L: 13-19cm H: 20cm  
 Color Chrome Matt - Light Beige Shade / **Code H08-WH**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 32-40cm W: 19cm H: 52cm  
 Base L: 16cm W: 22cm H: 1cm  
 Material Metal - Fabric Shade  
 Special Feature 120cm Cable Available  
 Shade L: 13-19cm H: 20cm  
 Color Chrome Matt - Light Beige Shade / **Code H06-WH**









Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 10.5cm W: 7cm H: 11cm  
 Base L: 2.5cm W: 7cm H: 11cm  
 Material Aluminium  
 Special Feature Cylinder Ø: 6cm H: 7cm  
 Color White Matt / **Code 180105**




Bulb 2xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 33cm W: 12cm H: 20cm  
 Base Ø: 12cm H: 3cm  
 Material Metal  
 Color Dark Brown / **Code 17140**




Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 13cm W: 7.5cm H: 12cm  
 Base L: 3cm W: 7.5cm H: 12cm  
 Material Aluminium  
 Special Feature Cylinder Ø: 6.5cm H: 7cm  
 Color Dark Grey / **Code 16185**



Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 10cm L: 15cm H: 12cm  
 Base Ø: 10cm H: 2cm  
 Material Metal - Aluminium  
 Color Nickel Matt - Chrome / **Code 16191**




Bulb 4xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 21cm W: 21cm H: 13cm  
 Base L: 21cm W: 21cm H: 3cm  
 Material Aluminium  
 Special Feature Cylinder Ø: 6.5cm H: 7cm  
 Color Dark Grey / **Code 16186**




Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 8cm L: 17cm H: 8cm  
 Base Ø: 8cm H: 2.5cm  
 Material Metal - Aluminium  
 Color Black Matt - Chrome / **Code 16189**






Bulb 3xGU10  
 Power MAX 35W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 45cm W: 6cm H: 11.8cm  
 Base L: 45cm W: 6cm H: 3cm  
 Material Metal - Aluminium  
 Special Feature Cylinder Ø: 6cm L: 8.2cm  
 Color Black Matt - Brushed Brass / **Code S107**  
 Color Black Matt / **Code S106**




Bulb 1xGU10  
 Power MAX 35W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6cm H: 11.8cm  
 Base Ø: 6cm H: 2.8cm  
 Material Metal - Aluminium  
 Special Feature Cylinder Ø: 6cm L: 8.2cm  
 Color Black Matt - Brushed Brass / **Code S105**  
 Color Black Matt / **Code S104**




Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1500Lm  
 Cri 80  
 Dimensions L: 60cm W: 9cm H: 6cm  
 Base L: 3cm W: 19.5cm H: 4.5cm  
 Non Dimmable ☒  
 Material Aluminium - Acrylic  
 Special Feature IP44  
 Up & Down Light  
 Profile 6x6cm  
 Color Black Matt / **Code 22088**






Power 40W  
 Input 220-240V, 50/60Hz  
 Color Temperature 4000K  
 Lumen 4300Lm  
 Cri 80  
 Dimensions L: 70cm W: 3.5cm H: 70cm  
 Non Dimmable ☒  
 Material Mirror - Aluminium  
 Special Feature Touch Switches  
 Antifog  
 Back Light  
 IP54

Color Mirror / **Code 22069**



**Anti Fog and  
 Back Light  
 Touch Switches  
 On the Mirror**




Power 25W  
 Input 220-240V, 50/60Hz  
 Color Temperature 4000K  
 Lumen 2600Lm  
 Cri 80  
 Dimensions Ø: 60cm W: 3.5cm  
 Non Dimmable ☒  
 Material Mirror - Aluminium  
 Special Feature Touch Switches  
 Antifog  
 Back Light  
 IP54

Color Mirror / **Code 22067**




**Anti Fog and  
 Back Light  
 Touch Switches  
 On the Mirror**




Power 36W  
 Input 220-240V, 50/60Hz  
 Color Temperature 4000K  
 Lumen 3200Lm  
 Cri 80  
 Dimensions Ø: 80cm W: 3.5cm  
 Non Dimmable ☒  
 Material Mirror - Aluminium  
 Special Feature Touch Switches  
 Antifog  
 Back Light  
 IP54


Color Mirror / **Code 22068**



Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1538Lm  
 Cri 81  
 Dimensions L: 61cm W: 10cm H: 7.5cm  
 Base Ø: 7.5cm L: 10cm  
 Non Dimmable   
 Material Aluminum - Acrylic  
 Special Feature IP54  
 Profile 2.5 x 2.2cm  
 Color Sandy Black / **Code 22124**




Power 17W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2600Lm  
 Cri 81  
 Dimensions L: 81cm W: 10cm H: 7.5cm  
 Base Ø: 7.5cm L: 10cm  
 Non Dimmable   
 Material Aluminum - Acrylic  
 Special Feature IP54  
 Profile 2.5 x 2.2cm  
 Color Sandy Black / **Code 22125**




Power 21W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 3000Lm  
 Cri 81  
 Dimensions L: 100cm W: 10cm H: 7.5cm  
 Base Ø: 7.5cm L: 10cm  
 Non Dimmable   
 Material Aluminum - Acrylic  
 Special Feature IP54  
 Profile 2.5 x 2.2cm  
 Color Sandy Black / **Code 22126**






Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 720Lm  
 Cri 80  
 Dimensions L: 7.2cm W: 60cm H: 6.2cm  
 Base Ø: 6.2cm L: 7.2cm  
 Non Dimmable ☒  
 Material Aluminium  
 Special Feature IP 44  
 Profile 0.8 x 0.8cm  
 Color Sandy Black / **Code 20145**




Power 13W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1040Lm  
 Cri 80  
 Dimensions L: 7.2cm W: 90cm H: 6.2cm  
 Base Ø: 6.2cm L: 7.2cm  
 Non Dimmable ☒  
 Material Aluminium  
 Special Feature IP 44  
 Profile 0.8 x 0.8cm  
 Color Sandy Black / **Code 20146**






Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 760Lm  
 Cri 80  
 Dimensions L: 6.3cm W: 9.3cm H: 31cm  
 Non Dimmable ☒  
 Material Metal - Aluminum - Acrylic  
 Special Feature IP44  
 Color Chrome / **Code 22087**




Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1500Lm  
 Cri 80  
 Dimensions L: 9.5cm W: 60cm H: 6.3cm  
 Base L: 3cm W: 19.5cm H: 4.5cm  
 Non Dimmable ☒  
 Material Metal - Aluminum - Acrylic  
 Special Feature IP44  
 Color Chrome / **Code 22085**




Power 21W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2200Lm  
 Cri 80  
 Dimensions L: 9.5cm W: 90cm H: 6.3cm  
 Base L: 3cm W: 19.5cm H: 4.5cm  
 Non Dimmable ☒  
 Material Metal - Aluminum - Acrylic  
 Special Feature IP44  
 Color Chrome / **Code 22086**







Bulb 1xG9 Led  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 16.7cm W: 16cm H: 16.7cm  
 Base L: 8cm W: 3cm H: 8cm  
 Material Aluminium - Opal Glass  
 Special Feature IP 44  
 Color Brushed Brass / **Code 20149**



Power 16W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1280Lm  
 Cri 80  
 Dimensions L: 60cm W: 60cm H: 6cm  
 Non Dimmable ☒  
 Material Metal - Aluminium - Acrylic  
 Special Feature IP 44  
 Color Chrome / **Code 20150**




Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1100Lm  
 Cri 80  
 Dimensions L: 4cm W: 60cm H: 2cm  
 Non Dimmable   
 Material Stainless Steel - Acrylic  
 Special Feature IP 44 - Click on Mirror  
 Remote Driver Included  
 Color Anodized Stainless Steel / **Code 20148**




Power 13W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1040Lm  
 Cri 80  
 Dimensions L: 6.8cm W: 47cm H: 7cm  
 Non Dimmable   
 Material Aluminium - Acrylic  
 Special Feature IP 44  
 Color Chrome / **Code 180042**






Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1100Lm  
 Cri 80  
 Dimensions L: 8cm W: 36cm H: 4cm  
 Non Dimmable ☒  
 Material Aluminium - Acrylic  
 Special Feature IP 44  
 Color Chrome / **Code 180043**



Power 16W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1280Lm  
 Cri 80  
 Dimensions L: 8cm W: 55cm H: 3.8cm  
 Non Dimmable ☒  
 Material Aluminium - Acrylic  
 Special Feature IP 44  
 Color Chrome / **Code 180041**




# Architectural Lighting





**Mini Surface Track**  
Magnetic Lighting System



## One shop, One light...

There are many lighting types in retail lighting design, such as general lighting, accent lighting, and task lighting. Is it possible to use one light fixture to solve all the lighting requirements?


Yes, it is MAGNETIC MINITRACK SYSTEM.

The light designer could use it in various possibilities.


Mini Linear Light

Mini Fix Spots


Mini Adjustable Eyes



Free combination



Polarized free



Color: black

Mini Track Eyes - Code 22251



24V-3000K  
Length 50mm

No Light Corner Connector - Code 22257



Dimensions 25x25mm

Feeder 24V - Code 22260



Cable Length 2500mm

Mini Track Eyes - Code 22252



24V-3000K  
Length 100mm

Showcase Corner Connector - Code 22258



Dimensions 35x26mm

Mini Track Linear Light



24V-3000K  
Length :  
150mm - Code 22254  
300mm - Code 22255  
600mm - Code 22256

Mini Track Spots - 22253



24V-3000K  
Length 150mm

Blind Cover - Code 22259



Length 100mm

Mini Track (Free-Cut Length)



Dimensions :  
1100x12.5x10.5mm - Code 22261  
2200x12.5x10.5mm - Code 22262

Magnetic Surface Clip - 22264



Surface Clip with Screws - Code 22265



Showcase Holder - Code 22263



Inner Connector - 22260-I



End Cup - 22260-E



## Attractive Colour Presentation...

### CRI>90, High Quality Light Output

Because ambient light reproduces colours differently, the colour rendering index (CRI) is used as reference. The CRI indicates the ratio by which the illuminated object or the illuminated area deviates from the maximum value of 100 (daylight).


MINI TRACK has an impressively high CRI of 90, which means that it comes very close to natural light and is suitable for colour-sensitive applications such as display cases and special exhibition spaces.

The material quality, feel, and colour authenticity of merchandise and artworks need to be rendered as accurately as possible to accentuate object's value. The especially small light surface of the LEDs and high light density allow the luminaires to perfectly reflect the three-dimensionality of amorphous surfaces. Products with a CRI of 90 are perfect for high-end sales floors and art settings.

### R9>90, Closer to True Colors

R9 is the index to present the color of Red. Red is a very important icon to many objects like photography, textiles, bones and skins. For human eyes, the red is a key reference to distinguish the real true colors.

A higher R9 index can better present the true colors. MINI TRACK, with R9 higher than 90, can better present the world closer to true colors.





Mini Track Eyes



Code	Spots Number	Input	Power	Kelvin	Cri	Beam Angle
22251	1spot	24V	1.5W	3000K	97	20°
22252	2spots	24V	2.6W	3000K	97	20°
Lumen	Dimmable	Length				
80Lm	DALI	50mm				
160Lm	DALI	100mm				

Mini Track Linear



Code	Input	Power	Kelvin	Cri	Beam Angle
22254	24V	2.4W	3000K	93	125°
22255	24V	4.8W	3000K	93	125°
22256	24V	9.6W	3000K	93	125°
Lumen	Dimmable	Length			
210Lm	DALI	150mm			
420Lm	DALI	300mm			
830Lm	DALI	600mm			

Mini Track Spots



Code	Input	Power	Kelvin	Cri	Beam Angle
22253	24V	2.5W	3000K	97	30°
Lumen	Dimmable	Length			
150Lm	DALI	150mm			



Dimming Options


1. DALI Dimming : Dali Driver 24V . Suitable with Drivers to Page : 701



**48**  
VOLT  
CURVED  
MAGNETIC  
SYSTEM








**SURFACE Curved Track**


Dimensions    Ø: 600mm  
 L: 628mm  
 Material        Aluminum  
 Color            Sandy Black  
**Code 22090**

**TRIMLESS Curved Track**

Dimensions    Ø: 600mm  
 L: 628mm  
 Material        Aluminum  
 Color            Sandy Black  
**Code 22091**




**Lights for 22090 - 22091 Tracks**




Power            8W  
 Input            48V  
 Color Temperature 3000K  
 Lumen            780Lm  
 Cri                80  
 Dimensions    Curved: 600mm L: 195mm W: 23mm H: 45mm  
 Beam Angle    36°  
 DALI Dimmable   
 Material        Aluminium - Acrylic  
 Color            Sandy Black / **Code 22092**



Power            8W  
 Input            48V  
 Color Temperature 3000K  
 Lumen            780Lm  
 Cri                80  
 Dimensions    Curved: 600mm L: 195mm W: 23mm H: 45mm  
 Beam Angle    120°  
 DALI Dimmable   
 Material        Aluminium - Acrylic  
 Color            Sandy Black / **Code 22093**




Power            8W  
 Input            48V  
 Color Temperature 3000K  
 Lumen            780Lm  
 Cri                80  
 Dimensions    Curved: 600mm Ø: 45mm L: 110mm  
 Beam Angle    36°  
 DALI Dimmable   
 Material        Aluminium - Acrylic  
 Color            Sandy Black / **Code 22094**



Power            2W  
 Input            48V  
 Color Temperature 3000K  
 Lumen            170Lm  
 Cri                80  
 Dimensions    Curved: 600mm L: 30mm W: 23mm H: 45mm  
 Beam Angle    25°  
 Non Dimmable   
 Material        Acrylic  
 Color            Sandy Black / **Code 22107**







**SURFACE Curved Track**

Dimensions Ø: 900mm  
L: 942.5mm  
Material Aluminum  
Color Sandy Black  
**Code 22097**

**TRIMLESS Curved Track**

Dimensions Ø: 900mm  
L: 942.5mm  
Material Aluminum  
Color Sandy Black  
**Code 22098**




**SURFACE Curved Track**


Dimensions Ø: 1200mm  
L: 1252.5mm  
Material Aluminum  
Color Sandy Black  
**Code 22102**

**TRIMLESS Curved Track**

Dimensions Ø: 1200mm  
L: 1252.5mm  
Material Aluminum  
Color Sandy Black  
**Code 22103**



**Lights for 22097 - 22098 Tracks**



Power 8W  
Input 48V  
Color Temperature 3000K  
Lumen 780Lm  
Cri 80  
Dimensions Curved: 900mm L: 195mm W: 23mm H: 45mm  
Beam Angle 36°  
DALI Dimmable   
Material Aluminium - Acrylic  
Color Sandy Black / **Code 22099**



Power 8W  
Input 48V  
Color Temperature 3000K  
Lumen 780Lm  
Cri 80  
Dimensions Curved: 900mm L: 195mm W: 23mm H: 45mm  
Beam Angle 120°  
DALI Dimmable   
Material Aluminium - Acrylic  
Color Sandy Black / **Code 22100**


**Lights for 22102 - 22103 Tracks**




Power 8W  
Input 48V  
Color Temperature 3000K  
Lumen 780Lm  
Cri 80  
Dimensions Curved: 1200mm L: 195mm W: 23mm H: 45mm  
Beam Angle 36°  
DALI Dimmable   
Material Aluminium - Acrylic  
Color Sandy Black / **Code 22104**




Power 8W  
Input 48V  
Color Temperature 3000K  
Lumen 780Lm  
Cri 80  
Dimensions Curved: 1200mm L: 195mm W: 23mm H: 45mm  
Beam Angle 120°  
DALI Dimmable   
Material Aluminium - Acrylic  
Color Sandy Black / **Code 22105**




Power 8W  
Input 48V  
Color Temperature 3000K  
Lumen 780Lm  
Cri 80  
Dimensions Curved: 900mm Ø: 45mm L: 110mm  
Beam Angle 36°  
DALI Dimmable   
Material Aluminium - Acrylic  
Color Sandy Black / **Code 22101**



Power 2W  
Input 48V  
Color Temperature 3000K  
Lumen 170Lm  
Cri 80  
Dimensions Curved: 900mm L: 30mm W: 23mm H: 45mm  
Beam Angle 25°  
Non Dimmable   
Material Acrylic  
Color Sandy Black / **Code 22107**



Power 8W  
Input 48V  
Color Temperature 3000K  
Lumen 780Lm  
Cri 80  
Dimensions Curved: 1200mm Ø: 45mm L: 110mm  
Beam Angle 36°  
DALI Dimmable   
Material Aluminium - Acrylic  
Color Sandy Black / **Code 22106**



Power 2W  
Input 48V  
Color Temperature 3000K  
Lumen 170Lm  
Cri 80  
Dimensions Curved: 1200mm L: 30mm W: 23mm H: 45mm  
Beam Angle 25°  
Non Dimmable   
Material Acrylic  
Color Sandy Black / **Code 22107**

Connectors for All Curved Tracks




Flex Connector with Cable for 48V Curved Magnetic Tracks  
Code 22096 / Color Black




Feeder for 48V Curved Magnetic Tracks  
Code 22095 / Color Black



Curved Mechanic Connector  
Material Metal  
Color Black / Code 22097-C



End Cap  
Material Metal  
Color Black / Code 22097-E




Design your Own Lighting

Your mind imagines, shapes and forms...  
We create them!

Shopping Guide

- A** Code 22090-22091
- B** Code 22097-22098
- C** Code 22102-22103

Our Suggestion






**4.8**  
 VOLT  
 MAGNETIC  
 SYSTEM



COLOR VARIETY UPON REQUEST

SMART CONTROLS

SAVING ENERGY



SLIM LUMINAIRES


CUSTOMIZE ARCHITECTURAL LIGHTING



EASY CHANGES




SMOOTH SNAP MOUNTING




Power 12W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1320Lm  
 Cri 80  
 Dimensions L: 328mm W: 23mm H: 45mm  
 Beam Angle 120°  
 DALI Dimmable ☉  
 Material Aluminium - PC Diffuser  
 Color Sandy Black / **Code 2087**  
**OSRAM**

Power 12W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1320Lm  
 Cri 80  
 Dimensions L: 328mm W: 23mm H: 45mm  
 Beam Angle 120°  
 Non Dimmable ☒  
 Material Aluminium - PC Diffuser  
 Color Sandy Black / **Code 2086**  
**OSRAM**




Power 20W  
 Input 48V  
 Color Temperature 3000K - 4000K  
 Lumen 2200Lm  
 Cri 80  
 Dimensions L: 652mm W: 23mm H: 45mm  
 Beam Angle 120°  
 DALI Dimmable ☉  
 Material Aluminium - PC Diffuser  
 Color 3000K Sandy Black / **Code 2089**  
 Color 4000K Sandy Black / **Code 2089-4B**  
 Color 3000K Sandy White / **Code 2089-3W**  
**OSRAM**

Power 20W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 2200Lm  
 Cri 80  
 Dimensions L: 652mm W: 23mm H: 45mm  
 Beam Angle 120°  
 Not Dimmable ☒  
 Material Aluminium - PC Diffuser  
 Color Sandy Black / **Code 2088**  
**OSRAM**




Power 10W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1100Lm  
 Cri 80  
 Dimensions L: 150mm W: 23mm H: 95mm  
 Beam Angle Asymmetric 50°  
 DALI Dimmable ☉  
 Material Aluminium - Acrylic  
 Color Sandy Black / **Code 2092-D**  
**OSRAM**

Power 10W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1100Lm  
 Cri 80  
 Dimensions L: 150mm W: 23mm H: 95mm  
 Beam Angle Asymmetric 50°  
 Non Dimmable ☒  
 Material Aluminium - Acrylic  
 Color Sandy Black / **Code 2092**  
**OSRAM**



Power 8W  
 Input 48V  
 Color Temperature 3000K - 4000K  
 Lumen 1020Lm  
 Cri 80  
 Dimensions L: 220mm W: 23mm H: 45mm  
 Beam Angle 30°  
 DALI Dimmable ☉  
 Material Aluminium - Acrylic  
 Color 3000K Sandy Black / **Code 2091**  
 Color 4000K Sandy Black / **Code 2091-4B**  
 Color 3000K Sandy White / **Code 2091-3W**  
**OSRAM**

Power 8W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1020Lm  
 Cri 80  
 Dimensions L: 220mm W: 23mm H: 45mm  
 Beam Angle 30°  
 Non Dimmable ☒  
 Material Aluminium - Acrylic  
 Color Sandy Black / **Code 2090**  
**OSRAM**




Power 12W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1320Lm  
 Cri 80  
 Dimensions L: 220mm W: 23mm H: 53mm  
 Beam Angle 30°  
 DALI Dimmable ☉  
 Material Aluminium - Acrylic  
 Color Sandy Black / **Code 2099**  
**OSRAM**

Power 12W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1320Lm  
 Cri 80  
 Dimensions L: 220mm W: 23mm H: 53mm  
 Beam Angle 30°  
 Non Dimmable ☒  
 Material Aluminium - Acrylic  
 Color Sandy Black / **Code 2090**  
**OSRAM**





Power 7W  
 Input 48V  
 Color Temperature 3000K-4000K  
 Lumen 770Lm  
 Cri 80  
 Dimensions Ø: 37mm H: 87mm  
 Beam Angle 32°  
 DALI Dimmable   
 Material Aluminium  
 Color 3000K Sandy Black / **Code 20400-BD**  
 Color 3000K Sandy White / **Code 20401-WD**  
 Color 4000K Sandy White / **Code 20405**  
**CREE** ⇄



Power 7W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 770Lm  
 Cri 80  
 Dimensions Ø: 37mm H: 87mm  
 Beam Angle 32°  
 Non Dimmable   
 Material Aluminium  
 Color 3000K Sandy Black / **Code 20402-B**  
 Color 3000K Sandy White / **Code 20403-W**  
**CREE** ⇄




Power 5W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 550Lm  
 Cri 80  
 Dimensions Ø: 27mm H: 145mm  
 Beam Angle 24°  
 Non Dimmable   
 Material Aluminium  
 Color Sandy Black / **Code 20179**  
 Color Gold / **Code 20180**  
**OSRAM**




Power 5W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 550Lm  
 Cri 80  
 Dimensions Ø: 26mm H: 125mm  
 Beam Angle 24°  
 DALI Dimmable   
 Material Aluminium  
 Color Sandy Black / **Code 2094**  
**CREE** ⇄



Power 5W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 550Lm  
 Cri 80  
 Dimensions Ø: 26mm H: 125mm  
 Beam Angle 24°  
 Non Dimmable   
 Material Aluminium  
 Color Sandy Black / **Code 2093**  
**CREE** ⇄




Power 12W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1320Lm  
 Cri 80  
 Dimensions Ø: 120mm H: 110mm  
 Beam Angle 38°  
 Non Dimmable   
 Material Aluminium  
 Color Sandy Black / **Code 20177**  
 Color Sandy White / **Code 20178**  
**OSRAM**



Power 15W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1650Lm  
 Cri 80  
 Dimensions Ø: 45mm H: 200mm  
 Beam Angle 24°  
 DALI Dimmable   
 Material Aluminium  
 Color Sandy Black / **Code 2095-D**  
**CREE** ⇄

Power 15W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1650Lm  
 Cri 80  
 Dimensions Ø: 45mm H: 200mm  
 Beam Angle 24°  
 Non Dimmable   
 Material Aluminium  
 Color Sandy Black / **Code 2095**  
**CREE** ⇄



Power 7W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 770Lm  
 Cri 80  
 Dimensions Ø: 30mm H: 500mm  
 Beam Angle 24°  
 DALI Dimmable ☉  
 Material Aluminium  
 Special Feature 100cm Cable Adjustable  
 Color Sandy Black / Code 2081-D  
**CREE**



Power 7W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 770Lm  
 Cri 80  
 Dimensions Ø: 30mm H: 500mm  
 Beam Angle 24°  
 Non Dimmable ☒  
 Material Aluminium  
 Special Feature 100cm Cable Adjustable  
 Color Sandy Black / Code 2081  
**CREE**

**CASAMBI READY** wireless control for DALI luminaires


The Zambelis 48V tracks are compatible with CASAMBI control system, which permits bidirectional communication between control device and luminaires, making it possible for the user to create scenes, regulate the system from smart devices, etc.

With the CASAMBI control system and its Control wireless variants, the user has total control over the installation, with all the features available in low voltage alternatives. The 48V system does not mean relinquishing the leading edge in control for architectural lighting.

Power by : **CASAMBI**  
 Available App on :









**TRIMLESS** Track : 1m / 2m / 3m



**CORNER 90° (c1)**  
Vertical Plane




**CORNER 90° (c2)**  
Horizontal Plane




Track Code	Size	Color	Corner Code	Plane	Color
2083B-1	1m	Sandy Black	2083B-C1	Vertical	Sandy Black
2083W-1	1m	Sandy White	2083W-C1	Vertical	Sandy White
2083B-2	2m	Sandy Black	2083B-C2	Horizontal	Sandy Black
2083W-2	2m	Sandy White	2083W-C2	Horizontal	Sandy White
2083B-3	3m	Sandy Black			
2083W-3	3m	Sandy White			

Notice : For corners type C1 required also to order 20105 and for type C2 20104

**Accessories for Track 2083**




End Cap  
Material Plastic  
Color Black / **Code 2099-B**  
Color White / **Code 2099-W**



PC Cover 3m  
Material Plastic  
Color Black Gloss / **Code 20107**





**SURFACE** Track : 1m / 2m / 3m



**CORNER 90° (c1)**  
Vertical Plane



**CORNER 90° (c2)**  
Horizontal Plane




Track Code	Size	Color	Corner Code	Plane	Color
2082B-1	1m	Sandy Black	2082B-C1	Vertical	Sandy Black
2082W-1	1m	Sandy White	2082W-C1	Vertical	Sandy White
2082B-2	2m	Sandy Black	2082B-C2	Horizontal	Sandy Black
2082W-2	2m	Sandy White	2082W-C2	Horizontal	Sandy White
2082B-3	3m	Sandy Black			
2082W-3	3m	Sandy White			

Notice : For corners type C1 required also to order 20105 and for type C2 20104


**Accessories for Track 2082**




End Cap  
Material Metal  
Color Black / **Code 20100-B**  
Color White / **Code 20100-W**




End Cap  
Material Plastic  
Color Black / **Code 2098-B**  
Color White / **Code 2098-W**




Surface Mounted Kit (2pcs)  
Material Stainless Steel  
**Code 2082SP**



PC Cover 3m  
Material Plastic  
Color Black Gloss / **Code 20107**



Suspension Kit (2pcs) / Adjustable Wire 2m  
Material Aluminium  
**Code 20102-B**



Straight Mechanic Connector  
Material Aluminium  
**Code 2097-B**





RECESSED Track : 1m / 2m / 3m



CORNER 90° (c1)  
Vertical Plane



CORNER 90° (c2)  
Horizontal Plane





SURFACE SHORT Track : 1m / 2m / 3m



CORNER 90° (c1)  
Vertical Plane



CORNER 90° (c2)  
Horizontal Plane



Track Code	Size	Color
2084B-1	1m	Sandy Black
2084W-1	1m	Sandy White
2084B-2	2m	Sandy Black
2084W-2	2m	Sandy White
2084B-3	3m	Sandy Black
2084W-3	3m	Sandy White

Corner Code	Plane	Color
2084B-C1	Vertical	Sandy Black
2084W-C1	Vertical	Sandy White
2084B-C2	Horizontal	Sandy Black
2084W-C2	Horizontal	Sandy White


Notice : For corners type C1 required also to order 20105 and for type C2 20104

Track Code	Size	Color
2085B-1	1m	Sandy Black
2085W-1	1m	Sandy White
2085B-2	2m	Sandy Black
2085W-2	2m	Sandy White
2085B-3	3m	Sandy Black
2085W-3	3m	Sandy White


Corner Code	Plane	Color
2085B-C1	Vertical	Sandy Black
2085W-C1	Vertical	Sandy White
2085B-C2	Horizontal	Sandy Black
2085W-C2	Horizontal	Sandy White

Notice : For corners type C1 required also to order 20105 and for type C2 20104


Accessories for Track 2084



End Cap  
Material Metal  
Color Black / Code 20108-1B  
Color White / Code 20108-1W




End Cap  
Material Metal  
Color Black / Code 20108-B  
Color White / Code 20108-W




Recessed Accessorie Kit (2pcs)  
Material Stainless Steel  
Code 20106


Accessories for Track 2085



End Cap  
Material Plastic  
Color Black / Code 20101-B  
Color White / Code 20101-W




Suspension Kit (2pcs) / Adjustable Wire 2m  
Material Aluminium  
Code 20102




Straight Mechanic Connector  
Material Aluminium  
Code 2097

**Accessories for All Tracks**


Color : Black (RAL 9005)




Feeder for 48V Magnetic Tracks  
**Code 2096 / Color Black**  
**Code 2096-W / Color White**




Inner Connector for 48V Magnetic Tracks  
**Code 20103 / Color Black**  
**Code 20103-W / Color White**



Flex Connector with Cable for 48V Magnetic Tracks  
**Code 20105 / Color Black**  
**Code 20105-W / Color White**




Corner Connector for 48V Magnetic Tracks  
**Code 20104 / Color Black**  
**Code 20104-W / Color White**




Wireless Control for 48V Magnetic Tracks  
 Bluetooth DALI  
**Code 20293**

Power by :  
**CASAMBI**  
 Available App on :


**Remote Drivers**



**Remote Driver 60W**  
 48V  
 5Years Guarantee  
 ON-OFF / **Code 20295**  
 DALI KIT / **Code 20322**  
 PUSH BUTTON KIT / **Code 20300**  
 BLUETOOTH KIT / **Code 20303**




**Remote Driver 100W**  
 48V  
 5Years Guarantee  
 ON-OFF / **Code 20296**  
 DALI KIT / **Code 20298**  
 PUSH BUTTON KIT / **Code 20301**  
 BLUETOOTH KIT / **Code 20304**



**Remote Driver 150W**  
 48V  
 5Years Guarantee  
 ON-OFF / **Code 20297**  
 DALI KIT / **Code 20299**  
 PUSH BUTTON KIT / **Code 20302**  
 BLUETOOTH KIT / **Code 20305**

Ceiling Drivers



**Surface Mount Base with Driver for Surface Magnetic Track**

Power 75W  
 Input 220-240 , 50-60Hz  
 Output 48V  
 Special Feature Included 48V Feeder  
 Color Sandy Black  
 Guarantee 5Years


ON-OFF / Code 20306-B  
 DALI KIT / Code 20308-B  
 PUSH BUTTON KIT / Code 20310-B  
 BLUETOOTH KIT / Code 20312-B



**Surface Mount Base with Driver for Surface Magnetic Track**

Power 150W  
 Input 220-240 , 50-60Hz  
 Output 48V  
 Special Feature Included 48V Feeder  
 Color Sandy Black  
 Guarantee 5Years

ON-OFF / Code 20307-B  
 DALI KIT / Code 20309-B  
 PUSH BUTTON KIT / Code 20311-B  
 BLUETOOTH KIT / Code 20313-B



**Surface Mount Base with Driver for Surface Magnetic Track**

Power 75W  
 Input 220-240 , 50-60Hz  
 Output 48V  
 Special Feature Included 48V Feeder  
 Color Sandy White  
 Guarantee 5Years

ON-OFF / Code 20306-W  
 DALI KIT / Code 20308-W  
 PUSH BUTTON KIT / Code 20310-W  
 BLUETOOTH KIT / Code 20312-W



**Surface Mount Base with Driver for Surface Magnetic Track**

Power 150W  
 Input 220-240 , 50-60Hz  
 Output 48V  
 Special Feature Included 48V Feeder  
 Color Sandy White  
 Guarantee 5Years

ON-OFF / Code 20307-W  
 DALI KIT / Code 20309-W  
 PUSH BUTTON KIT / Code 20311-W  
 BLUETOOTH KIT / Code 20313-W




Pendant Drivers

\*Dimensions Indicated In Millimeters

**Pendant Base with Driver for Surface Magnetic Track**

Power 75W  
 Input 220-240 , 50-60Hz  
 Output 48V  
 Special Feature 200cm Cable Available - 48V Feeder  
 Color Sandy Black  
 Guarantee 5Years

ON-OFF / Code 20314-B  
 DALI KIT / Code 20316-B  
 PUSH BUTTON KIT / Code 20318-B  
 BLUETOOTH KIT / Code 20320-B



**Pendant Base with Driver for Surface Magnetic Track**

Power 150W  
 Input 220-240 , 50-60Hz  
 Output 48V  
 Special Feature 200cm Cable Available - 48V Feeder  
 Color Sandy Black  
 Guarantee 5Years


ON-OFF / Code 20315-B  
 DALI KIT / Code 20317-B  
 PUSH BUTTON KIT / Code 20319-B  
 BLUETOOTH KIT / Code 20321-B



**Pendant Base with Driver for Surface Magnetic Track**

Power 75W  
 Input 220-240 , 50-60Hz  
 Output 48V  
 Special Feature 200cm Cable Available - 48V Feeder  
 Color Sandy White  
 Guarantee 5Years

ON-OFF / Code 20314-W  
 DALI KIT / Code 20316-W  
 PUSH BUTTON KIT / Code 20318-W  
 BLUETOOTH KIT / Code 20320-W



**Pendant Base with Driver for Surface Magnetic Track**

Power 150W  
 Input 220-240 , 50-60Hz  
 Output 48V  
 Special Feature 200cm Cable Available - 48V Feeder  
 Color Sandy White  
 Guarantee 5Years

ON-OFF / Code 20315-W  
 DALI KIT / Code 20317-W  
 PUSH BUTTON KIT / Code 20319-W  
 BLUETOOTH KIT / Code 20321-W





**Driver for Surface Magnetic Track**


Power 100W  
 Input 220-240 , 50-60Hz  
 Output 48V  
 Special Feature Fully Integrates Into Track  
 Color Black  
 Guarantee 5Years

ON-OFF / Code 22269







**48**  
VOLT  
**SOFT**  
**TRACK**



Power 9W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 990Lm  
 Cri 90  
 Dimensions L: 23.7cm W: 2.2cm H: 2.5cm  
 Base W: 11.4cm H: 2.8cm L: 2.3cm  
 Material Aluminium - Acrylic  
 Color Sandy Black / **Code 20276**  
**OSRAM**



Power 7W  
 Input 48V  
 Color Temperature 3000K  
 Lumen 770Lm  
 Cri 90  
 Stick Ø: 3.5cm H: 9.5cm  
 Base W: 11.4cm H: 2.8cm L: 2.3cm  
 Beam Angle 24°  
 Material Aluminium  
 Special Feature Movable  
 Color Sandy Black / **Code 20275**  
**OSRAM**



**LED Strip 2.5m**

Power 14W/m  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1150Lm/m  
 Cri 90  
 Length 250cm  
 Color Black Base / **Code 20277**  
**OSRAM**

**LED Strip 5m**


Power 14W/m  
 Input 48V  
 Color Temperature 3000K  
 Lumen 1150Lm/m  
 Cri 90  
 Length 500cm  
 Color Black Base / **Code 20278**  
**OSRAM**





**Soft Track : 10m**



Color Black / Code 20280



**Ceiling Profile : 1m**

Material Aluminium


Color Black / Code 20279



**End Cap for 48V Soft Track**

Dimensions L: 3.9cm W: 1.8cm H: 2.4cm  
Material Plastic


Color Black / Code 20284



**Corner Connector for 48V Soft Track**

Dimensions L: 4.8cm W: 1.8cm H: 2.4cm  
Material Plastic

Color Black / Code 20282



**T Connector for 48V Soft Track**

Dimensions L: 7.1cm W: 1.8cm H: 2.4cm  
Material Plastic

Color Black / Code 20283



**Adjustable Wire for 48V Soft Track with Accessories**

Length 200cm  
Material Metal

Color Sandy Black / Code 20286




**Cover for 48V Soft Track**

Dimensions L: 16.4cm W: 3.7cm H: 7.6cm  
Material Plastic


Special Feature Rotate 360°

Color Black / Code 20285



**Tooling for Cutting Soft Track**

Code 20281



**Surface Mount Base for 48V Soft Track System**

Power 100W  
Input 220-240V , 50/60Hz  
Output 48V  
Dimensions L: 35cm W: 6cm H: 8cm  
Non Dimmable   
Guarantee 5Years  
Color Sandy Black / Code 20292

## Design your own Lighting



Power 3W  
 Input 24V  
 Color Temperature 3000K  
 Lumen 285Lm  
 Cri 80  
 Dimensions Ø: 10cm H: 7.6cm  
 Dimmable Triac   
 Material Aluminium - PC Diffuser  
 Special Feature Plug & Play With Jack System  
 Color Sandy Black / **Code 19152**  
 Sandy White / **Code 19151**

### Ceiling / Wall Base for 24V Light System

Power 200W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions L: 25cm W: 12cm H: 7.6cm  
 Non Dimmable   
 Material Aluminium  
 Driver Included  
 Special Feature Plug & Play With Jack System  
 Color Sandy Black / **Code 20139**

### Ceiling / Wall Base for 24V Light System

Power 150W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions Ø: 15.5cm H: 7.6cm  
 Non Dimmable   
 Material Aluminium  
 Driver Included  
 Special Feature Plug & Play With Jack System  
 Color Sandy Black / **Code 20140**

### Ceiling / Wall Base for 24V Light System

Power 100W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions Ø: 15.5cm H: 7.6cm  
 Non Dimmable   
 Material Aluminium  
 Driver Included  
 Special Feature Plug & Play With Jack System  
 Color Sandy Black / **Code 19154**  
 Sandy White / **Code 19153**

### Ceiling / Wall Base for 24V Light System


Power 100W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions Ø: 15.5cm H: 7.6cm  
 Dimmable Triac   
 Material Aluminium  
 Driver Included  
 Special Feature Plug & Play With Jack System  
 Remote Control Included

Color Sandy Black / **Code 19156**  
 Sandy White / **Code 19155**






## Design your own Lighting




Power 5W  
 Input 24V  
 Color Temperature 3000K  
 Lumen 475Lm  
 Cri 80  
 Dimensions Ø: 6cm H: 10cm  
 Dimmable Triac   
 Material Aluminium - PC Diffuser  
 Special Feature Plug & Play With Jack System  
 180cm Cable Adjustable

Color Sandy Black / **Code 19168**  
 Sandy White / **Code 19167**



Power 20W  
 Input 24V  
 Color Temperature 3000K  
 Lumen 1600Lm  
 Cri 80  
 Dimensions Ø: 22.3cm H: 3.8cm  
 Non Dimmable   
 Material Aluminium - Diffuser  
 Special Feature Plug & Play With Jack System

Color Sandy Black / **Code 19172**  
 Sandy White / **Code 19171**



Power 7W  
 Input 24V  
 Color Temperature 3000K  
 Lumen 560Lm  
 Cri 80  
 Dimensions Ø: 11cm H: 3.8cm  
 Non Dimmable   
 Material Aluminium - Diffuser  
 Special Feature Plug & Play With Jack System


Color Sandy Black / **Code 19170**  
 Sandy White / **Code 19169**



Power		4W	10W	18W	24W	30W
Input	24V					
Color Temperature	3000K					
Lumen		280Lm	700Lm	1260Lm	1680Lm	2100Lm
Cri	80					
Dimensions	Ø: 1.5cm	27cm	57cm	97cm	127cm	157cm
Dimmable Triac	<input type="radio"/>					
Material	Aluminium - Diffuser					
Special Feature	Plug & Play With Jack System					
Color	Sandy Black / <b>Code</b>	<b>19158</b>	<b>19160</b>	<b>19162</b>	<b>19164</b>	<b>19166</b>
Color	Sandy White / <b>Code</b>	<b>19157</b>	<b>19159</b>	<b>19161</b>	<b>19163</b>	<b>19165</b>










# Customize Architectural Lighting


- Different Dimming:** On-Off, Dali, Bluetooth
- Different CCT:** 2200K - 6500K
- Different Colors**
- Different Levels of Lumen Output**
- Different Dimension Upon Request**



**48mm LED** profile luminaire, made of an extruded aluminium, power-coated with fine sandy finish. Designed for ceiling/pendant/trim-less/recessed, providing direct light emission through a diffuser made either of sated polycarbonate for an almost homogeneous emission of light. Luminaire equipped with the latest generation of well known LED boards with small color tolerance.





**34mm LED** profile luminaire, made of an extruded aluminium, power-coated with fine sandy finish. Designed for ceiling/pendant/trim-less/recessed mounting, providing direct light emission through PMMA diffuser. Luminaire equipped with the latest generation of well known LED boards with small color tolerance.



In the following Electrical Table, you may find Watt and Lumen Output, High Efficiency (HE) 200Lm/W - 3357Lm/m, High Output (HO) 188Lm/W - 5640Lm/m accordingly to the length of our LED profile

Set HO		Lumen		Set HE		Lumen	
Length (cm)	Watt	3000K	4000K	Length (cm)	Watt	3000K	4000K
58	18	2565	2700	58	10	1577	1660
86	27	3848	4050	86	15	2366	2490
114	36	5130	5400	114	20	3154	3320
142	45	6413	6750	142	25	3943	4150
170	54	7695	8100	170	30	4731	4980
198	63	8978	9450	198	35	5520	5810
226	72	10260	10800	226	40	6308	6640
254	81	11543	12150	254	45	7097	7470
282	90	12825	13500	282	50	7885	8300
310	99	14108	14850	310	55	8674	9130
338	108	15390	16200	338	60	9462	9960






Fill in your code using the following items from the table.

Ceiling Profile

Code	Length	Driver	Kelvin	Set	Body Color
51	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
51	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
51	114 = 114cm				G = Sandy Grey
51	142 = 142cm				
51	170 = 170cm				
51	198 = 198cm				
51	226 = 226cm				
51	254 = 254cm				
51	282 = 282cm				
51	310 = 310cm				
51	338 = 338cm				

Guide to Create your Code by Choosing : 51 - Length - Driver - Kelvin - Set - Body Color







Fill in your code using the following items from the table.

Pendant Profile					
Code	Length	Driver	Kelvin	Set	Body Color
52	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
52	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
52	114 = 114cm				G = Sandy Grey
52	142 = 142cm				
52	170 = 170cm				
52	198 = 198cm				
52	226 = 226cm				
52	254 = 254cm				
52	282 = 282cm				
52	310 = 310cm				
52	338 = 338cm				

Guide to Create your Code by Choosing : 52 - Length - Driver - Kelvin - Set - Body Color







Fill in your code using the following items from the table.

Trimless Profile					
Code	Length	Driver	Kelvin	Set	Body Color
53	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
53	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
53	114 = 114cm				
53	142 = 142cm				
53	170 = 170cm				
53	198 = 198cm				
53	226 = 226cm				
53	254 = 254cm				
53	282 = 282cm				
53	310 = 310cm				
53	338 = 338cm				

Guide to Create your Code by Choosing : 53 - Length - Driver - Kelvin - Set - Body Color







Fill in your code using the following items from the table.

Recessed Profile					
Code	Length	Driver	Kelvin	Set	Body Color
54	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
54	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
54	114 = 114cm				
54	142 = 142cm				
54	170 = 170cm				
54	198 = 198cm				
54	226 = 226cm				
54	254 = 254cm				
54	282 = 282cm				
54	310 = 310cm				
54	338 = 338cm				

Guide to Create your Code by Choosing : 54 - Length - Driver - Kelvin - Set - Body Color





Fill in your code using the following items from the table.

Ceiling Profile					
Code	Length	Driver	Kelvin	Set	Body Color
31	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
31	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
31	114 = 114cm				
31	142 = 142cm				
31	170 = 170cm				
31	198 = 198cm				
31	226 = 226cm				

Guide to Create your Code by Choosing : 31 - Length - Driver - Kelvin - Set - Body Color


Fill in your code using the following items from the table.

Pendant Profile					
Code	Length	Driver	Kelvin	Set	Body Color
32	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
32	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
32	114 = 114cm				
32	142 = 142cm				
32	170 = 170cm				
32	198 = 198cm				
32	226 = 226cm				

Guide to Create your Code by Choosing : 32 - Length - Driver - Kelvin - Set - Body Color









Fill in your code using the following items from the table.

Trimless Profile					
Code	Length	Driver	Kelvin	Set	Body Color
33	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
33	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
33	114 = 114cm				
33	142 = 142cm				
33	170 = 170cm				
33	198 = 198cm				
33	226 = 226cm				
33	254 = 254cm				
33	282 = 282cm				
33	310 = 310cm				
33	338 = 338cm				

Guide to Create your Code by Choosing : 33 - Length - Driver - Kelvin - Set - Body Color






Fill in your code using the following items from the table.


Recessed Profile					
Code	Length	Driver	Kelvin	Set	Body Color
34	58 = 58cm	O = ON/OFF	3 = 3000K	E = HE	W = Sandy White
34	86 = 86cm	D = Dali	4 = 4000K	O = HO	B = Sandy Black
34	114 = 114cm				
34	142 = 142cm				
34	170 = 170cm				
34	198 = 198cm				
34	226 = 226cm				
34	254 = 254cm				
34	282 = 282cm				
34	310 = 310cm				
34	338 = 338cm				

Guide to Create your Code by Choosing : 34 - Length - Driver - Kelvin - Set - Body Color





LED circle luminaire, made of a curved extruded aluminium, power-coated with fine sandy finish. Designed for ceiling/pendant mounting, providing direct light emission through satined polycarbonate for an almost homogeneous emission of light. Luminaire equipped with the latest generation of well known LED boards. Driver ON/OFF



Fill in your code using the following items from the table.

Ceiling Circle			
Code	Diameter	Kelvin	Body Color
81	06 = 60cm	3 = 3000K	W = Sandy White
81	09 = 90cm	4 = 4000K	B = Sandy Black
81	12 = 120cm		
81	18 = 180cm		

Guide to Create your Code by Choosing : 81 - Diameter - Kelvin - Body Color

Pendant Circle			
Code	Diameter	Kelvin	Body Color
82	06 = 60cm	3 = 3000K	W = Sandy White
82	09 = 90cm	4 = 4000K	B = Sandy Black
82	12 = 120cm		
82	18 = 180cm		

Guide to Create your Code by Choosing : 82 - Diameter - Kelvin - Body Color

High Output			
Diameter (cm)	Watt	3000K (Lumen)	4000K (Lumen)
60	54	7267	7650
90	81	10858	11430
120	116	14449	15210
180	161	21660	22800





Dimensions  
Description L: 300cm W: 3.2cm H: 3.5cm  
Square Track Surface 100-240V  
Color  
Color Black / **Code 19400**  
White / **Code 19401**



Dimensions  
Description L: 200cm W: 3.2cm H: 3.5cm  
Square Track Surface 100-240V  
Color  
Color Black / **Code 19400-2M**  
White / **Code 19401-2M**



Dimensions  
Description L: 17cm W: 10cm H: 3.4cm  
T Connector for 3 Circuit Lighting Track  
100-240V  
Color  
Color Black / **Code 19408**  
White / **Code 19409**



Dimensions  
Description L: 10cm W: 10cm H: 3.4cm  
Corner for 3 Circuit Lighting Track  
100-240V  
Special Feature  
Color  
Color  
Color  
Color Right Corner / Left Corner  
Black-Right / **Code 19404-R**  
Black-Left / **Code 19404-L**  
White-Right / **Code 19405-R**  
White-Left / **Code 19405-L**



Dimensions  
Description L: 100cm W: 3.2cm H: 3.5cm  
Square Track Surface 100-240V  
Color  
Color Black / **Code 19400-1M**  
White / **Code 19401-1M**



Dimensions  
Description L: 400cm W: 3.2cm H: 3.5cm  
Square Track Surface 100-240V  
Color  
Color Black / **Code 19400-4M**  
White / **Code 19401-4M**



Dimensions  
Description Ø: 11.2cm H: 3.2cm  
Surface Mount Base for Track Spots  
100-240V  
Color  
Color Black / **Code 19412**  
White / **Code 19413**



Dimensions  
Description L: 7cm H: 2.6cm  
Inner Connector for 3 Circuit Lighting Track  
100-240V  
Color  
Color Black / **Code 19415**  
White / **Code 19416**



Dimensions  
Description L: 17cm H: 3.4cm  
Live Connector for 3 Circuit Lighting Track  
100-240V  
Color  
Color Black / **Code 19406**  
White / **Code 19407**



Dimensions  
Description L: 10cm H: 3.4cm  
Feeder for 3 Circuit Lighting Track  
100-240V  
Special Feature  
Color  
Color  
Color  
Color Right Feeder / Left Feeder  
Black-Right / **Code 19402-R**  
Black-Left / **Code 19402-L**  
White-Right / **Code 19403-R**  
White-Left / **Code 19403-L**




Dimensions  
Description L: 3.2cm H: 3.2cm  
End Cap for 3 Circuit Lighting Track  
100-240V  
Color  
Color Black / **Code 19410**  
White / **Code 19411**




Dimensions  
Description 200cm  
Adjustable Wire for 3 Circuit Lighting Track  
100-240V  
Material  
Color Metallic / **Code 19414**






Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K / 4000K  
 Cri 80  
 Dimensions Ø: 6.5cm H: 21cm  
 Non Dimmable ☒  
 Material Aluminium  
 Special Feature 3 Phase Track Light

Code	Kelvin	Lumen	Body Color
18303	3000K	2400Lm	Black
18304	3000K	2400Lm	White
18305	4000K	2475Lm	Black
18306	4000K	2475Lm	White



Power 20W  
 Input 220-240V, 50/60Hz  
 Lumen 2000Lm  
 Cri 80  
 Dimensions Ø: 7cm H: 13.5cm  
 Material Aluminium  
 Special Feature 3 Phase Track Light Driver on Track




Power 38W  
 Input 220-240V, 50/60Hz  
 Lumen 3648Lm  
 Cri 80  
 Dimensions Ø: 9cm H: 16.5cm  
 Material Aluminium  
 Special Feature 3 Phase Track Light Driver on Track

Fill in your code using the following items from the table.

3 Phase Track Light			
Code	Kelvin	Body Color	Beam Angle
S065-	3 = 3000K	W = Sandy White	15 = 15°
S066-	4 = 4000K	B = Sandy Black	24 = 24°
			36 = 36°

Guide to Create your Code by Choosing : Kelvin - Body Color - Beam Angle






Bulb 1xGU10  
 Power MAX 35W  
 Dimensions Ø: 6cm H: 13cm  
 Material Aluminium  
 Special Feature 3 Phase Track Light  
 Color Black Matt / **Code S059**  
 Color White Matt / **Code S058**





Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1000Lm  
 Cri 90  
 Dimensions Ø: 6cm H: 13cm  
 Beam Angle 15° / 24° / 40°  
 Material Aluminium  
 Special Feature 3 Phase Track Light  
 Included LED Driver

Color Black Matt / **Code S059-15**  
 Color Black Matt / **Code S059-24**  
 Color Black Matt / **Code S059-40**  
 Color White Matt / **Code S058-15**  
 Color White Matt / **Code S058-24**  
 Color White Matt / **Code S058-40**  
**OSRAM**




Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 600Lm  
 Cri 80  
 Dimensions Ø: 7cm L: 4cm H: 10cm  
 Beam Angle 36°  
 Dimmable Triac   
 Material Aluminium  
 Special Feature 3 Phase Track Light  
 Included Honeycomb  
 Color Sandy Black / **Code Z65644T-B**  
 Color Sandy White / **Code Z65644T-W**



Bulb 1xGU10 Led  
 Power MAX 10W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6.8cm H: 10cm  
 Material Aluminium  
 Special Feature 3 Phase Track Light  
 Color Brushed Brass / **Code Z65105NT-BB**  
 Color Metal Grey / **Code Z65105NT-G**






Bulb 1xGU10  
 Power MAX 35W  
 Dimensions Ø: 6cm H: 13cm  
 Material Aluminium  
 Special Feature 3 Phase Track Light  
 Color Black Matt / **Code S062**

Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1000Lm  
 Cri 90  
 Dimensions Ø: 6cm H: 13cm  
 Beam Angle 15° / 24° / 40°  
 Material Aluminium  
 Special Feature 3 Phase Track Light  
 Included LED Driver

Color Black Matt / **Code S062-15**  
 Color Black Matt / **Code S062-24**  
 Color Black Matt / **Code S062-40**

**OSRAM**



Bulb 1xGU10  
 Power MAX 40W  
 Dimensions Ø: 6cm H: 13cm  
 Base Ø: 6cm H: 3cm  
 Material Aluminium  
 Special Feature 200cm Cable Adjustable  
 Color Black Matt / **Code S063**

Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 720Lm  
 Cri 90  
 Dimensions Ø: 6cm H: 13cm  
 Base Ø: 6cm H: 3cm  
 Beam Angle 15° / 24° / 40°  
 Material Aluminium  
 Special Feature 200cm Cable Adjustable  
 Included LED Driver


Color Black Matt / **Code S063-15**  
 Color Black Matt / **Code S063-24**  
 Color Black Matt / **Code S063-40**





Bulb 1xGU10  
 Power MAX 35W  
 Dimensions Ø: 6cm H: 20cm  
 Cylinder Ø: 6cm H: 13cm  
 Base Ø: 6cm H: 3cm  
 Material Aluminium  
 Color Black Matt / **Code S055**  
 Color White Matt / **Code S054**

Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1000Lm  
 Cri 90  
 Dimensions Ø: 6cm H: 20cm  
 Cylinder Ø: 6cm H: 13cm  
 Base Ø: 6cm H: 3cm  
 Beam Angle 15° / 24° / 40°  
 Material Aluminium  
 Special Feature Included LED Driver



Color Black Matt / **Code S055-15**  
 Color Black Matt / **Code S055-24**  
 Color Black Matt / **Code S055-40**  
 Color White Matt / **Code S054-15**  
 Color White Matt / **Code S054-24**  
 Color White Matt / **Code S054-40**

**OSRAM**




Bulb 1xGU10  
 Power MAX 35W  
 Dimensions Ø: 6cm H: 12cm  
 Material Aluminium  
 Special Feature 3 Phase Track Light  
 Color Sandy Black / **Code S038**  
 Color Sandy White / **Code S037**



Bulb 1xGU10  
 Power MAX 35W  
 Dimensions Ø: 6cm H: 17cm  
 Cylinder Ø: 6cm H: 13cm  
 Base Ø: 6cm  
 Cutting Hole Ø: 5cm  
 Material Aluminium  
 Special Feature Recessed Track Light  
 Color Black Matt / **Code S057**  
 Color White Matt / **Code S056**

Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1000Lm  
 Cri 90  
 Dimensions Ø: 6cm H: 17cm  
 Cylinder Ø: 6cm H: 13cm  
 Base Ø: 6cm  
 Beam Angle 15° / 24° / 40°  
 Cutting Hole Ø: 5cm  
 Material Aluminium  
 Special Feature Recessed Track Light  
 Included LED Driver




Color Black Matt / **Code S057-15**  
 Color Black Matt / **Code S057-24**  
 Color Black Matt / **Code S057-40**  
 Color White Matt / **Code S056-15**  
 Color White Matt / **Code S056-24**  
 Color White Matt / **Code S056-40**

**OSRAM**


Material Aluminium  
 Color Gold / **Code Ring G**









Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 580Lm  
 Cri 90  
 Dimensions Ø: 4.5cm H: 12cm  
 Beam Angle 36°  
 Material Aluminum  
 Special Feature 3 Phase Track Light  
 Color Brushed Brass / **Code S114**  
 Color White Matt / **Code S115**  
 Color Black Matt / **Code S116**



Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 580Lm  
 Cri 90  
 Dimensions Ø: 4.5cm H: 12cm  
 Base Ø: 5.5cm  
 Beam Angle 36°  
 Cutting Hole Ø: 4cm  
 Material Aluminum  
 Special Feature Recessed Track Light  
 Included LED Driver  
 Color Brushed Brass / **Code S117**  
 Color White Matt / **Code S118**  
 Color Black Matt / **Code S119**



Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 580Lm  
 Cri 90  
 Dimensions Ø: 4.5cm H: 15cm  
 Base Ø: 4.5cm H: 3cm  
 Beam Angle 36°  
 Material Aluminum  
 Special Feature Included LED Driver  
 Color Brushed Brass / **Code S120**  
 Color White Matt / **Code S121**  
 Color Black Matt / **Code S122**




Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 5.2cm H: 12.8cm  
 Spot Ø: 5.2cm H: 9.3cm  
 Base Ø: 5.2cm H: 3cm  
 Material Aluminum  
 Special Feature Included LED Driver  
 Color White Sandy / **Code S123**  
 Color Black Sandy / **Code S124**



Model Finishing



Brushed Brass



White Matt




Black Matt





Bulb 1xGU10  
 Power MAX 40W  
 Dimensions Ø: 6.3cm H: 11.4cm  
 Material Aluminium  
 Special Feature GU10 Lampholder Included  
 Color Black Matt / **Code S001**  
 Color White Matt / **Code S002**



Color Black / **Code Z050112-B**  
 Material Plastic




Bulb 1xGU10 Led  
 Power MAX 10W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 7.5cm H: 40cm  
 Material Aluminium  
 Special Feature 200cm Trasparent Cable Adjustable  
 GU10 Lampholder Included  
 Color Brushed Brass / **Code Z63105MA-BB**  
 Color Black Matt / **Code Z63105MA-B**  
 Color White Matt / **Code Z63105MA-W**  
**\*Ring** Black / **Code Z050112-B**  
 \*Reflector must be ordered seperately



Bulb 1xGU10  
 Power MAX 40W  
 Dimensions L: 9cm W: 9cm H: 11.5cm  
 Material Aluminium  
 Special Feature GU10 Lampholder Included  
 Color White Matt / **Code S039**  
 Color Black Matt / **Code S040**






Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 500Lm  
 Cri 80  
 Dimensions Ø: 6cm H: 6.5cm  
 Beam Angle 35°  
 Dimmable Triac   
 Material Aluminium  
 Color White Matt / **Code Z12107K-W**  
 Color Black Matt / **Code Z12107K-B**  
**\*Ring** Black / **Code Z050106-B**  
**\*Ring** Brass / **Code Z050106-BR**  
 \*Reflector must be ordered seperately



Color Brass / **Code Z050106-BR**  
 Material Plastic


Color Black / **Code Z050106-B**  
 Material Plastic




Bulb 1xGU10 Led  
 Power MAX 10W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 7.5cm H: 13.5cm  
 Material Aluminium  
 Special Feature GU10 Lampholder Included  
 Color Metal Grey / **Code Z12105M-G**  
 Color White / **Code Z12105M-W**  
 Color Brushed Brass / **Code Z12105M-BB**  
**\*Ring** Black / **Code Z050112-B**  
 \*Reflector must be ordered seperately




Color Black / **Code Z050112-B**  
 Material Plastic



Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1000Lm  
 Cri 80  
 IP 54  
 Dimensions Ø: 8cm H: 5.5cm  
 Beam Angle 120°  
 Material Aluminium  
 Color Sandy Black / **Code S131**  
 Color Sandy White / **Code S132**



Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 720Lm  
 Cri 80  
 IP 54  
 Dimensions Ø: 6.5cm H: 4.5cm  
 Beam Angle 120°  
 Material Aluminium  
 Color Sandy Black / **Code S133**  
 Color Sandy White / **Code S134**




Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1050Lm  
 Cri 80  
 Dimensions Ø: 11cm H: 7cm  
 Material Aluminium - Acrylic  
 Color Sandy White / **Code 22133**  
 Color Sandy Black / **Code 22134**





Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 560Lm  
 Cri 90  
 IP 54  
 Dimensions Ø: 6.3cm H: 7.5cm  
 Beam Angle 20°  
 Non Dimmable   
 Material Aluminium - Glass  
 Special Feature Included LED Driver  
 Color Sandy Black / **Code S112**  
 Color Sandy White / **Code S113**



Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 750Lm  
 Cri 80  
 Dimensions L: 7.5cm W: 7.5cm H: 9.5cm  
 Beam Angle 32°  
 Non Dimmable   
 Material Aluminium - Glass  
 Special Feature Included LED Driver  
 Color White - Black Reflector / **Code S068**  
 Color Black - Black Reflector / **Code S069**

### Modularization...

Select Adjustable or Non Adjustable Spots and create the ultimate style by combining the different models available.

#### Adjustable Models...



Bulb  
Power  
Input  
Dimensions  
Cutting Holle  
Material  
Special Feature  
Recessed  
Trimless

1xGU10 LED  
MAX 10W  
220-240V, 50/60Hz  
Ø: 8.5cm H: 7cm  
Ø: 7.4cm  
Aluminium  
GU10 Lampholder Not Included  
Sandy White - Black Chrome / **Code S125**  
Sandy White - Black Chrome / **Code S127**




#### Non Adjustable Models...




Bulb  
Power  
Input  
Dimensions  
Cutting Holle  
Material  
Special Feature  
Recessed  
Trimless

1xGU10 LED  
MAX 10W  
220-240V, 50/60Hz  
Ø: 8.5cm H: 7cm  
Ø: 7.4cm  
Aluminium  
GU10 Lampholder Not Included  
Sandy White - Black Chrome / **Code S126**  
Sandy White - Black Chrome / **Code S128**



Power 1x2W COB LED  
 Input 2.8V / 350mA  
 Color Temperature 3000K  
 Lumen 200Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 3.7cm H: 4.1cm  
 Beam Angle 24°  
 Cutting Hole Ø: 3.2cm  
 Material Aluminium  
 Suggested Driver V350-1050 for 1-8 Fixture  
 LSCW350P for 1 Fixture  
 Color Sandy White / **Code 180016**


Power 1x5W COB LED  
 Input 10V / 500mA  
 Color Temperature 3000K  
 Lumen 580Lm  
 Cri 80  
 Dimensions Ø: 5.8cm H: 5cm  
 Beam Angle 25°  
 Cutting Hole Ø: 5cm  
 Material Aluminium  
 Suggested Driver V350-1050 for 1-3 Fixture / Series Connection  
 LSCW500P for 1 Fixture  
 Color Sandy White / **Code 180012**




Power 1x7W COB LED  
 Input 20V / 350mA  
 Color Temperature 2700K  
 Lumen 630Lm  
 Cri 80  
 Dimensions Ø: 5cm H: 8.7cm  
 Cutting Hole Ø: 4.5cm  
 Beam Angle 24°  
 Material Aluminium  
 Suggested Driver LSCW350P for 1 Fixture  
 Color Sandy White / **Code 180013**

Power 1x5W COB LED  
 Input 8.5V / 500mA  
 Color Temperature 3000K  
 Lumen 580Lm  
 Cri 80  
 Dimensions Ø: 3.5cm H: 6.1cm  
 Cutting Hole Ø: 3.5cm  
 Beam Angle 36°  
 Material Aluminium  
 Suggested Driver LSCW500P for 1 Fixture  
 Color Sandy White / **Code Z10103 BTR-W**

Power 1x5W COB LED  
 Input 8.5V / 500mA  
 Color Temperature 3000K  
 Lumen 580Lm  
 Cri 80  
 Dimensions Ø: 3.5cm H: 6.1cm  
 Cutting Hole Ø: 3.5cm  
 Beam Angle 36°  
 Material Aluminium  
 Suggested Driver LSCW500P for 1 Fixture  
 Color Sandy White - Black / **Code Z10103 BTR-B**



Power 1x7W COB LED  
 Input 20V / 350mA  
 Color Temperature 2700K  
 Lumen 630Lm  
 Cri 80  
 Dimensions Ø: 5.8cm H: 7.3cm  
 Beam Angle 15°  
 Cutting Hole Ø: 5cm  
 Material Aluminium  
 Suggested Driver LSCW350P for 1 Fixture  
 Special Feature Movable  
 Color Sandy White / **Code 180009**




Power 1x7W COB LED  
 Input 20V / 350mA  
 Color Temperature 3000K  
 Lumen 800Lm  
 Cri 80  
 Dimensions Ø: 4cm H: 10cm  
 Beam Angle 36°  
 Cutting Hole Ø: 4.5cm  
 Base Ø: 6cm  
 Material Aluminium  
 Suggested Driver LSCW350P for 1 Fixture  
 Special Feature Movable  
 Color Sandy White / **Code 180015**  
 Color Sandy Black / **Code 180017**



CODE	mA	Watt	V
V350-1050	350-1050	34	2-32






Power	11W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	990Lm
Cri	80
Dimensions	Ø: 4.5cm H: 9.8cm
Beam Angle	15-30° Adjustable
Cutting Hole	Ø: 5cm
Base	Ø: 5.5cm
Material	Aluminium
Special Feature	Recessed Zoomable Spot Included LED Driver
Color	Sandy White - Black / <b>Code 1928</b>
Color	Sandy Black / <b>Code 1928-B</b>









Power	2x9W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1620Lm
Cri	80
Dimensions	Ø: 14cm H: 11.3cm
Beam Angle	18°
Cutting Hole	Ø: 12.8cm
Material	Aluminium
Special Feature	Movable Included LED Driver
Color	Sandy White / <b>Code 1927</b>
Color	Sandy Black / <b>Code 1926</b>







Power 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 350Lm  
 Cri 90  
 Dimensions L: 5.2cm W: 5.2cm H: 5.6cm  
 Cutting Hole 4.3 x 4.3cm  
 Beam Angle 24°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required 6cm  
 Driver Included (135mA)  
 Color Sandy White / **Code S098**




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 150Lm  
 Cri 90  
 Dimensions L: 4.5cm W: 4.5cm H: 5cm  
 Cutting Hole 3.5 x 3.5cm  
 Beam Angle 30°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required 5.5cm  
 Driver Included (700mA)  
 Color Sandy White - Black / **Code S084**



Power 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 350Lm  
 Cri 89.6  
 Dimensions L: 7.5cm W: 4.5cm H: 5cm  
 Cutting Hole 6.5 x 3.5cm  
 Beam Angle 30°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required 5.5cm  
 Driver Included (350mA)  
 Color Sandy White - Black / **Code S085**




Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 950Lm  
 Cri 90  
 Dimensions L: 9cm W: 9cm H: 5.6cm  
 Cutting Hole 8 x 8cm  
 Beam Angle 24°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required 6cm  
 Driver Included (350mA)  
 Color Sandy White / **Code S102**




Power 11W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 770Lm  
 Cri 90  
 Dimensions L: 14.7cm W: 4.5cm H: 5cm  
 Cutting Hole 13.5 x 3.5cm  
 Beam Angle 30°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required 5.5cm  
 Driver Included (600mA)  
 Color Sandy White - Black / **Code S086**






Power 4W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 270Lm  
 Cri 90  
 Dimensions Ø: 4cm H: 5.8cm  
 Cutting Hole Ø: 3.3cm  
 Beam Angle 24°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 6.5cm  
 Driver Included (700mA)  
 Color White Matt - Black Matt / **Code S092**



Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 420Lm  
 Cri 90  
 Dimensions Ø: 6cm H: 8.2cm  
 Cutting Hole Ø: 5.1cm  
 Beam Angle 40°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 9cm  
 Driver Included (160mA)  
 Color White Matt - Black Matt / **Code S093**



Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1050Lm  
 Cri 90  
 Dimensions Ø: 7.5cm H: 10cm  
 Cutting Hole Ø: 6.8cm  
 Beam Angle 38°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 11cm  
 Driver Included (350mA)  
 Color White Matt - Black Matt / **Code S094**




S073


S074




S075




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 90  
 Dimensions Ø: 5.5cm H: 9.1cm  
 Cutting Hole Ø: 5.2cm  
 Beam Angle 24°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 9.5cm  
 Driver Included (160mA)  
 Color White Matt / **Code S073**



Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 800Lm  
 Cri 90  
 Dimensions Ø: 7.5cm H: 9.8cm  
 Cutting Hole Ø: 7.2cm  
 Beam Angle 31°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 10.5cm  
 Driver Included (250mA)  
 Color White Matt / **Code S075**




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 90  
 Dimensions Ø: 5.5cm H: 9.1cm  
 Cutting Hole Ø: 5.2cm  
 Beam Angle 24°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 9.5cm  
 Driver Included (160mA)  
 Color Black Matt / **Code S074**




Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 800Lm  
 Cri 90  
 Dimensions Ø: 7.5cm H: 9.8cm  
 Cutting Hole Ø: 7.2cm  
 Beam Angle 31°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 10.5cm  
 Driver Included (250mA)  
 Color Black Matt / **Code S076**







Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 450Lm  
 Cri 90  
 Dimensions Ø: 6.2cm W: 10.9cm H: 7.4cm  
 Cutting Hole Ø: 6.2cm  
 Beam Angle 22°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required 8cm  
 Driver Included (135mA)  
 Color Sandy White / **Code S095**




Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 675Lm  
 Cri 90  
 Dimensions Ø: 8.2cm W: 13.5cm H: 10.2cm  
 Cutting Hole Ø: 8.2cm  
 Beam Angle 36°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required 10.5cm  
 Driver Included (200mA)  
 Color Sandy White / **Code S096**




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 450Lm  
 Cri 90  
 Dimensions Ø: 6.2cm W: 10.9cm H: 7.4cm  
 Cutting Hole Ø: 6.2cm  
 Beam Angle 22°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required 8cm  
 Driver Included (135mA)  
 Color Sandy Black / **Code S095-B**  
 Copper Matt / **Code S095-C**  
 Gold Matt / **Code S095-G**




Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1125Lm  
 Cri 90  
 Dimensions Ø: 8.2cm W: 13.5cm H: 11.8cm  
 Cutting Hole Ø: 8.2cm  
 Beam Angle 36°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required 12cm  
 Driver Included (350mA)  
 Color Sandy White / **Code S097**



Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 675Lm  
 Cri 90  
 Dimensions Ø: 8.2cm W: 13.5cm H: 10.2cm  
 Cutting Hole Ø: 8.2cm  
 Beam Angle 36°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required 10.5cm  
 Driver Included (200mA)  
 Color Sandy Black / **Code S096-B**  
 Copper Matt / **Code S096-C**  
 Gold Matt / **Code S096-G**




Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1125Lm  
 Cri 90  
 Dimensions Ø: 8.2cm W: 13.5cm H: 11.8cm  
 Cutting Hole Ø: 8.2cm  
 Beam Angle 36°  
 Non Dimmable ☒  
 Material Aluminium  
 Depth Required 12cm  
 Driver Included (350mA)  
 Color Sandy Black / **Code S097-B**  
 Copper Matt / **Code S097-C**  
 Gold Matt / **Code S097-G**




**Wall Washer**

Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	388Lm
Cri	90
IP	54
Dimensions	L: 14.7cm W: 4.5cm H: 5cm
Cutting Hole	14 x 3.5cm
Beam Angle	20°
Non Dimmable	☒
Material	Aluminium
Depth Required	∏: 5.5cm
Driver	Included (600mA)
Color	White Matt / <b>Code S087</b>




Power	13W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	975Lm
Cri	90
Dimensions	Ø: 6.2cm H: 8.3cm
Base	Ø: 7.3cm
Cutting Hole	Ø: 6.6cm
Beam Angle	33°
Non Dimmable	☒
Material	Aluminium
Depth Required	∏: 3.5cm
Driver	Included (300mA)
Color	White Matt - Black Matt Reflector / <b>Code S079</b>




**Wall Washer**

Power	8W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	388Lm
Cri	80
IP	54
Dimensions	Ø: 10.3cm H: 3.2cm
Cutting Hole	Ø: 8.5cm
Beam Angle	20°
Non Dimmable	☒
Material	Aluminium
Depth Required	∏: 3.5cm
Driver	Included (250mA)
Color	White / <b>Code S072</b>




Power	13W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	910Lm
Cri	90
IP	54
Dimensions	Ø: 8.3cm H: 8.5cm
Cutting Hole	Ø: 7.6cm
Beam Angle	32°
Non Dimmable	☒
Material	Aluminium
Depth Required	∏: 9cm
Driver	Included (300mA)
Color	Black Matt / <b>Code S078</b>
Color	White Matt / <b>Code S077</b>




Power 2x7W  
 Input 10V / 700mA  
 Color Temperature 3000K  
 Lumen 1040Lm  
 Cri 90  
 Dimensions L: 16.8cm W: 9cm H: 9cm  
 Cutting Hole 8.2 x 16.4cm  
 Beam Angle 36°  
 Material Aluminium  
 Depth Required JT: 9cm  
 Required Driver V350-1050 / Series Connection  
 Special Feature Movable  
 Stick Ø: 4cm

Color Sandy White - Black / **Code Z11207-W**  
 Color Sandy Black - Gold / **Code Z11207-B**




Power 7W  
 Input 10V / 700mA  
 Color Temperature 3000K  
 Lumen 520Lm  
 Cri 90  
 Dimensions Ø: 9.1cm H: 9cm  
 Cutting Hole Ø: 8.2cm  
 Beam Angle 36°  
 Material Aluminium  
 Depth Required JT: 9cm  
 Required Driver LSCW700P for 1 Fixture  
 Special Feature Movable  
 Stick Ø: 4cm

Color Sandy White - Black / **Code Z11107-W**  
 Color Sandy Black - Gold / **Code Z11107-B**





Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 750Lm  
 Cri 90  
 Dimensions Ø: 7cm H: 8.3cm  
 Cutting Hole Ø: 6cm  
 Beam Angle 38°  
 Non Dimmable   
 Material Aluminium  
 Depth Required JT: 9cm  
 Driver Included (250mA)  
 Color White Matt - Black Matt Reflector / **Code S070**




Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1125Lm  
 Cri 90  
 Dimensions Ø: 8.5cm H: 10.3cm  
 Cutting Hole Ø: 7.8cm  
 Beam Angle 30°  
 Non Dimmable   
 Material Aluminium  
 Depth Required JT: 11cm  
 Driver Included (350mA)  
 Color White Matt - Black Matt Reflector / **Code S071**





**Down Light**  
 Dimensions  
 Cutting Hole  
 Material  
 Depth Required  
 Color  
 Color


Ø: 8.5cm H: 4.2cm  
 Ø: 8.5cm  
 Aluminium - Plastic Reflector  
 10cm  
 Sandy White - Black Reflector / **Code S089**  
 Sandy White - White Reflector/ **Code S088**



**Down Light**  
 Dimensions  
 Cutting Hole  
 Material  
 Depth Required  
 Color  
 Color

L: 7.8cm W: 7.8cm H: 4.4cm  
 7.8 x 7.8cm  
 Aluminium  
 10cm  
 Sandy White - Black Reflector / **Code S091**  
 Sandy White - White Reflector/ **Code S090**

## Installation Manual



Trimless Canopy **Code 20144**


Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6.8cm H: 5.7cm  
 Cutting Hole Ø: 6.2cm  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 10cm  
 Special Feature GU10 Lampholder Included  
 Color Sandy White - Black / **Code Z10105-D9**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6.9cm H: 4.9cm  
 Cutting Hole Ø: 6.4cm  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 13cm  
 Special Feature GU10 Lampholder Included  
 Color Sandy White - Black / **Code Z10105-AD**




Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 12cm H: 11cm  
 Cutting Hole Ø: 8.2cm  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 11cm  
 Special Feature GU10 Lampholder Included  
 Movable  
 Color Black / **Code Z11105 TR-B**  
 Color White / **Code Z11105 TR-W**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 6cm H: 4cm  
 Cutting Hole Ø: 6cm  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 12cm  
 Special Feature GU10 Lampholder Included  
 Color Black / **Code Z10105 TR-B**  
 Color White / **Code Z10105 TR-W**







Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 440Lm  
 Cri 90  
 IP 54  
 Dimensions Ø: 8cm H: 4cm  
 Cutting Hole Ø: 7.3cm  
 Beam Angle 20°  
 Non Dimmable ☒  
 Material Aluminium - Glass  
 Depth Required  $\text{J}\text{T}$ : 4.5cm  
 Driver Included  
 Color Black / **Code S110**  
 Color White / **Code S111**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 IP 65  
 Dimensions Ø: 8.5cm H: 4.5cm  
 Cutting Hole Ø: 7.5cm  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 10.5cm  
 Special Feature GU10 Lampholder Included  
 Color Black Matt / **Code S046**  
 Color White Matt / **Code S045**



Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 IP 44  
 Dimensions Ø: 8.3cm H: 3.7cm  
 Cutting Hole Ø: 7cm  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 9.7cm  
 Special Feature GU10 Lampholder Included  
 Color White / **Code S003**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 IP 44  
 Dimensions L: 8.3cm W: 8.3cm H: 5.7cm  
 Cutting Hole Ø: 7cm  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 11.7cm  
 Special Feature GU10 Lampholder Included  
 Color White / **Code S005**


Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 IP 44  
 Dimensions Ø: 8.3cm H: 3.7cm  
 Cutting Hole Ø: 7cm  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 9.7cm  
 Special Feature GU10 Lampholder Included  
 Color Brushed Chrome Matt / **Code S004**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 IP 44  
 Dimensions L: 8.3cm W: 8.3cm H: 5.7cm  
 Cutting Hole Ø: 7cm  
 Material Aluminium  
 Depth Required  $\text{J}\text{T}$ : 11.7cm  
 Special Feature GU10 Lampholder Included  
 Color Brushed Chrome Matt / **Code S006**



Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 9cm H: 4cm  
 Cutting Hole Ø: 8cm  
 Material Aluminium  
 Depth Required JT: 10cm  
 Special Feature GU10 Lampholder Included  
 Movable  
 Color White - Black / **Code S060**


Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 8.4cm W: 8.4cm H: 4cm  
 Cutting Hole Ø: 7.6cm  
 Material Aluminium  
 Depth Required JT: 10cm  
 Special Feature GU10 Lampholder Included  
 Movable  
 Color White - Black / **Code S061**



Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 8.6cm H: 4cm  
 Cutting Hole Ø: 7.5cm  
 Material Aluminium  
 Depth Required JT: 9cm  
 Special Feature GU10 Lampholder Included  
 Movable  
 Color White / **Code S012**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 8.6cm H: 4cm  
 Cutting Hole Ø: 7.5cm  
 Material Aluminium  
 Depth Required JT: 9cm  
 Special Feature GU10 Lampholder Included  
 Movable  
 Color Black / **Code S011**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 8.3cm H: 5.5cm  
 Cutting Hole Ø: 7.5cm  
 Material Aluminium  
 Depth Required JT: 10.5cm  
 Special Feature GU10 Lampholder Included  
 Color Black / **Code S007**  
 Color White / **Code S008**



Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 10cm W: 10cm H: 4cm  
 Cutting Hole L: 9.2cm W: 9.2cm  
 Material Aluminium  
 Depth Required JT: 9.5cm  
 Special Feature GU10 Lampholder Included Movable  
 Color White / **Code S021**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 10cm W: 10cm H: 4cm  
 Cutting Hole L: 9.2cm W: 9.2cm  
 Material Aluminium  
 Depth Required JT: 9.5cm  
 Special Feature GU10 Lampholder Included Movable  
 Color White - Black / **Code S022**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 10cm H: 4cm  
 Cutting Hole Ø: 9.2cm  
 Material Aluminium  
 Depth Required JT: 9.5cm  
 Special Feature GU10 Lampholder Included Movable  
 Color White / **Code S019**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions Ø: 10cm H: 4cm  
 Cutting Hole Ø: 9.2cm  
 Material Aluminium  
 Depth Required JT: 9.5cm  
 Special Feature GU10 Lampholder Included Movable  
 Color White - Black / **Code S020**



Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 8.8cm W: 8.8cm H: 7.8cm  
 Cutting Hole L: 7.5cm W: 7.5cm  
 Material Aluminium  
 Depth Required JT: 13.5cm  
 Special Feature GU10 Lampholder Included  
 Color White / **Code S010**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 8.8cm W: 8.8cm H: 7.8cm  
 Cutting Hole L: 7.5cm W: 7.5cm  
 Material Aluminium  
 Depth Required JT: 13.5cm  
 Special Feature GU10 Lampholder Included  
 Color Black / **Code S009**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 8.5cm W: 8.5cm H: 2cm  
 Cutting Hole Ø: 7.5cm  
 Material Aluminium  
 Depth Required JT: 7.5cm  
 Special Feature GU10 Lampholder Included Movable  
 Color White / **Code S013**

Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 8.5cm W: 8.5cm H: 2cm  
 Cutting Hole Ø: 7.5cm  
 Material Aluminium  
 Depth Required JT: 7.5cm  
 Special Feature GU10 Lampholder Included Movable  
 Color Black / **Code S014**





Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 12cm W: 12cm H: 7cm  
 Cutting Hole L: 12.2cm W: 12.2cm  
 Material Gypsum  
 Depth Required JTT: 14cm  
 Special Feature GU10 Lampholder Included  
 Color Pure White / **Code S030**




Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 12cm W: 12cm H: 6.1cm  
 Cutting Hole L: 12.2cm W: 12.2cm  
 Material Gypsum  
 Depth Required JTT: 11.5cm  
 Special Feature GU10 Lampholder Included  
 Color Pure White / **Code S025**



Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 10cm W: 10cm H: 3cm  
 Cutting Hole L: 10.2cm W: 10.2cm  
 Material Gypsum  
 Depth Required JTT: 9cm  
 Special Feature GU10 Lampholder Included  
 Color Pure White / **Code S027**





Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 12cm W: 12cm H: 6.2cm  
 Cutting Hole L: 12.2cm W: 12.2cm  
 Material Gypsum  
 Depth Required JTT: 11.5cm  
 Special Feature GU10 Lampholder Included  
 Color Pure White / **Code S029**




Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 8cm W: 8cm H: 6cm  
 Cutting Hole L: 8.2cm W: 8.2cm  
 Material Gypsum  
 Depth Required JTT: 12cm  
 Special Feature GU10 Lampholder Included  
 Color Pure White / **Code S047**



22




Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 22cm W: 22cm H: 10.5cm  
 Cutting Hole L: 22.2cm W: 22.2cm  
 Material Gypsum  
 Depth Required JTT: 4cm  
 Special Feature GU10 Lampholder Included  
 Color Pure White / **Code S109**



Bulb 1xGU10  
 Power MAX 50W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 8cm W: 8cm H: 6cm  
 Cutting Hole L: 8.2cm W: 8.2cm  
 Material Gypsum  
 Depth Required JTT: 12cm  
 Special Feature GU10 Lampholder Included  
 Color Pure White / **Code S048**







19



Bulb 1xGU10  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 Dimensions L: 19cm W: 19cm H: 7.8cm  
 Cutting Hole L: 19.2cm W: 19.2cm  
 Material Gypsum  
 Depth Required JTT: 10.5cm  
 Special Feature GU10 Lampholder Included  
 Color Pure White / **Code S108**






Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V . 50/60Hz  
 Dimensions L: 16.6cm W:38.7cm H: 10.9cm  
 Material Gypsum - Glass  
 Color Pure White / **Code 20273**

Bulb 1xE14  
 Power MAX 40W  
 Input 220-240V . 50/60Hz  
 Dimensions L: 11cm W: 22cm H: 8.5cm  
 Material Gypsum  
 Color Pure White / **Code 20274**


Power 9.2W  
 Input 220-240V . 50/60Hz  
 Color Temperature 3000K  
 Lumen 460Lm  
 Cri 80  
 Dimensions Ø: 25cm L: 5.5cm  
 Material Gypsum  
 Color Pure White / **Code 20272**

Power 7.5W  
 Input 220-240V . 50/60Hz  
 Color Temperature 3000K  
 Lumen 375Lm  
 Cri 80  
 Dimensions Ø: 15cm L: 4.1cm  
 Material Gypsum  
 Color Pure White / **Code 20271**







Bulb 1xG9  
 Power MAX 25W  
 Input 220-240V , 50/60Hz  
 Dimensions L: 14.5cm W: 32cm H: 5.5cm  
 Material Gypsum  
 Color Pure White / **Code 180026**



Bulb 1xG9  
 Power MAX 25W  
 Input 220-240V , 50/60Hz  
 Dimensions L: 10cm W: 20cm H: 6cm  
 Material Gypsum  
 Color Pure White / **Code 180027**



Bulb 1xG9  
 Power MAX 25W  
 Input 220-240V , 50/60Hz  
 Dimensions L: 8.5cm W: 20cm H: 12cm  
 Material Gypsum  
 Color Pure White / **Code 180025**



Bulb 1xG9  
 Power MAX 25W  
 Input 220-240V , 50/60Hz  
 Dimensions L: 13cm W: 15cm H: 13cm  
 Material Gypsum  
 Color Pure White / **Code 180028**





2m Profile + Opal PC Cover, Aluminium

17.2

14.4

12.5

End Caps

Metal Clips

Profile Set	
20193	2m Aluminium Profile + 2m Opal PC Cover
20193-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium

24.8

14.4

12.2

End Caps

Metal Clips

Profile Set	
20194	2m Aluminium Profile + 2m Opal PC Cover
20194-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium

16

16

12

End Caps

Metal Clips

Profile Set	
20197	2m Aluminium Profile + 2m Opal PC Cover
20197-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover , Aluminium

52.2

13.1

9.65

End Caps

Profile Set	
20205	2m Aluminium Profile + 2m Opal PC Cover
20205-E	2pcs End Caps with Hole , 2pcs End Caps without Hole

2m Profile + Opal PC Cover , Aluminium

56.6

10.6

12.5

End Caps

Profile Set	
20203	2m Aluminium Profile + 2m Opal PC Cover
20203-E	2pcs End Caps with Hole , 2pcs End Caps without Hole

2m Profile + Opal PC Cover , Aluminium

61.4

14

21

End Caps

Profile Set	
20204	2m Aluminium Profile + 2m Opal PC Cover
20204-E	2pcs End Caps with Hole , 2pcs End Caps without Hole



2m Profile + Opal PC Cover, Aluminium

15.2  
12  
29.4

End Caps      Side Hanging End Caps      Top Hanging Kit

Profile Set	
20190	2m Aluminium Profile + 2m Opal PC Cover + 2pcs End Caps + 2pcs Side Hanging End Caps
20191	2m Aluminium Profile + 2m Opal PC Cover + 2pcs End Caps + 6pcs Top Hanging Kit

2m Profile + Opal PC Cover, Aluminium  
2m Profile + Clear PC Cover, Aluminium

12  
10.2

End Caps      Metal Clips

Profile Set	
20199	2m Aluminium Profile + 2m Opal PC Cover
20199-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium

10.9  
5.6  
8.9

End Caps      Metal Clips

Profile Set	
20195	2m Aluminium Profile + 2m Opal PC Cover
20195-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium

17.5  
12.2  
8

End Caps      Metal Clips

Profile Set	
20201	2m Aluminium Profile + 2m Opal PC Cover
20201-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium

19.4  
16.1  
11.6

End Caps      Metal Clips

Profile Set	
20198	2m Aluminium Profile + 2m Opal PC Cover
20198-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips


2m Profile + Opal PC Cover, Aluminium

24.8  
12.5  
7  
17.3

End Caps      Metal Clips


Profile Set	
20206	2m Aluminium Profile + 2m Opal PC Cover
20206-E	2pcs End Caps with Hole , 2pcs End Caps without Hole , 4pcs Metal Clips

2m Profile + Opal PC Cover, Aluminium




**Profile Set**  
**20325** 2m Aluminium Profile + 2m Opal PC Cover + 4pcs Metal Clips

2m Profile + Clear PC Cover Degrees 60°, Aluminium




**Profile Set**  
**20325-60D** 2m Aluminium Profile + 2m Clear PC Diffuser Cover (Degrees 60°) + 4pcs Metal Clips

2m Profile + PMMA Lens Cover, Aluminium





**Profile Set**  
**20325-WG** 2m Aluminium Profile + 2m PMMA Lens Cover (Wall Grazer) + 4pcs Metal Clips


2m Profile + PMMA Lens Cover Degrees 30°, Aluminium




**Profile Set**  
**20325-30D** 2m Aluminium Profile + 2m PMMA Lens Cover (Degrees 30°) + 4pcs Metal Clips



2m Profile for Heat Dissipation, Aluminium / Code 20202





-OSRAM BASIC FLEX 24V 3.5W/m SHORTPITCH 120 LEDs/m


**NEW** **OSRAM**  
Less Wattage Better Efficiency

Code	IP	Kelvin	CRI	Watt	Lm/m
4062172231251	20	2700	85	3.5W/m	400
4062172231275	20	3000	85	3.5W/m	420
4062172231299	20	4000	85	3.5W/m	450
4062172231695	65	2700	85	3.5W/m	370
4062172231718	65	3000	85	3.5W/m	390
4062172231732	65	4000	85	3.5W/m	415

Lumen Efficiency	110Lm/W	<b>5</b> YEARS GUARANTEE
SDCM	3	
Ra	85	
LEDs/m	120	
Voltage	DC24V	
Width	IP20 8mm IP65 10.3mm	
Unit cut	50mm	
Life Span	30000H	
Waterproof Rate	IP20 + IP65	

**Dimming Options**

1. DALI Dimming : Dali Driver 24V + Switch DALI MCU . Suitable with Drivers to Page : 701
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 701
4. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 701
5. PUSH BUTTON Dimming : Dali Driver 24V to Page : 701



-OSRAM BASIC FLEX 24V 7W/m SHORTPITCH 120 LEDs/m


**NEW** **OSRAM**  
Less Wattage Better Efficiency

Code	IP	Kelvin	CRI	Watt	Lm/m
4062172231374	20	3000	85	7W/m	800
4062172231398	20	4000	85	7W/m	850

Lumen Efficiency	110Lm/W	<b>5</b> YEARS GUARANTEE
SDCM	3	
Ra	85	
LEDs/m	120	
Voltage	DC24V	
Width	8mm	
Unit cut	50mm	
Life Span	30000H	
Waterproof Rate	IP20	

**Dimming Options**

1. DALI Dimming : Dali Driver 24V + Switch DALI MCU . Suitable with Drivers to Page : 701
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 701
4. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 701
5. PUSH BUTTON Dimming : Dali Driver 24V to Page : 701



-OSRAM BASIC FLEX 24V 8.6W/m SHORTPITCH 120 LEDs/m


**NEW** **OSRAM**  
Less Wattage Better Efficiency

Code	IP	Kelvin	CRI	Watt	Lm/m
4062172231459	20	2700	85	8.6W/m	980
4062172231473	20	3000	85	8.6W/m	1020
4062172231497	20	4000	85	8.6W/m	1050
4062172231893	65	2700	85	8.6W/m	910
4062172231916	65	3000	85	8.6W/m	950
4062172231930	65	4000	85	8.6W/m	975

Lumen Efficiency	110Lm/W	<b>5</b> YEARS GUARANTEE
SDCM	3	
Ra	85	
LEDs/m	120	
Voltage	DC24V	
Width	IP20 8mm IP65 10.3mm	
Unit cut	50mm	
Life Span	30000H	
Waterproof Rate	IP20 + IP65	

**Dimming Options**

1. DALI Dimming : Dali Driver 24V + Switch DALI MCU . Suitable with Drivers to Page : 701
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 701
4. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 701
5. PUSH BUTTON Dimming : Dali Driver 24V to Page : 701



-OSRAM PRODUCT LUMINENT 24V 9.6W/m SHORTPITCH


**OSRAM**

Code	IP	Kelvin	CRI	Watt	Lm/m
4055462217431	20	3000	85	9.6W/m	1000
4055462217455	20	4000	85	9.6W/m	1000

Lumen Efficiency	105Lm/W	<b>5</b> YEARS GUARANTEE
SDCM	3	
Ra	85	
LEDs/m	240	
Voltage	DC24V	
Width	8mm	
Unit cut	25mm	
Life Span	25000H	
Waterproof Rate	IP20	

**Dimming Options**

1. DALI Dimming : Dali Driver 24V + Switch DALI MCU . Suitable with Drivers to Page : 701
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 701
4. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 701
5. PUSH BUTTON Dimming : Dali Driver 24V to Page : 701



-OSRAM PRODUCT TECHFLEX 15.5W/m 2000Lm/m




Code	IP	Kelvin	CRI	Watt	Lm/m
4062172107242	20	3000	85	15.5W/m	2000
4062172107266	20	4000	85	15.5W/m	2060

Lumen Efficiency 129Lm/W  
 SDCM 3  
 Ra 85  
 LEDs/m 140  
 Voltage DC24V  
 Width 8mm  
 Unit cut 100mm  
 Life Span 50000H  
 Waterproof Rate IP20



**Dimming Options**

1. DALI Dimming : Dali Driver 24V + Switch DALI MCU . Suitable with Drivers to Page : 701
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 701
4. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 701
5. PUSH BUTTON Dimming : Dali Driver 24V to Page : 701



-LED STRIP TW (2700K-6500K) CRI 90


Code	IP	Kelvin	CRI	Watt	Lm/m
LS06	20	2700	90	12W/m	816
		6500	90	12W/m	1050
		2700+6500	90	24W/m	1866

Lumen Efficiency 78Lm/W  
 SDCM 3  
 Ra 90  
 LEDs/m 120  
 Voltage DC24V  
 Width 10mm  
 Unit cut 100mm  
 Life Span 20000H  
 Waterproof Rate IP20



**Dimming Options**

1. BLUETOOTH Dimming : Dali ELEMENT Driver 24V +OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700-701



-LED STRIP 2400K 12W/m CRI 90


Code	IP	Kelvin	CRI	Watt	Lm/m
LS05	20	2400	90	12W/m	1200

Lumen Efficiency 100Lm/W  
 SDCM 3  
 Ra 90  
 LEDs/m 120  
 Voltage DC24V  
 Width 10mm  
 Unit cut 50mm  
 Life Span 20000H  
 Waterproof Rate IP20



**Dimming Options**

1. DALI Dimming : Dali Driver 24V + Switch DALI MCU . Suitable with Drivers to Page : 701
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 701
4. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 701
5. PUSH BUTTON Dimming : Dali Driver 24V to Page : 701



-LED STRIP DIM TO WARM (2100K-3500K) CRI 90


Code	IP	Kelvin	CRI	Watt	Lm/m
LS07	20	2100-3500	90	12W/m	MAX 1050

Lumen Efficiency 88Lm/W  
 Ra 90  
 LEDs/m 120  
 Voltage DC24V  
 Width 10mm  
 Unit cut 100mm  
 Life Span 20000H  
 Waterproof Rate IP20



**Dimming Options**

1. DALI Dimming : Dali Driver 24V + Switch DALI MCU . Suitable with Drivers to Page : 701
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 701
4. PUSH BUTTON Dimming : Dali Driver 24V to Page : 701




-LED STRIP COB 5W + 10W CRI 90

Code	IP	Kelvin	CRI	Watt	Lm/m
LS01	20	2700	90	5W/m	510
LS02	20	2700	90	10W/m	950
LS03	20	3000	90	10W/m	1000
LS04	20	4000	90	10W/m	1105

Lumen Efficiency 110Lm/W  
 SDCM 3  
 Ra 90  
 SMD Type COB  
 LEDs/m 480  
 Voltage DC24V  
 Width 10mm  
 Unit cut 50mm  
 Life Span 20000H  
 Waterproof Rate IP20

Dimming Options

1. DALI Dimming : Dali Driver 24V + Switch DALI MCU . Suitable with Drivers to Page : 701
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 701
4. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 701
5. PUSH BUTTON Dimming : Dali Driver 24V to Page : 701




-LED STRIP 24V 16W/mRGBW

Code	IP	Kelvin	CRI	Watt	Lm/m
LS12	20	3000	80	16W/m	832

Lumen Efficiency 52Lm/W  
 SDCM 3  
 Ra 80  
 LEDs/m 60  
 Voltage DC24V  
 Width 12mm  
 Unit cut 100mm  
 Life Span 54000H  
 Waterproof Rate IP20

Dimming Options

1. BLUETOOTH Dimming : Dali ELEMENT Driver 24V +OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700-701



-LED STRIP 24V 18W/m with OPTICS 20° x 45°

Code	IP	Kelvin	CRI	Watt	Lm/m
LS11	67	4000	90	18W/m	1597

Lumen Efficiency 103Lm/W  
 SDCM 3  
 Ra 90  
 LEDs/m 48  
 Voltage DC24V  
 Width 18.5mm  
 Unit cut 125mm  
 Life Span 50000H  
 Waterproof Rate IP67



Aluminium Profile  
 Code ALMLS10-11




Angle Mounting Clips  
 Code CLIPLS10-11



-RUBBER LED STRIP 9W/m IP67

Code	IP	Kelvin	CRI	Watt	Lm/m
LS14	67	3000	90	9W/m	468
LS15	67	4000	90	9W/m	495

Lumen Efficiency 55Lm/W  
 SDCM 3  
 Ra 90  
 LEDs/m 112  
 Voltage DC24V  
 Unit cut 55.5mm  
 Life Span 20000H  
 Waterproof Rate IP67  
 Special Feature UV resistant  
 Chemical resistant



Aluminium Profile 1m  
 Code ALMLS14-15




End Cap  
 Code ECLS14-15



Flexible Profile  
 Code FPLS14-15



Feeder Cap  
 Code FCLS14-15




-RUBBER LED STRIP 6W/m IP67


Code	IP	Kelvin	CRI	Watt	Lm/m
LS08	67	2700	95	6W/m	240
LS09	67	3000	95	6W/m	256
LS16	67	4000	95	6W/m	240

Aluminium Profile 1m  
 Code ALMLS08-09

End Cap  
 Code ECLS08-09

Lumen Efficiency 42Lm/W  
 SDCM 3  
 Ra 95  
 LEDs/m 480  
 Voltage DC24V  
 Unit cut 25mm  
 Life Span 20000H  
 Waterproof Rate IP67  
 Special Feature UV resistant  
 Chemical resistant





-FLEXIBLE WALL WASHER 3D 24V 24W/m with OPTICS 20° x 35°

Code	IP	Kelvin	CRI	Watt	Lm/m
LS17	65	2700	85	24W/m	1815



Adjustable Mounting Clips  
Code CLIPLS17

Lumen 1815Lm/m  
SDCM 3  
Ra 85  
LEDs/m 24  
Voltage DC24V  
Width 16.5mm  
Life Span 80000H  
Waterproof Rate IP65  
Special Feature 30cm Open Wire from One End



**Dimming Options**

1. DALI Dimming : Dali Driver 24V + Switch DALI MCU . Suitable with Drivers to Page : 701
2. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700
3. PHASECUT Dimming : Suitable with PhaseCut Drivers to Page : 701
4. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 701
5. PUSH BUTTON Dimming : Dali Driver 24V to Page : 701



Power 120W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 4.1cm H: 3.1cm L: 26cm  
 Non Dimmable ☒ On-Off  
 ELEMENT 120/220-240/24 G2  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4052899605541



Power 180W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 4cm H: 3.1cm L: 30cm  
 Non Dimmable ☒ On-Off  
 ELEMENT 180/220-240/24 G2  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4052899605565



Power 45W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 4.5cm H: 3.05cm L: 18.7cm  
 DALI Dimming ○ Push Button - DALI2  
 1 CHANNELS  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code ACLS4524DA2



Power 80W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 4.5cm H: 3.05cm L: 16.5cm  
 DALI Dimming ○ Push Button - DALI2  
 1 CHANNELS  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code ACLS8024DA2



Power 30W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 4.1cm H: 2.7cm L: 14.5cm  
 Non Dimmable ☒ On-Off  
 ELEMENT 30/220-240/24 G2  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4052899605503



Power 60W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 4.1cm H: 3.1cm L: 20.1cm  
 Non Dimmable ☒ On-Off  
 ELEMENT 60/220-240/24 G2  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4052899605527




Power 150W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 4.5cm H: 3.05cm L: 29cm  
 DALI Dimming ○ Push Button - DALI2  
 1 CHANNELS  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code ACLS15024DA2



Input 220-240V, 50/60Hz  
 Dimensions W: 5cm H: 8cm L: 8cm  
 DALI Dimming ○ DALI MCU Tunable White Switch  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4052899465916




Power 240W  
 Input 220-240V, 50/60Hz  
 Dimensions W: 4.2cm H: 2cm L: 17.2cm  
 Bluetooth Dimming ○ OT BLE DIM 0-100%  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4052899557833



POWER by CASAMBI APP



Power 182W  
 Input 220-240V, 50/60Hz  
 Dimensions W: 4.2cm H: 2cm L: 17.2cm  
 DMX Dimming ○ PhaseCut  
 OT DMX RGBW DIM 0-100%  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4052899557949



Power 100W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 5cm H: 3cm L: 23cm  
 Dimmable Triac , 1-10 ○  
 Material Metal  
 Special Feature IP 20  
 Color Metal / Code Z89100VND



Power 200W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions W: 5cm H: 3cm L: 28.7cm  
 Dimmable Triac , 1-10 ○  
 Material Metal  
 Special Feature IP 20  
 Color Metal / Code Z89200VND



Coins 50					
Code	Description	Kelvin	CRI	Watt	Lumen
4052899583603	PL-CN50-COB-900-927-15D-G1	2700	90	12.90W	1400
4052899583627	PL-CN50-COB-900-927-24D-G1	2700	90	12.90W	1400
4052899583641	PL-CN50-COB-900-927-40D-G1	2700	90	12.90W	1400
4052899541153	PL-CN50-COB-900-930-15D-G1	3000	90	12.90W	1400
4052899541191	PL-CN50-COB-900-930-24D-G1	3000	90	12.90W	1400
4052899541757	PL-CN50-COB-900-930-40D-G1	3000	90	12.90W	1400
4052899541795	PL-CN50-COB-900-940-15D-G1	4000	90	12.90W	1400
4052899541771	PL-CN50-COB-900-940-24D-G1	4000	90	12.90W	1400
4052899541818	PL-CN50-COB-900-940-40D-G1	4000	90	12.90W	1400
4052899605763	PL-CN50-COB-900-D2W-24D-G1	Dim to Warm	90	12.90W	1400
4052899605787	PL-CN50-COB-900-D2W-40D-G1	Dim to Warm	90	12.90W	1400

Life Span : 50000H

\*7 Years Guarantee when combined with OSRAM drivers



Constant Current Drivers

Power 10W  
 Input 220-240V, 50/60Hz  
 Output 500mA  
 Forward Voltage 14-28V  
 Dimensions W: 3cm H: 2.1cm L: 13.9cm  
 Dimmable PhaseCut , 1-10V  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 87500284



Power 10W  
 Input 220-240V, 50/60Hz  
 Output 350mA  
 Forward Voltage 10-20V  
 Dimensions W: 3cm H: 2.1cm L: 13.9cm  
 Dimmable PhaseCut , 1-10V  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 87500283



Power 18W  
 Input 220-240V, 50/60Hz  
 Output 350mA  
 Dimensions W: 5.3cm H: 3cm L: 9.5cm  
 PhaseCut Dimming  OT FIT 18/220-240/350  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4062172007559



Power 18W  
 Input 220-240V, 50/60Hz  
 Output 100-1050mA  
 Dimensions W: 5.3cm H: 3cm L: 9.5cm  
 DALI Dimming  OTi DALI 15 NFC  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4052899548190



Power 15W  
 Input 220-240V, 50/60Hz  
 Output 700mA  
 Forward Voltage 10-21.5V  
 Dimensions W: 3cm H: 2.1cm L: 13.9cm  
 PhaseCut Dimming   
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 89800257



Power 7W  
 Input 220-240V, 50/60Hz  
 Output 350mA  
 Forward Voltage 2.7-19.2V  
 Dimensions W: 2.6cm H: 2cm L: 3.6cm  
 Not Dimmable   
 Material Plastic  
 Special Feature IP 20  
 Color White / Code LSCW350P



Power 10W  
 Input 220-240V, 50/60Hz  
 Output 150-700mA  
 Dimensions W: 3cm H: 2.2cm L: 16.6cm  
 DALI Dimming  OTi DALI 10/220-240/700 NFC I  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4062172151252



Power 15W  
 Input 220-240V, 50/60Hz  
 Output 350mA  
 Dimensions W: 4.3cm H: 2.2cm L: 9cm  
 Not Dimmable  On-Off ELEMENT 15/220-240/350S  
 Material Plastic  
 Special Feature IP 20  
 Color White / Code 4052899552906




Power 7W  
 Input 220-240V, 50/60Hz  
 Output 500mA  
 Forward Voltage 2.7-12.8V  
 Dimensions W: 2.6cm H: 2cm L: 3.6cm  
 Not Dimmable   
 Material Plastic  
 Special Feature IP 20  
 Color White / Code LSCW500P



Power 7W  
 Input 220-240V, 50/60Hz  
 Output 700mA  
 Forward Voltage 2.7-9.6V  
 Dimensions W: 2.6cm H: 2cm L: 3.6cm  
 Not Dimmable   
 Material Plastic  
 Special Feature IP 20  
 Color White / Code LSCW700P









## Outdoor Lighting






Power 2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 70Lm  
 Cri 80  
 IP 54  
 Dimensions Ø: 12cm H: 32cm  
 3 Steps Dimming 10%, 50%, 100%  
 Material Aluminum - PC Difusser  
 Special Feature Portable Table Lamp  
 USB Cable & Adaptor Included


Color Black Matt / **Code E314**  
 Color White Matt / **Code E313**






Power 2.2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 80Lm  
 Cri 80  
 IP 54  
 Dimensions Ø: 12cm H: 30cm  
 3 Steps Dimming 10%, 50%, 100%  
 Material Aluminum - PC Difusser  
 Special Feature Shade Ø: 12cm H: 5cm  
 Portable Table Lamp  
 USB Cable & Adaptor Included


Color Black Matt / **Code E289**  
 Color White Matt / **Code E290**  
 Color Gold Matt / **Code E291**






Power	2W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	70Lm
Cri	80
IP	54
Dimensions	Ø: 10.5cm H: 38cm
3 Steps Dimming	10%, 50%, 100%
Material	Aluminum - PC Difusser
Special Feature	Shade Ø: 11cm H: 11cm Portable Table Lamp USB Cable & Adaptor Included
Color	Sandy White / <b>Code E193</b>
Color	Sandy Black / <b>Code E194</b>






Power 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 375Lm  
 Cri 80  
 IP 54  
 Dimensions L: 18cm W: 18cm H: 22cm  
 3 Steps Dimming 10% , 50% , 100%  
 Duration 15h , 10h , 7h  
 Material Aluminum - PC Difusser  
 Special Feature Portable Table Lamp  
 USB Cable & Adaptor Included

Color Black / **Code E218**




Power 1.5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 2700K  
 Lumen 99Lm  
 Cri 80  
 IP 54  
 Dimensions W: 19.4cm H: 27.9cm  
 Base Ø: 10cm  
 3 Steps Dimming 25%, 50%, 100%  
 Duration 20h, 10h, 5h  
 Material Aluminum - PC Difusser  
 Special Feature Portable Table Lamp  
 USB Cable & Adaptor Included

Color Black / **Code E233**  
 White / **Code E234**




Power 2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 2700K  
 Lumen 99Lm  
 Cri 80  
 IP 54  
 Dimensions W: 33.8cm H: 111cm  
 Base Ø: 24cm  
 3 Steps Dimming 25%, 50%, 100%  
 Duration 20h, 10h, 5h  
 Material Aluminum - PC Difusser  
 Special Feature Ball Ø: 18cm  
 Portable Floor Lamp  
 USB Cable & Adaptor Included


Color Black / **Code E232**




Power 1.5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 2700K  
 Lumen 99Lm  
 Cri 80  
 IP 44  
 Dimensions Ø: 18cm  
 3 Steps Dimming 25% , 50% , 100%  
 Duration 20h , 10h , 5h  
 Material Aluminum - PC Difusser  
 Special Feature Portable Table Lamp  
 USB Cable & Adaptor Included  
 80cm Cable Adjustable

Color Black / **Code E231**






Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 800Lm  
 Cri 80  
 IP 54  
 Dimensions L: 5cm W: 18cm H: 11cm  
 Beam Angle 30°  
 Material Aluminium - Tempered Glass - PC Diffuser  
 Special Feature Up - Down Light  
 12xSMD Led  
 Color Graphite / **Code E272**




Power 11W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 900Lm  
 Cri 80  
 IP 54  
 Dimensions L: 10cm W: 16cm H: 7.7cm  
 Material Aluminium - PC Diffuser  
 Special Feature Up - Down Light  
 Color Graphite / **Code E274**




Bulb 1xE27  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 9cm W: 20cm H: 10cm  
 Material Aluminium - PC Diffuser  
 Color Dark Brown / **Code E275**






Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 800Lm  
 Cri 80  
 IP 54  
 Dimensions L: 12cm W: 13cm H: 5.1cm  
 Beam Angle 120°  
 Material Aluminum - PC Diffuser  
 Color Graphite / **Code E278**



Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 800Lm  
 Cri 80  
 IP 54  
 Dimensions L: 6.5cm W: 15cm H: 15cm  
 Beam Angle 45°  
 Material Aluminum - Tempered Glass  
 Color Graphite / **Code E273**






Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1400Lm
Cri	80
IP	65
Dimensions	L: 9.5cm W: 4.5cm H: 80cm
Base	L: 9cm W: 4.5cm H: 12.5cm
Material	Aluminum - PC Diffuser
Color	Graphite / Code E287









Power 2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 250Lm  
 Cri 82  
 IP 65  
 Dimensions L: 17.8cm W: 18cm H: 3.5  
 Material Aluminum - Tempered Glass  
 Special Feature Solar Panel  
 3 Different Ways of Lighting  
 Sense Distance 3 - 5m  
 Rotate 180°

Color Graphite / **Code E303**






Power 4W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 380Lm  
 Cri 80  
 IP 65  
 Dimensions L: 9.7cm W: 9.1cm H: 10.5cm  
 Beam Angle 36°  
 Dimmable Triac   
 Material Concrete - Aluminium  
 Color Natural Concrete / **Code E253**



Power 2x4W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 720Lm  
 Cri 80  
 IP 65  
 Dimensions L: 9.7cm W: 9.1cm H: 20cm  
 Beam Angle 36°  
 Dimmable Triac   
 Material Concrete - Aluminium  
 Color Natural Concrete / **Code E254**





Power 4x2.5W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 1015Lm  
Cri 80  
IP 54  
Dimensions L: 17cm W: 5.5cm H: 9cm  
Optic 38°  
Material Aluminium - Tempered Glass  
Color Dark Grey / **Code E250**




Power 4x2.5W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 1015Lm  
Cri 80  
IP 54  
Dimensions L: 17cm W: 5.5cm H: 9cm  
Optic 12°  
Material Aluminium - Tempered Glass  
Color Dark Grey / **Code E250-12D**




**Wall / Ground Base**  
Material Aluminium  
Color Dark Grey / **Code E251**






Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 IP 54  
 Dimensions Ø: 15cm L: 5.5cm  
 Material Aluminum - PC Diffusser  
 Color Graphite / **Code E237**




Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 15cm H: 100cm  
 Material Aluminum - PC Diffusser  
 Color Graphite / **Code E249**







Power 2 x 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 65  
 Dimensions L: 3.1cm W: 11cm H: 9cm  
 Material Aluminium - Tempered Glass  
 Special Feature Up - Down Light  
 Color Graphite / **Code E238**




Power 2 x 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 IP 65  
 Dimensions L: 3.1cm W: 17.5cm H: 9cm  
 Material Aluminium - Tempered Glass  
 Special Feature Up - Down Light  
 Color Graphite / **Code E239**




Power 2 x 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1600Lm  
 Cri 80  
 IP 65  
 Dimensions L: 3.1cm W: 30cm H: 9cm  
 Material Aluminium - Tempered Glass  
 Special Feature Up - Down Light  
 Color Graphite / **Code E240**







Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 560Lm  
 Cri 80  
 IP 44  
 Dimensions L: 6.7cm W: 19cm H: 17.5cm  
 Material Metal - PC Diffuser  
 Color Graphite / **Code E243**




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 54  
 Dimensions L: 9.2cm W: 22.4cm H: 22.5cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / **Code E245**






Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 IP 65  
 Dimensions L: 12.8cm W: 18.3cm H: 20cm  
 Material Aluminium - Glass  
 Color Dark Brown - Sandy White / **Code E271**




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 530Lm  
 Cri 80  
 IP 65  
 Dimensions L: 16.5cm W: 16cm H: 5cm  
 Material Aluminium - Tempered Glass  
 Special Feature Up - Down Light  
 Color Dark Brown / **Code E268**






Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 IP 65  
 Dimensions L: 9.6cm W: 30cm H: 12cm  
 Material Aluminium - Opal PC Diffuser  
 Special Feature Up - Down Light  
 Color Dark Grey / **Code E265**  
 Color Dark Brown / **Code E266**




Power 16W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1280Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 18.3cm L: 13cm  
 Material Aluminium - Opal PC Diffuser  
 Special Feature Movable Light  
 Color Dark Brown / **Code E267**




Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 IP 65  
 Dimensions L: 12.6cm W: 15cm H: 28cm  
 Material Aluminium - Opal PC Diffuser  
 Color Dark Brown / **Code E263**








Bulb 2xE27  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 9cm W: 8.6cm H: 34.8cm  
 Material Aluminum - Tempered Glass  
 Color Graphite / **Code E296**




Power 9W LED  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 800Lm  
 Cri 80  
 IP 65  
 Dimensions L: 9cm W: 9.5cm H: 26.5cm  
 Material Aluminum - PC Diffuser  
 Color Graphite / **Code E202**




Bulb 1xE27  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 IP 65  
 Dimensions L: 9cm W: 9.5cm H: 26.5cm  
 Material Aluminum - Clear Diffuser  
 Color Sandy Black / **Code E201**






Power 30W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2400Lm  
 Cri 80  
 IP 65  
 Dimensions L: 7.5cm W: 50cm H: 6.5cm  
 Material Aluminium - Tempered Glass  
 Special Feature Up - Down Light  
 Color Graphite / **Code E227**





Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 IP 54  
 Dimensions L: 7.5cm W: 22cm H: 3.2cm  
 Material Aluminium - Tempered Glass  
 Color Sandy White / **Code E168**






Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 810Lm  
 Cri 80  
 IP 65  
 Dimensions L: 7.8cm W: 16cm H: 10-16cm  
 Material Aluminium - PC Diffuser  
 Special Feature Movable  
 Color Graphite / **Code E199**






Power 4.2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 336Lm  
 Cri 80  
 IP 65  
 Dimensions L: 6cm W: 11cm H: 11cm  
 Material Aluminium - Tempered Glass  
 Color Graphite / **Code E197**








Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 810Lm  
 Cri 80  
 IP 65  
 Dimensions L: 7.8cm W: 18cm H: 11-18cm  
 Material Aluminium - PC Diffuser  
 Special Feature Movable  
 Color Sandy White / **Code E200**




Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 810Lm  
 Cri 80  
 IP 65  
 Dimensions L: 7.8cm W: 7cm H: 18.8cm  
 Material Aluminium - PC Diffuser  
 Special Feature Movable  
 Color Sandy White / **Code E198**







Power 2x3W  
 Input 220-240V, 50/60Hz  
 Color Temperatur 3000K  
 Lumen 540Lm  
 Cri 80  
 IP 54  
 Dimensions L: 11cm W: 13cm H: 14.8cm  
 Material Aluminium - PC Diffuser  
 Special Feature Up - Down Light  
 Color Graphite / **Code E114**




Bulb 1xE27  
 Power MAX 18W  
 Input 220-240V, 50/60Hz  
 IP 44  
 Dimensions L: 12cm W: 22cm H: 9cm  
 Material Aluminium - Tempered Glass  
 Special Feature Up - Down Light  
 Color Graphite / **Code E146**




Power 2x13W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 2080Lm  
 Cri 80  
 IP 65  
 Dimensions L: 10.6cm W: 22cm H: 9cm  
 Material Aluminium - Tempered Glass  
 Special Feature Up - Down Light  
 Color Dark Grey / **Code E261**  
 Dark Brown / **Code E262**







Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 810Lm  
 Cri 80  
 IP 65  
 Dimensions L: 7.2cm W: 16cm H: 15.5cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / **Code E195**




Power 13W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1170Lm  
 Cri 80  
 IP 54  
 Dimensions L: 13.2cm W: 18.2cm H: 11.4cm  
 Material Aluminium - PC Diffuser  
 Color Graphite - Wood / **Code E224**






Power	8W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	720Lm
Cri	80
IP	65
Dimensions	Ø: 16.5cm L: 5.8cm
Material	ABS - PC Diffusser
Color	Sandy Black / <b>Code E305</b>
Color	Sandy White / <b>Code E304</b>






Power 2x3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 54  
 Dimensions L: 8.2cm W: 8cm H: 8cm  
 Material Aluminium - Tempered Glass  
 Special Feature Movable  
 Up & Down Light


Color Graphite / **Code E109**  
 Sandy White / **Code E159**




Power 2x3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 54  
 Dimensions L: 6.5cm W: 11cm H: 17.5cm  
 Material Aluminium - Tempered Glass  
 Special Feature Up & Down Light  
 Color Graphite / **Code E135**  
 Sandy White / **Code E156**




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 54  
 Dimensions L: 14cm W: 12cm H: 4.5cm  
 Material Aluminum  
 Special Feature Up & Down Light  
 Color Graphite / **Code E120**




Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 700Lm  
 Cri 80  
 IP 54  
 Dimensions L: 12cm W: 15cm H: 5.5cm  
 Material Aluminum - PC Diffuser  
 Color Graphite / **Code E207**









Bulb 2xGU10  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 9.2cm W: 6.5cm H: 15cm  
 Material Aluminium - Tempered Glass  
 Special Feature Up & Down Light  
 Color Graphite / **Code E124**




Bulb 2xGU10  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 9.2cm W: 6.5cm H: 15cm  
 Material Aluminium - Tempered Glass  
 Special Feature Up & Down Light  
 Color Sandy White / **Code E151**




Bulb 1xGU10  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 9.2cm W: 6.5cm H: 9cm  
 Material Aluminium - Tempered Glass  
 Color Graphite / **Code E123**




Bulb 1xGU10  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 9.2cm W: 6.5cm H: 9cm  
 Material Aluminium - Tempered Glass  
 Color Sandy White / **Code E150**




Bulb 2xGU10  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 9.2cm W: 6.5cm H: 15cm  
 Material Aluminium - Tempered Glass  
 Special Feature Up & Down Light  
 Color Graphite / **Code E122**



Bulb 2xGU10 Led  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 9.5cm W: 6.8cm H: 15cm  
 Material ABS - Acrylic  
 Special Feature Up & Down Light  
 Color Sandy Black / **Code E307**




Bulb 1xGU10  
 Power MAX 15W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 9.2cm W: 6.5cm H: 9cm  
 Material Aluminium - Tempered Glass  
 Color Graphite / **Code E121**




Bulb 1xGU10 Led  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 9.5cm W: 6.8cm H: 7.5cm  
 Material ABS - Acrylic  
 Color Sandy Black / **Code E306**







Bulb 1xE27  
 Power MAX 18W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 7cm W: 24cm H: 14cm  
 Material Alumunium - PC Diffuser  
 Color Graphite / **Code E149**




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 IP 54  
 Dimensions L: 7cm W: 8cm H: 8cm  
 Material Alumunium  
 Color Graphite / **Code E111**



Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 54  
 Dimensions L: 8.4cm W: 30cm H: 12.7cm  
 Material Alumunium - PC Diffuser  
 Color Graphite / **Code E115**




Bulb 1xE27  
 Power MAX 18W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 16.5cm W: 16.5cm H: 17.1cm  
 Material Alumunium - PC Diffuser  
 Color Graphite / **Code E127**



Bulb 1xE27  
 Power MAX 18W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions L: 9.8cm W: 30cm H: 18.7cm  
 Material Alumunium - PC Diffuser  
 Color Graphite / **Code E128**







Bulb 1xGU10  
 Power MAX 11W  
 Input 220-240V, 50/60Hz  
 IP 65  
 Dimensions Ø: 8cm L: 14.3cm  
 Base Ø: 7cm  
 Material Aluminium - Tempered Glass  
 Color Graphite / **Code E236**




Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1200Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 8cm L: 16.2cm  
 Base Ø: 7cm  
 Optic 32°  
 Material Aluminium - Tempered Glass  
 Color Graphite / **Code E235**




Power 15W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1200Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 8cm L: 16.2cm  
 Base Ø: 7cm  
 Optic 12°  
 Material Aluminium - Tempered Glass  
 Color Graphite / **Code E235-12D**






Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 780Lm  
 Cri 80  
 IP 65  
 Dimensions L: 7cm W: 7cm H: 25cm  
 Base Ø: 6cm H: 0.5cm  
 Beam Angle 40°  
 Material Aluminum - Tempered Glass  
 Special Feature Spike & Base Included  
 Waterproof Connector Included

Color Graphite / **Code E286**





Bulb 1xGU10  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 IP 65  
 Dimensions Ø: 7.5cm L: 13cm H: 25cm  
 Base Ø: 6cm H: 0.5cm  
 Material Aluminum - Tempered Glass  
 Special Feature Spike & Base Included  
 Waterproof Connector Included


Color Dark Brown / **Code E284**



Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 780Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 7.5cm L: 13cm H: 25cm  
 Base Ø: 6cm H: 0.5cm  
 Beam Angle 40°  
 Material Aluminum - Tempered Glass  
 Special Feature Spike & Base Included  
 Waterproof Connector Included


Color Graphite / **Code E285**





Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 630Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 5.6cm H: 15cm  
 Optic 36°  
 Material Aluminium - Tempered Glass  
 Special Feature Movable  
 Spike Included


Color Graphite / **Code E152**



Power 5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 450Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 6.1cm H: 9cm  
 Optic 36°  
 Material Aluminium - Tempered Glass  
 Special Feature Movable  
 Spike Included


Color Graphite / **Code E153**






Power 2.1W  
 Color Temperature 2700K  
 Lumen 168Lm  
 Cri 80  
 IP 54  
 Dimensions H: 8.5cm  
 Beam Angle 10-60°  
 Material Aluminium - Stainless Steel  
 Special Feature Stick Ø: 3.2cm H: 8cm  
 Required Remote Driver 700mA  
 Spike Included


Color Sandy Black / **Code E177-A**




Power 2.1W  
 Input 220-240V, 50/60Hz  
 Color Temperature 2700K  
 Lumen 168Lm  
 Cri 80  
 IP 54  
 Dimensions H: 8.5cm  
 Base Ø: 6.6cm H: 4.2cm  
 Beam Angle 10°-60°  
 Material Aluminium - Stainless Steel  
 Special Feature Stick Ø: 3.2cm H: 8cm  
 Spike Included

Color Sandy Black / **Code E177-B**






Bulb 1xGU10 Led  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions Ø: 6cm L: 11cm H: 6.2cm  
 Material ABS - PC Diffuser  
 Special Feature Without Spike  
 Color Black / **Code E311**




Bulb 1xGU10 Led  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions Ø: 6cm L: 11cm H: 6.2cm  
 Material ABS - PC Diffuser  
 Special Feature Spike Included  
 Color Black / **Code E312**



Bulb 1xGU10 Led  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions Ø: 8.6cm L: 15.5cm H: 7.3cm  
 Material ABS - Tempered Glass  
 Special Feature Spike Included  
 Color Black / **Code E310**





Bulb 1xGU10  
Power MAX 5W  
Input 220-240V, 50/60Hz  
IP 65  
Dimensions Ø: 6cm H: 16cm  
Material ABS - PC Diffuser  
Special Feature Movable  
Spike Included  
Color Black / Code E217











Power 5.5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 629Lm  
 Cri 92  
 IP 65  
 Dimensions Ø: 12cm H: 63.5cm  
 Base Ø: 10.5cm H: 1cm  
 Shade Dimensions Ø: 12cm H: 3.5cm  
 Material Aluminum - ABS  
 Special Feature Asymmetric Beam Angle  
 Spike & Base Included


Color Graphite / **Code E293**



Power 5.5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 522Lm  
 Cri 97  
 IP 65  
 Dimensions L: 18cm W: 12cm H: 102cm  
 Base Ø: 10.5cm H: 1cm  
 Shade Dimensions Ø: 12cm H: 3.5cm  
 Beam Angle 36°  
 Material Aluminum - ABS  
 Special Feature Movable - Rotational  
 Spike & Base Included

Color Graphite / **Code E292**






Power 6W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 500Lm  
Cri 80  
IP 65  
Dimensions L: 20cm W: 4.5cm H: 60cm  
Beam Angle 40°  
Material Aluminum - Tempered Glass  
Special Feature Spike Included  
Color Dark Brown / Code E279




Outdoor Led Lighting | Spike Collection




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 600Lm  
 Cri 80  
 IP 65  
 Dimensions L: 10cm W: 10cm H: 60cm  
 Base Ø: 9.5cm H: 2cm  
 Beam Angle 40°  
 Material Aluminum - Tempered Glass  
 Special Feature Spike & Base Included  
 Color Graphite / **Code E283**




Bulb 1xGU10  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 IP 65  
 Dimensions L: 10cm W: 10cm H: 60cm  
 Material Aluminum - Tempered Glass  
 Special Feature Spike Included  
 Recommended Base E282-SP / Not Included  
 Color Graphite / **Code E281**




Bulb 1xGU10  
 Power MAX 20W  
 Input 220-240V, 50/60Hz  
 IP 65  
 Dimensions L: 10cm W: 10cm H: 100cm  
 Material Aluminum - Tempered Glass  
 Special Feature Spike Included  
 Recommended Base E282-SP / Not Included  
 Color Graphite / **Code E282**





**Base for E281 - E282**  
 Dimensions Ø: 9.5cm H: 2cm  
 Material Aluminium  
 Color Graphite / **Code E282-SP**





Power 15W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 1550Lm  
Cri 80  
IP 65  
Dimensions L: 2.5cm W: 2.5cm H: 100cm  
Base Ø: 9.5cm H: 2cm  
Material Aluminum - Opal PC Diffuser  
Special Feature Spike & Base Included  
Profile 2.5 x 2.5cm  
Color Dark Brown / **Code E280**







Power 12W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 1160Lm  
Cri 93  
IP 54  
Dimensions L: 11cm W: 11cm H: 70cm  
Base Ø: 8cm H: 0.5cm  
Beam Angle 40°  
Spots Ø: 5-7cm L: 11cm  
Material Aluminum - Tempered Glass  
Special Feature Movable - Rotational  
Base Included

Color Dark Brown / Code E299






Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1000Lm  
 Cri 80  
 IP 54  
 Dimensions L: 12.5cm W: 9cm H: 24cm  
 Material Aluminum - PC Diffuser  
 Color Graphite / **Code E276**



Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1000Lm  
 Cri 80  
 IP 54  
 Dimensions Ø: 9cm H: 65cm  
 Material Aluminum - PC Diffuser  
 Color Graphite / **Code E277**








Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 681Lm  
 Cri 83  
 IP 54  
 Dimensions L: 13.5cm W: 10cm H: 65cm  
 Beam Angle 120°  
 Material Aluminum - Tempered Glass  
 Color Graphite / **Code E297**




Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 1200Lm  
 Cri 90  
 IP 54  
 Dimensions Ø: 9cm H: 65cm  
 Beam Angle 120°  
 Material Aluminum - Tempered Glass  
 Color Graphite / **Code E298**





Power 12W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 960Lm  
Cri 80  
IP 54  
Dimensions Ø: 11cm H: 25cm  
Material Aluminum  
Color Graphite / **Code E133**



Power 3x5W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 1200Lm  
Cri 80  
IP 54  
Dimensions Ø: 12cm H: 45cm  
Material Aluminum  
Color Graphite / **Code E132**









Power 2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 300Lm  
 Cri 80  
 IP 65  
 Dimensions L: 15.6cm W: 14.5cm H: 24cm  
 Material Aluminum - PC Diffuser  
 Special Feature Solar Panel  
 3 Different Ways of Lighting  
 Sense Distance 3 - 5m


Color Graphite / **Code E295**




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 390Lm  
 Cri 82  
 IP 54  
 Dimensions L: 18cm W: 18cm H: 51cm  
 Switch 1 Switch On/Off  
 Material Aluminum - Tempered Glass  
 Special Feature Solar Panel  
 Portable Lamp  
 USB Cable Included

Color Graphite / **Code E302**







Power 7W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 630Lm  
Cri 80  
IP 54  
Dimensions L: 18cm W: 18cm H: 23cm  
Material Aluminum  
Color Graphite / **Code E203**




Power 7W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 630Lm  
Cri 80  
IP 54  
Dimensions L: 18cm W: 18cm H: 80cm  
Material Aluminum  
Color Graphite / **Code E204**






Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 720Lm  
 Cri 80  
 IP 54  
 Dimensions L: 16cm W: 15cm H: 30cm  
 Base L: 23cm W: 21cm  
 Material Concrete  
 Color Natural Concrete / **Code E191**




Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 720Lm  
 Cri 80  
 IP 54  
 Dimensions L: 16cm W: 15cm H: 70cm  
 Base L: 23cm W: 21cm  
 Material Concrete  
 Color Natural Concrete / **Code E192**




Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 720Lm  
 Cri 80  
 IP 54  
 Dimensions L: 28cm W: 10cm H: 35cm  
 Base L: 37cm W: 19cm  
 Material Concrete  
 Color Natural Concrete / **Code E190**






Power 12W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 960Lm  
 Cri 80  
 IP 65  
 Dimensions L: 5cm W: 10cm H: 60  
 Material Aluminum - PC Diffuser  
 Color Graphite / **Code E259**  
 Color Rusty Brown / **Code E260**




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 65  
 Dimensions L: 5cm W: 10cm H: 25  
 Material Aluminum - PC Diffuser  
 Color Graphite / **Code E255**  
 Color Rusty Brown / **Code E256**




Power 9W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 720Lm  
 Cri 80  
 IP 65  
 Dimensions L: 5cm W: 10cm H: 25  
 Material Aluminum - PC Diffuser  
 Color Graphite / **Code E257**  
 Color Rusty Brown / **Code E258**






Power 10W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 800Lm  
 Cri 80  
 IP 54  
 Dimensions L: 15cm W: 5.5cm H: 78cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / **Code E208**




Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 560Lm  
 Cri 80  
 IP 54  
 Dimensions L: 12cm W: 7cm H: 25cm  
 Material Aluminium  
 Color Graphite / **Code E211**






Power 10W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 800Lm  
Cri 80  
IP 54  
Dimensions L: 17cm W: 6cm H: 78cm  
Base W: 10cm L: 10cm  
Material Aluminum - PC Diffuser  
Color Graphite / **Code E206**




Power 10W  
Input 220-240V, 50/60Hz  
Color Temperature 3000K  
Lumen 800Lm  
Cri 80  
IP 54  
Dimensions L: 19.5cm W: 6cm H: 20.7cm  
Material Aluminum - PC Diffuser  
Color Graphite / **Code E205**






Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 65  
 Dimensions L: 3.7cm W: 15cm H: 15cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / **Code E241-G**  
 Sandy White / **Code E241-W**




Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 480Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 15cm L: 3.7cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / **Code E242-G**  
 Sandy White / **Code E242-W**




Power 2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 2900K  
 Lumen 190Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 10.5cm L: 3.7cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / **Code E294**






Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 IP 65  
 Dimensions L: 14cm W: 7cm H: 4.1cm  
 Recessed Mounting Box L: 12.5cm W: 6cm (Included)  
 Depth 6cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / **Code E247-G**  
 Color Sandy White / **Code E247-W**




Power 1W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 80Lm  
 Cri 80  
 IP 65  
 Dimensions L: 9cm W: 9cm H: 4.1cm  
 Recessed Mounting Box L: 7.3cm W: 7.3cm (Included)  
 Depth 6cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / **Code E246-G**  
 Color Sandy White / **Code E246-W**




Power 1.5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 90Lm  
 Cri 80  
 IP 65  
 Dimensions L: 1.5cm W: 9cm H: 12cm  
 Material ABS - PC Diffuser  
 Color White / **Code E187**









Power	4W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	300Lm
Cri	80
IP	65
Dimensions	L: 9cm W: 9cm H: 4.1cm
Recessed Mounting Box	L: 7.3cm W: 7.3cm (Included)
Depth	6cm
Material	Aluminium - Tempered Glass
Color	Graphite / <b>Code E248</b>







Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 300Lm  
 Cri 80  
 IP 54  
 Dimensions Ø: 13.5cm L: 3.2cm  
 Material ABS  
 Color Graphite / **Code E183**  
 Color White / **Code E184**




Power 1.5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 120Lm  
 Cri 80  
 IP 54  
 Dimensions L: 3.3cm W: 10cm H: 6cm  
 Material ABS  
 Color Graphite / **Code E181**  
 Color White / **Code E182**







Power 1.5W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 120Lm  
 Cri 80  
 IP 65  
 Dimensions L: 2.5cm W: 12.5cm H: 12.5cm  
 Material ABS  
 Color Graphite / **Code E230**




Power 2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 160Lm  
 Cri 80  
 IP 65  
 Dimensions L: 2.5cm W: 12.5cm H: 12.5cm  
 Material ABS  
 Color White / **Code Z67388-B**




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 220Lm  
 Cri 80  
 IP 65  
 Dimensions L: 2.5cm W: 23cm H: 8cm  
 Material ABS  
 Color Graphite / **Code E229**




Power 2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 160Lm  
 Cri 80  
 IP 65  
 Dimensions L: 2.5cm W: 23cm H: 8cm  
 Material ABS  
 Color White / **Code Z67388-C**






Bulb 1xGU10  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions Ø: 7.6cm L: 9.9cm H: 14.8cm  
 Material ABS - PC Diffuser  
 Color White / **Code E185**




Bulb 2xGU10  
 Power MAX 9W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions Ø: 7.6cm L: 9.9cm H: 18.6cm  
 Material ABS - PC Diffuser  
 Special Feature Up & Down Light  
 Color White / **Code E186**




Power 2x2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 320Lm  
 Cri 80  
 IP 65  
 Dimensions L: 3cm W: 8.3cm H: 12.3cm  
 Material ABS - PC Diffuser  
 Special Feature Up & Down Light  
 Color White / **Code E216**





Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1000Lm
Cri	80
IP	54
Dimensions	Ø: 8cm H: 5.5cm
Beam Angle	120°
Material	Aluminium
Color	Sandy Black / <b>Code S131</b>
Color	Sandy White / <b>Code S132</b>




Power	8W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	720Lm
Cri	80
IP	54
Dimensions	Ø: 6.5cm H: 4.5cm
Beam Angle	120°
Material	Aluminium
Color	Sandy Black / <b>Code S133</b>
Color	Sandy White / <b>Code S134</b>






Bulb 1xGU10  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions Ø: 7.2-7.6cm H: 14cm  
 Material ABS - Acrylic  
 Color White Matt / **Code E308**  
 Color Black Matt / **Code E309**




Bulb 1xGU10  
 Power MAX 35W  
 Input 220-240V, 50/60Hz  
 IP 65  
 Dimensions L: 8.5cm W: 8.5cm H: 10cm  
 Material Aluminium - Glass  
 Color Graphite / **Code E269**  
 Color Sandy White / **Code E270**







Bulb 1xGU10  
 Power MAX 7W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions Ø: 6cm H: 10.5cm  
 Material Aluminium - Glass Diffuser  
 Color Sandy Black / **Code E219**  
 Color Sandy White / **Code E220**




Power 7W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 560Lm  
 Cri 90  
 IP 54  
 Dimensions Ø: 6.3cm H: 7.5cm  
 Beam Angle 20°  
 Non Dimmable   
 Material Aluminium - Glass  
 Special Feature Included LED Driver  
 Color Sandy Black / **Code S112**  
 Color Sandy White / **Code S113**





Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 IP 54  
 Dimensions Ø: 13.7cm H: 20.7cm  
 Material Aluminium - Glass  
 Special Feature 150cm Cable Adjustable  
 Color Brown / **Code E172**




Bulb 1xE27  
 Power MAX 40W  
 Input 220-240V, 50/60Hz  
 IP 44  
 Dimensions Ø: 26cm L: 32cm H: 32.4cm  
 Material Aluminium - PC Diffuser  
 Color Graphite / **Code E106**







Outdoor Led Lighting | Step Lights Collection



Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 230Lm  
 Cri 90  
 IP 65  
 Dimensions Ø: 6.5cm H: 6cm  
 Material Aluminium - PC Diffuser  
 Depth Required 6cm  
 Recessed Mounting Box Included  
 Color Sandy Black / **Code E300**




Power 3W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 290Lm  
 Cri 90  
 IP 65  
 Dimensions Ø: 6.5cm H: 6cm  
 Material Aluminium - PC Diffuser  
 Depth Required 6cm  
 Recessed Mounting Box Included  
 Color Black Sandy / **Code E301**




Power 2W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 200Lm  
 Cri 80  
 IP 65  
 Dimensions Ø: 5cm H: 9cm  
 Material Stainless Steel- PC Diffuser  
 Depth Required 8cm  
 Recessed Mounting Box Included  
 Color Stainles Steel / **Code E288**




Outdoor Led Lighting | Ground Collection



Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 300Lm  
 Cri 80  
 IP 67  
 IK 10  
 Dimensions Ø: 20cm H: 4.2cm  
 Material Aluminium  
 Special Feature Surface Ground  
 Driver Included  
 Color Grey / **Code Z69058-A**




Power 2x6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 600Lm  
 Cri 80  
 IP 67  
 IK 10  
 Dimensions Ø: 20cm H: 4.2cm  
 Material Aluminium  
 Special Feature Surface Ground  
 Driver Included  
 Color Grey / **Code Z69058-B**




Power 8W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 180Lm  
 Cri 80  
 IP 67  
 IK 8  
 Dimensions Ø: 12cm H: 15cm  
 Cutting Hole Ø: 11.5cm  
 Beam Angle Asimetric  
 Material Stainless Steel  
 Depth Required 17cm  
 Recessed Mounting Box Included  
 Special Feature 200cm Cable Available  
 Driver Included  
 Color Stainless Steel / **Code Z69062**






Power 3W  
 Input 24V  
 Color Temperature 3000K  
 Lumen 240Lm  
 Cri 80  
 IP 65  
 IK 8  
 Dimensions Ø: 4.5cm H: 9.3cm  
 Material Aluminium - Stainless Steel- PC Diffuser  
 Depth Required 11: 12cm  
 Recessed Mounting Box Included  
 Recommended Driver D-8-24 (Not Included)  
 Color Aluminium / **Code E178**




Power 3W  
 Input 24V  
 Color Temperature 3000K  
 Lumen 210Lm  
 Cri 80  
 IP 65  
 IK 10  
 Dimensions Ø: 4.8cm H: 10cm  
 Material Aluminium - Stainless Steel- PC Diffuser  
 Depth Required 11: 13cm  
 Recessed Mounting Box Included  
 Recommended Driver D-8-24 (Not Included)  
 Color Aluminium / **Code E180**




Power 3W  
 Input 24V  
 Color Temperature 3000K  
 Lumen 180Lm  
 Cri 80  
 IP 65  
 IK 10  
 Dimensions Ø: 4.8cm H: 10cm  
 Material Aluminium - Stainless Steel- PC Diffuser  
 Depth Required 11: 13cm  
 Recessed Mounting Box Included  
 Recommended Driver D-8-24 (Not Included)  
 Color Aluminium / **Code E179**



**Driver**  
**D-8-24**  
 Power 8W  
 Input 220-240V, 50/60Hz  
 Output 24V  
 Dimensions L: 7.5cm W: 3cm H: 2.3cm  
 IP 42



Power 6W  
 Input 220-240V, 50/60Hz  
 Color Temperature 3000K  
 Lumen 600Lm  
 Cri 80  
 IP 67  
 IK 8  
 Dimensions Ø: 10cm H: 9.5cm  
 Beam Angle 36°  
 Material Aluminium - Stainless Steel- Tempered Glass  
 Depth Required 11: 12cm  
 Recessed Mounting Box Included  
 Special Feature Driver Included  
 Color Stainless Steel / **Code E189**




**Waterproof Connection Box 1in / 1out , 16A , 450V**  
 IP 67  
 Color Black / **Code Z0800-BA**





Code	IP	Kelvin	CRI	Watt	Lumen/M
Z7055A-W	66	3000	80	12W	MAX 850
Z7055A-C	66	4000	80	12W	MAX 870



Power Input 12x1W  
 Cri 80  
 IP 66  
 Dimensions L: 50cm W: 3.1cm H: 6cm  
 Beam Angle 60° x 20°  
 Material Aluminium  
 Special Feature 100cm Cable Available  
 Driver Not Included  
 Connect 10pcs MAX


Color Grey

Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 701
2. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 700
3. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 701
4. ON-OFF Dimming : ON-OFF Driver 24V to Page : 700



Code	IP	Kelvin	CRI	Watt	Lumen/M
Z7055B-W	66	3000	80	24W	MAX 1700
Z7055B-C	66	4000	80	24W	MAX 1720



Power Input 24x1W  
 Cri 80  
 IP 66  
 Dimensions L: 100cm W: 3.1cm H: 6cm  
 Beam Angle 60° x 20°  
 Material Aluminium  
 Special Feature 100cm Cable Available  
 Driver Not Included  
 Connect 5pcs MAX

Color Grey

Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 701
2. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 700
3. PUSH BUTTON Dimming : Dali Driver 24V Channel 1 to Page : 701
4. ON-OFF Dimming : ON-OFF Driver 24V to Page : 700



Code	IP	Kelvin	CRI	Watt	Lumen/M
Z7055B-RGB	66	RGB	80	36W	MAX 1050




Power Input 24x1.5W  
 Cri 80  
 IP 66  
 Dimensions L: 100cm W: 4.2cm H: 7cm  
 Beam Angle 30°  
 Material Aluminium  
 Special Feature 100cm Cable Available  
 Driver Not Included  
 Connect 5pcs MAX

Color Grey

Dimming Options

1. DALI Dimming : Dali Driver 24V Channel 1+Switch Dali MCU . Suitable with Drivers to Page : 701
2. 1-10 Dimming : 1-10 Driver 24V . Suitable with 1-10V Drivers to Page : 701
3. BLUETOOTH Dimming : Element Driver 24V+OT BLE (CASAMBI App) . Suitable with Drivers to Page : 700









5186D	614	53226D	618
51860	614	532260	618
51114D	614	53254D	618
511140	614	532540	618
51142D	614	53282D	618
511420	614	532820	618
51170D	614	53310D	618
511700	614	533100	618
51198D	614	53338D	618
511980	614	533380	618
51226D	614	5458D	620
512260	614	54580	620
51254D	614	5486D	620
512540	614	54860	620
51282D	614	54114D	620
512820	614	541140	620
51310D	614	54142D	620
513100	614	541420	620
51338D	614	54170D	620
513380	614	541700	620
5258D	616	54198D	620
52580	616	541980	620
5286D	616	54226D	620
52860	616	542260	620
52114D	616	54254D	620
521140	616	542540	620
52142D	616	54282D	620
521420	616	542820	620
52170D	616	54310D	620
521700	616	543100	620
52198D	616	54338D	620
521980	616	543380	620
52226D	616	8106	628
522260	616	8109	628
52254D	616	8112	628
522540	616	8118	628
52282D	616	8206	628
522820	616	8209	628
52310D	616	8212	628
523100	616	8218	628
52338D	616		
523380	616	4062172231251	692
5358D	618	4062172231275	692
53580	618	4062172231299	692
5386D	618	4062172231695	692
53860	618	4062172231718	692
53114D	618	4062172231732	692
531140	618	4062172231459	692
53142D	618	4062172231473	692
531420	618	4062172231497	692
53170D	618	4062172231893	692
531700	618	4062172231916	692
53198D	618	4062172231930	692
531980	618	4062172231374	693
		4062172231398	693
		4055462217431	693

4055462217455	693	4052899557833	700
4062172107242	694	4052899557949	700
4062172107266	694	ACLS4524DA2	701
LS01	696	ACLS8024DA2	701
LS02	696	ACLS15024DA2	701
LS03	696	Z89100VND	701
LS04	696	Z89200VND	701
LS05	694	D-8-24	818
LS06	695		
LS07	695		
LS08	697		
LS09	697		
LS11	697		
LS12	696		
LS14	697		
LS15	697		
LS16	697		
LS17	698		

**Accessories for LED Strips**

ALMLS08-09	697
ECLS08-09	697
ALMLS10-11	697
CLIPLS10-11	697
ALMLS14-15	697
ECLS14-15	697
FCLS14-15	697
FPLS14-15	697
CLIPLS17	698

**OSRAM Coins 50**

4052899583603	702
4052899583627	702
4052899583641	702
4052899541153	702
4052899541191	702
4052899541757	702
4052899541795	702
4052899541771	702
4052899541818	702
4052899605763	702
4052899605787	702

**OSRAM Switches**

4052899465916	701
---------------	-----

**Drivers**

V350-1050	652
4062172007559	702
4062172151252	702
4052899548190	702
4052899552906	702
4052899605541	700
4052899605565	700
4052899605503	700
4052899605527	700


ZAMPELIS S.A.


Greece , Attica , Keratea , Kivouri

Postal: 19001 , P.O. box: 4791

Tel.: (+30) 22990 63518-19 | Fax: (+30) 22990 63521

info@zambelislights.gr | zambelislights.gr





Zambelis  
L I G H T S





ZAMPELIS S.A.

Greece , Attica , Keratea , Kivouri

Postal: 19001 , P.O. box: 4791

Tel.: (+30) 22990 63518-19 | Fax: (+30) 22990 63521

[info@zambelislights.gr](mailto:info@zambelislights.gr) | [zambelislights.gr](http://zambelislights.gr)

